LED driver 1750mA 20-34V LPF-60-1750 230V 60W IP67

Product code 13291

Supply voltage 230V
Output voltage 20-34V
Output 60W
Maximum output 60W/1m
Electric current 1750mA
Protection class IP67
Height 32.0mm
Width 42.0mm
Length 163.0mm
Weight 399g
Package weight 426g
Casing material plastic
Work environment indoor use
Certificates CE, RoHS



LED driver 3000mA 30-42V LW-FL100W silvery 230V 100W IP67

Product code 14107

Supply voltage 230V
Output voltage 30-42V
Output 100W
Electric current 3000mA
Protection class IP67
Height 45.0mm
Width 70.0mm
Length 164.0mm
Casing colour silvery
Casing material aluminum
Work environment outdoor use
Warranty 2 years



LED driver 300mA 40-50V ELF-15-50 230V 15W IP67

Product code 13293

Supply voltage 230V
Output voltage 40-50V
Output 15W
Electric current 300mA
Protection class IP67
Height 27.0mm
Width 37.0mm
Length 78.0mm
Casing material aluminum
Certificates CE
Warranty 2 years



LED driver 350mA 66-110V LPF-35-350 230V 35W IP67

Product code 12909

Supply voltage 230V
Output voltage 66-110V
Output 35W
Electric current 350mA
Protection class IP67
Height 28.0mm
Width 41.0mm
Length 147.0mm
Weight 227g
Package weight 250g
Casing material plastic
Work environment outdoor use
Certificates CE, RoHS



Power supply 950mA 25-40v PAN-TRAND 40W IP20

Product code 15167 TRIAC dimmable

Dimmable TRIAC
Output 40W
Protection class IP20

LED driver BOKE 1200mA 28-42V 230V 50W IP20

Product code 17161

Brand BOKE
Supply voltage 230V
Output voltage 28-42V
Output 50W
Maximum output 50W/1m
Electric current 1200mA
Protection class IP20
Lifespan 100000h
Height 29.0mm
Width 45.0mm
Length 135.0mm
Casing material plastic
Power supply BOKE
Work environment indoor use
Operation temperature -20 - 60°C
Warranty 5 years



LED driver BOKE 300-500mA 28-42V 230V 21W IP20

Product code 17159

Brand BOKE
Supply voltage 230V
Output voltage 28-42V
Output 21W
Maximum output 21W/1m
Electric current 500mA
Protection class IP20
Lifespan 100000h
Height 28.0mm
Width 45.0mm
Length 117.0mm
Casing material plastic
Power supply BOKE
Work environment indoor use
Operation temperature -20 - 60°C
Warranty 5 years



LED driver BOKE 500-1100mA 28-42V 230V 42W IP20

Product code 17160

Brand BOKE
Supply voltage 230V
Output voltage 28-42V
Output 42W
Maximum output 42W/1m
Electric current 1100mA
Protection class IP20
Lifespan 100000h
Height 28.0mm
Width 45.0mm
Length 117.0mm
Casing material plastic
Power supply BOKE
Work environment indoor use
Operation temperature -20 - 60°C
Warranty 5 years



LED driver BOKE 600-1100mA 3-42V DALI, PUSH 230V 42W IP20

Product code 16015 DALI / PUSH dimmable

Brand BOKE
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 3-42V
Output 42W
Maximum output 42W/1m
Electric current 1100mA
Protection class IP20
Lifespan 50000h
Weight 170g
Casing material plastic
Power supply BOKE
Work environment indoor use
Operation temperature -20 - +45°C
Warranty 5 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

LED driver EMOS 200-350mA 25-40V, TRIAC 230V 14W IP20

Product code 16645 TRIAC dimmable

Brand EMOS
Supply voltage 230V
Dimmable TRIAC
Output voltage 25-40V
Output 14W
Maximum output 14W/1m
Electric current 350mA
Protection class IP20
Height 31.0mm
Width 46.0mm
Length 97.0mm
Weight 114g
Certificates CE
Warranty 5 years



LED driver LIFUD 1000mA 27-42V LF-GDE042YF1000U DIM 0-10V 230V 42W IP20

Product code 13930 0-10V dimmable

Brand LIFUD
Supply voltage 230V
Dimmable 0-10V
Output voltage 27-42V
Output 42W
Electric current 1000mA
Protection class IP20
Height 30.0mm
Width 65.0mm
Length 140.0mm
Weight 200g
Casing material plastic
Work environment indoor use
Certificates CE, SELV, ENEC, F, M



Power supply LTECH DALI SE-12-100-400-W1DS 230V 12W IP20

Product code 16893 DALI dimmable

Brand LTECH
Supply voltage 230V
Power factor 0.85
Dimmable DALI
Output voltage 9-42V
Output 12W
Electric current 400mA
Protection class IP20
Height 20.0mm
Width 30.0mm
Length 135.0mm
Operation temperature -20 ~ 50°C
Warranty 5 years



Power supply LTECH TRIAC TD-15-100-400-E1P1 230V 15W

Product code 15030

Brand LTECH
Supply voltage 230V
Output voltage 36-54V
Output 15W
Electric current 400mA



LED driver MEAN WELL 1450mA HLG-60H-42A 230V 60W IP65

Product code 14541

Brand MEAN WELL
Supply voltage 230V
Output voltage 42V
Output 60W
Electric current 1450mA
Protection class IP65
Warranty 3 years



DALI SKYDANCE TE-15A 230V 15W IP20

Product code 16430 TRIAC / PUSH dimmable

Brand SKYDANCE
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 10-45V
Output 15W
Maximum output 15W/1m
Electric current 700mA
Protection class IP20
Height 30.0mm
Width 41.0mm
Length 151.0mm
Weight 106g
Package weight 123g
Work environment indoor use
Operation temperature -30~50°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE TE-36A 230V 36W IP20

Product code 16522 TRIAC / PUSH dimmable

Brand SKYDANCE
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 10-52V
Output 36W
Maximum output 36W/1m
Electric current 1200mA
Protection class IP20
Height 30.0mm
Width 44.0mm
Length 168.5mm
Work environment indoor use
Operation temperature -30~50°C
Certificates CE
Warranty 5 years



Power supply Tridonic LC 600mA 230V 25W IP20

Product code 17088

Brand Tridonic
Supply voltage 230V
Output voltage 27-42V
Output 25W
Maximum output 25W/1m
Electric current 600mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 43.0mm
Length 97.0mm
Work environment indoor use
Certificates CE
Warranty 5 years



Power supply Tridonic LC 800-1050mA 230V 40W IP20

Product code 17066

Brand Tridonic
Supply voltage 230V
Output voltage 25-42V
Output 40W
Maximum output 40W/1m
Electric current 1050mA
Protection class IP20
Lifespan 100000h
Height 30.0mm
Width 43.0mm
Length 97.0mm
Work environment indoor use
Certificates CE, ENEC
Warranty 5 years

