

LED bulb 360 Line Filament FG125 Smoked 230V 7W 800lm E27 360° 827

Product code 15670

Brand 360 Line
Supply voltage 230V
Output 7W
Luminous flux 800lumens
Luminaire's efficiency lm79 114W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 171.0mm
Diameter 124.0mm
Weight 100g
In package 1pc
In box 50pcs
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS



LED bulb 360 Line Filament FMB 230V 1.3W 55lm E27 360° 827

Product code 15644

Brand 360 Line
Supply voltage 230V
Output 1.3W
Luminous flux 55lumens
Luminaire's efficiency lm79 42W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 78.0mm
Diameter 45.0mm
Weight 20g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb 360 Line Filament FMB 230V 4W 470lm E27 360° 830

Product code 15671

Brand 360 Line
Supply voltage 230V
Output 4W
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm
white 3000K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 75.0mm
Diameter 45.0mm
Weight 20g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb 360 Line Filament FSW 230V 4W 440lm E14 360° IP20 830

Product code 15388

Brand 360 Line
Supply voltage 230V
Output 4W
Luminous flux 440lumens
Luminaire's efficiency lm79 110W
Correlated colour temperature warm
white 3000K
Lens angle 360
Socket E14
Cri 80
Protection class IP20
Lifespan 15000h
Height 100.0mm
Width 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE,RoHS



LED bulb Filament A60 230V 8W 950lm E27 360° 827

Product code 16324

Supply voltage 230V
Output 8W
Electric current 62mA
Luminous flux 950lumens
Luminaire's efficiency lm79 119W
Correlated colour temperature warm
white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 25000h
Height 105.0mm
Diameter 60.0mm
Weight 30g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS



LED bulb Filament G45 230V 4W 470lm E27 360° 827

Product code 16323

Supply voltage 230V
Output 4W
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm
white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 25000h
Height 73.0mm
Diameter 45.0mm
Weight 20g
In package 1pc
In box 100pcs
Casing material glass
Work environment indoor use



LED bulb Filament G80 230V 4W 470lm E27 320° 827

Product code 16327

Supply voltage 230V
Output 4W
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm
white 2700K
Lens angle 320
Socket E27
Cri 80
Lifespan 25000h
Height 120.0mm
Diameter 80.0mm
Weight 50g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS



LED bulb Filament ST64 230V 4W 470lm E27 360° 827

Product code 16325

Supply voltage 230V
Output 4W
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm
white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 25000h
Height 142.0mm
Diameter 64.0mm
Weight 50g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS



LED bulb Filament ST64 230V 8W 950lm E27 280° 827

Product code 16326

Supply voltage 230V
Output 8W
Luminous flux 950lumens
Luminaire's efficiency lm79 119W
Correlated colour temperature warm
white 2700K
Lens angle 280
Socket E27
Cri 80
Lifespan 25000h
Height 142.0mm
Diameter 64.0mm
Weight 50g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS



LED bulb Star Trading A60 (TRIAC) 230V 2.3W 70lm E27 360° IP20 818

Product code 17269 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 2.3W

Electric current 11mA

Luminous flux 70lumens

Luminaire's efficiency lm79 30W

Correlated colour temperature warm white 1800K

Lens angle 360

Socket E27

Cri 80

Protection class IP20

Lifespan 15000h

Height 11.0mm

Diameter 60.0mm

In package 1pc

In box 10pcs

No. of switches 7500pcs

Work environment indoor use

Operation temperature -20 ~40°C

Certificates CE

This Star Trading luminaire allows creating an impressive lighting solution in the room. The LED luminaire emits warm white light (1800K) and does not create a dazzling effect. The luminaire can also be dimmed to maintain the appropriate lighting level according to the atmosphere. This luminaire is suitable for indoor use only, with IP20 protection rating. An ideal design element for home environments and restaurants!



LED bulb Star Trading A60 clear (TRIAC) 230V 4W 470lm E27 360° IP44 827

Product code 17270 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Power factor 0.88
Dimmable TRIAC
Output 4W
Electric current 19mA
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 10.7mm
Diameter 60.0mm
In package 1pc
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20 ~40°C
Certificates CE

This Star Trading LED luminaire allows creating an impressive lighting solution in the room. The LED luminaire emits warm white light. 2700K LED lights provide cozy and soft light, which is ideal for living rooms and bedrooms. The luminaire can also be dimmed to maintain the appropriate lighting level according to the atmosphere. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range](https://ledhouse.ee/en/products)!



LED bulb Star Trading A60 Frosted 230V 4.8W 540lm E27 360° IP44 827

Product code 15972

Equivalent 42W regular bulb
Brand [Star Trading](#)
Supply voltage 230V
Output 4.8W
Luminous flux 540lumens
Luminaire's efficiency lm79 113W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 15000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 10pcs
Polishing matt
No. of switches 12500pcs
Operation temperature -20° - +40°C
Certificates CE,RoHS



LED bulb Star Trading A60 Frosted TRIAC 230V 4.7W 500lm E27 360° IP44 827

Product code 15971 TRIAC dimmable

Equivalent 42W regular bulb
Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 4.7W
Luminous flux 500lumens
Luminaire's efficiency lm79 106W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 15000h
Height 109.0mm
Diameter 60.0mm
In package 1pc
In box 10pcs
Polishing matt
No. of switches 12500pcs
Operation temperature -20° - +40°C
Certificates CE,RoHS



LED bulb Star Trading A60 Soft Glow 230V 7W 700lm E27 360° IP44 821

Product code 16862 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 7W
Luminous flux 700lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 2100K
Lens angle 360
Socket E27
Cri 80
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 15000h
Height 107.0mm
Diameter 60.0mm
In package 1pc
In box 10pcs
No. of switches 12500pcs
Operation temperature -20° - +40°C
Certificates CE,RoHS



LED bulb Star Trading Clear G45 351-22-1 230V 2.3W 270lm E27 IP44 840

Product code 16731

Brand [Star Trading](#)
Supply voltage 230V
Power factor 0.46
Output 2.3W
Electric current 22mA
Luminous flux 270lumens
Luminaire's efficiency lm79 117W
Correlated colour temperature pure white 4000K
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 78.0mm
Installation opening diameter 45mm
In package 1pc
In box 10pcs
No. of switches 12500pcs
Work environment indoor / outdoor use
Operation temperature -20° - +40°C
Certificates CE,RoHS



LED bulb Star Trading Filament A60 TRIAC 352-32-1 230V 8W 810lm E27 360° IP44 827

Product code 14787 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 8W
Electric current 35mA
Luminous flux 810lumens
Luminaire's efficiency lm79 101W
Correlated colour temperature warm
white 2700K
Lens angle 360
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 107.0mm
Diameter 60.0mm
Casing material aluminum + glass
No. of switches 12500pcs
Operation temperature -20° - +40°C
Certificates CE,RoHS



LED bulb Star Trading Filament C35 Soft Glow, 353-05 230V 4W 350lm E14 360° IP44 821

Product code 15166 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 4W
Electric current 19mA
Luminous flux 350lumens
Luminaire's efficiency lm79 88W
Correlated colour temperature warm
white 2100K
Lens angle 360
Socket E14
Cri 80
Protection class IP44
Lifespan 15000h
Height 98.0mm
Diameter 35.0mm
Casing material glass
No. of switches 12500pcs
Operation temperature -20 ~ +40°C



LED bulb Star Trading Filament G125 Soft Glow, 352-54-1 TRIAC 230V 3.6W 320lm E27 360° IP44 821

Product code 15164 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 3.6W
Electric current 18mA
Luminous flux 320lumens
Luminaire's efficiency lm79 89W
Correlated colour temperature warm
white 2100K
Lens angle 360
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 182.0mm
Diameter 125.0mm
Casing material glass
No. of switches 12500pcs
Operation temperature -20 ~ +40°C



LED bulb Star Trading Filament G45 Frosted TRIAC 350-24-1 230V 4W 400lm E27 360° IP44 827

Product code 16113 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 4W
Luminous flux 400lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 2700K
Lens angle 360
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 77.0mm
Diameter 45.0mm
In package 1pc
In box 10pcs
Polishing matt
No. of switches 12500pcs
Operation temperature -20° - +40°C
Certificates CE,RoHS



LED bulb Star Trading Filament G45 SOFT GLOW, 353-16-1 TRIAC 230V 4W 350lm E27 360° IP44 821

Product code 16203 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 4W
Electric current 19mA
Luminous flux 350lumens
Luminaire's efficiency lm79 88W
Correlated colour temperature warm
white 2100K
Lens angle 360
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 78.0mm
In package 1pc
In box 10pcs
No. of switches 12500pcs
Operation temperature -20° - +40°C
Certificates CE, RoHS



LED bulb Star Trading Filament G95 Spiral Smoke, 354-61-1 TRIAC 230V 2W 50lm E27 360° IP44 921

Product code 16916 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 2W
Electric current 22mA
Luminous flux 50lumens
Luminaire's efficiency lm79 25W
Correlated colour temperature warm
white 2100K
Lens angle 360
Socket E27
Cri 90
Protection class IP44
Lifespan 15000h
Height 138.0mm
Diameter 95.0mm
Casing material glass
No. of switches 12500pcs
Operation temperature -20 ~ +40°C



LED bulb Star Trading Filament P45 SOFT GLOW 353-11 230V 1.5W 120lm E14 360° IP44 821

Product code 15446

Brand [Star Trading](#)
Supply voltage 230V
Output 1.5W
Luminous flux 120lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm
white 2100K
Lens angle 360
Socket E14
Cri 80
Protection class IP44
Lifespan 15000h
Height 81.0mm
Diameter 45.0mm
In package 1pc
In box 10pcs
Casing material glass
No. of switches 12500pcs
Work environment indoor / outdoor
use
Operation temperature -20° - +40°C
Certificates CE, RohS



LED bulb Star Trading Filament ST26 SOFT GLOW 352-59-1 230V 1.4W 60lm 360° IP44 821

Product code 16131 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 1.4W
Luminous flux 60lumens
Luminaire's efficiency lm79 43W
Correlated colour temperature warm
white 2100K
Lens angle 360
Cri 80
Protection class IP44
Lifespan 15000h
Height 58.0mm
Width 26.0mm
Length 26.0mm
In package 1pc
In box 10pcs
Casing material glass
No. of switches 12500pcs
Operation temperature -20° - +40°C
Certificates CE, RoHS



LED bulb Star Trading Filament ST64 Soft Glow, 352-72-1 TRIAC 230V 3.6W 320lm E27 360° IP44 821

Product code 15165 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.6W

Luminous flux 320lumens

Luminaire's efficiency lm79 89W

Correlated colour temperature warm white 2100K

Lens angle 360

Socket E27

Cri 80

Protection class IP44

Lifespan 15000h

Height 142.0mm

Diameter 64.0mm

Casing material glass

No. of switches 12500pcs

Operation temperature -20 ~ +40°C



LED bulb Star Trading Filament ST64 Vintage Gold TRIAC 230V 3.7W 240lm E27 918

Product code 14772 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.7W

Electric current 19mA

Luminous flux 240lumens

Luminaire's efficiency lm79 65W

Correlated colour temperature warm white 1800K

Socket E27

Cri 90

Lifespan 15000h

Height 142.0mm

Diameter 64.0mm

Casing material glass

No. of switches 12500pcs

Operation temperature -20 ~ +40°C



LED bulb Star Trading G125 (TRIAC) round 230V 2.5W 90lm E27 360° IP20 818

Product code 17268 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 2.5W

Electric current 15mA

Luminous flux 90lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature warm white 1800K

Lens angle 360

Socket E27

Cri 80

Protection class IP20

Lifespan 15000h

Height 165.0mm

Diameter 125.0mm

In package 1pc

In box 5pcs

Shape round

No. of switches 7500pcs

Work environment indoor use

Operation temperature -20 ~40°C

Certificates CE

This Star Trading luminaire allows creating an impressive lighting solution in the room. The LED luminaire emits warm white light (1800K) and does not create a dazzling effect. The luminaire can also be dimmed to maintain the appropriate lighting level according to the atmosphere. This luminaire is suitable for indoor use only, with IP20 protection rating. An ideal design element for home environments and restaurants!



LED bulb Star Trading G80 Decoled 352-50-3 230V 3.5W 160lm CRI80 E27 IP44

Product code 16632

Brand [Star Trading](#)
Supply voltage 230V
Output 3.5W
Electric current 27mA
Luminous flux 160lumens
Luminaire's efficiency lm79 46W
Socket E27
Cri 80
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 15000h
Height 120.0mm
Diameter 80.0mm
In package 1pc
In box 5pcs
No. of switches 12500pcs
Work environment indoor / outdoor
use
Operation temperature -10° - +45°C
Certificates CE,RoHS



LED bulb Star Trading G95 Clear 352-46-3 230V 4.2W 470lm E27 IP44 840

Product code 17129 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 4.2W
Electric current 20mA
Luminous flux 470lumens
Luminaire's efficiency lm79 112W
Correlated colour temperature pure
white 4000K
Socket E27
Cri 80
Protection class IP44
Lifespan 25000h
Height 142.0mm
Diameter 95.0mm
In package 1pc
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20° - +40°C
Certificates CE,RoHS



Natural light LED bulb

LED bulb Star Trading G95 Vintage Gold TRIAC 354-51 230V 3.7W 240lm E27 918

Product code 14771 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 3.7W
Electric current 15mA
Luminous flux 240lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature warm
white 1800K
Socket E27
Cri 90
Lifespan 15000h
Height 140.0mm
Diameter 95.0mm
Casing material glass
No. of switches 12500pcs
Operation temperature -10° - +45°C
Certificates CE, RoHS



LED bulb Star Trading T30 (TRIAC) 230V 2.3W 70lm E27 360° IP20 818

Product code 17267 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 2.3W

Electric current 11mA

Luminous flux 70lumens

Luminaire's efficiency lm79 30W

Correlated colour temperature warm
white 1800K

Lens angle 360

Socket E27

Cri 80

Protection class IP20

Lifespan 15000h

Height 185.0mm

Diameter 30.0mm

In package 1pc

In box 10pcs

No. of switches 7500pcs

Work environment indoor use

Operation temperature -20 ~40°C

Certificates CE

This Star Trading luminaire allows creating an impressive lighting solution in the room. The LED luminaire emits warm white light (1800K) and does not create a dazzling effect. The luminaire can also be dimmed to maintain the appropriate lighting level according to the atmosphere. This luminaire is suitable for indoor use only, with IP20 protection rating. An ideal design element for home environments and restaurants!

