



## **LED floodlight Prolumen Recon black 230V 50W 6500lm 120° IP66 727**


Product code 18005

A reliable [LED floodlight](#) for illuminating areas and parking lots.

The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently.

Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment!

Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

|                               |   |
|-------------------------------|---|
| Correlated colour temperature | warm white 2700K  |
| Luminous flux                 | 6500lumens  |
| Luminaire's efficiency lm79   | 130lm/W   |
| Warranty                      | 5 years   |
| Source of light               | <a href="#">PHILIPS LED</a>   |
| Power supply                  | <a href="#">DONE</a>  |
| Brand                         | <a href="#">Prolumen</a>  |
| Supply voltage                | 230V  |
| Power factor                  | 0.90  |
| Output                        | 50W   |
| Maximum output                | 50W   |
| Lens angle                    | 120°  |
| Cri                           | 70  |
| Sdcm - macadam ellipses       | 6   |
| Protection class              | IP66  |
| Lifespan                      | 35000h  |
| Llmf tm21                     | L80B10 @25°C 50.000h  |
| Length                        | 280.0mm   |
| Width                         | 245.0mm   |
| Height                        | 53.0mm  |
| In package                    | 1pc   |
| In box                        | 5pcs  |
| Casing colour                 | black   |
| Casing material               | aluminium   |
| Polishing                     | matt  |
| No. of switches               | 30000times  |
| Impact resistance             | IK08  |
| Work environment              | indoor / outdoor use  |
| Operation temperature         | -25°C - +45°C   |
| Certificates                  | CE, RoHS  |
| Eprel                         | <a href="#">2247348</a>   |
| Energy class                  |  |

