

## LED bulb 16891 230V 6W 600lm G9 330° IP20 840

### Product code 16891

---

Supply voltage 230V  
Output 6W  
Maximum output 6W/1m  
Luminous flux 600lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature pure  
white 4000K  
Lens angle 330  
Socket G9  
Cri 80  
Protection class IP20  
Lifespan 10000h  
Length 72.0mm  
Diameter 21.0mm  
Weight 20 g  
In package 1pc  
In box 200pcs  
No. of switches 1000pcs  
Work environment indoor use



## LED bulb 16980 230V 6W 600lm G9 330° IP20 830

### Product code 16980

---

Supply voltage 230V  
Output 6W  
Maximum output 6W/1m  
Luminous flux 600lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm  
white 3000K  
Lens angle 330  
Socket G9  
Cri 80  
Protection class IP20  
Lifespan 10000h  
Length 72.0mm  
Diameter 21.0mm  
Weight 20 g  
In package 1pc  
In box 200pcs  
No. of switches 1000pcs  
Work environment indoor use



## LED bulb 22322 230V 6,5W 800lm G9 330° IP20 840

### Product code 22322

Supply voltage 230V  
Output 6,5W  
Maximum output 6.5W/1m  
Luminous flux 800lumens  
Correlated colour temperature pure white 4000K  
Lens angle 330  
Socket G9  
Cri 80  
Protection class IP20  
Lifespan 15000h  
Length 65.0mm  
Diameter 18.0mm  
Weight 20 g  
In package 1pc  
In box 500pcs  
No. of switches 1000pcs  
Work environment indoor use



## LED bulb A5 G45B 230V 3W 225lm E27 280° IP20 830

### Product code 14082

Supply voltage 230V  
Output 3W  
Maximum output 3W/1m  
Rated current 30mA  
Luminous flux 225lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 280  
Socket E27  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 82.0mm  
Diameter 45.0mm  
In package 5pcs  
In box 50pcs  
Casing material aluminium + plastic  
Polishing matt  
No. of switches 12500pcs  
Work environment indoor use  
Operation temperature -10°C-40°C  
Certificates CE,TUV-GS,RoHS



## LED bulb G45 230V 1W 70lm E27 320° 827

### Product code 15740

---

Supply voltage 230V  
Output 1W  
Maximum output 1W/1m  
Luminous flux 70lumens  
Luminaire's efficiency lm79 70W  
Correlated colour temperature warm  
white 2700K  
Lens angle 320  
Socket E27  
Cri 80  
Lifespan 25000h  
Height 69.0mm  
Diameter 45.0mm  
No. of switches 12500pcs  
Work environment indoor / outdoor  
use  
Certificates CE,RoHS



## LED bulb G45 230V 1W CRI80 E27 320° blue

### Product code 15738

---

Supply voltage 230V  
Output 1W  
Maximum output 1W/1m  
Correlated colour temperature blue  
blue  
Lens angle 320  
Socket E27  
Cri 80  
Lifespan 25000h  
Height 69.0mm  
Diameter 45.0mm  
No. of switches 12500pcs  
Work environment indoor / outdoor  
use  
Certificates CE,RoHS



## **LED bulb G45 230V 1W CRI80 E27 320° green**

**Product code 15737**

---

Supply voltage 230V  
Output 1W  
Maximum output 1W/1m  
Correlated colour temperature green  
green  
Lens angle 320  
Socket E27  
Cri 80  
Lifespan 25000h  
Height 69.0mm  
Diameter 45.0mm  
No. of switches 12500pcs  
Work environment indoor / outdoor  
use  
Certificates CE,RoHS



## **LED bulb G45 230V 1W CRI80 E27 320° red**

**Product code 15736**

---

Supply voltage 230V  
Output 1W  
Maximum output 1W/1m  
Correlated colour temperature red red  
Lens angle 320  
Socket E27  
Cri 80  
Lifespan 25000h  
Height 69.0mm  
Diameter 45.0mm  
No. of switches 12500pcs  
Work environment indoor / outdoor  
use  
Certificates CE,RoHS



## LED bulb G45 230V 1W CRI80 E27 320° yellow

### Product code 15739


Supply voltage 230V  
Output 1W  
Maximum output 1W/1m  
Correlated colour temperature yellow  
yellow  
Lens angle 320  
Socket E27  
Cri 80  
Lifespan 25000h  
Height 69.0mm  
Diameter 45.0mm  
No. of switches 12500pcs  
Work environment indoor / outdoor  
use  
Certificates CE,RoHS



## LED bulb LED INSERT white round 230V 6.5W 600lm 120° IP20 830

### Product code 16930

Supply voltage 230V  
Output 6.5W  
Maximum output 6.5W/1m  
Luminous flux 600lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 10000h  
Height 24.0mm  
Diameter 50.0mm  
In package 1pc  
In box 100pcs  
Casing colour white  
Casing material ceramic  
Shape round  
No. of switches 10000pcs  
Work environment indoor use  
Certificates CE



## LED bulb PHILIPS Corepro LED G24D-3 230V 8,9W 900lm 120° 830

**Product code 19932**

Brand [PHILIPS](#)

Supply voltage 230V

Output 8,9W

Maximum output 8.9W/1m

Luminous flux 900lumens

Correlated colour temperature warm  
white 3000K

Lens angle 120

Cri 82

Lifespan 30000h

Diameter 34.0mm

Casing material glass

No. of switches 50000pcs

Work environment indoor use

Certificates CE, RoHS

Warranty 2 years



## LED bulb PHILIPS LED Classic 230V 10,5W 1521lm E27 360° TRIAC 2700K warm white

**Product code 19263 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 10,5W

Maximum output 10.5W/1m

Luminous flux 1521lumens

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 13W 2000lm E27 360° 2700K warm white

**Product code 19257**

Brand [PHILIPS](#)

Supply voltage 230V

Output 13W

Maximum output 13W/1m

Luminous flux 2000lumens

Luminaire's efficiency lm79 154W

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 177.0mm

Diameter 125.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 2,2W 250lm E27 IP20 2700K warm white

**Product code 19300**

Brand [PHILIPS](#)

Supply voltage 230V

Output 2,2W

Maximum output 2.2W/1m

Luminous flux 250lumens

Correlated colour temperature warm  
white 2700K

Socket E27

Protection class IP20

Height 80.0mm

Width 45.0mm



## LED bulb PHILIPS LED Classic 230V 2,8W 250lm E14 360° 2700K warm white

**Product code 19268**

Brand [PHILIPS](#)

Supply voltage 230V

Output 2,8W

Maximum output 2.8W/1m

Luminous flux 250lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 106.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 3.4W 470lm E14 360° TRIAC 2700K warm white

**Product code 19272 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.4W

Maximum output 3.4W/1m

Luminous flux 470lumens

Luminaire's efficiency lm79 138W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 97.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 4W 250lm E27 360° 2700K warm white

**Product code 19252**

Brand [PHILIPS](#)

Supply voltage 230V

Output 4W

Maximum output 4W/1m

Luminous flux 250lumens

Luminaire's efficiency lm79 63W

Correlated colour temperature warm white 2700K

Beam angle 360

Socket E27

Lifespan 15000h

Height 87.0mm

Diameter 45.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 5,5W 500lm IP20 827

**Product code 19288**

Brand [PHILIPS](#)

Supply voltage 230V

Output 5,5W

Maximum output 5.5W/1m

Luminous flux 500lumens

Correlated colour temperature warm white 2700K

Cri 80

Protection class IP20

Height 26.0mm

Width 75.0mm



## LED bulb PHILIPS LED Classic 230V 5,9W 806lm E27 360° TRIAC 927

**Product code 19251 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 5,9W

Maximum output 5.9W/1m

Luminous flux 806lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Cri 90

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 6,5W 806lm E14 360° 2700K warm white

**Product code 19274**

Brand [PHILIPS](#)

Supply voltage 230V

Output 6,5W

Maximum output 6.5W/1m

Luminous flux 806lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 97.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 7W 680lm E27 360° 830

**Product code 19248**

Brand [PHILIPS](#)  
Supply voltage 230V  
Output 7W  
Maximum output 7W/1m  
Luminous flux 680lumens  
Luminaire's efficiency lm79 97W  
Correlated colour temperature warm white 3000K  
Lens angle 360  
Socket E27  
Cri 80  
Lifespan 10000h  
Height 108.0mm  
Diameter 60.0mm  
In package 1pc  
In box 100pcs  
Casing material plastic  
No. of switches 50000pcs  
Work environment indoor use  
Certificates CE



## LED bulb PHILIPS LED Classic 230V 7W 806lm E27 360° 827

**Product code 19253**

Brand [PHILIPS](#)  
Supply voltage 230V  
Output 7W  
Maximum output 7W/1m  
Luminous flux 806lumens  
Luminaire's efficiency lm79 115W  
Correlated colour temperature warm white 2700K  
Lens angle 360  
Socket E27  
Cri 80  
Lifespan 15000h  
Height 106.0mm  
Diameter 60.0mm  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 30000pcs  
Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 8,5W 1055lm E27 360° 2700K warm white

**Product code 19264**

---

Brand [PHILIPS](#)

Supply voltage 230V

Output 8,5W

Maximum output 8.5W/1m

Luminous flux 1055lumens

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 8W 806lm E27 360° 2700K warm white

**Product code 19262**

---

Brand [PHILIPS](#)

Supply voltage 230V

Output 8W

Maximum output 8W/1m

Luminous flux 806lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 9W 900lm E27 360° 830

**Product code 19247**

Brand [PHILIPS](#)

Supply voltage 230V

Output 9W

Maximum output 9W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm

white 3000K

Lens angle 360

Socket E27

Cri 80

Lifespan 10000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material plastic

No. of switches 50000pcs

Work environment indoor use

Certificates CE



## LED bulb PHILIPS LED Classic Dim 230V 7,2W 1055lm E27 360° TRIAC 2200K-2700K

**Product code 19261 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 7,2W

Maximum output 7.2W/1m

Luminous flux 1055lumens

Correlated colour temperature

2200K-2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic G120 230V 10,5W 1521lm E27 360° 2700K warm white

**Product code 19259**

---

Brand [PHILIPS](#)  
Supply voltage 230V  
Output 10,5W  
Maximum output 10.5W/1m  
Luminous flux 1521lumens  
Correlated colour temperature warm white 2700K  
Lens angle 360  
Socket E27  
Lifespan 15000h  
Height 177.0mm  
Diameter 125.0mm  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb PHILIPS LED Classic G120 230V 7W 806lm E27 360° 2700K warm white

**Product code 19258**

---

Brand [PHILIPS](#)  
Supply voltage 230V  
Output 7W  
Maximum output 7W/1m  
Luminous flux 806lumens  
Luminaire's efficiency lm79 115W  
Correlated colour temperature warm white 2700K  
Lens angle 360  
Socket E27  
Lifespan 15000h  
Height 177.0mm  
Diameter 125.0mm  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 20000pcs  
Certificates CE, RohS



## **LED bulb PHILIPS LED Classic G120 230V 8,5W 1055lm E27 360° 2700K warm white**

**Product code 19256**

---

Brand [PHILIPS](#)

Supply voltage 230V

Output 8,5W

Maximum output 8.5W/1m

Luminous flux 1055lumens

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 177.0mm

Diameter 125.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## **LED bulb PHILIPS LED Corepro 230V 2,8W 250lm E14 360° 2700K warm white**

**Product code 19276**

---

Brand [PHILIPS](#)

Supply voltage 230V

Output 2,8W

Maximum output 2.8W/1m

Luminous flux 250lumens

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 123.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Corepro 230V 4W 250lm E14 360° 2700K warm white

**Product code 19277**

Brand [PHILIPS](#)

Supply voltage 230V

Output 4W

Maximum output 4W/1m

Luminous flux 250lumens

Luminaire's efficiency lm79 63W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 123.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS Master Dim 230V 5,5W 470lm E14 360° TRIAC 2200K-2700K

**Product code 19278 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 5,5W

Maximum output 5.5W/1m

Luminous flux 470lumens

Correlated colour temperature 2200K-2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 95.0mm

Diameter 48.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS Philips LED classic 230V 3.4W 470lm E27 360° IP20 TRIAC 927

**Product code 19723 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.4W

Maximum output 3.4W/1m

Luminous flux 470lumens

Luminaire's efficiency lm79 138W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Cri 90

Protection class IP20

Lifespan 15000h

Height 77.0mm

Diameter 45.0mm

In package 1pc

Polishing matt

No. of switches 20000pcs

Operation temperature -20° - +40°C

Certificates CE,RoHS



## LED bulb PREMIUM MB white 230V 9W 900lm E14 200° 840

**Product code 15434**

Brand PREMIUM

Supply voltage 230V

Output 9W

Maximum output 9W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 200

Socket E14

Cri 80

Lifespan 30000h

Height 90.0mm

Diameter 45.0mm

In package 1pc

In box 100pcs

Casing colour white

Casing material ceramic

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PREMIUM MB white 230V 9W 900lm E27 200° 830

### Product code 15430

---

Brand PREMIUM  
Supply voltage 230V  
Output 9W  
Maximum output 9W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm  
white 3000K  
Lens angle 200  
Socket E27  
Cri 80  
Lifespan 30000h  
Height 85.0mm  
Diameter 45.0mm  
In package 1pc  
In box 100pcs  
Casing colour white  
Casing material ceramic  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb PREMIUM MB white 230V 9W 900lm E27 200° 840

### Product code 15431

---

Brand PREMIUM  
Supply voltage 230V  
Output 9W  
Maximum output 9W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature pure  
white 4000K  
Lens angle 200  
Socket E27  
Cri 80  
Lifespan 30000h  
Height 85.0mm  
Diameter 45.0mm  
In package 1pc  
In box 100pcs  
Casing colour white  
Casing material ceramic  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb PREMIUM SW candle white 230V 9W 900lm E14 200° 830

**Product code 15435**

---

Brand PREMIUM  
Supply voltage 230V  
Output 9W  
Maximum output 9W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm  
white 3000K  
Lens angle 200  
Socket E14  
Cri 80  
Lifespan 30000h  
Height 90.0mm  
Diameter 45.0mm  
In package 1pc  
In box 100pcs  
Casing colour white  
Casing material ceramic  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb PREMIUM SW candle white 230V 9W 900lm E14 200° 840

**Product code 15436**

---

Brand PREMIUM  
Supply voltage 230V  
Output 9W  
Maximum output 9W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature pure  
white 4000K  
Lens angle 200  
Socket E14  
Cri 80  
Lifespan 30000h  
Height 90.0mm  
Diameter 45.0mm  
In package 1pc  
In box 100pcs  
Casing colour white  
Casing material ceramic  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb PREMIUM SW candle white 230V 9W 900lm E27 200° 830

**Product code 15437**

Brand PREMIUM  
Supply voltage 230V  
Output 9W  
Maximum output 9W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm white 3000K  
Lens angle 200  
Socket E27  
Cri 80  
Lifespan 30000h  
Height 37.0mm  
Diameter 110.0mm  
In package 1pc  
In box 100pcs  
Casing colour white  
Casing material ceramic  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb PREMIUM SW candle white 230V 9W 900lm E27 200° 840

**Product code 15438**

Brand PREMIUM  
Supply voltage 230V  
Output 9W  
Maximum output 9W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature pure white 4000K  
Lens angle 200  
Socket E27  
Cri 80  
Lifespan 30000h  
Height 37.0mm  
Diameter 110.0mm  
In package 1pc  
In box 100pcs  
Casing colour white  
Casing material ceramic  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb R50 230V 5W 360lm E14 120° IP20 830

### Product code 16330

Supply voltage 230V  
Output 5W  
Maximum output 5W/1m  
Luminous flux 360lumens  
Luminaire's efficiency lm79 72W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Socket E14  
Cri 80  
Protection class IP20  
Lifespan 10000h  
Height 85.0mm  
Diameter 50.0mm  
Weight 30 g  
In package 1pc  
In box 100pcs  
No. of switches 10000pcs  
Work environment indoor use  
Operation temperature -20°C~40°C  
Certificates CE,RoHS



## LED bulb REVAL BULB PAR30 230V 20W 2000lm E27 60° IP20 TRIAC 930

### Product code 17796 TRIAC dimmable

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable TRIAC  
Output 20W  
Maximum output 20W/1m  
Luminous flux 2000lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Socket E27  
Cri 90  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Height 126.0mm  
Diameter 95.0mm  
Weight 500 g  
Package weight 553 g  
In package 1pc  
In box 40pcs  
Work environment indoor use  
Operation temperature -20° - +60°C  
Certificates CE, EMC, LVD, RoHS  
Warranty 3 years



## LED bulb Star Trading 344-04-1 230V 2.5W 290lm G9 IP20 827

**Product code 16381**

Brand [Star Trading](#)  
Supply voltage 230V  
Output 2.5W  
Maximum output 2.5W/1m  
Luminous flux 290lumens  
Luminaire's efficiency lm79 116W  
Correlated colour temperature warm  
white 2700K  
Socket G9  
Cri 80  
Sdcm - macadam ellipses 4  
Protection class IP20  
Lifespan 25000h  
Length 42.0mm  
Diameter 16.0mm  
In package 10pcs  
No. of switches 12500pcs  
Work environment indoor use  
Operation temperature -20 ~ 40°C



## LED bulb Star Trading 344-09-3 230V 3.8W 410lm G9 IP20 TRIAC 840

**Product code 17083 TRIAC dimmable**

Brand [Star Trading](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 3.8W  
Maximum output 3.8W/1m  
Luminous flux 410lumens  
Luminaire's efficiency lm79 108W  
Correlated colour temperature pure  
white 4000K  
Socket G9  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 25000h  
Length 52.5mm  
Diameter 17.4mm  
In package 10pcs  
No. of switches 12500pcs  
Work environment indoor use  
Operation temperature -20 ~ 40°C



## LED bulb Star Trading 344-47 230V 5.6W 610lm G9 IP20 TRIAC 827

**Product code 16758 TRIAC dimmable**

Brand [Star Trading](#)

Supply voltage 230V

Power factor 0.91

Dimmable TRIAC

Output 5.6W

Maximum output 5.6W/1m

Luminous flux 610lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm white 2700K

Socket G9

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 25000h

Length 57.0mm

Diameter 18.2mm

In package 10pcs

No. of switches 12500pcs

Work environment indoor use

Operation temperature -20 ~ 40°C



## LED bulb Star Trading 344-48 230V 4.7W 570lm G9 IP20 TRIAC 827

**Product code 20409 TRIAC dimmable**

Brand [Star Trading](#)

Supply voltage 230V

Power factor 0.91

Dimmable TRIAC

Output 4.7W

Maximum output 4.7W/1m

Luminous flux 570lumens

Luminaire's efficiency lm79 121W

Correlated colour temperature warm white 2700K

Socket G9

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 25000h

Length 57.0mm

Diameter 18.2mm

In package 10pcs

No. of switches 12500pcs

Work environment indoor use

Operation temperature -20 ~ 40°C



## LED bulb Sylvania GX53 230V 6,5W G53 4000K pure white

**Product code 20749**

---

Brand Sylvania  
Supply voltage 230V  
Output 6,5W  
Correlated colour temperature pure white 4000K  
Socket G53  
Height 25.0mm  
Diameter 74.0mm  
Casing material glass  
No. of switches 15000pcs  
Certificates CE



## LED bulb Trio Lighting 230V 4,9 WW 400lm E14 TRIAC 830

**Product code 19505 TRIAC dimmable**

---

Brand [Trio Lighting](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 4,9 WW  
Luminous flux 400lumens  
Correlated colour temperature warm white 3000K  
Socket E14  
Cri 80  
Lifespan 25000h  
Height 10.0mm  
Diameter 3.0mm  
Casing material glass  
No. of switches 15000pcs  
Certificates CE



## LED bulb Trio Lighting 230V 4,9 WW 470lm E14 switch dimmer 830

**Product code 19506 switch dimmer dimmable**

---

Brand [Trio Lighting](#)  
Supply voltage 230V  
Dimmable switch dimmer  
Output 4,9 WW  
Luminous flux 470lumens  
Correlated colour temperature warm white 3000K  
Socket E14  
Cri 80  
Lifespan 25000h  
Height 9.9mm  
Diameter 3.7mm  
No. of switches 15000pcs  
Certificates CE



This LED light source with E14 socket has a warm white light colour and can be used in a variety of ways. The light also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. The white glass of the light source filters the light and emits it gently into the surroundings. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## LED bulb Trio Lighting E27 dim 230V 8,5W 806lm E27 IP20 TRIAC 830

**Product code 19502 TRIAC dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable TRIAC

Output 8,5W

Luminous flux 806lumens

Correlated colour temperature warm  
white 3000K

Socket E27

Cri 80

Protection class IP20

Lifespan 25000h

Height 11.0mm

Diameter 6.0mm

No. of switches 15000pcs

Certificates CE



## LED bulb Trio Lighting GX53 230V 8W 750lm G53 switch dimmer 3000K warm white

**Product code 22210 switch dimmer  
dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 8W

Luminous flux 750lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature warm  
white 3000K

Socket G53

Height 28.0mm

Diameter 74.0mm

Casing material plastic

No. of switches 15000pcs

Certificates CE

