

LED bulb 16891 230V 6W 600lm G9 330° IP20 840

Product code 16891

Supply voltage 230V
Output 6W
Maximum output 6W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure white 4000K
Lens angle 330
Socket G9
Cri 80
Protection class IP20
Lifespan 10000h
Length 72.0mm
Diameter 21.0mm
Weight 20 g
In package 1pc
In box 200pcs
No. of switches 1000pcs
Work environment indoor use



LED bulb 16980 230V 6W 600lm G9 330° IP20 830

Product code 16980

Supply voltage 230V
Output 6W
Maximum output 6W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 330
Socket G9
Cri 80
Protection class IP20
Lifespan 10000h
Length 72.0mm
Diameter 21.0mm
Weight 20 g
In package 1pc
In box 200pcs
No. of switches 1000pcs
Work environment indoor use



LED bulb 22322 230V 6,5W 800lm G9 330° IP20 840

Product code 22322

Supply voltage 230V
Output 6,5W
Maximum output 6.5W/1m
Luminous flux 800lumens
Correlated colour temperature pure white 4000K
Lens angle 330
Socket G9
Cri 80
Protection class IP20
Lifespan 15000h
Length 65.0mm
Diameter 18.0mm
Weight 20 g
In package 1pc
In box 500pcs
No. of switches 1000pcs
Work environment indoor use



LED bulb A5 G45B 230V 3W 225lm E27 280° IP20 830

Product code 14082

Supply voltage 230V
Output 3W
Maximum output 3W/1m
Rated current 30mA
Luminous flux 225lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 280
Socket E27
Cri 80
Protection class IP20
Lifespan 25000h
Height 82.0mm
Diameter 45.0mm
In package 5pcs
In box 50pcs
Casing material aluminium + plastic
Polishing matt
No. of switches 12500pcs
Work environment indoor use
Operation temperature -10°C-40°C
Certificates CE,TUV-GS,RoHS



LED bulb G45 230V 1W 70lm E27 320° 827

Product code 15740

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Luminous flux 70lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm
white 2700K
Lens angle 320
Socket E27
Cri 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor
use
Certificates CE,RoHS



LED bulb G45 230V 1W CRI80 E27 320° blue

Product code 15738

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature blue
blue
Lens angle 320
Socket E27
Cri 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor
use
Certificates CE,RoHS



LED bulb G45 230V 1W CRI80 E27 320° green

Product code 15737

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature green
green
Lens angle 320
Socket E27
Cri 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor
use
Certificates CE,RoHS



LED bulb G45 230V 1W CRI80 E27 320° red

Product code 15736

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature red red
Lens angle 320
Socket E27
Cri 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor
use
Certificates CE,RoHS



LED bulb G45 230V 1W CRI80 E27 320° yellow

Product code 15739

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature yellow
yellow
Lens angle 320
Socket E27
Cri 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor
use
Certificates CE,RoHS



LED bulb GTV G45 230V 2W 200lm E27 360° IP20 840

Product code 22866


Brand [GTV](#)
Supply voltage 230V
Output 2W
Maximum output 2W/1m
Luminous flux 200lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure
white 4000K
Lens angle 360
Socket E27
Cri 80
Protection class IP20
Lifespan 40000h
In package 1pc
In box 10pcs
Casing material aluminium + plastic
Polishing matt
Work environment indoor use
Operation temperature -10°C-40°C
Warranty 3 years



LED bulb LED INSERT white round 230V 6.5W 600lm 120° IP20 830

Product code 16930

Supply voltage 230V
 Output 6.5W
 Maximum output 6.5W/1m
 Luminous flux 600lumens
 Luminaire's efficiency lm79 92W
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Cri 80
 Sdcm - macadam ellipses 6
 Protection class IP20
 Lifespan 10000h
 Height 24.0mm
 Diameter 50.0mm
 In package 1pc
 In box 100pcs
 Casing colour white
 Casing material ceramic
 Shape round
 No. of switches 10000pcs
 Work environment indoor use
 Certificates CE



LED bulb PHILIPS Corepro LED G24D-3 230V 8,9W 900lm 120° 830

Product code 19932

Brand [PHILIPS](#)
 Supply voltage 230V
 Output 8,9W
 Maximum output 8.9W/1m
 Luminous flux 900lumens
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Cri 82
 Lifespan 30000h
 Diameter 34.0mm
 Casing material glass
 No. of switches 50000pcs
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 2 years



LED bulb PHILIPS LED Classic 6x 230V 8W 806lm E27 360° 2700K warm white

Product code 22631

Brand [PHILIPS](#)

Supply voltage 230V

Output 8W

Maximum output 8W/1m

Luminous flux 806lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature warm
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 10,5W 1521lm E27 360° TRIAC 2700K warm white

Product code 19263 TRIAC dimmable

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 10,5W

Maximum output 10.5W/1m

Luminous flux 1521lumens

Correlated colour temperature warm
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 13W 2000lm E27 360° 2700K warm white

Product code 19257

Brand [PHILIPS](#)

Supply voltage 230V

Output 13W

Maximum output 13W/1m

Luminous flux 2000lumens

Luminaire's efficiency lm79 154W

Correlated colour temperature warm
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 177.0mm

Diameter 125.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 2,2W 250lm E27 IP20 2700K warm white

Product code 19300

Brand [PHILIPS](#)

Supply voltage 230V

Output 2,2W

Maximum output 2.2W/1m

Luminous flux 250lumens

Correlated colour temperature warm
white 2700K

Socket E27

Protection class IP20

Height 80.0mm

Width 45.0mm



LED bulb PHILIPS LED Classic 230V 2,8W 250lm E14 360° 2700K warm white

Product code 19268

Brand [PHILIPS](#)
Supply voltage 230V
Output 2,8W
Maximum output 2.8W/1m
Luminous flux 250lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 106.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 23W 3452lm E27 360° 827

Product code 19244

Brand [PHILIPS](#)
Supply voltage 230V
Output 23W
Maximum output 23W/1m
Luminous flux 3452lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 85.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 3.4W 470lm E14 360° TRIAC 2700K warm white

Product code 19272 TRIAC dimmable

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.4W

Maximum output 3.4W/1m

Luminous flux 470lumens

Luminaire's efficiency lm79 138W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 97.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 4W 250lm E27 360° 2700K warm white

Product code 19252

Brand [PHILIPS](#)

Supply voltage 230V

Output 4W

Maximum output 4W/1m

Luminous flux 250lumens

Luminaire's efficiency lm79 63W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 87.0mm

Diameter 45.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 5,5W 500lm IP20 827

Product code 19288

Brand [PHILIPS](#)
Supply voltage 230V
Output 5,5W
Maximum output 5.5W/1m
Luminous flux 500lumens
Correlated colour temperature warm
white 2700K
Cri 80
Protection class IP20
Height 26.0mm
Width 75.0mm



LED bulb PHILIPS LED Classic 230V 5,9W 806lm E27 360° TRIAC 927

Product code 19251 TRIAC dimmable

Brand [PHILIPS](#)
Supply voltage 230V
Dimmable TRIAC
Output 5,9W
Maximum output 5.9W/1m
Luminous flux 806lumens
Correlated colour temperature warm
white 2700K
Lens angle 360
Socket E27
Cri 90
Lifespan 15000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 6,5W 806lm E14 360° 2700K warm white

Product code 19271

Brand [PHILIPS](#)
Supply voltage 230V
Output 6,5W
Maximum output 6.5W/1m
Luminous flux 806lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 106.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS

LED bulb PHILIPS LED Classic 230V 6,5W 806lm E14 360° 2700K warm white

Product code 19274

Brand [PHILIPS](#)
Supply voltage 230V
Output 6,5W
Maximum output 6.5W/1m
Luminous flux 806lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 97.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 7W 680lm E27 360° 830

Product code 19248

Brand [PHILIPS](#)
Supply voltage 230V
Output 7W
Maximum output 7W/1m
Luminous flux 680lumens
Luminaire's efficiency lm79 97W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E27
Cri 80
Lifespan 10000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material plastic
No. of switches 50000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS LED Classic 230V 7W 806lm E27 360° 827

Product code 19253

Brand [PHILIPS](#)
Supply voltage 230V
Output 7W
Maximum output 7W/1m
Luminous flux 806lumens
Luminaire's efficiency lm79 115W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 106.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 30000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 8,5W 1055lm E27 360° 2700K warm white

Product code 19264

Brand [PHILIPS](#)

Supply voltage 230V

Output 8,5W

Maximum output 8.5W/1m

Luminous flux 1055lumens

Correlated colour temperature warm
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 8W 806lm E27 360° 2700K warm white

Product code 19262

Brand [PHILIPS](#)

Supply voltage 230V

Output 8W

Maximum output 8W/1m

Luminous flux 806lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature warm
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 9W 900lm E27 360° 830

Product code 19247

Brand [PHILIPS](#)

Supply voltage 230V

Output 9W

Maximum output 9W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm

white 3000K

Lens angle 360

Socket E27

Cri 80

Lifespan 10000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material plastic

No. of switches 50000pcs

Work environment indoor use

Certificates CE



LED bulb PHILIPS LED Classic Dim 230V 7,2W 1055lm E27 360° TRIAC 2200K-2700K

Product code 19261 TRIAC dimmable

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 7,2W

Maximum output 7.2W/1m

Luminous flux 1055lumens

Correlated colour temperature

2200K-2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic G120 230V 10,5W 1521lm E27 360° 2700K warm white

Product code 19259

Brand [PHILIPS](#)
Supply voltage 230V
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 177.0mm
Diameter 125.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic G120 230V 7W 806lm E27 360° 2700K warm white

Product code 19258

Brand [PHILIPS](#)
Supply voltage 230V
Output 7W
Maximum output 7W/1m
Luminous flux 806lumens
Luminaire's efficiency lm79 115W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 177.0mm
Diameter 125.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic G120 230V 8,5W 1055lm E27 360° 2700K warm white

Product code 19256

Brand [PHILIPS](#)

Supply voltage 230V

Output 8,5W

Maximum output 8.5W/1m

Luminous flux 1055lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 177.0mm

Diameter 125.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Corepro 230V 2,8W 250lm E14 360° 2700K warm white

Product code 19276

Brand [PHILIPS](#)

Supply voltage 230V

Output 2,8W

Maximum output 2.8W/1m

Luminous flux 250lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 123.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Mater A60 230V 11W 1521lm E27 360° DIMMABLE 940

Product code 22980 DIMMABLE dimmable

Brand [PHILIPS](#)
Supply voltage 230V
Dimmable DIMMABLE
Output 11W
Maximum output 11W/1m
Luminous flux 1521lumens
Luminaire's efficiency lm79 138W
Correlated colour temperature pure white 4000K
Lens angle 360
Socket E27
Cri 90
Lifespan 15000h
Height 108.0mm
Diameter 60.0mm
In package 10pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE
Warranty 2 years



LED bulb PHILIPS Master Dim 230V 5,5W 470lm E14 360° TRIAC 2200K-2700K

Product code 19278 TRIAC dimmable

Brand [PHILIPS](#)
Supply voltage 230V
Dimmable TRIAC
Output 5,5W
Maximum output 5.5W/1m
Luminous flux 470lumens
Correlated colour temperature 2200K-2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 95.0mm
Diameter 48.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Philips LED classic 230V 3.4W 470lm E27 360° IP20 TRIAC 927

Product code 19723 TRIAC dimmable

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.4W

Maximum output 3.4W/1m

Luminous flux 470lumens

Luminaire's efficiency lm79 138W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Cri 90

Protection class IP20

Lifespan 15000h

Height 77.0mm

Diameter 45.0mm

In package 1pc

Polishing matt

No. of switches 20000pcs

Operation temperature -20° - +40°C

Certificates CE,RoHS



LED bulb PREMIUM MB white 230V 9W 900lm E14 200° 840

Product code 15434

Brand PREMIUM

Supply voltage 230V

Output 9W

Maximum output 9W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 200

Socket E14

Cri 80

Lifespan 30000h

Height 90.0mm

Diameter 45.0mm

In package 1pc

In box 100pcs

Casing colour white

Casing material ceramic

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PREMIUM MB white 230V 9W 900lm E27 200° 830

Product code 15430

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 200
Socket E27
Cri 80
Lifespan 30000h
Height 85.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM MB white 230V 9W 900lm E27 200° 840

Product code 15431

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure
white 4000K
Lens angle 200
Socket E27
Cri 80
Lifespan 30000h
Height 85.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E14 200° 830

Product code 15435

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 200
Socket E14
Cri 80
Lifespan 30000h
Height 90.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E14 200° 840

Product code 15436

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure
white 4000K
Lens angle 200
Socket E14
Cri 80
Lifespan 30000h
Height 90.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E27 200° 830

Product code 15437

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 200
Socket E27
Cri 80
Lifespan 30000h
Height 37.0mm
Diameter 110.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E27 200° 840

Product code 15438

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure
white 4000K
Lens angle 200
Socket E27
Cri 80
Lifespan 30000h
Height 37.0mm
Diameter 110.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb R50 230V 5W 360lm E14 120° IP20 830

Product code 16330

Supply voltage 230V
Output 5W
Maximum output 5W/1m
Luminous flux 360lumens
Luminaire's efficiency lm79 72W
Correlated colour temperature warm white 3000K
Lens angle 120
Socket E14
Cri 80
Protection class IP20
Lifespan 10000h
Height 85.0mm
Diameter 50.0mm
Weight 30 g
In package 1pc
In box 100pcs
No. of switches 10000pcs
Work environment indoor use
Operation temperature -20°C~40°C
Certificates CE,RoHS



LED bulb REVAL BULB PAR30 230V 20W 2000lm E27 60° IP20 TRIAC 930

Product code 17796 TRIAC dimmable

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.95
Dimmable TRIAC
Output 20W
Maximum output 20W/1m
Luminous flux 2000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 60
Socket E27
Cri 90
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Height 126.0mm
Diameter 95.0mm
Weight 500 g
Package weight 553 g
In package 1pc
In box 40pcs
Work environment indoor use
Operation temperature -20° - +60°C
Certificates CE, EMC, LVD, RoHS
Warranty 3 years



LED bulb Star Trading 344-04-1 230V 2.5W 290lm G9 IP20 827

Product code 16381

Brand [Star Trading](#)
Supply voltage 230V
Output 2.5W
Maximum output 2.5W/1m
Luminous flux 290lumens
Luminaire's efficiency lm79 116W
Correlated colour temperature warm
white 2700K
Socket G9
Cri 80
Sdcm - macadam ellipses 4
Protection class IP20
Lifespan 25000h
Length 42.0mm
Diameter 16.0mm
In package 10pcs
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20 ~ 40°C



LED bulb Star Trading 344-09-3 230V 3.8W 410lm G9 IP20 TRIAC 840

Product code 17083 TRIAC dimmable

Brand [Star Trading](#)
Supply voltage 230V
Dimmable TRIAC
Output 3.8W
Maximum output 3.8W/1m
Luminous flux 410lumens
Luminaire's efficiency lm79 108W
Correlated colour temperature pure
white 4000K
Socket G9
Cri 80
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 25000h
Length 52.5mm
Diameter 17.4mm
In package 10pcs
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20 ~ 40°C



LED bulb Star Trading 344-47 230V 5.6W 610lm G9 IP20 TRIAC 827

Product code 16758 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Power factor 0.91

Dimmable TRIAC

Output 5.6W

Maximum output 5.6W/1m

Luminous flux 610lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm white 2700K

Socket G9

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 25000h

Length 57.0mm

Diameter 18.2mm

In package 10pcs

No. of switches 12500pcs

Work environment indoor use

Operation temperature -20 ~ 40°C



LED bulb Star Trading 344-48 230V 4.7W 570lm G9 IP20 TRIAC 827

Product code 20409 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Power factor 0.91

Dimmable TRIAC

Output 4.7W

Maximum output 4.7W/1m

Luminous flux 570lumens

Luminaire's efficiency lm79 121W

Correlated colour temperature warm white 2700K

Socket G9

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 25000h

Length 57.0mm

Diameter 18.2mm

In package 10pcs

No. of switches 12500pcs

Work environment indoor use

Operation temperature -20 ~ 40°C



LED bulb Sylvania GX53 230V 6,5W G53 4000K pure white

Product code 20749

Brand Sylvania
Supply voltage 230V
Output 6,5W
Correlated colour temperature pure white 4000K
Socket G53
Height 25.0mm
Diameter 74.0mm
Casing material glass
No. of switches 15000pcs
Certificates CE



LED bulb Trio Lighting 230V 4,9 WW 470lm E14 switch dimmer 830

Product code 19506 switch dimmer dimmable

Brand [Trio Lighting](#)
Supply voltage 230V
Dimmable switch dimmer
Output 4,9 WW
Luminous flux 470lumens
Correlated colour temperature warm white 3000K
Socket E14
Cri 80
Lifespan 25000h
Height 9.9mm
Diameter 3.7mm
No. of switches 15000pcs
Certificates CE



This LED light source with E14 socket has a warm white light colour and can be used in a variety of ways. The light also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. The white glass of the light source filters the light and emits it gently into the surroundings. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

LED bulb Trio Lighting GX53 230V 8W 750lm G53 switch dimmer 3000K warm white

Product code 22210 switch dimmer dimmable

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 8W

Luminous flux 750lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature warm white 3000K

Socket G53

Height 28.0mm

Diameter 74.0mm

Casing material plastic

No. of switches 15000pcs

Certificates CE

