LED bulb 16891 230V 6W 600lm G9 330° IP20 840

Product code 16891

Supply voltage 230V
Output 6W
Maximum output 6W/1m
Luminous flux 600lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 330
Socket G9
CRI 80
Protection class IP20
Lifespan 10000h
Length 72.0mm
Diameter 21.0mm
Weight 20 g
In package 1pc
In box 200pcs
No. of switches 1000pcs
Work environment indoor use



LED bulb 16980 230V 6W 600lm G9 330° IP20 830

Product code 16980

Supply voltage 230V
Output 6W
Maximum output 6W/1m
Luminous flux 600lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 330
Socket G9
CRI 80
Protection class IP20
Lifespan 10000h
Length 72.0mm
Diameter 21.0mm
Weight 20 g
In package 1pc
In box 200pcs
No. of switches 1000pcs
Work environment indoor use



LED bulb 22322 230V 6,5W 800lm G9 330° IP20 840

Product code 22322

Supply voltage 230V
Output 6,5W
Maximum output 6.5W/1m
Luminous flux 800lumens
Correlated colour temperature pure white 4000K
Lens angle 330
Socket G9
CRI 80
Protection class IP20
Lifespan 15000h
Length 65.0mm
Diameter 18.0mm
Weight 20 g
In package 1pc
In box 500pcs
No. of switches 1000pcs
Work environment indoor use



LED bulb A5 G45B 230V 3W 225lm E27 280° IP20 830

Product code 14082

Supply voltage 230V
Output 3W
Maximum output 3W/1m
Rated current 30mA
Luminous flux 225lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 280
Socket E27
CRI 80
Protection class IP20
Lifespan 25000h
Height 82.0mm
Diameter 45.0mm
In package 5pcs
In box 50pcs
Casing material aluminium + plastic
Polishing matt
No. of switches 12500pcs
Work environment indoor use
Operation temperature -10℃-40°C
Certificates CE,TUV-GS,RoHS



LED bulb G45 230V 1W 70lm E27 320° 827

Product code 15740

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Luminous flux 70lumens
Luminaire’s efficiency 70W
Correlated colour temperature warm white 2700K
Lens angle 320
Socket E27
CRI 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor use
Certificates CE,RoHS



LED bulb G45 230V 1W CRI80 E27 320° blue

Product code 15738

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature blue blue
Lens angle 320
Socket E27
CRI 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor use
Certificates CE,RoHS



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

LED bulb G45 230V 1W CRI80 E27 320° green

Product code 15737

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature green green
Lens angle 320
Socket E27
CRI 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor use
Certificates CE,RoHS



LED bulb G45 230V 1W CRI80 E27 320° red

Product code 15736

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature red red
Lens angle 320
Socket E27
CRI 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor use
Certificates CE,RoHS



LED bulb G45 230V 1W CRI80 E27 320° yellow

Product code 15739

Supply voltage 230V
Output 1W
Maximum output 1W/1m
Correlated colour temperature yellow
yellow
Lens angle 320
Socket E27
CRI 80
Lifespan 25000h
Height 69.0mm
Diameter 45.0mm
No. of switches 12500pcs
Work environment indoor / outdoor
use
Certificates CE,RoHS



LED bulb GTV G45 230V 2W 200lm E27 360° IP20 840

Product code 22866

Brand GTV
Supply voltage 230V
Output 2W
Maximum output 2W/1m
Luminous flux 200lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure
white 4000K
Lens angle 360
Socket E27
CRI 80
Protection class IP20
Lifespan 40000h
In package 1pc
In box 10pcs
Casing material aluminium + plastic
Polishing matt
Work environment indoor use
Operation temperature -10℃-40°C
Warranty 3 years



LED bulb LED INSERT white round 230V 6.5W 600lm 120° IP20 830

Product code 16930

Supply voltage 230V
Output 6.5W
Maximum output 6.5W/1m
Luminous flux 600lumens
Luminaire’s efficiency 92W
Correlated colour temperature warm white 3000K
Lens angle 120
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP20
Lifespan 10000h
Height 24.0mm
Diameter 50.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
Shape round
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS B35 4,9W 470lm E14 IP20 827

Product code 23287

Brand PHILIPS
Output 4,9W
Maximum output 4.9W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Socket E14
CRI 80
Protection class IP20
Lifespan 15000h
Height 106.0mm
Diameter 35.0mm
Casing material plastic
No. of switches 50000pcs



LED bulb PHILIPS Classic A60 230V 7,2W 1055lm E27 360° dimmerdatav 2200K - 2700K warm white

Product code 19261 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 7,2W
Maximum output 7.2W/1m
Luminous flux 1055lumens
Correlated colour temperature warm white 2200K - 2700K
Lens angle 360
Socket E27
Lifespan 25000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 50000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic A60 230V 10,5W 1521lm E27 360° dimmerdatav 2200K - 2700K warm white

Product code 19263 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature warm white 2200K - 2700K
Lens angle 360
Socket E27
Lifespan 25000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 50000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic A60 230V 5,9W 806lm CRI90 E27 360° DIMMABLE 2200K-2700K

Product code 19251 dimmerdatav
dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 5,9W
Maximum output 5.9W/1m
Luminous flux 806lumens
Correlated colour temperature warm white 2200K - 2700K
Lens angle 360
Socket E27
CRI 90
Lifespan 25000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 50000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic A60 230V 7W 806lm E27 360° 827

Product code 19253

Brand PHILIPS
Supply voltage 230V
Output 7W
Maximum output 7W/1m
Luminous flux 806lumens
Luminaire’s efficiency 115W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
CRI 80
Lifespan 15000h
Height 106.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic A60 230V 8,5W 1055lm E27 360° 2700K warm white

Product code 19264

Brand PHILIPS
Supply voltage 230V
Output 8,5W
Maximum output 8.5W/1m
Luminous flux 1055lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic A95 230V 23W 3452lm E27 360° 827

Product code 19244

Brand PHILIPS
Supply voltage 230V
Output 23W
Maximum output 23W/1m
Luminous flux 3452lumens
Luminaire’s efficiency 150W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
CRI 80
Lifespan 15000h
Height 165.0mm
Width 95.0mm
In package 1pc
In box 100pcs
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic B35 230V 2,8W 250lm E14 360° 2700K warm white

Product code 19268

Brand PHILIPS
Supply voltage 230V
Output 2,8W
Maximum output 2.8W/1m
Luminous flux 250lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 106.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic G120 230V 13W 2000lm E27 360° 2700K warm white

Product code 19257

Brand PHILIPS
Supply voltage 230V
Output 13W
Maximum output 13W/1m
Luminous flux 2000lumens
Luminaire’s efficiency 154W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 177.0mm
Diameter 125.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Classic P45 230V 2,2W 250lm E27 IP20 2700K warm white

Product code 19300

Brand PHILIPS
Supply voltage 230V
Output 2,2W
Maximum output 2.2W/1m
Luminous flux 250lumens
Correlated colour temperature warm white 2700K
Socket E27
Protection class IP20
Lifespan 15000h
Height 80.0mm
Width 45.0mm
No. of switches 20000pcs



LED bulb PHILIPS Classic P45 230V 4W 250lm E27 360° 2700K warm white

Product code 19252

Brand PHILIPS
Supply voltage 230V
Output 4W
Maximum output 4W/1m
Luminous flux 250lumens
Luminaire’s efficiency 63W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 87.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED B35 230V 3.4W 470lm E14 300° dimmerdatav 2200K - 2700K warm white

Product code 19272 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 3.4W
Maximum output 3.4W/1m
Luminous flux 470lumens
Luminaire’s efficiency 138W
Correlated colour temperature warm white 2200K - 2700K
Lens angle 300
Socket E14
Lifespan 25000h
Height 97.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 5,5W 500lm IP20 827

Product code 19288

Brand PHILIPS
Supply voltage 230V
Output 5,5W
Maximum output 5.5W/1m
Luminous flux 500lumens
Correlated colour temperature warm white 2700K
CRI 80
Protection class IP20
Height 26.0mm
Width 75.0mm



LED bulb PHILIPS LED Classic 230V 6,5W 806lm E14 360° 2700K warm white

Product code 19274

Brand PHILIPS
Supply voltage 230V
Output 6,5W
Maximum output 6.5W/1m
Luminous flux 806lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 97.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 7W 680lm E27 360° 830

Product code 19248

Brand PHILIPS
Supply voltage 230V
Output 7W
Maximum output 7W/1m
Luminous flux 680lumens
Luminaire’s efficiency 97W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E27
CRI 80
Lifespan 10000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material plastic
No. of switches 50000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS LED Classic 230V 8W 806lm E27 360° 2700K warm white

Product code 19262

Brand PHILIPS
Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 806lumens
Luminaire’s efficiency 101W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 9W 900lm E27 360° 830

Product code 19247

Brand PHILIPS
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E27
CRI 80
Lifespan 10000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material plastic
No. of switches 50000pcs
Work environment indoor use
Certificates CE





LED bulb PHILIPS LED Classic A60 6x 230V 8W 806lm E27 360° 2700K warm white

Product code 22631

Brand PHILIPS
Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 806lumens
Luminaire’s efficiency 101W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 50000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic G120 230V 10,5W 1521lm E27 360° 2700K warm white

Product code 19259

Brand PHILIPS
Supply voltage 230V
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 177.0mm
Diameter 125.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic G120 230V 7W 806lm E27 360° 2700K warm white

Product code 19258

Brand PHILIPS
Supply voltage 230V
Output 7W
Maximum output 7W/1m
Luminous flux 806lumens
Luminaire’s efficiency 115W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 177.0mm
Diameter 125.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS LED Classic G120 230V 8,5W 1055lm E27 360° 2700K warm white

Product code 19256

Brand PHILIPS
Supply voltage 230V
Output 8,5W
Maximum output 8.5W/1m
Luminous flux 1055lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 177.0mm
Diameter 125.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Master A60 230V 11W 1521lm E27 360° dimmerdatav 940

Product code 22980 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 11W
Maximum output 11W/1m
Luminous flux 1521lumens
Luminaire’s efficiency 138W
Correlated colour temperature pure white 4000K
Lens angle 360
Socket E27
CRI 90
Lifespan 15000h
Height 108.0mm
Diameter 60.0mm
In package 10pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE
Warranty 2 years



LED bulb PHILIPS Master Dim 230V 5,5W 470lm E14 360° TRIAC 2200K - 2700K warm white

Product code 19278 TRIAC dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable TRIAC
Output 5,5W
Maximum output 5.5W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2200K - 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 95.0mm
Diameter 48.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS





LED bulb PREMIUM MB white 230V 9W 900lm E14 200° 830

Product code 15433

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 200
Socket E14
CRI 80
Lifespan 30000h
Height 90.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM MB white 230V 9W 900lm E14 200° 840

Product code 15434

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 200
Socket E14
CRI 80
Lifespan 30000h
Height 90.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM MB white 230V 9W 900lm E27 200° 830

Product code 15430

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 200
Socket E27
CRI 80
Lifespan 30000h
Height 85.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM MB white 230V 9W 900lm E27 200° 840

Product code 15431

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 200
Socket E27
CRI 80
Lifespan 30000h
Height 85.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E14 200° 830

Product code 15435

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 200
Socket E14
CRI 80
Lifespan 30000h
Height 90.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E14 200° 840

Product code 15436

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 200
Socket E14
CRI 80
Lifespan 30000h
Height 90.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E27 200° 830

Product code 15437

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 200
Socket E27
CRI 80
Lifespan 30000h
Height 37.0mm
Diameter 110.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PREMIUM SW candle white 230V 9W 900lm E27 200° 840

Product code 15438

Brand PREMIUM
Supply voltage 230V
Output 9W
Maximum output 9W/1m
Luminous flux 900lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 200
Socket E27
CRI 80
Lifespan 30000h
Height 37.0mm
Diameter 110.0mm
In package 1pc
In box 100pcs
Casing colour white
Casing material ceramic
No. of switches 20000pcs
Certificates CE, RohS



LED bulb R50 230V 5W 360lm E14 120° IP20 830

Product code 16330

Supply voltage 230V
Output 5W
Maximum output 5W/1m
Luminous flux 360lumens
Luminaire’s efficiency 72W
Correlated colour temperature warm white 3000K
Lens angle 120
Socket E14
CRI 80
Protection class IP20
Lifespan 10000h
Height 85.0mm
Diameter 50.0mm
Weight 30 g
In package 1pc
In box 100pcs
No. of switches 10000pcs
Work environment indoor use
Operation temperature -20℃~40°C
Certificates CE,RoHS



LED bulb Star Trading 344-09-3 230V 3.8W 410lm G9 IP20 DIMMABLE 840

Product code 17083 dimmerdatav dimmable

Brand Star Trading
Supply voltage 230V
Dimmable dimmerdatav
Output 3.8W
Maximum output 3.8W/1m
Luminous flux 410lumens
Luminaire’s efficiency 108W
Correlated colour temperature pure white 4000K
Socket G9
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP20
Lifespan 25000h
Length 52.5mm
Diameter 17.4mm
In package 10pcs
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20 ~ 40°C



LED bulb Sylvania GX53 230V 6,5W 650lm GX53 4000K pure white

Product code 20749



Brand Sylvania
Supply voltage 230V
Output 6,5W
Luminous flux 650lumens
Correlated colour temperature pure white 4000K
Socket GX53
Height 25.0mm
Diameter 74.0mm
Casing material glass
No. of switches 15000pcs
Certificates CE

LED bulb Trio Lighting 230V 4,9 WW 400lm E14 switch dimmer 830

Product code 19505 switch dimmer dimmable



Brand Trio Lighting
Supply voltage 230V
Dimmable switch dimmer
Output 4,9 WW
Luminous flux 400lumens
Correlated colour temperature warm white 3000K
Socket E14
CRI 80
Lifespan 25000h
Height 10.0mm
Diameter 3.0mm
Casing material glass
No. of switches 15000pcs
Certificates CE

LED bulb Trio Lighting 230V 4,9 WW 470lm E14 switch dimmer 830

Product code 19506 **switch dimmer dimmable**

Brand Trio Lighting
Supply voltage 230V
Dimmable switch dimmer
Output 4,9 WW
Luminous flux 470lumens
Correlated colour temperature warm white 3000K
Socket E14
CRI 80
Lifespan 25000h
Height 9.9mm
Diameter 3.7mm
No. of switches 15000pcs
Certificates CE



This LED light source with E14 socket has a warm white light colour and can be used in a variety of ways. The light also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. The white glass of the light source filters the light and emits it gently into the surroundings. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

LED bulb Trio Lighting GX53 230V 8W 750lm GX53 switch dimmer 3000K warm white

Product code 22210 switch dimmer dimmable

Brand Trio Lighting
Supply voltage 230V
Dimmable switch dimmer
Output 8W
Luminous flux 750lumens
Luminaire’s efficiency 94W
Correlated colour temperature warm white 3000K
Socket GX53
Height 28.0mm
Diameter 74.0mm
Casing material plastic
No. of switches 15000pcs
Certificates CE



