

## Wall light Deko-Light Caroline white E27 IP20

**Product code 20990**

Brand [Deko-Light](#)  
Socket E27  
Protection class IP20  
Height 121.0mm  
Width 377.0mm  
Length 177.0mm  
Casing colour white  
Casing material gypsum  
Work environment indoor use



## Wall light Deko-Light Gabi white E14 IP20

**Product code 21006**

Brand [Deko-Light](#)  
Output voltage 220-240V  
Socket E14  
Protection class IP20  
Height 122.0mm  
Diameter 130.0mm  
In package 1pc  
Casing colour white  
Casing material plastic  
Polishing matt  
Work environment indoor use  
Operation temperature -20 kuni 40 °C  
Warranty 2 years



## Wall light Deko-Light Matilda white E27 IP20

**Product code 20205**


Brand [Deko-Light](#)  
Output voltage 220-240V  
Socket E27  
Protection class IP20  
Height 285.0mm  
Width 215.0mm  
Length 115.0mm  
In package 1pc  
Casing colour white  
Casing material gypsum  
Polishing matt  
Work environment indoor use  
Operation temperature -20 kuni 40  
°C°C  
Warranty 2 years



## Wall light Deko-Light Osano white G9 IP20

**Product code 20203**


Brand [Deko-Light](#)  
Output voltage 220-240V  
Socket G9  
Protection class IP20  
Height 125.0mm  
Length 115.0mm  
Diameter 150.0mm  
In package 1pc  
Casing colour white  
Casing material gypsum  
Polishing matt  
Work environment indoor use  
Operation temperature -20 kuni 40  
°C°C  
Warranty 2 years



## Wall light Eklyps LED white 230V 9W 780lm IP20 830

### Product code 19969

Supply voltage 230V  
Output 9W  
Maximum output 9W/1m  
Luminous flux 780lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 30.0mm  
Diameter 250.0mm  
Casing colour white  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## Wall light Markslöjd Antenna white 6W 300lm IP20 3000K warm white

### Product code 21935

Brand [Markslöjd](#)  
Output 6W  
Luminous flux 300lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Protection class IP20  
Height 630.0mm  
Width 100.0mm  
Length 600.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use



## Wall light Maxlight Garda E27

**Product code 21887**

Brand [Maxlight](#)  
 Socket E27  
 Height 26.0mm  
 Length 50.0mm  
 Diameter 20.0mm  
 Casing material aluminium  
 Work environment indoor use



## Wall light Maxlight Hana black 6W 540lm 3000K warm white

**Product code 20406**


Brand [Maxlight](#)  
 Output 6W  
 Luminous flux 540lumens  
 Luminaire's efficiency lm79 90W  
 Correlated colour temperature warm  
 white 3000K  
 Height 215.0mm  
 Width 175.0mm  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use



## Wall light Maxlight Sabre black 6W 420lm IP20 3000K warm white

**Product code 21907**


Brand [Maxlight](#)  
 Output 6W  
 Luminous flux 420lumens  
 Luminaire's efficiency lm79 70W  
 Correlated colour temperature warm  
 white 3000K  
 Protection class IP20  
 Height 280.0mm  
 Width 610.0mm  
 Length 40.0mm  
 Casing colour black  
 Casing material metal  
 Work environment indoor use



## Wall light Maytoni Aron black 7W 400lm 30° IP20 2700K warm white

**Product code 22317**


Brand Maytoni  
Output 7W  
Maximum output 7W/1m  
Luminous flux 400lumens  
Luminaire's efficiency lm79 57W  
Correlated colour temperature warm white 2700K  
Lens angle 30°  
Protection class IP20  
Height 110.0mm  
Width 90.0mm  
Length 70.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 3 years



## Wall lamp Maytoni Aron white 7W 400lm 30° IP20 927

**Product code 21454**

Brand Maytoni  
Output 7W  
Maximum output 7W/1m  
Luminous flux 400lumens  
Luminaire's efficiency lm79 57W  
Correlated colour temperature warm white 2700K  
Lens angle 30°  
CRI 90  
Protection class IP20  
Width 90.0mm  
Length 110.0mm  
Diameter 30.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Basfor 2 x E14 gold E14 IP20

**Product code 20824**

Brand Maytoni  
Socket E14  
Protection class IP20  
Height 125.0mm  
Width 255.0mm  
Length 150.0mm  
Weight 1.09 kg  
Package weight 1.52 kg  
Casing colour gold  
Casing material glass  
Work environment indoor use  
Warranty 2 years



The Basfor collection by Maytoni embodies sophistication and refinement with a contemporary twist. At the heart of the design are exquisite diamond-cut crystals that create a captivating play of light, lending the luminaires a luxurious appearance. The elegant frame is made from premium-grade metal with a high-quality galvanic finish. An additional year of warranty is provided, ensuring peace of mind with every purchase.

## Wall light Maytoni Basic form black / white E14

**Product code 22460**

Brand Maytoni  
Socket E14  
Length 180.0mm  
Diameter 150.0mm  
Casing colour black / white  
Casing material glass  
Work environment outdoor use  
Warranty 2 years


The Basic Form collection is the epitome of minimalism in modern lighting design. The clean, geometric sphere seamlessly fits both contemporary and neoclassical interiors. The universal frame is available in two timeless colors - black and gold - allowing these luminaires to integrate into a wide range of design schemes, including layered and complex styles. Basic Form is the perfect choice for those who appreciate simplicity and versatility in lighting design, creating an atmosphere of comfort and style while complementing any interior with its minimalist elegance.



## Wall light Maytoni Basic Texture black 5W CRI80 180° IP20 2700K, 3000K, 4000K

### Product code 21796


Brand Maytoni  
Output 5W  
Maximum output 5W/1m  
Correlated colour temperature 2700K,  
3000K, 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Length 50.0mm  
Diameter 150.0mm  
Casing colour black  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Basic Texture black 8W 526lm CRI80 180° IP20 2700K, 3000K, 4000K

### Product code 21836


Brand Maytoni  
Output 8W  
Maximum output 8W/1m  
Luminous flux 526lumens  
Luminaire's efficiency lm79 66W  
Correlated colour temperature 2700K,  
3000K, 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Height 80.0mm  
Width 300.0mm  
Length 50.0mm  
Casing colour black  
Warranty 2 years



## Wall light Maytoni Basic Texture natural wood 5W 345lm CRI80 180° IP20 2700K, 3000K, 4000K

### Product code 21793


Brand Maytoni  
Output 5W  
Maximum output 5W/1m  
Luminous flux 345lumens  
Luminaire's efficiency lm79 69W  
Correlated colour temperature 2700K,  
3000K, 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Length 50.0mm  
Diameter 150.0mm  
Casing colour natural wood  
Casing material metal + wood  
Work environment indoor use  
Warranty 2 years



## Wall light Maytoni Basic Texture natural wood 8W 522lm CRI80 180° IP20 2700K, 3000K, 4000K

### Product code 22539


Brand Maytoni  
Output 8W  
Maximum output 8W/1m  
Luminous flux 522lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature 2700K,  
3000K, 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Height 80.0mm  
Width 300.0mm  
Length 50.0mm  
Casing colour natural wood  
Casing material metal + wood  
Work environment indoor use



## Wall light Maytoni Basic Texture white 5W 300lm CRI80 180° IP20 DIMMABLE 2700K-4000K warm + day white

**Product code 21841 DIMMABLE  
dimable**


Brand Maytoni  
Dimmable DIMMABLE  
Output 5W  
Maximum output 5W/1m  
Luminous flux 300lumens  
Luminaire's efficiency lm79 60W  
Correlated colour temperature warm  
+ day white 2700K-4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Length 50.0mm  
Diameter 150.0mm  
Weight 600 g  
Package weight 800 g  
Casing colour white  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Basic Texture white 8W 500lm CRI80 180° IP20 2700K, 3000K, 4000K

**Product code 21849**


Brand Maytoni  
Output 8W  
Maximum output 8W/1m  
Luminous flux 500lumens  
Luminaire's efficiency lm79 63W  
Correlated colour temperature 2700K,  
3000K, 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Height 80.0mm  
Width 300.0mm  
Length 50.0mm  
Casing colour white  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Cabaret brass 8W 120° IP20 830

### Product code 20150


Brand Maytoni  
Output 8W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Height 270.0mm  
Width 230.0mm  
Length 175.0mm  
Weight 1.5 kg  
Package weight 1.9 kg  
Casing colour brass  
Casing material aluminium + glass  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Cabaret brass 8W 850lm 120° IP20 830

### Product code 20022

Brand Maytoni  
Output 8W  
Luminous flux 850lumens  
Luminaire's efficiency lm79 106W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Height 3300.0mm  
Width 250.0mm  
Length 145.0mm  
Weight 1.6 kg  
Package weight 2 kg  
Casing colour brass  
Casing material aluminium + glass  
Warranty 3 years



## Wall light Maytoni Calipso 2 X GU10 black GU10 IP20

### Product code 20923

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 200.0mm  
 Length 70.0mm  
 Diameter 56.0mm  
 Weight 380 g  
 Package weight 430 g  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years

Calipso is a designer lighting series with a graphic texture. The collection is available in three colors: classic black, white, and brass. Calipso luminaires are highly versatile — you can choose between surface-mounted, recessed, wall-mounted, or pendant versions. The recessed light source provides eye-friendly illumination. The swivel mechanism in certain models lets you add refined lighting accents to your interior.



## Wall light Maytoni Calipso 2 X GU10 gold GU10 IP20

### Product code 20922

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 200.0mm  
 Length 70.0mm  
 Diameter 56.0mm  
 Weight 380 g  
 Package weight 430 g  
 Casing colour gold  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years

Calipso is a designer lighting series with a graphic texture. The collection is available in three colors: classic black, white, and brass. Calipso luminaires are highly versatile — you can choose between surface-mounted, recessed, wall-mounted, or pendant versions. The recessed light source provides eye-friendly illumination. The swivel mechanism in certain models lets you add refined lighting accents to your interior.



## Wall light Maytoni Calipso 2 X GU10 white GU10 IP20

**Product code 20924**

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 200.0mm  
 Length 70.0mm  
 Diameter 56.0mm  
 Weight 380 g  
 Package weight 430 g  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years

Calipso is a designer lighting series with a graphic texture. The collection is available in three colors: classic black, white, and brass. Calipso luminaires are highly versatile — you can choose between surface-mounted, recessed, wall-mounted, or pendant versions. The recessed light source provides eye-friendly illumination. The swivel mechanism in certain models lets you add refined lighting accents to your interior.



## Wall light Maytoni Calipso black 24W 1620lm 36° IP20 927

**Product code 20925**

Brand Maytoni  
 Output 24W  
 Luminous flux 1620lumens  
 Luminaire's efficiency lm79 68W  
 Correlated colour temperature warm white 2700K  
 Lens angle 36  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 490.0mm  
 Length 63.0mm  
 Diameter 32.0mm  
 Weight 1.15 kg  
 Package weight 1.23 kg  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use

Calipso is a designer lighting series with a graphic texture. The collection is available in three colors: classic black, white, and brass. Calipso luminaires are highly versatile — you can choose between surface-mounted, recessed, wall-mounted, or pendant versions. The recessed light source provides eye-friendly illumination. The swivel mechanism in certain models lets you add refined lighting accents to your interior.




## Wall light Maytoni Calipso gold 24W 1620lm 36° IP20 927

### Product code 20932

Brand Maytoni  
 Output 24W  
 Luminous flux 1620lumens  
 Luminaire's efficiency lm79 68W  
 Correlated colour temperature warm white 2700K  
 Lens angle 36  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 490.0mm  
 Length 63.0mm  
 Diameter 32.0mm  
 Weight 1.15 kg  
 Package weight 1.23 kg  
 Casing colour gold  
 Casing material aluminium  
 Work environment indoor use

Calipso is a designer lighting series with a graphic texture. The collection is available in three colors: classic black, white, and brass. Calipso luminaires are highly versatile — you can choose between surface-mounted, recessed, wall-mounted, or pendant versions. The recessed light source provides eye-friendly illumination. The swivel mechanism in certain models lets you add refined lighting accents to your interior.



## Wall light Maytoni Calipso white 24W 1620lm 36° IP20 927

### Product code 20931

Brand Maytoni  
 Output 24W  
 Luminous flux 1620lumens  
 Luminaire's efficiency lm79 68W  
 Correlated colour temperature warm white 2700K  
 Lens angle 36  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 490.0mm  
 Length 63.0mm  
 Diameter 32.0mm  
 Weight 1.15 kg  
 Package weight 1.23 kg  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use


Calipso is a designer lighting series with a graphic texture. The collection is available in three colors: classic black, white, and brass. Calipso luminaires are highly versatile — you can choose between surface-mounted, recessed, wall-mounted, or pendant versions. The recessed light source provides eye-friendly illumination. The swivel mechanism in certain models lets you add refined lighting accents to your interior.



## Wall lamp Maytoni Combo black 11W 120° IP20 830

**Product code 21083**


Brand Maytoni  
Output 11W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 516.0mm  
Width 150.0mm  
Length 96.0mm  
Weight 1.1 kg  
Package weight 1.8 kg  
Casing colour black  
Casing material aluminium  
Warranty 3 years



## Wall light Maytoni Dallas 3 black G9

**Product code 20618**

Brand Maytoni  
Socket G9  
Height 260.0mm  
Width 120.0mm  
Length 200.0mm  
Weight 800 g  
Package weight 1.2 kg  
Casing colour black  
Casing material metal + glass  
Work environment indoor use  
Warranty 2 years



## Wall light Maytoni Dallas 3 gold / white G9

### Product code 20624

Brand Maytoni  
 Socket G9  
 Height 260.0mm  
 Width 120.0mm  
 Length 200.0mm  
 Weight 800 g  
 Package weight 1.2 kg  
 Casing colour gold / white  
 Casing material metal + glass  
 Work environment indoor use  
 Warranty 2 years




## Wall light Maytoni Erich brass / white 40W E14 IP20

**Product code 20859**

Brand Maytoni  
Output 40W  
Socket E14  
Protection class IP20  
Height 270.0mm  
Width 190.0mm  
Length 150.0mm  
Weight 700 g  
Package weight 950 g  
Casing colour brass / white  
Casing material metal + glass  
Warranty 2 years





The series offers a variety of models in different sizes and applications, suitable for both general and task lighting. Functional design allows for adjustable shade positioning on both the floor lamp and table lamp. The height of the pendants can be customized via the adjustable cables. Chandeliers feature a central rod composed of three sections, allowing height adjustments to suit any space. Ceiling-mounted models further expand the collection's versatility, making it suitable for rooms with varying dimensions and ceiling heights.



**Wall light Maytoni Erich brass / white 40W E14 IP20**

**Product code 21169**

Brand Maytoni  
Output 40W  
Socket E14  
Protection class IP20  
Height 360.0mm  
Width 330.0mm  
Length 150.0mm  
Casing colour brass / white  
Casing material metal  
Warranty 2 years



## Wall light Maytoni Fad Dim black 6W 550lm 120° IP20 830

### Product code 20758


Brand Maytoni  
Output 6W  
Luminous flux 550lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Width 1000.0mm  
Weight 1.5 kg  
Package weight 2.2 kg  
Casing colour black  
Casing material metal  
Warranty 3 years



## Wall light Maytoni Fad Dim black 6W 550lm 120° IP20 830

### Product code 20767

Brand Maytoni  
Output 6W  
Luminous flux 550lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Width 191.0mm  
Diameter 120.0mm  
Weight 1.5 kg  
Package weight 2.2 kg  
Casing colour black  
Casing material metal  
Warranty 3 years



## Wall lamp Maytoni Fibi white E14 IP20

**Product code 21917**

Brand Maytoni  
 Socket E14  
 Protection class IP20  
 Height 285.0mm  
 Width 205.0mm  
 Weight 1.2 kg  
 Package weight 1.43 kg  
 Casing colour white  
 Casing material metal + textile  
 Polishing semigloss  
 Work environment indoor use  
 Warranty 2 years



## Wall light Maytoni Focus Design 2 X GU10 black GU10 IP20

**Product code 20911**


Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 217.0mm  
 Length 106.0mm  
 Diameter 60.0mm  
 Weight 330 g  
 Package weight 380 g  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## Wall light Maytoni Focus Design 2 X GU10 gold GU10 IP20

### Product code 20910

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 217.0mm  
 Length 106.0mm  
 Diameter 60.0mm  
 Weight 330 g  
 Package weight 380 g  
 Casing colour gold  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## Wall light Maytoni Focus S 2 X GU10 black GU10 IP20

### Product code 20912


Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 150.0mm  
 Length 68.0mm  
 Diameter 52.0mm  
 Weight 250 g  
 Package weight 270 g  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## Wall light Maytoni Focus S 2 X GU10 gold GU10 IP20

### Product code 20917


Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 150.0mm  
 Length 68.0mm  
 Diameter 52.0mm  
 Weight 250 g  
 Package weight 270 g  
 Casing colour gold  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## Wall light Maytoni Focus S 2 X GU10 white GU10 IP20

### Product code 20914

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 150.0mm  
 Length 68.0mm  
 Diameter 52.0mm  
 Weight 250 g  
 Package weight 270 g  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## Wall lamp Maytoni Grace 2 bronze E14 IP20

**Product code 20590**

Brand Maytoni  
Socket E14  
Protection class IP20  
Height 390.0mm  
Width 250.0mm  
Length 390.0mm  
Weight 840 g  
Package weight 1.02 kg  
Casing colour bronze  
Casing material metal  
Polishing semigloss  
Work environment indoor use  
Warranty 2 years



## Wall lamp Maytoni Grace 2 white E14 IP20

**Product code 20602**

Brand Maytoni  
Socket E14  
Protection class IP20  
Height 390.0mm  
Width 250.0mm  
Length 390.0mm  
Weight 1.2 kg  
Package weight 1.43 kg  
Casing colour white  
Casing material metal + textile  
Polishing semigloss  
Work environment indoor use  
Warranty 2 years



## Wall lamp Maytoni Grace bronze E14 IP20

**Product code 20591**

Brand Maytoni  
Socket E14  
Protection class IP20  
Height 390.0mm  
Width 270.0mm  
Length 120.0mm  
Weight 490 g  
Package weight 630 g  
Casing colour bronze  
Casing material metal  
Polishing semigloss  
Work environment indoor use  
Warranty 2 years



## Wall lamp Maytoni Grace white E14 IP20

**Product code 20603**


Brand Maytoni  
Socket E14  
Protection class IP20  
Height 390.0mm  
Width 270.0mm  
Length 120.0mm  
Weight 570 g  
Package weight 770 g  
Casing colour white  
Casing material metal + textile  
Work environment indoor use  
Warranty 2 years



## Wall lamp Maytoni IOS 176 black 9W 550lm 30° IP20 830

### Product code 20751

Brand Maytoni  
 Output 9W  
 Maximum output 9W/1m  
 Luminous flux 550lumens  
 Luminaire's efficiency lm79 61W  
 Correlated colour temperature warm white 3000K  
 Lens angle 30  
 Cri 80  
 Protection class IP20  
 Lifespan 50000h  
 Height 130.0mm  
 Width 65.0mm  
 Weight 620 g  
 Package weight 720 g  
 Casing colour black  
 Casing material aluminium  
 Warranty 5 years




## Wall lamp Maytoni IOS 176 black 9W 600lm 30° IP20 830

### Product code 19588

Brand Maytoni  
 Output 9W  
 Maximum output 9W/1m  
 Luminous flux 600lumens  
 Luminaire's efficiency lm79 67W  
 Correlated colour temperature warm white 3000K  
 Lens angle 30  
 Cri 80  
 Protection class IP20  
 Height 140.0mm  
 Width 65.0mm  
 Weight 470 g  
 Package weight 580 g  
 Casing colour black  
 Casing material aluminium  
 Polishing semimatt

Swivel mechanism for adjusting the light flux. Two LED light sources, combined and separate backlight mode.



## Wall lamp Maytoni IOS 176 matte gold 9W 550lm 30° IP20 830

### Product code 20151

Brand Maytoni  
Output 9W  
Maximum output 9W/1m  
Luminous flux 550lumens  
Luminaire's efficiency lm79 61W  
Correlated colour temperature warm white 3000K  
Lens angle 30  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 130.0mm  
Width 65.0mm  
Weight 620 g  
Package weight 720 g  
Casing colour matte gold  
Casing material aluminium  
Warranty 5 years




## Wall lamp Maytoni IOS 176 matte gold 9W 600lm 30° IP20 830

### Product code 20744

Brand Maytoni  
Output 9W  
Maximum output 9W/1m  
Luminous flux 600lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature warm white 3000K  
Lens angle 30  
Cri 80  
Protection class IP20  
Length 65.0mm  
Diameter 140.0mm  
Weight 480 g  
Package weight 580 g  
Casing colour matte gold  
Casing material aluminium  
Polishing semimatt

Swivel mechanism for adjusting the light flux. Two LED light sources, combined and separate backlight mode.



## Wall lamp Maytoni IOS 176 white 9W 550lm 30° IP20 830

### Product code 20745

Brand Maytoni  
Output 9W  
Maximum output 9W/1m  
Luminous flux 550lumens  
Luminaire's efficiency lm79 61W  
Correlated colour temperature warm  
white 3000K  
Lens angle 30  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 130.0mm  
Width 65.0mm  
Weight 620 g  
Package weight 720 g  
Casing colour white  
Casing material aluminium  
Warranty 5 years



## Wall lamp Maytoni IOS 176 white 9W 600lm 30° IP20 830

### Product code 19589

Brand Maytoni  
Output 9W  
Maximum output 9W/1m  
Luminous flux 600lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature warm  
white 3000K  
Lens angle 30  
Cri 80  
Protection class IP20  
Length 65.0mm  
Diameter 140.0mm  
Weight 480 g  
Package weight 580 g  
Casing colour white  
Casing material aluminium  
Polishing semimatt



Swivel mechanism for adjusting the light flux. Two LED light sources, combined and separate backlight mode.

## Recessed wall light Maytoni Kips white GU10 IP20

### Product code 21978

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 180.0mm  
Width 120.0mm  
Casing colour white  
Casing material gypsum



## Recessed wall light Maytoni Kips white GU10 IP20

### Product code 21979


Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 180.0mm  
Width 120.0mm  
Casing colour white  
Casing material gypsum



## Wall light Maytoni Light stick black 10W 750lm 120° IP20 930

### Product code 19234

Brand Maytoni  
Output 10W  
Maximum output 10W/1m  
Luminous flux 750lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 900.0mm  
Width 70.0mm  
Length 90.0mm  
Weight 700 g  
Package weight 1 kg  
Casing colour black  
Warranty 3 years




## Wall light Maytoni Light stick gold 10W 750lm 120° IP20 830

### Product code 20611

Brand Maytoni  
 Output 10W  
 Luminous flux 750lumens  
 Luminaire's efficiency lm79 75W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Protection class IP20  
 Lifespan 50000h  
 Height 900.0mm  
 Width 90.0mm  
 Length 70.0mm  
 Weight 700 g  
 Package weight 1 kg  
 Casing colour gold  
 Casing material aluminium  
 Warranty 3 years

The Light Stick collection features minimalist luminaires that fill spaces with soft, reflected light. The slender metal frames with galvanic finish are offered in two colors: satin brass and textured black. An acrylic diffuser covers the LED light source, providing glare-free, comfortable illumination. The wall-mounted fixtures feature simple, understated shapes that blend effortlessly into any interior. Pendant compositions can serve as supplemental or secondary lighting. The integrated LED source delivers warm light at 3000K. The suspension height of the pendants is adjustable, with a maximum cord length of 3.5 meters, making them ideal for rooms with high ceilings.



## Wall light Maytoni Mangata chrome 7W 250lm 360° IP20 830

### Product code 20127

Brand Maytoni  
Output 7W  
Luminous flux 250lumens  
Luminaire's efficiency lm79 36W  
Correlated colour temperature warm white 3000K  
Lens angle 360  
Cri 80  
Protection class IP20  
Height 250.0mm  
Length 50.0mm  
Diameter 300.0mm  
Weight 1.8 kg  
Package weight 2.23 kg  
Casing colour chrome  
Casing material metal + glass  
Warranty 3 years



## Wall lamp Maytoni Mirax black 3W 200lm 30° IP20 830

### Product code 20837

Brand Maytoni  
Output 3W  
Luminous flux 200lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature warm white 3000K  
Lens angle 30  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 186.0mm  
Width 70.0mm  
Length 65.0mm  
Weight 680 g  
Package weight 730 g  
Casing colour black  
Casing material aluminium  
Warranty 5 years



## Wall lamp Maytoni Mirax black 3W 200lm 30° IP20 830

### Product code 21458

Brand Maytoni  
Output 3W  
Luminous flux 200lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature warm  
white 3000K  
Lens angle 30  
Cri 80  
Protection class IP20  
Height 65.0mm  
Width 85.0mm  
Length 63.0mm  
Casing colour black  
Casing material metal  
Work environment indoor use  
Warranty 3 years



## Wall lamp Maytoni Mirax white 3W 200lm 30° IP20 830

### Product code 20838

Brand Maytoni  
Output 3W  
Luminous flux 200lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature warm  
white 3000K  
Lens angle 30  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 186.0mm  
Width 70.0mm  
Length 65.0mm  
Weight 680 g  
Package weight 730 g  
Casing colour white  
Casing material aluminium  
Warranty 5 years



## Wall lamp Maytoni Mollis black G9 IP20

### Product code 20443

Brand Maytoni  
Socket G9  
Protection class IP20  
Height 360.0mm  
Width 1050.0mm  
Length 95.0mm  
Weight 960 g  
Package weight 1.66 kg  
Casing colour black  
Casing material metal  
Warranty 2 years



## Wall lamp Maytoni Mollis black G9 IP20

### Product code 20446

Brand Maytoni  
Socket G9  
Protection class IP20  
Height 325.0mm  
Width 293.0mm  
Length 95.0mm  
Weight 1.3 kg  
Package weight 1.8 kg  
Casing colour black  
Casing material metal  
Warranty 2 years



The Mollis collection is more than a design - it's a philosophy of minimalism reflected in the straight lines and strict forms of its luminaires. The soft contours of the metal frame combined with the warm glow of acrylic lighting gently soften the sharpness of the geometry, emphasizing simplicity and a sense of freedom. The collection includes table lamps, wall sconces, floor lamps, and pendants. Its unified, coherent design makes Mollis an ideal complement to high-tech, minimalist, and contemporary interiors.



## Wall light Maytoni Nola 803lm 3000K warm white

### Product code 21954

Brand Maytoni  
Luminous flux 803lumens  
Correlated colour temperature warm  
white 3000K  
Diameter 200.0mm  
Casing material plastic  
Work environment indoor use



## Wall light Maytoni Nostalgia 2 black / golden E14 IP20

### Product code 20740

Brand Maytoni  
Socket E14  
Protection class IP20  
Height 420.0mm  
Width 440.0mm  
Length 175.0mm  
Weight 970 g  
Package weight 1.94 kg  
Casing colour black / golden  
Casing material metal + glass  
Warranty 2 years



## Wall light Maytoni Nostalgia 2 black / golden E14 IP20

**Product code 20741**

Brand Maytoni  
Socket E14  
Protection class IP20  
Height 420.0mm  
Width 440.0mm  
Length 175.0mm  
Weight 970 g  
Package weight 1.94 kg  
Casing colour black / golden  
Casing material metal + glass  
Warranty 2 years



## Wall light Maytoni Nuvem brown 8W 1040lm 120° IP20 DIMMABLE 3000K warm white

**Product code 21799 DIMMABLE**  
dimmable

Brand Maytoni  
Dimmable DIMMABLE  
Output 8W  
Maximum output 8W/1m  
Luminous flux 1040lumens  
Luminaire's efficiency lm79 130W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Protection class IP20  
Height 150.0mm  
Width 160.0mm  
Length 195.0mm  
Casing colour brown  
Casing material metal  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Olo platinum 6W CRI80 120° IP20 2700K, 3000K, 4000K

**Product code 22433**


Brand Maytoni  
Output 6W  
Maximum output 6W/1m  
Correlated colour temperature 2700K, 3000K, 4000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 125.0mm  
Width 125.0mm  
Length 92.0mm  
Weight 1.5 kg  
Package weight 1.8 kg  
Casing colour platinum  
Casing material metal + glass  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Olo platinum 6W CRI80 120° IP20 2700K, 3000K, 4000K

**Product code 22435**

Brand Maytoni  
Output 6W  
Maximum output 6W/1m  
Correlated colour temperature 2700K, 3000K, 4000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 125.0mm  
Width 125.0mm  
Length 92.0mm  
Weight 1.5 kg  
Package weight 1.8 kg  
Casing colour platinum  
Casing material metal + glass  
Work environment indoor use  
Warranty 3 years



## Wall lamp Maytoni Orign black 55W 880lm 120° IP20 830

### Product code 20606

Brand Maytoni  
Output 55W  
Luminous flux 880lumens  
Luminaire's efficiency lm79 16W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 607.0mm  
Width 60.0mm  
Length 150.0mm  
Weight 2.2 kg  
Package weight 2.7 kg  
Casing colour black  
Casing material metal  
Work environment indoor use  
Warranty 3 years



## Wall lamp Maytoni Orign black 70W 1000lm 120° IP20 830

### Product code 20607


Brand Maytoni  
Output 70W  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 14W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 807.0mm  
Width 60.0mm  
Length 150.0mm  
Weight 2.9 kg  
Package weight 3.5 kg  
Casing colour black  
Casing material metal  
Work environment indoor use  
Warranty 3 years



## Wall lamp Maytoni Ornate brass 2W 50lm 180° IP20 830

### Product code 21444


Brand Maytoni  
Output 2W  
Maximum output 2W/1m  
Luminous flux 50lumens  
Luminaire's efficiency lm79 25W  
Correlated colour temperature warm white 3000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Height 310.0mm  
Width 70.0mm  
Length 110.0mm  
Casing colour brass  
Casing material metal + glass  
Work environment indoor use  
Warranty 3 years



## Wall lamp Maytoni Ornate chrome 2W 50lm 180° IP20 830

### Product code 21445


Brand Maytoni  
Output 2W  
Maximum output 2W/1m  
Luminous flux 50lumens  
Luminaire's efficiency lm79 25W  
Correlated colour temperature warm white 3000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Height 310.0mm  
Width 70.0mm  
Length 110.0mm  
Casing colour chrome  
Casing material metal + glass  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Ottilia gold E14

**Product code 20781**



Brand Maytoni  
Socket E14  
Height 130.0mm  
Width 250.0mm  
Length 130.0mm  
Weight 780 g  
Package weight 1.19 kg  
Casing colour gold  
Casing material aluminium + glass



## Wall light Maytoni Palace gold 7W E27 IP20

**Product code 20050**

Brand Maytoni  
Output 7W  
Socket E27  
Protection class IP20  
Height 184.0mm  
Width 170.0mm  
Length 119.0mm  
Weight 840 g  
Package weight 1.2 kg  
Casing colour gold  
Casing material aluminium + glass  
Work environment indoor use



Crystals define the luxurious appearance of the Palace collection. Each model is further adorned with intricate floral inlays of exceptional craftsmanship. This extensive series includes a wide variety of ceiling and pendant chandeliers, as well as wall lamps with both concealed light sources behind crystal facets and open candle-style bulbs. An additional one-year warranty is provided for all models.


## Wall light Maytoni Puntos chrome 60W E14 IP20

**Product code 22718**

Brand Maytoni  
Output 60W  
Socket E14  
Protection class IP20  
Height 160.0mm  
Width 256.0mm  
Minimum length 256.0mm  
Weight 1.75 kg  
Package weight 2.3 kg  
Casing colour chrome  
Casing material metal + crystal  
Work environment indoor use  
Warranty 2 years



Massive crystals serve as the centerpiece of the Puntos collection's design. The series includes pendant chandeliers of various diameters, as well as wall, table, and floor lamps. Each model is available in two timeless finishes: gold and chrome. The height of the chandeliers can be adjusted via the chain length. The cohesive color scheme and repeating decorative elements allow for easy combination of different models, enabling creative lighting arrangements and accent lighting across various zones within the interior.




## Wall light Maytoni Puntos gold 60W E14 IP20

**Product code 22722**

Brand Maytoni  
Output 60W  
Socket E14  
Protection class IP20  
Height 160.0mm  
Width 256.0mm  
Minimum length 256.0mm  
Weight 1.75 kg  
Package weight 2.3 kg  
Casing colour gold  
Casing material metal + crystal  
Work environment indoor use  
Warranty 2 years



Massive crystals serve as the centerpiece of the Puntos collection's design. The series includes pendant chandeliers of various diameters, as well as wall, table, and floor lamps. Each model is available in two timeless finishes: gold and chrome. The height of the chandeliers can be adjusted via the chain length. The cohesive color scheme and repeating decorative elements allow for easy combination of different models, enabling creative lighting arrangements and accent lighting across various zones within the interior.



## Wall light Maytoni Raposa 2 x GU10 white GU10 IP20

**Product code 21061**

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 220.0mm  
Width 135.0mm  
Length 90.0mm  
Weight 1.2 kg  
Package weight 1.3 kg  
Casing colour white  
Casing material gypsum  
Work environment indoor use  
Warranty 2 years



## Wall lamp Maytoni Regatta brass 5W 650lm 120° IP20 830

### Product code 22676


Brand Maytoni  
 Output 5W  
 Maximum output 5W/1m  
 Luminous flux 650lumens  
 Luminaire's efficiency lm79 130W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Protection class IP20  
 Lifespan 50000h  
 Height 178.0mm  
 Width 170.0mm  
 Length 60.0mm  
 Weight 1.65 kg  
 Package weight 1.9 kg  
 Casing colour brass  
 Casing material metal + glass  
 Warranty 3 years



## Wall light Maytoni Regatta brass 8W 900lm 120° IP20 830

### Product code 21792


Brand Maytoni  
 Output 8W  
 Maximum output 8W/1m  
 Luminous flux 900lumens  
 Luminaire's efficiency lm79 113W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Protection class IP20  
 Height 250.0mm  
 Length 62.0mm  
 Diameter 240.0mm  
 Casing colour brass  
 Casing material aluminum + glass  
 Warranty 3 years



## Wall lamp Maytoni Scone black 7W 500lm 120° IP20 830

### Product code 20152


Brand Maytoni  
 Output 7W  
 Maximum output 7W/1m  
 Luminous flux 500lumens  
 Luminaire's efficiency lm79 71W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Protection class IP20  
 Lifespan 50000h  
 Height 600.0mm  
 Length 90.0mm  
 Diameter 70.0mm  
 Weight 540 g  
 Package weight 770 g  
 Casing colour black  
 Casing material aluminium  
 Warranty 3 years



## Wall lamp Maytoni Scone gold 7W 500lm 120° IP20 830

### Product code 20771


Brand Maytoni  
 Output 7W  
 Maximum output 7W/1m  
 Luminous flux 500lumens  
 Luminaire's efficiency lm79 71W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Protection class IP20  
 Lifespan 50000h  
 Height 900.0mm  
 Width 70.0mm  
 Length 90.0mm  
 Weight 700 g  
 Package weight 1 kg  
 Casing colour gold  
 Casing material aluminium  
 Warranty 3 years



## Wall lamp Maytoni Trame black 3W 100lm 108° IP20 830

### Product code 21465

Brand Maytoni  
Output 3W  
Luminous flux 100lumens  
Luminaire's efficiency lm79 33W  
Correlated colour temperature warm  
white 3000K  
Lens angle 108  
Cri 80  
Protection class IP20  
Height 205.0mm  
Width 75.0mm  
Length 248.0mm  
Casing colour black  
Casing material metal  
Work environment indoor use  
Warranty 3 years



## Wall light Maytoni Vanjura 2 x GX53 white G53 IP20

### Product code 21062


Brand Maytoni  
Socket G53  
Protection class IP20  
Height 195.0mm  
Width 240.0mm  
Length 105.0mm  
Weight 1.8 kg  
Package weight 2 kg  
Casing colour white  
Casing material gypsum  
Work environment indoor use  
Warranty 2 years



## Wall light Nowodvorski Lighting Gipsy 2 x E27 white E27

### Product code 21927

Brand Nowodvorski Lighting  
Socket E27  
Height 105.0mm  
Width 700.0mm  
Length 130.0mm  
Casing colour white  
Casing material gypsum  
Work environment indoor use



## Wall light Nowodvorski Lighting Manufacture black E27

### Product code 21983


Brand Nowodvorski Lighting  
Socket E27  
Height 320.0mm  
Length 330.0mm  
Casing colour black  
Casing material metal



## Wall lamp Nowodvorski Lighting Saber black 11W 3000K warm white

### Product code 22082

Brand Nowodvorski Lighting  
Output 11W  
Correlated colour temperature warm white 3000K  
Height 800.0mm  
Width 55.0mm  
Casing colour black  
Casing material metal  
Work environment indoor use



## Wall light Prolumen Axis 4x2W black 230V 8W 960lm 90° IP20 830

**Product code 20643**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Maximum output 8W/1m

Luminous flux 960lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature warm  
white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 100.0mm

Width 95.0mm

Weight 700 g

In package 1pc

In box 12pcs

Casing colour black


Casing material aluminium + plastic

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



## Wall light Prolumen Lunarcus 2x4W up/down black 230V 8W 789lm 100° IP20 DALI 830

Product code 20682 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 8W

Maximum output 8W/1m

Luminous flux 789lumens

Luminaire's efficiency lm79 99W

Correlated colour temperature warm  
white 3000K

Lens angle 100

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 100.0mm

Length 200.0mm

Weight 700 g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminium + plastic

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



## Wall light Prolumen ML30 580 white 230V 10W 1410lm CRI90 110° IP40 3000K, 4000K, 5700K 3CCT

**Product code 17398**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Maximum output 10W/1m

Luminous flux 1410lumens

Luminaire's efficiency lm79 141W

Correlated colour temperature 3CCT  
3000K, 4000K, 5700K

Lens angle 110

Cri 90

Sdcm - macadam ellipses 6

Protection class IP40

Lifespan 50000h

Height 59.0mm

Width 102.0mm

Length 580.0mm

Weight 640 g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminium + plastic

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 45°C

Warranty 5 years

LED wall light for using above the mirror. The mirror light allows you to change the light temperature with a simple press of a button according to your needs. You can choose between warm white (3000K), daylight (4000K), and cool white (5700K) light. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Recessed wall light Prolumen WL02 white 230V 3W 175lm 60° IP54 830

**Product code 15134**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.50

Output 3W

Maximum output 3W/1m

Luminous flux 175lumens

Luminaire's efficiency lm79 58W

Correlated colour temperature warm  
white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 32.0mm

Width 70.0mm

Length 200.0mm

In package 1pc

In box 24pcs

Casing colour white



Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years

Cutout 60x190mm



## Wall light Prolumen WL101 up-down light white 230V 8W 640lm 90° IP20 930

**Product code 17360**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 8W  
 Maximum output 8W/1m  
 Luminous flux 640lumens  
 Luminaire's efficiency lm79 80W  
 Correlated colour temperature warm white 3000K  
 Lens angle 90  
 Cri 90  
 Sdcm - macadam ellipses 6  
 Protection class IP20  
 Lifespan 50000h  
 Height 101.0mm  
 Width 105.0mm  
 Length 170.0mm  
 Weight 680 g  
 In package 1pc  
 In box 24pcs  
 Casing colour white  
 Casing material plastic  
 Work environment indoor use  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years



350° rotatable LED wall light, a stylish addition to your home! The light beam falls in two directions, and the luminaire can be easily rotated 350° horizontally and 28° vertically. We especially recommend this stylish luminaire for the bedroom next to the bed, but the WL101 is also ideal for use as mood lighting in corridors or offices. IP20 protection class allows the luminaire to be used only indoors. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

**Wall light Prolumen WL102 up-down light white 230V 8W**

## 700lm CRI90 120° IP20 TRIAC 3000K, 4000K, 5700K 3CCT

**Product code 17363 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 8W

Maximum output 8W/1m

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature 3CCT

3000K, 4000K, 5700K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 77.0mm

Width 67.0mm

Length 242.0mm

Weight 600 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium + plastic

Impact resistance IK06

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



Stylish LED wall light, an ideal mood light for homes! The light beam falls in two directions, and the light temperature (3000K/4000K/5700K) can be selected by the user according to preference using the button on the luminaire. Additionally, the luminaire is equipped with TRIAC technology, allowing the light to be dimmed according to preference. Soome keelde: Tyylikäs LED-seinävalaisin, ihanteellinen tunnelmavalaistus koteihin! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Wall light Prolumen WL106 black 230V 8W 660lm CRI90 160° IP20 TRIAC 3000K, 4000K, 5700K 3CCT

**Product code 17357 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 8W

Maximum output 8W/1m

Luminous flux 660lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature 3CCT

3000K, 4000K, 5700K

Lens angle 160

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 80.0mm

Width 135.0mm

Length 145.0mm

Weight 360 g

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium + plastic

Impact resistance IK06



Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years

Plant sprout-shaped LED wall light with adjustable light temperature! IP20 protection class allows the luminaire to be used only indoors. There is a button on the back of the luminaire that allows you to choose the light temperature: 3000K (warm white), 4000K (daylight), or 5700K (cool white). Additionally, the luminaire is equipped with TRIAC technology, allowing the user to adjust the light intensity in the room according to their preference. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Wall light Prolumen WL109 white 230V 4W 419lm 100° IP20 930

**Product code 17242**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.85  
 Output 4W  
 Maximum output 4W/1m  
 Rated current 55mA  
 Luminous flux 419lumens  
 Luminaire's efficiency lm79 105W  
 Correlated colour temperature warm white 3000K  
 Lens angle 100  
 Cri 90  
 Sdcm - macadam ellipses 6  
 Protection class IP20  
 Lifespan 50000h  
 Height 132.0mm  
 Width 69.0mm  
 Length 152.0mm  
 Weight 350 g  
 Package weight 500 g  
 In package 1pc  
 In box 12pcs  
 Casing colour white  
 Casing material aluminium + plastic  
 Polishing matt  
 Work environment indoor use  
 Operation temperature -20 ~ 45°C  
 Certificates CE  
 Warranty 5 years



Adjustable beam LED wall light for indoor use. Ideal for corridors, living rooms, and bedrooms. The warm white light temperature (3000K) creates a cozy atmosphere and is therefore suitable for various living and working spaces. The light beam can be adjusted within a 180° radius - 90° to the left and 90° to the right. IP20 protection class allows the luminaire to be used indoors. The wall light housing is made of aluminum, with a minimalist design and a matte white colour. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Wall light Prolumen WL146 up-down light white 230V 20W 2300lm 40° IP20 930

**Product code 17364**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 20W  
Maximum output 20W/1m  
Luminous flux 2300lumens  
Luminaire's efficiency lm79 115W  
Correlated colour temperature warm  
white 3000K  
Lens angle 40  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 90.0mm  
Width 38.5mm  
Length 600.0mm  
Weight 1.23 kg  
In package 1pc  
In box 12pcs  
Casing colour white  
Casing material aluminium  
Impact resistance IK06  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Slim LED wall light, an ideal mood light for homes! The light beam falls in two directions, with a light temperature of 3000K. This luminaire is designed to serve as an indoor decorative element. Its slim linear appearance makes it an excellent addition to modern interiors. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Wall light Prolumen WL16 black 230V 18W 720lm 90° IP20 830

**Product code 15350**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 18W

Maximum output 18W/1m

Luminous flux 720lumens

Luminaire's efficiency lm79 40W

Correlated colour temperature warm white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 92.0mm

Width 100.0mm

Length 300.0mm

In box 12pcs

Casing colour black

Casing material aluminium


Impact resistance IK08

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Modern LED wall light. IP20 protection class allows the luminaire to be used only indoors. The 3000K light temperature adds warm white light to the room, making it suitable for various living spaces. It is especially ideal for corridor mood lighting! The lighting is directional in two directions, and if desired, the light direction can also be changed (up and/or down). Additionally, thanks to TRIAC technology, the luminaire can be dimmed. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Wall light Prolumen WL16 Up-Down black 230V 18W 900lm 90° IP20 TRIAC 930

**Product code 16671 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 18W

Maximum output 18W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 50W

Correlated colour temperature warm  
white 3000K

Lens angle 90

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 92.0mm

Width 100.0mm

Length 300.0mm

Package weight 1.4 kg

In box 12pcs

Casing colour black

Casing material aluminium

Impact resistance IK08



Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

Modern LED wall light. IP20 protection class allows the luminaire to be used only indoors. The 3000K light temperature adds warm white light to the room, making it suitable for various living spaces. It is especially ideal for corridor mood lighting! The lighting is directional in two directions, and if desired, the light direction can also be changed (up and/or down). Additionally, thanks to TRIAC technology, the luminaire can be dimmed. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Wall light Prolumen WL182 black 230V 10W 807lm 100° IP65 DALI 830

**Product code 20684 DALI dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 10W

Maximum output 10W/1m

Luminous flux 807lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature warm  
white 3000K

Lens angle 100

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 45.0mm

Width 80.0mm

Length 500.0mm

Weight 700 g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminium + plastic

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



## Wall light Prolumen WL182 white 230V 10W 807lm 100° IP65 DALI 830

**Product code 22170 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 10W  
Maximum output 10W/1m  
Luminous flux 807lumens  
Luminaire's efficiency lm79 81W  
Correlated colour temperature warm  
white 3000K  
Lens angle 100  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 45.0mm  
Width 80.0mm  
Length 500.0mm  
Weight 700 g  
In package 1pc  
In box 12pcs  
Casing colour white  
Casing material aluminium + plastic  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



## Wall light Prolumen WL99 white 230V 10W 550lm 120° IP20 930

## Product code 17356

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Maximum output 10W/1m

Luminous flux 550lumens

Luminaire's efficiency lm79 55W

Correlated colour temperature warm white 3000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 75.0mm

Width 103.0mm

Length 205.0mm

Weight 380 g

In box 24pcs

Casing colour white

Casing material aluminium

Impact resistance IK06

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

Marine shell-shaped LED wall light. IP20 protection class allows the luminaire to be used only indoors. The light temperature of 3000K adds warm white light to the room, making it suitable for various living spaces. It is especially ideal for mood lighting above the sofa! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Wall lamp Retro Carter black E27 IP20

### Product code 19670

Socket E27  
Protection class IP20  
Height 270.0mm  
Diameter 250.0mm  
Casing colour black




## Wall light SP718 black 230V GU10 IP20

### Product code 16143

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 1 years

Switched wall light, surface-mounted.  
The IP20 protection class allows the luminaire to be used only indoors. The direction of the lighting can be changed according to preference.

[Here you can find suitable light bulbs for the luminaire!](#)




## Wall light SP718 white 230V GU10 IP20

**Product code 16708**

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 1 years

Switched wall light, surface-mounted.  
The IP20 protection class allows the luminaire to be used only indoors. The direction of the lighting can be changed according to preference.

[Here you can find suitable light bulbs for the luminaire!](#)



## Wall light TK Lighting Relax Junor white E27

**Product code 22186**

Brand TK Lighting  
Socket E27  
Height 260.0mm  
Width 380.0mm  
Length 320.0mm  
Casing colour white  
Casing material metal  
Work environment indoor use



## Wall lamp Trio Lighting Arcor nickel E27 IP20

**Product code 19990**

Brand [Trio Lighting](#)  
Socket E27  
Protection class IP20  
Height 400.0mm  
Diameter 220.0mm  
Casing colour nickel



## Wall light Trio Lighting Brad wood 13,5W 1500lm IP20 switch dimmer 3000K warm white

**Product code 21017 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 13,5W

Luminous flux 1500lumens

Correlated colour temperature warm white 3000K

Protection class IP20

Lifespan 36000h

Height 110.0mm

Width 370.0mm

Weight 1 kg

Package weight 1.2 kg

Casing colour wood

Casing material wood

No. of switches 36000pcs



The BRAD wall light is the right choice for a cosy home! The modern light impresses with its combination of real wood and metal, creating a cosy atmosphere. The light cuts a particularly fine figure in the living room, bedroom or hallway, where the spotlight is shown to its best advantage as a central element. The wall light has a height and width of 11 cm and a length of 37 cm. With the great combination of wood and metal in antique nickel, the light fits perfectly into modern furnishing concepts and is also a real highlight for vintage fans. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Wall light Trio Lighting Brad wood 4,3W 430lm IP20 switch dimmer 3000K warm white

**Product code 21018 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 4,3W

Luminous flux 430lumens

Correlated colour temperature warm white 3000K

Protection class IP20

Lifespan 50000h

Height 110.0mm

Width 110.0mm

Weight 500 g


Package weight 600 g

Casing colour wood

Casing material wood

No. of switches 50000pcs

The BRAD wall light is the right choice for a cosy home! The modern light impresses with its combination of real wood and metal, creating a cosy atmosphere. The light cuts a particularly fine figure in the living room, bedroom or hallway, where the spotlight is shown to its best advantage as a central element. The wall light has a height of 11 cm and a width of 11 cm. With the great combination of wood and metal in antique nickel, the light fits perfectly into modern furnishing concepts and is also a real highlight for vintage fans. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Cleo 2 X GU10 gold GU10 IP20

**Product code 19439**

---

Brand [Trio Lighting](#)  
Socket GU10  
Protection class IP20  
Height 150.0mm  
Width 80.0mm  
Casing colour gold



## Wall light Trio Lighting Conchita black 2W 200lm CRI80 IP20 2700K-6500K

**Product code 22670**

Brand [Trio Lighting](#)

Output 2W

Maximum output 2W/1m

Luminous flux 200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature

2700K-6500K

Cri 80

Protection class IP20

Lifespan 50000h

Height 70.0mm

Width 220.0mm

Length 15.0mm

Weight 400 g

Package weight 500 g

Casing colour black

Casing material aluminium

No. of switches 15000pcs

Impact resistance IK03

Work environment indoor use

Warranty 5 years

The CONCHITA wall light combines innovative design with maximum functionality. Its clear, elegant shape creates a discreet, modern ambience and can be used in a variety of ways. Whether as an atmospheric light source in the bedroom or as a flexible highlight in the living room - CONCHITA adapts effortlessly to your needs. The up-and-down lighting creates a pleasant, indirect light upwards and downwards, creating a cosy atmosphere. Brightness and light colours can be conveniently controlled using the practical remote control or the 4-way touch on the luminaire itself. The integrated dimmer offers infinitely variable adjustment options - for exactly the light you want. CONCHITA is particularly flexible thanks to its rechargeable battery operation with USB-C connection for charging. Thanks to the magnetic attachment, the luminaire can be easily removed and reattached elsewhere - without any time-consuming assembly. So you always have the perfect light source to hand. The CONCHITA wall light impresses with its robust metal and aluminium housing in elegant matt black. This combination not only ensures a high-quality look, but also a pleasant feel. The discreet colour design can be effortlessly integrated into a wide variety of living styles and sets unobtrusive accents in your room. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



# Wall light Trio Lighting Conchita black 3W 300lm CRI80 IP20 2700K-6500K

## Product code 22671

Brand [Trio Lighting](#)

Output 3W

Maximum output 3W/1m

Luminous flux 300lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature

2700K-6500K

Cri 80

Protection class IP20

Lifespan 50000h

Height 70.0mm

Width 320.0mm

Length 15.0mm

Weight 400 g

Package weight 500 g

Casing colour black

Casing material aluminium

No. of switches 15000pcs

Impact resistance IK03

Work environment indoor use

Warranty 5 years

The CONCHITA wall light combines innovative design with maximum functionality. Its clear, elegant shape creates a discreet, modern ambience and can be used in a variety of ways. Whether as an atmospheric light source in the bedroom or as a flexible highlight in the living room - CONCHITA adapts effortlessly to your needs. The up-and-down lighting creates a pleasant, indirect light upwards and downwards, creating a cosy atmosphere. Brightness and light colours can be conveniently controlled using the practical remote control or the 4-way touch on the luminaire itself. The integrated dimmer offers infinitely variable adjustment options - for exactly the light you want. CONCHITA is particularly flexible thanks to its rechargeable battery operation with USB-C connection for charging. Thanks to the magnetic attachment, the luminaire can be easily removed and reattached elsewhere - without any time-consuming assembly. So you always have the perfect light source to hand. The CONCHITA wall light impresses with its robust metal and aluminium housing in elegant matt black. This combination not only ensures a high-quality look, but also a pleasant feel. The discreet colour design can be effortlessly integrated into a wide variety of living styles and sets unobtrusive accents in your room. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



# Wall light Trio Lighting Conchita white 2W 200lm CRI80 IP20 2700K-6500K

## Product code 22672

Brand [Trio Lighting](#)

Output 2W

Maximum output 2W/1m

Luminous flux 200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature

2700K-6500K

Cri 80

Protection class IP20

Lifespan 50000h

Height 70.0mm

Width 220.0mm

Length 15.0mm

Weight 400 g

Package weight 500 g

Casing colour white

Casing material aluminium

No. of switches 15000pcs

Impact resistance IK03

Work environment indoor use

Warranty 5 years

The CONCHITA wall light combines innovative design with maximum functionality. Its clear, elegant shape creates a discreet, modern ambience and can be used in a variety of ways. Whether as an atmospheric light source in the bedroom or as a flexible highlight in the living room - CONCHITA adapts effortlessly to your needs. The up-and-down lighting creates a pleasant, indirect light upwards and downwards, creating a cosy atmosphere. The brightness can be conveniently controlled using the practical remote control or the 4-way touch on the light itself. The integrated dimmer offers infinitely variable adjustment options - for exactly the light you want. CONCHITA is particularly flexible thanks to its rechargeable battery operation with USB-C connection for charging. Thanks to the magnetic attachment, the light can be easily removed and reattached elsewhere - without any complicated assembly. So you always have the perfect light source to hand. The CONCHITA wall light impresses with its robust metal and aluminium housing in elegant matt white. This combination not only ensures a high-quality look, but also a pleasant feel. The discreet colour design can be effortlessly integrated into a wide variety of living styles and sets unobtrusive accents in your room. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



# Wall light Trio Lighting Conchita white 3W 300lm CRI80 IP20 2700K-6500K

## Product code 22673

Brand [Trio Lighting](#)

Output 3W

Maximum output 3W/1m

Luminous flux 300lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature

2700K-6500K

Cri 80

Protection class IP20

Lifespan 50000h

Height 70.0mm

Width 320.0mm

Length 15.0mm

Weight 400 g

Package weight 500 g

Casing colour white

Casing material aluminium


No. of switches 15000pcs

Impact resistance IK03

Work environment indoor use

Warranty 5 years

The CONCHITA wall light combines innovative design with maximum functionality. Its clear, elegant shape creates a discreet, modern ambience and can be used in a variety of ways. Whether as an atmospheric light source in the bedroom or as a flexible highlight in the living room - CONCHITA adapts effortlessly to your needs. The up-and-down lighting creates a pleasant, indirect light upwards and downwards, creating a cosy atmosphere. Brightness and light colours can be conveniently controlled using the practical remote control or the 4-way touch on the luminaire itself. The integrated dimmer offers infinitely variable adjustment options - for exactly the light you want. CONCHITA is particularly flexible thanks to its rechargeable battery operation with USB-C connection for charging. Thanks to the magnetic attachment, the luminaire can be easily removed and reattached elsewhere - without any time-consuming assembly. So you always have the perfect light source to hand. The CONCHITA wall light impresses with its robust metal and aluminium housing in elegant matt white. This combination not only ensures a high-quality look, but also a pleasant feel. The discreet colour design can be effortlessly integrated into a wide variety of living styles and sets unobtrusive accents in your room. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Cosima anthracite E14 IP20

### Product code 21042

Brand [Trio Lighting](#)  
 Socket E14  
 Protection class IP20  
 Height 160.0mm  
 Width 540.0mm  
 Length 150.0mm  
 Diameter 150.0mm  
 Weight 500 g  
 Package weight 800 g  
 Casing colour anthracite  
 Casing material metal  
 Polishing shiny  
 Work environment indoor use  
 Warranty 3 years



## Wall light Trio Lighting Cosima Apricot E14 IP20

### Product code 21041


Brand [Trio Lighting](#)  
 Socket E14  
 Protection class IP20  
 Height 160.0mm  
 Width 540.0mm  
 Length 150.0mm  
 Diameter 150.0mm  
 Weight 500 g  
 Package weight 800 g  
 Casing colour Apricot  
 Casing material metal  
 Polishing shiny  
 Work environment indoor use  
 Warranty 3 years



## Wall light Trio Lighting Cosima green E14 IP20

### Product code 21040

Brand [Trio Lighting](#)  
 Socket E14  
 Protection class IP20  
 Height 160.0mm  
 Width 540.0mm  
 Length 150.0mm  
 Diameter 150.0mm  
 Weight 500 g  
 Package weight 800 g  
 Casing colour green  
 Casing material metal  
 Polishing shiny  
 Work environment indoor use  
 Warranty 3 years



## Wall light Trio Lighting Cosima light gray E14 IP20

### Product code 21043

Brand [Trio Lighting](#)  
 Socket E14  
 Protection class IP20  
 Height 160.0mm  
 Width 540.0mm  
 Length 150.0mm  
 Diameter 150.0mm  
 Weight 500 g  
 Package weight 800 g  
 Casing colour light gray  
 Casing material metal  
 Polishing shiny  
 Work environment indoor use  
 Warranty 3 years



## Wall lamp Trio Lighting Element 2 X 1,5 W + 3W black 6W 500lm IP20 830

**Product code 21114**

Brand [Trio Lighting](#)

Output 6W

Luminous flux 500lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP20

Lifespan 30000h

Height 200.0mm

Width 160.0mm

Weight 1 kg

Package weight 1.2 kg

Casing colour black

Casing material metal

No. of switches 20000pcs

Warranty 3 years



Timeless and minimalist. The ELEMENT wall light has a simple and elegant design. The light measures 20 x 16 cm and has two light sources that can be operated separately using integrated switches. The ELEMENT reading light can be individually aligned and is therefore ideal as a wall light next to the bed. The wall light also has a shelf and a USB port with charging function so that electronic devices can be easily stored and charged at the same time.

Furthermore, thanks to the FLEXconnect feature, the light is suitable for both fixed connection and use with a plug lead. The simple matt black colour scheme underlines the modern character of the luminaire and can be integrated into numerous colour concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall lamp Trio Lighting Element 2 X 1,5 W + 3W white 6W 500lm IP20 830

**Product code 21113**

Brand [Trio Lighting](#)

Output 6W

Luminous flux 500lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP20

Lifespan 30000h

Height 200.0mm

Width 160.0mm

Weight 1 kg

Package weight 1.2 kg

Casing colour white

Casing material metal

No. of switches 20000pcs

Warranty 3 years

incl. 1x SMD, 3W · 1x 220lm, 3000K

incl. 2x SMD, 1,5W · 2x 150lm, 3000K

Timeless and minimalist. The ELEMENT wall light has a simple and elegant design. The light measures 20 x 16 cm and has two light sources that can be operated separately using integrated switches. The ELEMENT reading light can be individually aligned and is therefore ideal as a wall light next to the bed. The wall light also has a shelf and a USB port with charging function so that electronic devices can be easily stored and charged at the same time.

Furthermore, thanks to the FLEXconnect feature, the light is suitable for both fixed connection and use with a plug lead. The matt white colour scheme leaves plenty of scope for combining with existing colour concepts and rounds off any straightforward furnishing style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall lamp Trio Lighting Fairfield black 9W 950lm IP20 switch dimmer 3000K warm white

**Product code 22096 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 9W

Luminous flux 950lumens

Luminaire's efficiency lm79 106W

Correlated colour temperature warm white 3000K

Protection class IP20

Lifespan 30000h

Height 200.0mm

Width 160.0mm

Weight 1.1 kg

Casing colour black


Casing material metal

No. of switches 15000pcs



FAIRFIELD wall light - for a cosy flair around the bed! Its simple design and indirect light contribute to relaxation in the bedroom and provide cosy brightness, perfect for relaxing hours of reading in the evening. With its integrated inductive charging station, the light enables easy charging of compatible smartphones.

Alternatively, it offers a USB and USB-C connection with charging option. Thanks to the FLEXconnect feature, the wall light is extremely versatile - it can be operated both via a switch and without a cable via the fixed connection. In this case, operation is via a conventional wall switch. The integrated SWITCH dimmer makes it possible to adjust the FAIRFIELD to three brightness levels (100 %, 50 % and 25 %) and adapt it to your needs. The simple design in matt black ensures that the light blends into any interior with ease. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall lamp Trio Lighting Fairfield white 9W 950lm IP20 switch dimmer 3000K warm white

**Product code 22097 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 9W

Luminous flux 950lumens

Luminaire's efficiency lm79 106W

Correlated colour temperature warm white 3000K

Protection class IP20

Lifespan 30000h

Height 200.0mm

Width 160.0mm

Weight 1.1 kg

Casing colour white

Casing material metal

No. of switches 15000pcs

FAIRFIELD wall light - for a cosy flair around the bed! Its simple design and indirect light contribute to relaxation in the bedroom and provide cosy brightness, perfect for relaxing hours of reading in the evening. With its integrated inductive charging station, the light enables easy charging of compatible smartphones.

Alternatively, it offers a USB and USB-C connection with charging option. Thanks to the FLEXconnect feature, the wall light is extremely versatile - it can be operated both via a switch and without a cable via the fixed connection. In this case, operation is via a conventional wall switch. The integrated SWITCH dimmer makes it possible to adjust the FAIRFIELD to three brightness levels (100 %, 50 % and 25 %) and adapt it to your needs. The simple design in matt white ensures that the light fits easily into any interior. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Hotel E14 + 3,1 W gray 230V 310lm GU10 IP20 3000K warm white

**Product code 21082**

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 3.1W/1m

Luminous flux 310lumens

Correlated colour temperature warm  
white 3000K

Socket GU10

Protection class IP20

Lifespan 50000h

Height 235.0mm

Width 200.0mm

Weight 1 kg

Package weight 1.3 kg

Casing colour gray

Casing material metal + textile

No. of switches 50000pcs

Work environment indoor use

Certificates CE

Warranty 5 years



Luminaires with textile shades create an atmospheric ambience and cosiness. The light is gently emitted into the surroundings via the fabric shade, creating a cosy atmosphere. The wall lamp HOTEL is suitable as an alternative to the classic bedside lamp. Because the practical reading arm can be individually aligned by the flex arm. Two switches on the side of the lamp allow the main shade and the reading arm to be switched separately. The simple shape of the lamp conveys a pleasant living ambience and is considered a classic in decorative lighting. Due to the tasteful combination of the grey shade with matt nickel, the lamp creates a modern environment. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Hotel E14 + 3,1 W white 230V 310lm GU10 IP20 3000K warm white

**Product code 21122**

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 3.1W/1m

Luminous flux 310lumens

Correlated colour temperature warm white 3000K

Socket GU10

Protection class IP20

Lifespan 50000h

Height 235.0mm

Width 200.0mm

Weight 1 kg

Package weight 1.3 kg

Casing colour white

Casing material metal + textile


No. of switches 50000pcs

Work environment indoor use

Certificates CE

Warranty 5 years

The HOTEL wall light combines a unique design with functional features. The fabric-covered shade creates an even, glare-free light. The practical reading arm can be individually adjusted using the flex arm. The main shade and the reading arm can be switched separately using two switches on the side of the light. This makes the HOTEL wall light particularly suitable as an alternative to a classic bedside lamp. Thanks to the classic colour design in matt nickel and the white shade, the light can be combined with many furnishing styles. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Hotel E14 + 3,1 W white 230V 310lm GU10 IP20 3000K warm white

### Product code 21921

Brand [Trio Lighting](#)  
 Supply voltage 230V  
 Maximum output 3.1W/1m  
 Luminous flux 310lumens  
 Correlated colour temperature warm white 3000K  
 Socket GU10  
 Protection class IP20  
 Lifespan 50000h  
 Height 271.0mm  
 Width 200.0mm  
 Weight 900 g  
 Package weight 1.3 kg  
 Casing colour white  
 Casing material metal + textile  
 No. of switches 50000pcs  
 Work environment indoor use  
 Certificates CE  
 Warranty 3 years

HOTEL wall light with reading arm for convenient and flexible use. Both light sources can be switched separately and can fulfil different requirements. The flexible reading arm allows the light to be directed in a targeted manner and can be positioned according to your needs. Ideally, the HOTEL should be placed in the bedroom next to the bed, as the combination of the pleasant light from the fabric shade and the flexible reading arm makes the luminaire ideal as a reading and bedside lamp. The light can be attached to the wall in any position and operated using the cord switch or connected directly to the power supply and switched on and off using the integrated switches on the light. In this case, the cable can be removed from the luminaire. The reading arm is fitted with an OSRAM LED light source and provides sufficient light for reading a book with 300 lumens and 3000 Kelvin. The bracket of the HOTEL wall light and the reading arm are finished in matt nickel. Combined with a white fabric shade, the light looks discreet and timeless. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Jordan 5W + 2W black 230V 750lm IP20 3000K warm white

**Product code 21081**

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 7W/1m

Luminous flux 750lumens

Correlated colour temperature warm  
white 3000K

Protection class IP20

Lifespan 30000h

Height 150.0mm

Width 120.0mm

Diameter 150.0mm

Weight 800 g

Package weight 1 kg

Casing colour black

Casing material metal

No. of switches 15000pcs

Work environment indoor use

Certificates CE

Warranty 5 years

The JORDAN wall light has a modern design and is definitely an eye-catcher in your home. The light looks particularly good in your bedroom, for example. It is suitable as a reading light, but can also be used to conjure up a cosy atmosphere with indirect lighting, as the two light sources can be switched separately. The light has a diameter of 15 cm and a maximum projection of 12 cm. In matt black, it emphasises the modern style and can be combined wonderfully. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Jordan 5W + 2W white 230V 750lm IP20 3000K warm white

**Product code 21115**

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 7W/1m

Luminous flux 750lumens

Correlated colour temperature warm  
white 3000K

Protection class IP20

Lifespan 30000h

Height 150.0mm

Width 120.0mm

Diameter 150.0mm

Weight 700 g

Package weight 1 kg

Casing colour white

Casing material metal

No. of switches 15000pcs

Work environment indoor use

Certificates CE

Warranty 5 years

The JORDAN wall light has a modern design and is definitely an eye-catcher in your home. The light looks particularly good in your bedroom, for example. It is suitable as a reading light, but can also be used to conjure up a cosy atmosphere with indirect lighting, as the two light sources can be switched separately. The light has a diameter of 15 cm and a maximum projection of 12 cm. In matt white, it emphasises the modern style and can be combined wonderfully. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Kalea wood 13W 1450lm IP20 switch dimmer 830

**Product code 20894** switch dimmer dimmable

Brand [Trio Lighting](#)  
Dimmable switch dimmer  
Output 13W  
Luminous flux 1450lumens  
Luminaire's efficiency lm79 112W  
Correlated colour temperature warm white 3000K  
Cri 80  
Protection class IP20  
Lifespan 54000h  
Height 75.0mm  
Width 300.0mm  
Length 150.0mm  
Weight 900 g  
Package weight 1 kg  
Casing colour wood  
Casing material wood  
No. of switches 15000pcs  
Work environment indoor use  
Warranty 5 years



## Wall light Trio Lighting Kalea wood 7,5W 800lm IP20 switch dimmer 830

**Product code 20895** switch dimmer dimmable

Brand [Trio Lighting](#)  
Dimmable switch dimmer  
Output 7,5W  
Luminous flux 800lumens  
Correlated colour temperature warm white 3000K  
Cri 80  
Protection class IP20  
Lifespan 54000h  
Height 75.0mm  
Width 200.0mm  
Length 150.0mm  
Weight 900 g  
Package weight 1 kg  
Casing colour wood  
Casing material wood  
No. of switches 15000pcs  
Work environment indoor use  
Warranty 5 years



## Wall light Trio Lighting Levisto silver E14 IP20

**Product code 21119**

Brand [Trio Lighting](#)

Socket E14

Protection class IP20

Height 400.0mm

Length 74.0mm

Weight 400 g

Package weight 700 g

Casing colour silver

Casing material metal + glass

Work environment indoor use

Warranty 5 years

The LEVISTO plug-in spotlight offers full flexibility and functionality and impresses with a simple design that can be integrated comfortably into your rooms. The spotlight in matt nickel combined with the white alabaster-coloured glass provides uniform illumination. The luminaire arm is flexible and can therefore be individually aligned and the integrated switch dimmer is particularly noteworthy. Three different brightness levels can be selected using the on/off switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can cater for different lighting conditions. Ideally, the light should be placed next to the bed in the bedroom, as the flexible arm makes it ideal for use as a reading light, while the integrated light source emits a pleasant warm white light of 3000 Kelvin. Depending on its position, the plug-in spotlight reaches a maximum height of 40 cm and a maximum projection of 22 cm.



## Wall light Trio Lighting Ligara silver E14 IP20

**Product code 21466**

Brand [Trio Lighting](#)

Socket E14

Protection class IP20

Height 265.0mm

Length 92.0mm

Weight 200 g

Package weight 400 g

Casing colour silver

Casing material metal + glass

Work environment indoor use

Warranty 5 years

The modern LIGARA plug-in spotlight is always worth a look. Its high-quality design makes the light a chic home accessory. Thanks to the flexible arm, the lighting experience can be customised and the spotlight can set lighting accents according to your wishes. The light is easy to operate via a switch and is particularly suitable as a reading lamp next to your bed. The light has a maximum height of 28 cm and a maximum projection of 20 cm. In matt nickel, the wall light can be combined with various colour concepts, making it wonderfully easy to integrate into your home. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Lyon brass E27

**Product code 20979**

Brand [Trio Lighting](#)

Socket E27

Height 325.0mm

Width 255.0mm

Weight 1.1 kg

Package weight 2 kg

Casing colour brass

Casing material metal + textile

Work environment indoor use

Certificates 3

Simple, elegant and design-orientated. The high-quality LYON wall light impresses with its modern style and straightforward design. The wall light conjures up a pleasant lighting mood and is incredibly decorative at the same time. Ideally, the LYON should be placed in the bedroom next to the bed, as the combination of a swivelling arm, a 69 cm projection and flexible mounting makes it ideal as a light next to the bed. The LYON is equipped with the FLEXconnect feature, which means that it can be attached to the wall in any position and connected to the socket via a cable or is suitable for a fixed connection without a cable thanks to the integrated cable outlet. The combination of matt brass and a white fabric shade is perfectly rounded off and creates a sophisticated overall look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Lyon nickel E27

**Product code 20980**

Brand [Trio Lighting](#)

Socket E27

Height 325.0mm

Width 255.0mm

Weight 1.1 kg

Package weight 2 kg


Casing colour nickel

Casing material metal + textile

Work environment indoor use

Certificates 3

Simple, elegant and design-orientated. The high-quality LYON wall light impresses with its modern style and straightforward design. The wall light conjures up a pleasant lighting mood and is incredibly decorative at the same time. Ideally, the LYON should be placed in the bedroom next to the bed, as the combination of a swivelling arm, a 69 cm projection and flexible mounting makes it ideal as a light next to the bed. The LYON is equipped with the FLEXconnect feature, which means that it can be attached to the wall in any position and connected to the socket via a cable or is suitable for a fixed connection without a cable thanks to the integrated cable outlet. The combination of matt nickel and a white fabric shade is perfectly rounded off and creates an elegant overall look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Mario black 6+2,3W 800lm IP20 3000K

## warm white

### Product code 19489

Brand [Trio Lighting](#)

Output 6+2,3W

Maximum output 8.3W/1m

Luminous flux 800lumens

Correlated colour temperature warm white 3000K

Protection class IP20

Length 10.5mm


Diameter 160.0mm

Weight 1 g

Casing colour black

Casing material metal

Timeless and minimalist. The simple design of the MARIO wall light goes just as well with an industrial style as it does with an elegant look. The round luminaire has a diameter of 16 cm and has two light sources that can be switched separately using integrated switches. Both the main light source with a light intensity of 600 lumens and the swivelling reading light with a light intensity of 200 lumens emit a pleasantly soft light colour. The MARIO reading light can be individually aligned, making it ideal as a wall light next to the bed. The light is also equipped with the FLEXconnect feature. This means that the light can be attached to the wall as usual in any position and supplied with power via a mains cable or connected directly to the fixed connection. In this case, the cable can be easily removed from the light. The restrained colour scheme in matt white leaves plenty of scope for combining with existing interiors and colours. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Mario white 8.3W 800lm IP20 3000K warm white

**Product code 19490**

Brand [Trio Lighting](#)

Output 8.3W

Luminous flux 800lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature warm white 3000K

Protection class IP20

Length 10.5mm

Diameter 160.0mm

Weight 1 kg

Package weight 1.2 kg

Casing colour white

Casing material aluminium

Timeless and minimalist. The simple design of the MARIO wall light goes just as well with an industrial style as it does with an elegant look. The round luminaire has a diameter of 16 cm and has two light sources that can be switched separately using integrated switches. Both the main light source with a light intensity of 600 lumens and the swivelling reading light with a light intensity of 200 lumens emit a pleasantly soft light colour. The MARIO reading light can be individually aligned, making it ideal as a wall light next to the bed. The light is also equipped with the FLEXconnect feature. This means that the light can be attached to the wall as usual in any position and supplied with power via a mains cable or connected directly to the fixed connection. In this case, the cable can be easily removed from the light. The restrained colour scheme in matt white leaves plenty of scope for combining with existing interiors and colours. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Marley black GU10 IP20

**Product code 20889**

Brand [Trio Lighting](#)  
 Socket GU10  
 Protection class IP20  
 Height 120.0mm  
 Width 120.0mm  
 Length 150.0mm  
 Diameter 120.0mm  
 Weight 400 g  
 Package weight 600 g  
 Casing colour black  
 Warranty 2 years



## Wall light Trio Lighting Marley rustic GU10 IP20

**Product code 19491**

Brand [Trio Lighting](#)  
 Socket GU10  
 Protection class IP20  
 Height 180.0mm  
 Diameter 60.0mm  
 Casing colour rustic



## Wall light Trio Lighting Marley white GU10 IP20

**Product code 21857**

Brand [Trio Lighting](#)  
 Socket GU10  
 Protection class IP20  
 Height 150.0mm  
 Width 120.0mm  
 Diameter 120.0mm  
 Casing colour white  
 Casing material metal



## Wall light Trio Lighting Marley wood GU10 IP20

**Product code 22172**

Brand [Trio Lighting](#)

Socket GU10

Protection class IP20

Height 160.0mm

Width 90.0mm

Length 90.0mm

Diameter 60.0mm

Weight 300 g

Package weight 400 g


Casing colour wood

Casing material metal + wood

Work environment indoor use

Warranty 2 years

Perfect and variable light! The MARLEY spotlights are not only practical in form and function, but above all one thing: minimalist! The individual spotlight is discreet in design and impresses with its high-quality workmanship. It is freely movable and can be individually aligned as required. Whether in the kitchen, hallway or living area: the MARLEY spotlight is versatile and can be easily combined with different furnishing styles. The modern combination of wood and metal in matt white creates a cosy atmosphere and is right on trend. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Modern Louis black / golden 4.3W 430lm IP20

**Product code 19492**

Brand [Trio Lighting](#)

Output 4.3W

Luminous flux 430lumens

Luminaire's efficiency lm79 100W

Protection class IP20

Lifespan 50000h

Height 100.0mm

Width 100.0mm

Length 100.0mm

Casing colour black / golden

Casing material aluminium

Work environment indoor use

Warranty 5 years

Create modern lighting accents and an atmospheric ambience with the cube-shaped LOUIS wall light. An effective cone of light is created via an upper and lower light outlet, creating a harmonious overall picture. Integrated on the wall in your living room or decoratively staged in the hallway or staircase, the application area is pleasantly illuminated. The cube measures 10x10x10 cm. The metal luminaire has a matt black exterior and a gold-coloured interior. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall light Trio Lighting Nilam E27 + 3,1 W natural 230V 310lm GU10 IP20 3000K warm white

**Product code 21080**

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 3.1W/1m

Luminous flux 310lumens

Correlated colour temperature warm white 3000K

Socket GU10

Protection class IP20

Lifespan 50000h

Height 300.0mm

Width 180.0mm

Diameter 180.0mm

Weight 900 g

Package weight 1.2 kg

Casing colour natural

No. of switches 50000pcs

Work environment indoor use

Certificates CE

Warranty 1 years

Lights made from natural materials bring lightness and cosiness into your home. This makes the NILAM wall light perfect for your bedroom! In addition to the pleasant main light with a cylindrical fabric shade, the modern wall light has a convenient and flexible reading arm that can be used as a second light source to customise the light to your needs. Both light sources can be switched separately using two switches on the body. Thanks to the FLEXconnect feature, the light is also suitable for both fixed connection and use with a plug lead. The colour and material of the lamp in white fabric and untreated natural wood create an oasis of well-being in your sleeping area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Pure gold E14 IP20

**Product code 19493**

Brand [Trio Lighting](#)

Socket E14

Protection class IP20

Height 206.0mm

Width 180.0mm

Casing colour gold

Simple and absolutely stylish! Whether a simple, straightforward furnishing style or something more playful - the lights in the PURE range provide simple decorative accents to add a touch of elegance to any look. The simple style is incredibly contemporary and can also be combined with striking elements. The wall light can be used as a light next to the bed and has the FLEXConnect feature, so that the light is suitable for both fixed connection and operation with a plug lead. The purist, minimalist design of PURE is a mix of a sophisticated metal look in matt brass and white opal glass. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Raven black 230V 1000lm IP20 switch dimmer 3000K warm white

**Product code 21109 switch dimmer  
dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Maximum output 9W/1m

Luminous flux 1000lumens

Correlated colour temperature warm  
white 3000K

Protection class IP20

Lifespan 25000h

Height 120.0mm

Width 250.0mm

Weight 800 g

Package weight 900 g

Casing colour black


Casing material schiefer

No. of switches 10000pcs

Work environment indoor use

Certificates CE

Warranty 5 years




Guaranteed to catch the eye! The RAVEN wall light not only serves as a simple wall light, its elegant slate design creates a modern appearance with a decorative character. The minimalist look allows the indirect lighting to take centre stage, creating a pleasant and atmospheric ambience. The luminaire also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. The slate design in black creates a modern look and makes it easy to integrate into existing furnishing concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Wall light Trio Lighting Raven black 230V 1000lm IP20 switch dimmer 3000K warm white

**Product code 21110 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Supply voltage 230V  
 Dimmable switch dimmer  
 Maximum output 9W/1m  
 Luminous flux 1000lumens  
 Correlated colour temperature warm white 3000K  
 Protection class IP20  
 Lifespan 25000h  
 Length 35.0mm  
 Diameter 200.0mm  
 Weight 800 g  
 Package weight 900 g  
 Casing colour black  
 Casing material schiefer  
 No. of switches 10000pcs  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



Guaranteed to catch the eye! The RAVEN wall light not only serves as a simple wall light, its elegant slate design creates a modern appearance with a decorative character. The minimalist look allows the indirect lighting to take centre stage, creating a pleasant and atmospheric ambience. The luminaire also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. The slate design in black creates a modern look and makes it easy to integrate into existing furnishing concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Wall light Trio Lighting Slim silver 8W 600lm 3000K warm white

**Product code 21993**

Brand [Trio Lighting](#)

Output 8W

Luminous flux 600lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature warm white 3000K

Lifespan 35000h

Height 25.0mm

Width 625.0mm

Length 40.0mm

Casing colour silver

Casing material plastic

No. of switches 50000pcs

Work environment indoor use



## Wall light Trio Lighting Solitare white 8W 700lm RGB + 3000K RGBW warm

**Product code 21962**

Brand [Trio Lighting](#)

Output 8W

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature RGBW warm RGB + 3000K


Height 335.0mm

Width 387.0mm

Length 60.0mm

Casing colour white

Casing material plastic



# Wall light Trio Lighting Solitaire white 8W 700lm RGB + 3000K RGBW warm

**Product code 21963**

Brand [Trio Lighting](#)

Output 8W

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature RGBW warm RGB + 3000K

Height 677.0mm



Width 670.0mm

Length 60.0mm

Casing colour white

Casing material plastic

With its modern and unusual design, the SOLITAIRE luminaire creates a striking eye-catcher in any living area. In addition to an RGBW colour changer, the remote control can be used not only to select a wide range of colours, but also to continuously adjust the brightness. The body of the basic model consists of three modules that can be arranged in different ways. The size of the luminaire is determined by the arrangement of the modules, with each module measuring approx. 34x39 cm and 6 cm high. In addition, the basic model can be extended by two further modules, so that the SOLITAIRE can be made up of a maximum of five modules. Give free rein to your creativity, whether it's setting the mood for the next party or providing relaxing light for resting. Thanks to the neutral white colour scheme, the various colour settings can be shown to their best advantage. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Wall lamp Trio Lighting Taryn black GU10

**Product code 22095**

Brand [Trio Lighting](#)

Socket GU10


Length 355.0mm

Diameter 42.0mm

Casing colour black

Casing material metal

The TARYN wall light is the perfect companion for quiet hours of reading - discreet in design but powerful in function. Whether by the bed or next to your favourite armchair: thanks to the flexible arm, the light source can be positioned exactly where you need it. The FLEXconnect function is particularly practical: TARYN is suitable for both fixed connection and operation with a plug cable (supply cable not included) and can therefore be flexibly adapted to your living conditions. Made from black matt metal, the light impresses with its clear look and timeless restraint. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Wall light Trio Lighting Zazou 2 X GU10 white IP20

### Product code 22012

---

Brand [Trio Lighting](#)

Protection class IP20

Height 165.0mm

Width 75.0mm

Casing colour white

Casing material gypsum

Work environment indoor use

Operation temperature 29°C

Room for your own ideas. Regardless of the wall colour, you can simply paint the ZAZOU plaster light in the desired colour. It can therefore be easily integrated into any colour scheme and, with its up and down lighting, also creates beautiful lighting accents in your living space. The modern light has a width of 7.5 cm and a height of 16.5 cm. The simple design and neutral white colour scheme offer numerous application and combination options. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

