

LED wall light Art of Light ALTO white 230V 35W GU10

Product code 14740

Brand Art of Light
Supply voltage 230V
Output 35W
Socket GU10
Height 78.0mm
Width 210.0mm
Length 250.0mm
Installation opening diameter 253 x
213mm
Casing colour white
Casing material gypsum
Polishing matt
Work environment indoor use
Certificates CE



LED wall light Art of Light BIANCO white 230V 35W GU10

Product code 14738


Brand Art of Light
Supply voltage 230V
Output 35W
Socket GU10
Height 78.0mm
Width 290.0mm
Length 350.0mm
Installation opening diameter 293 x
353mm
Casing colour white
Casing material gypsum
Polishing matt
Work environment indoor use
Certificates CE



LED wall light Art of Light MARCO white square 230V 1W 85lm 3000K warm white

Product code 14751


Brand Art of Light
 Supply voltage 230V
 Output 1W
 Luminous flux 85lumens
 Luminaire's efficiency lm79 85W
 Correlated colour temperature warm white 3000K
 Height 42.0mm
 Width 100.0mm
 Length 100.0mm
 Installation opening diameter 103 x 103mm
 Casing colour white
 Casing material gypsum
 Polishing matt
 Shape square
 Work environment indoor use
 Certificates CE



LED wall light Art of Light SECCO 230V E14 IP20

Product code 15451

Brand Art of Light
 Supply voltage 230V
 Socket E14
 Protection class IP20
 Height 245.0mm
 Width 95.0mm
 Length 90.0mm
 Casing material gypsum
 Work environment indoor use
 Certificates CE, RohS



The playful wall light fixture body, into which you can choose the most suitable light bulb from the LED House assortment. Additional bulbs with suitable power and colour temperature can be purchased if desired. You can optionally purchase an additional bulb with suitable power and colour temperature. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN ML01 1140 black 230V 20W 2200lm CRI90 120° IP44 3000K, 4000K, 5700K WW/DW/CW

Product code 16710

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 20W
Luminous flux 2200lumens
Luminaire's efficiency lm79 110W
Correlated colour temperature
WW/DW/CW 3000K, 4000K, 5700K
Lens angle 120
Cri 90
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 50000h
Height 41.0mm
Width 111.0mm
Length 1140.0mm
Weight 1030g
Package weight 1295g
In box 12pcs
Casing colour black
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 45°C
Warranty 5 years




LED wall light for using above the mirror. The mirror light allows you to change the light temperature with a simple press of a button according to your needs. You can choose between warm white (3000K), daylight (4000K), and cool white (5700K) light. The luminaire is also suitable for the moist environment of the bathroom, with an IP44 protection class. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN ML01 860 black 230V 15W 1500lm CRI90 120° IP44 3000K, 4000K, 5700K WW/DW/CW

Product code 15788

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Luminous flux 1500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature
WW/DW/CW 3000K, 4000K, 5700K
Lens angle 120
Cri 90
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 50000h
Height 41.0mm
Width 111.0mm
Length 860.0mm
Weight 870g
Package weight 770g
In box 12pcs
Casing colour black
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 45°C
Warranty 5 years



LED wall light for using above the mirror. The mirror light allows you to change the light temperature with a simple press of a button according to your needs. You can choose between warm white (3000K), daylight (4000K), and cool white (5700K) light. The luminaire is also suitable for the moist environment of the bathroom, with an IP44 protection class. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN ML27 600 black 230V 12W 1300lm CRI90 160X110° IP44 3000K, 4000K, 5700K WW/DW/CW

Product code 17241

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 12W
Rated current 300mA
Luminous flux 1300lumens
Luminaire's efficiency lm79 108W
Correlated colour temperature
WW/DW/CW 3000K, 4000K, 5700K
Lens angle 160X110
Cri 90
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 50000h
Height 72.0mm
Width 46.0mm
Length 600.0mm
Weight 1000g
Package weight 1300g
In package 1pc
In box 6pcs
Casing colour black
Polishing matt
Work environment indoor use
Operation temperature -20 -45°C
Certificates CE
Warranty 5 years



LED lamp for the mirror. The luminaire ensures true colors in three different directions - a very good option to use in the bathroom or near the mirror in the hallway. Minimalist design, without screws and additional details, the luminaire has an aluminum black matte body. An ideal luminaire for the bathroom, hotel room, and above the makeup table. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Can be mounted directly on the surface, but can also be suspended from the ceiling with additional accessories. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED wall light PROLUMEN ML27 900 black 230V 20W 2000lm CRI90 160X110° IP44 3000K, 4000K, 5700K WW/DW/CW

Product code 17874

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 20W
Rated current 500mA
Luminous flux 2000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature
WW/DW/CW 3000K, 4000K, 5700K
Lens angle 160X110
Cri 90
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 50000h
Height 72.0mm
Width 46.0mm
Length 900.0mm
Weight 1300g
Package weight 1730g
In package 1pc
In box 6pcs
Casing colour black
Polishing matt
Work environment indoor use
Operation temperature -20 -45°C
Certificates CE
Warranty 5 years



LED lamp for the mirror. The luminaire ensures true colors in three different directions - a very good option to use in the bathroom or near the mirror in the hallway. Minimalist design, without screws and additional details, the luminaire has an aluminum black matte body. An ideal luminaire for the bathroom, hotel room, and above the makeup table. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Can be mounted directly on the surface, but can also be suspended from the ceiling with additional accessories. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED wall light PROLUMEN ML30 580 white 230V 10W 1410lm CRI90 110° IP40 3000K, 4000K, 5700K WW/DW/CW

Product code 17398

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Luminous flux 1410lumens

Luminaire's efficiency lm79 141W

Correlated colour temperature

WW/DW/CW 3000K, 4000K, 5700K

Lens angle 110

Cri 90

Sdcm - macadam ellipses 6

Protection class IP40

Lifespan 50000h

Height 59.0mm

Width 102.0mm

Length 580.0mm

Weight 640g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 45°C

Warranty 5 years



LED wall light for using above the mirror. The mirror light allows you to change the light temperature with a simple press of a button according to your needs. You can choose between warm white (3000K), daylight (4000K), and cool white (5700K) light. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN WL02 white 230V 3W 175lm 60° IP54 830

Product code 15134

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.50

Output 3W

Luminous flux 175lumens

Luminaire's efficiency lm79 58W

Correlated colour temperature warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 32.0mm

Width 70.0mm

Length 200.0mm

In package 1pc

In box 24pcs

Casing colour white




Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years

Cutout 60x190mm



LED wall light PROLUMEN WL06A black 230V 12W 900lm 120° IP54 830

Product code 14709

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 12W

Luminous flux 900lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature warm white 3000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 65.5mm

Diameter 159.0mm

In package 1pc

In box 36pcs


Casing colour black

Casing material aluminum + plastic

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



A modern design LED wall light that adds warmth and coziness to any room. Thanks to the IP54 protection rating, the light is more water-resistant than a regular light. The light has an automatic water drainage system at the bottom. Additionally, the WL06A is very easy to install and maintain thanks to the built-in terminal found at the back of the light. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN WL06B black 230V 12W 1100lm 60° IP54 830

Product code 14708

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 12W

Luminous flux 1100lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 66.5mm

Width 70.0mm

Length 158.0mm

In package 1pc

In box 36pcs



Casing colour black

Casing material aluminum

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED wall light PROLUMEN WL101 up-down light white 230V 8W 640lm 90° IP20 930

Product code 17360

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Luminous flux 640lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature warm white 3000K

Beam angle 90

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 101.0mm

Width 105.0mm

Length 170.0mm

Weight 680g

In package 1pc

In box 24pcs

Casing colour white

Casing material plastic

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



350° rotatable LED wall light, a stylish addition to your home! The light beam falls in two directions, and the luminaire can be easily rotated 350° horizontally and 28° vertically. We especially recommend this stylish luminaire for the bedroom next to the bed, but the WL101 is also ideal for use as mood lighting in corridors or offices. IP20 protection class allows the luminaire to be used only indoors. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN WL102 up-down light (TRIAC) white 230V 8W 700lm CRI90 120° IP20 3000K, 4000K, 5700K

WW/DW/CW

Product code 17363 TRIAC dimmable

Brand [PROLUMEN](#)
 Supply voltage 230V
 Power factor 0.90
 Dimmable TRIAC
 Output 8W
 Luminous flux 700lumens
 Luminaire's efficiency lm79 88W
 Correlated colour temperature
 WW/DW/CW 3000K, 4000K, 5700K
 Lens angle 120
 Cri 90
 Sdcm - macadam ellipses 6
 Protection class IP20
 Lifespan 50000h
 Height 77.0mm
 Width 67.0mm
 Length 242.0mm
 Weight 600g
 In package 1pc
 In box 24pcs
 Casing colour white
 Casing material aluminum + plastic
 Impact resistance IK06
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE, RoHS
 Warranty 5 years



Stylish LED wall light, an ideal mood light for homes! The light beam falls in two directions, and the light temperature (3000K/4000K/5700K) can be selected by the user according to preference using the button on the luminaire. Additionally, the luminaire is equipped with TRIAC technology, allowing the light to be dimmed according to preference. Soome keelde: Tyylikäs LED-seinävalaisin, ihanteellinen tunnelmavalaistus koteihin! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN WL106 (TRIAC) black 230V 8W 660lm CRI90 160° IP20 3000K, 4000K, 5700K WW/DW/CW

Product code 17357 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 8W

Luminous flux 660lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature

WW/DW/CW 3000K, 4000K, 5700K

Lens angle 160

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 80.0mm

Width 135.0mm

Length 145.0mm

Weight 360g

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum + plastic

Impact resistance IK06



Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years

Plant sprout-shaped LED wall light with adjustable light temperature! IP20 protection class allows the luminaire to be used only indoors. There is a button on the back of the luminaire that allows you to choose the light temperature: 3000K (warm white), 4000K (daylight), or 5700K (cool white). Additionally, the luminaire is equipped with TRIAC technology, allowing the user to adjust the light intensity in the room according to their preference. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED wall light PROLUMEN WL109 white 230V 4W 419lm 100° IP20 930

Product code 17242

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.85

Output 4W

Rated current 55mA

Luminous flux 419lumens

Luminaire's efficiency lm79 105W

Correlated colour temperature warm white 3000K

Lens angle 100

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 132.0mm

Width 69.0mm

Length 152.0mm

Weight 350g

Package weight 500g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

Adjustable beam LED wall light for indoor use. Ideal for corridors, living rooms, and bedrooms. The warm white light temperature (3000K) creates a cozy atmosphere and is therefore suitable for various living and working spaces. The light beam can be adjusted within a 180° radius - 90° to the left and 90° to the right. IP20 protection class allows the luminaire to be used indoors. The wall light housing is made of aluminum, with a minimalist design and a matte white colour. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



LED wall light PROLUMEN WL146 up-down light white 230V 20W 2300lm 40° IP20 930

Product code 17364

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 20W
Luminous flux 2300lumens
Luminaire's efficiency lm79 115W
Correlated colour temperature warm
white 3000K
Lens angle 40
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 90.0mm
Width 38.5mm
Length 600.0mm
Weight 1230g
In package 1pc
In box 12pcs
Casing colour white
Casing material aluminum
Impact resistance IK06
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



Slim LED wall light, an ideal mood light for homes! The light beam falls in two directions, with a light temperature of 3000K. This luminaire is designed to serve as an indoor decorative element. Its slim linear appearance makes it an excellent addition to modern interiors. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN WL16 Up-Down black 230V 18W 900lm 90° IP20 930

Product code 16671 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 18W

Luminous flux 900lumens

Luminaire's efficiency lm79 50W

Correlated colour temperature warm white 3000K

Lens angle 90

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 92.0mm

Width 100.0mm

Length 300.0mm

Package weight 1400g

In box 12pcs

Casing colour black

Casing material aluminum


Impact resistance IK08

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Modern LED wall light. IP20 protection class allows the luminaire to be used only indoors. The 3000K light temperature adds warm white light to the room, making it suitable for various living spaces. It is especially ideal for corridor mood lighting! The lighting is directional in two directions, and if desired, the light direction can also be changed (up and/or down). Additionally, thanks to TRIAC technology, the luminaire can be dimmed. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN WL95 up-down light (TRIAC) black 230V 8W 370lm CRI90 90° IP40 3000K + 4000K warm + day white

Product code 17361 TRIAC dimmable

Brand [PROLUMEN](#)
 Supply voltage 230V
 Power factor 0.90
 Dimmable TRIAC
 Output 8W
 Luminous flux 370lumens
 Luminaire's efficiency lm79 46W
 Correlated colour temperature warm + day white 3000K + 4000K
 Lens angle 90
 Cri 90
 Sdcm - macadam ellipses 6
 Protection class IP40
 Lifespan 50000h
 Height 107.0mm
 Width 140.0mm
 Length 200.0mm
 Weight 520g
 In package 1pc
 In box 24pcs
 Casing colour black
 Casing material aluminum + plastic
 Impact resistance IK06
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE, RoHS
 Warranty 5 years



Stylish LED wall light. The light beam falls in two directions, and the light temperature (3000K/4000K) can be selected by the user according to preference using the button on the luminaire. Additionally, the luminaire is equipped with TRIAC technology, allowing the light to be dimmed according to preference. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED wall light PROLUMEN WL99 white 230V 10W 550lm 120° IP20 930

Product code 17356

Brand [PROLUMEN](#)
 Supply voltage 230V
 Power factor 0.90
 Output 10W
 Luminous flux 550lumens
 Luminaire's efficiency lm79 55W
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Cri 90
 Sdcm - macadam ellipses 6
 Protection class IP20
 Lifespan 50000h
 Height 75.0mm
 Width 103.0mm
 Length 205.0mm
 Weight 380g
 In box 24pcs
 Casing colour white
 Casing material aluminum
 Impact resistance IK06
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years

Marine shell-shaped LED wall light. IP20 protection class allows the luminaire to be used only indoors. The light temperature of 3000K adds warm white light to the room, making it suitable for various living spaces. It is especially ideal for mood lighting above the sofa! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)




LED wall light SP718 black 230V GU10 IP20

Product code 16143

Supply voltage 230V
 Maximum output 35W/1m
 Socket GU10
 Protection class IP20
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 1 years

Switched wall light, surface-mounted.
 The IP20 protection class allows the luminaire to be used only indoors. The direction of the lighting can be changed according to preference.
[Here you can find suitable light bulbs for the luminaire!](#)



LED wall light SP718 white 230V GU10 IP20

Product code 16708

Supply voltage 230V
 Maximum output 35W/1m
 Socket GU10
 Protection class IP20
 Casing colour white
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 1 years

Switched wall light, surface-mounted.
 The IP20 protection class allows the luminaire to be used only indoors. The direction of the lighting can be changed according to preference.
[Here you can find suitable light bulbs for the luminaire!](#)

