

## Controller Deye BOS A PDU2 BMS IP20

**Product code 19666**

---

Brand [Deye](#)  
Protection class IP20  
Operation temperature -20°C - 55°C  
Warranty 5 years



## Mounting frame Deye BOS-A-14er-HRACK +kaablid

**Product code 19667**

---

Brand [Deye](#)



## Mounting frame Deye BOS-G-3U-LRACK9

**Product code 22249**

---

Brand [Deye](#)  
Height 2219.0mm  
Width 602.0mm  
Length 530.0mm  
Warranty 5 years



## Controller Deye BOS-G-PDU-2 IP20

**Product code 19416**

Brand [Deye](#)  
Protection class IP20  
Warranty 5 years



## Battery Deye DEYE-BOS-A-7.68kwh IP20

**Product code 22247**

Brand [Deye](#)  
Output voltage 38.4V  
Protection class IP20  
Operation temperature -20°C - 55°C  
Warranty 5 years



## Mounting frame Deye DEYE-BOS-A-Rack11

**Product code 22248**

Brand [Deye](#)



## Controller Deye DEYE-GB-LBS HV BATTERY CONTROL BOX IP65

**Product code 22239**

Brand [Deye](#)

Protection class IP65

Warranty 5 years

Safe - Built-in device that eliminates fire hazard with special substance within 3 seconds. Stacking tower - Modules are connected in series without cable connection, improving system efficiency. Heat management - Detecting the temperature of main parts, elements, power sockets, etc. Suitable everywhere - IP protection grade 65, corrosion resistance class  $\geq C2$ , environmentally friendly battery  
Sleek and concealed - The tower features minimalist design to remain relatively invisible. Maximum utilization scope (DOD) 90%.



## Battery Deye DEYE-SE-F5 Pro C IP21

**Product code 22272**

Brand [Deye](#)

Output voltage 48V

Protection class IP21


Height 547.0mm

Width 404.0mm

Length 141.0mm

Weight 44 kg

Warranty 10 years



## Battery Deye DEYE-SE-G5.1 pro-Battery IP20

**Product code 22271**

Brand [Deye](#)  
Output voltage 48V  
Protection class IP20  
Height 540.0mm  
Width 440.0mm  
Length 133.0mm  
Weight 45 kg  
Warranty 10 years



## Battery Deye DEYE-BOS-G PRO 5,12kwh

**Product code 22246**

Brand [Deye](#)  
Protection class IP20  
Warranty 5 years



## Battery Dyness DL5.0C 5.12kWh LiFePO4 IP20

**Product code 18116**

Brand [Dyness](#)  
Protection class IP20  
Height 150.0mm  
Width 545.0mm  
Length 558.0mm  
Weight 49.9 kg  
Operation temperature -20..+55°C



## Battery Lepton EL-A16 48V LiFePO4 IP65

**Product code 22388**

Brand [Lepton](#)  
Output voltage 48V  
Protection class IP65  
Height 865.0mm  
Width 480.0mm  
Length 235.0mm  
Weight 120 kg  
Work environment indoor / outdoor  
use  
Warranty 10 years



## Battery Sigenergy SigenStack BAT 12.0 12kWh IP66

**Product code 22512**

Brand [Sigenergy](#)  
Protection class IP66  
Height 300.0mm  
Width 770.0mm  
Length 363.0mm  
Weight 105 kg  
Warranty 10 years  
Battery type LiFePO4  
Usable capacity 12.06kWh



## Battery Sigenergy SigenStor BAT 10 9.04kWh

**Product code 20016**

Brand [Sigenergy](#)  
Warranty 10 years

5-8 kWh LiFePO4 battery module. 9 battery cells in one 8 kWh pack. 1 to 6 batteries per stack (max 48 kWh). Max 10 stacks in parallel. DOD (Depth of Discharge) 100%. Charging power 6000W. 280 Ah high-capacity battery cells, low voltage, and durable. Multilayer complete battery safety protection. Visible battery status in the mySigen APP application. Fast and easy installation. Smooth backup switch in 0ms. IP66 protection class. Product warranty: 10 years. Any combination of BAT5 and BAT8 models is possible. Only Sigenergy's own batteries can be used in the Sigenergy system



## Battery Sigenergy SigenStor BAT 5.0 5.38kWh

**Product code 17177**

Brand [Sigenergy](#)  
Height 270.0mm  
Width 767.0mm  
Length 260.0mm  
Weight 55 kg  
Warranty 10 years

5-8 kWh LiFePO4 battery module. 9 battery cells in one 8 kWh pack. 1 to 6 batteries per stack (max 48 kWh). Max 10 stacks in parallel. DOD (Depth of Discharge) 100%. Charging power 6000W. 280 Ah high-capacity battery cells, low voltage, and durable. Multilayer complete battery safety protection. Visible battery status in the mySigen APP application. Fast and easy installation. Smooth backup switch in 0ms. IP66 protection class. Product warranty: 10 years. Any combination of BAT5 and BAT8 models is possible. Only Sigenergy's own batteries can be used in the Sigenergy system



## Battery Sigenergy SigenStor BAT 8.0 8.06kWh

**Product code 17037**

Brand [Sigenergy](#)  
Warranty 10 years

5-8 kWh LiFePO4 battery module. 9 battery cells in one 8 kWh pack. 1 to 6 batteries per stack (max 48 kWh). Max 10 stacks in parallel. DOD (Depth of Discharge) 100%. Charging power 6000W. 280 Ah high-capacity battery cells, low voltage, and durable. Multilayer complete battery safety protection. Visible battery status in the mySigen APP application. Fast and easy installation. Smooth backup switch in 0ms. IP66 protection class. Product warranty: 10 years. Any combination of BAT5 and BAT8 models is possible. Only Sigenergy's own batteries can be used in the Sigenergy system

