

## Battery Deye GB-L 12,27kWh HV set 3x4,09kWh LiFePO4 + Battery controller IP65

**Product code 17069**


Brand [Deye](#)

Output voltage 307,2V

Protection class IP65

Warranty 5 years

Safe - Built-in device that eliminates fire hazards with a special substance within 3 seconds. Stacking tower - Modules are connected in series without cable connection, enhancing system efficiency. Heat management - Detecting the temperature of main parts, elements, power plugs, etc. Suitable for everywhere - IP protection grade 65, corrosion resistance class  $\geq C2$ , environmentally friendly battery. Sleek and concealed - The tower features minimalist design to remain relatively invisible. Maximum utilization scope (DOD) 90%. [Read more about the Deye inverter here.](#)



## Battery Deye GB-L 16,36kWh HV set 4x4,09kWh LiFePO4 + Battery controller IP65

**Product code 17070**


Brand [Deye](#)

Output voltage 409,6V

Protection class IP65

Warranty 5 years

Safe - Built-in device that eliminates fire hazards with a special substance within 3 seconds. Stacking tower - Modules are connected in series without cable connection, enhancing system efficiency. Heat management - Detecting the temperature of main parts, elements, power plugs, etc. Suitable for everywhere - IP protection grade 65, corrosion resistance class  $\geq C2$ , environmentally friendly battery. Sleek and concealed - The tower features minimalist design to remain relatively invisible. Maximum utilization scope (DOD) 90%. [Read more about the Deye inverter here.](#)



## Battery Deye GB-L 20,45kWh HV set 5x4,09kWh LiFePO4 + Battery controller IP65

**Product code 17071**


Brand [Deye](#)

Output voltage 512V

Protection class IP65

Warranty 5 years

Safe - Built-in device that eliminates fire hazards with a special substance within 3 seconds. Stacking tower - Modules are connected in series without cable connection, enhancing system efficiency. Heat management - Detecting the temperature of main parts, elements, power plugs, etc. Suitable for everywhere - IP protection grade 65, corrosion resistance class  $\geq C2$ , environmentally friendly battery. Sleek and concealed - The tower features minimalist design to remain relatively invisible. Maximum utilization scope (DOD) 90%. [Read more about the Deye inverter here.](#)



## Battery Deye GB-L 24,56kWh HV set 6x4,09kWh LiFePO4 + Battery controller IP65

**Product code 17058**


Brand [Deye](#)

Output voltage 614,4V

Protection class IP65

Warranty 5 years

Safe - Built-in device that eliminates fire hazards with a special substance within 3 seconds. Stacking tower - Modules are connected in series without cable connection, enhancing system efficiency. Heat management - Detecting the temperature of main parts, elements, power plugs, etc. Suitable for everywhere - IP protection grade 65, corrosion resistance class  $\geq C2$ , environmentally friendly battery. Sleek and concealed - The tower features minimalist design to remain relatively invisible. Maximum utilization scope (DOD) 90%. [Read more about the Deye inverter here.](#)



## Battery Deye GB-L 8,18kWh HV set 2x4,09kWh LiFePO4 + Battery controller IP65

**Product code 17068**

---

Brand [Deye](#)

Output voltage 204,8V

Protection class IP65

Warranty 5 years

Safe - Built-in device that eliminates fire hazards with a special substance within 3 seconds. Stacking tower - Modules are connected in series without cable connection, enhancing system efficiency. Heat management - Detecting the temperature of main parts, elements, power plugs, etc. Suitable for everywhere - IP protection grade 65, corrosion resistance class  $\geq C2$ , environmentally friendly battery. Sleek and concealed - The tower features minimalist design to remain relatively invisible. Maximum utilization scope (DOD) 90%. [Read more about the Deye inverter here.](#)

