

Power track POWERGEAR 2m Track PRO-N120-B black 48V

Product code 17362

Brand [POWERGEAR](#)

Supply voltage 48V

Length 2000.0mm

In package 1pc

In box 6pcs

Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 2m Track PRO-N120-W white 48V

Product code 17525

Brand [POWERGEAR](#)

Supply voltage 48V

Height 21.9mm

Width 26.2mm

Length 2000.0mm

In package 1pc

In box 6pcs

Casing colour white



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 2m Track PRO-RN120-B black 48V

Product code 17533

Brand [POWERGEAR](#)

Supply voltage 48V


Length 3000.0mm

In package 1pc

In box 6pcs

Casing colour black

High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



Power track POWERGEAR 2m Track PRO-RN120-W white 48V

Product code 17528

Brand [POWERGEAR](#)

Supply voltage 48V

Height 46.9mm

Width 23.2mm


Length 2000.0mm

In package 1pc

In box 6pcs

Casing colour white

High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



Power track POWERGEAR 3m Track PRO-N130-B black 48V

Product code 16266

Brand [POWERGEAR](#)

Supply voltage 48V

Length 3000.0mm

In package 1pc

In box 6pcs

Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 3m Track PRO-RN130-B black 48V

Product code 16267

Brand [POWERGEAR](#)



Supply voltage 48V

Length 3000.0mm

In package 1pc

In box 6pcs

Casing colour black



High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 3m Track PRO-RN130-W white 48V

Product code 17527

Brand [POWERGEAR](#)

Supply voltage 48V

Height 46.9mm

Width 23.2mm


Length 3000.0mm

In package 1pc

In box 6pcs

Casing colour white

High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



Power track POWERGEAR 3m Track PRO-N130-W white 48V

Product code 17526

Brand [POWERGEAR](#)

Supply voltage 48V

Height 21.9mm

Width 26.2mm


Length 3000.0mm

In package 1pc

In box 6pcs

Casing colour white

High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



Mounting clip POWERGEAR Clamp black

Product code 17559

Brand [POWERGEAR](#)
Casing colour black
Casing material metal



Power track POWERGEAR Connector I PRO-N133-B black 48V

Product code 17538

Brand [POWERGEAR](#)
Supply voltage 48V
Height 16.0mm
Width 16.0mm
Length 144.0mm
In package 1pc
In box 15pcs
Casing colour black
Work environment indoor use
Certificates CE



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR Connector I PRO-N133-W white 48V

Product code 17536

Brand [POWERGEAR](#)

Supply voltage 48V

Height 16.0mm

Width 16.0mm

Length 144.0mm

In package 1pc

In box 15pcs

Casing colour white

Work environment indoor use

Certificates CE



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR Connector Right PRO-N131R-W white 48V

Product code 17537

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour white

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

Power track POWERGEAR FLEXIBLE CONNECTOR PRO-N139-B black 48V

Product code 17375

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Length 97.0mm

In package 1pc

In box 20pcs

Casing colour black



Busbar adapter, flexible. Extendable
busbar length up to 30 meters.

Power track POWERGEAR FLEXIBLE CONNECTOR PRO-N139-W white 48V

Product code 17539

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Width 17.0mm

Length 97.0mm

In package 1pc

In box 20pcs

Casing colour white



Busbar adapter, flexible. Extendable
busbar length up to 30 meters.

Power track POWERGEAR L connector PRO-N135S black 48V

Product code 17648

Brand [POWERGEAR](#)

Supply voltage 48V

Height 107.0mm

Length 107.0mm



Weight 138g

In package 1pc

In box 96pcs

Casing colour black

Casing material metal + plastic




L-shaped corner for 48V power track.

Power track POWERGEAR L connector PRO-RN135S black 48V

Product code 15482

Brand [POWERGEAR](#)
Supply voltage 48V
Length 113.0mm
In package 1pc
In box 20pcs
Casing colour black
Casing material steel




L-shaped corner for 48V power track.

Power track POWERGEAR L PROFILE CONNECTOR FLAT LEFT PRO-N135FL-B black 48V

Product code 17548

Brand [POWERGEAR](#)
Supply voltage 48V
Height 71.0mm
Length 71.0mm
In package 1pc
In box 12pcs
Casing colour black
Work environment indoor use




Busbar corner connector for finishing.
Use together with Powergear L-shaped connector.

Power track POWERGEAR L PROFILE CONNECTOR FLAT LEFT PRO-N135FL-W white 48V

Product code 17547

Brand [POWERGEAR](#)
Supply voltage 48V
Height 71.0mm
Length 71.0mm
In package 1pc
In box 12pcs
Casing colour white
Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-shaped connector.

Power track POWERGEAR L PROFILE CONNECTOR FLAT RIGHT PRO-N135FR-B black 48V

Product code 17544

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-shaped connector.

Power track POWERGEAR L PROFILE CONNECTOR FLAT RIGHT PRO-N135FR-W white 48V

Product code 17545

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT LEFT PRO-RN135FL-B black 48V

Product code 17549

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT RIGHT PRO-RN135FR-B black 48V

Product code 17550

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT RIGHT PRO-RN135FR-W white 48V

Product code 17551

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR LEFT RIGHT PRO-RN135FL-W white 48V

Product code 17552

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L-shaped connector PRO-N135-B black 48V

Product code 17542

Brand [POWERGEAR](#)

Supply voltage 48V

Height 114.0mm

Width 16.0mm

Length 114.0mm

In package 1pc

Casing colour black

Work environment indoor use



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR L-shaped connector PRO-N135-W white 48V

Product code 17543

Brand [POWERGEAR](#)

Supply voltage 48V

Height 114.0mm

Width 16.0mm

Length 114.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR Live end connector Left PRO-N131L-B black 48V

Product code 16429

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour black

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

Power track POWERGEAR Live end connector Left PRO-N131L-W white 48V

Product code 17546

Brand [POWERGEAR](#)

Supply voltage 48V

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour white

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

Power track POWERGEAR Live end connector Right PRO-N131R-B black 48V

Product code 16428

Brand [POWERGEAR](#)
Supply voltage 48V
Height 17.0mm
Width 16.0mm
Length 97.0mm
Weight 20g
In package 1pc
In box 10pcs
Casing colour black
Casing material plastic
Work environment indoor use
Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars.
Continuous busbar length up to 30 meters.

Power track POWERGEAR Power Supply 48VDC 200W black 48V

Product code 17561

Brand [POWERGEAR](#)
Supply voltage 48V
Maximum output 200W/1m
In package 1pc
In box 1pc
Casing colour black
Certificates CE



Power track POWERGEAR Power Supply 48VDC 200W white 48V

Product code 17560

Brand [POWERGEAR](#)
Supply voltage 48V
Maximum output 200W/1m
In package 1pc
In box 1pc
Casing colour white
Certificates CE

Power track POWERGEAR PVC Cover PRO-CSN20-B 2m black

Product code 17594

Brand [POWERGEAR](#)

Height 6.0mm


Width 20.0mm

Length 2000.0mm

In package 1pc

In box 50pcs

Casing colour black



Cover for recessed track.

Power track POWERGEAR Suspension set PRO-N149 black

Product code 17702

Brand [POWERGEAR](#)

Length 1500.0mm

In package 1pc

In box 20pcs

Casing colour black

Casing material steel



Suspension set with 1.5m wire and mounting bracket for 48V track system.

LED track light PROLUMEN Amigo (DALI) black 48V 20W 1620lm 60° IP20 930

Product code 17445 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 48V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 1620lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature warm white 3000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 47.0mm

Diameter 90.0mm

In package 1pc

In box 18pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 - +40°C

Certificates CE

Warranty 5 years



LED linear light with matte black design! This IP20-rated luminaire is an ideal choice for both home and office environments. With CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the space. The luminaire features DALI dimming function, allowing for convenient adjustment of light intensity with a remote control. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles (DALI) black 48V 10W 650lm 36° IP20 930

Product code 17729 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Luminous flux 650lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 70.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED wall luminaire with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of reproducing colours naturally, contributing to the overall atmosphere and feeling of the space. The luminaire features wireless dimming functionality, allowing you to conveniently adjust the brightness of the light with a remote control. The colour temperature range of this luminaire varies from warm white to cool white. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles (DALI) black 48V 6W 420lm CRI90 36° IP20 2700K + 6000K warm + cold white

Product code 17476 RF dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable RF
Output 6W
Luminous flux 420lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm
+ cold white 2700K + 6000K
Lens angle 36
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 70.0mm
Diameter 40.0mm
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED wall luminaire with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of reproducing colours naturally, contributing to the overall atmosphere and feeling of the space. The luminaire features wireless dimming functionality, allowing you to conveniently adjust the brightness of the light with a remote control. The colour temperature range of this luminaire varies from warm white to cool white. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles (DALI) black 48V 6W 450lm 36° IP20 927

Product code 17573 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 6W
Luminous flux 450lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 2700K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 70.0mm
Diameter 40.0mm
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 +40°C
Certificates CE
Warranty 5 years



LED wall luminaire with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of reproducing colours naturally, contributing to the overall atmosphere and feeling of the space. The luminaire features wireless dimming functionality, allowing you to conveniently adjust the brightness of the light with a remote control. The colour temperature range of this luminaire varies from warm white to cool white. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles (DALI) black 48V 6W 450lm 36° IP20 930

Product code 17444 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 6W
Luminous flux 450lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 70.0mm
Diameter 40.0mm
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 +40°C
Certificates CE
Warranty 5 years



LED wall luminaire with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of reproducing colours naturally, contributing to the overall atmosphere and feeling of the space. The luminaire features wireless dimming functionality, allowing you to conveniently adjust the brightness of the light with a remote control. The colour temperature range of this luminaire varies from warm white to cool white. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles 48V black 48V 4W 300lm 36° IP20 930

Product code 17309 RF dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable RF
Output 4W
Luminous flux 300lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light SANAN LED
Cri 97
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 50.0mm
Diameter 30.0mm
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

LED wall light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to its Color Rendering Index (CRI) of 97, this luminaire brings out the true colors and details, making it an excellent choice for highlighting art, design elements, and interiors! The light features wireless dimming functionality, allowing you to adjust the light intensity conveniently with a remote control. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. With proper use, this luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Arles black 48V 6W 420lm CRI90 36° IP20 2700K + 6000K warm + cold white

Product code 17310 RF dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable RF
 Output 6W
 Luminous flux 420lumens
 Luminaire's efficiency lm79 70W
 Correlated colour temperature warm
 + cold white 2700K + 6000K
 Lens angle 36
 Source of light SANAN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 70.0mm
 Diameter 40.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years

LED wall luminaire with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of reproducing colours naturally, contributing to the overall atmosphere and feeling of the space. The luminaire features wireless dimming functionality, allowing you to conveniently adjust the brightness of the light with a remote control. The colour temperature range of this luminaire varies from warm white to cool white. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Bagnolet ZOOM 48V (DALI) black 48V 12W 900lm 11-50° IP20 940

Product code 17313 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 11-50
Source of light CITIZEN LED
Cri 97
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 120.0mm
Diameter 62.0mm
In package 1pc
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnetic LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfectly suited for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The beam angle of this LED luminaire is adjustable (11-50 degrees). The integrated DALI Dim technology allows the brightness of the luminaire to be adjusted according to needs. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Broad 48V (DALI) white 48V 20W 2100lm 36° IP20 930

Product code 17540 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 20W
Luminous flux 2100lumens
Luminaire's efficiency lm79 105W
Correlated colour temperature warm
white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 83.0mm
Diameter 90.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The integrated DALI Dim technology of this LED luminaire allows the brightness of the luminaire to be adjusted according to needs. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Istres (DALI) black 48V 10W 500lm 30° IP20 930

Product code 17315 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 10W
Luminous flux 500lumens
Luminaire's efficiency lm79 50W
Correlated colour temperature warm white 3000K
Lens angle 30
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 231.0mm
In package 1pc
In box 54pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the brightness of the luminaire to be adjusted as needed. The light temperature of the luminaire is warm white (3000K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Istres (DALI) black 48V 20W 1000lm 30° IP20 930

Product code 17728 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 20W
Luminous flux 1000lumens
Luminaire's efficiency lm79 50W
Correlated colour temperature warm white 3000K
Lens angle 30
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 231.0mm
In package 1pc
In box 54pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the brightness of the luminaire to be adjusted as needed. The light temperature of the luminaire is warm white (3000K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Montreuil 48V (DALI) black 48V 10W 780lm 50° IP20 940

Product code 17312 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 10W
Luminous flux 780lumens
Luminaire's efficiency lm79 78W
Correlated colour temperature pure white 4000K
Lens angle 50
Source of light CITIZEN LED
Cri 97
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 105.0mm
Diameter 45.0mm
In package 1pc
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The integrated DALI Dim technology of this LED luminaire allows the brightness of the luminaire to be adjusted according to needs. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Montreuil Zoom (DALI) black 48V 10W 300lm 8-40° IP20 940

Product code 17311 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 10W
Luminous flux 300lumens
Luminaire's efficiency lm79 30W
Correlated colour temperature pure white 4000K
Lens angle 8-40
Source of light CITIZEN LED
Cri 90
Ugr 10
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 114.0mm
Diameter 45.0mm
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The LED luminaire has an adjustable lens angle (12-43 degrees), and integrated DALI Dim technology allows the brightness of the luminaire to be adjusted as needed. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN track integrated Montreuil 48V (DALI) white 48V 15W 1600lm 36° IP20 930

Product code 17541 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 48V

Dimmable DALI

Output 15W

Luminous flux 1600lumens

Luminaire's efficiency lm79 107W

Correlated colour temperature warm white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 131.0mm

Diameter 55.0mm

In package 1pc

In box 20pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. The integrated DALI Dim technology of this LED luminaire allows the brightness of the luminaire to be adjusted according to needs. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Venus (DALI) black 48V 12W 1000lm 32° IP20 930

Product code 17727 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Luminous flux 1000lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm white 3000K
Lens angle 32
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 86.0mm
Width 22.0mm
Length 117.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Integrated DALI Dim technology allows for adjusting the brightness of the luminaire according to need. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).

LED track light PROLUMEN Venus (DALI) black 48V 6W 500lm 32° IP20 930

Product code 17446 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 6W
Luminous flux 500lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm
white 3000K
Lens angle 32
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 86.0mm
Width 22.0mm
Length 117.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Integrated DALI Dim technology allows for adjusting the brightness of the luminaire according to need. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).

LED track light PROLUMEN Vernon (DALI) black 48V 20W

1260lm 100° IP20 930

Product code 17314 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 20W
 Luminous flux 1260lumens
 Luminaire's efficiency lm79 63W
 Correlated colour temperature warm white 3000K
 Lens angle 100
 Source of light OSRAM LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 25.5mm
 Width 22.0mm
 Length 300.0mm
 In package 1pc
 In box 54pcs
 Casing colour black
 Casing material aluminum
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light Spectra Lighting Insight PLX black 48V 12W 850lm 112° IP20 830

Product code 17134 DALI dimmable

Brand [Spectra Lighting](#)

Supply voltage 48V

Dimmable DALI

Output 12W

Luminous flux 850lumens

Luminaire's efficiency lm79 71W

Correlated colour temperature warm
white 3000K

Lens angle 112

Cri 80

Protection class IP20

Llmf tm21 L70B50 @25°C 60.000h

Height 48.0mm

Width 24.0mm

Length 407.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 3 years



Linear 48V linear light. Available in various power levels (8W, 12W, 22W, 38W), lengths (205mm, 407mm, 800mm, and 1200mm), and color temperatures (3000K, 4000K). There is also an option to choose a model equipped with dimming technology so that the user can adjust the light intensity according to their needs.

LED track light Spectra Lighting Insight SPOT black 48V 9W 550lm 37° IP20 830

Product code 16667

Brand [Spectra Lighting](#)

Supply voltage 48V

Output 9W

Luminous flux 550lumens

Luminaire's efficiency lm79 61W

Correlated colour temperature warm
white 3000K

Lens angle 37

Cri 80

Protection class IP20

Llmf tm21 L70B50 @25°C 60.000h

Height 60.0mm

Diameter 30.0mm


Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 3 years



48V track-mounted spotlight with adjustable light direction. Available in various power levels (4W, 9W, 15W, 21W) and color temperatures (3000K, 4000K).