

Track light Kiro black 48V 20W 2800lm 110° IP20 DALI 930

Product code 22743 DALI dimmable

Supply voltage 48V
Dimmable DALI
Output 20W
Maximum output 20W/1m
Rated current 500mA
Luminous flux 2800lumens
Luminaire's efficiency lm79 140W
Correlated colour temperature warm white 3000K
Lens angle 110
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 43.0mm
Width 22.5mm
Length 600.0mm
Weight 280 g
Casing colour black
Casing material aluminium
Power supply [BOKE](#)
Work environment indoor use



The track light is a modern and practical solution for both residential and commercial spaces. Thanks to its smart mounting system, it is easy to remove and reinstall, allowing quick, tool-free repositioning. The luminaire is energy-efficient and reliable, making it ideal for spaces where lighting positions need to be adjusted from time to time. Its minimalist and solid design complements offices, retail spaces, and home interiors, providing a clean and professional look.

Track light Maytoni Exility Bases Angle DIM white 48V 24W CRI90 120° IP20 DIMMABLE 2700K-6000K warm + cold white

**Product code 20153 DIMMABLE
dimnable**


Brand Maytoni
Supply voltage 48V
Dimmable DIMMABLE
Output 24W
Correlated colour temperature warm
+ cold white 2700K-6000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 44.0mm
Width 22.0mm
Length 302.0mm
Weight 360 g
Package weight 510 g
In package 1pc
Casing colour white
Casing material aluminium
Warranty 5 years



Track light Maytoni Exility Bases Angle white 48V 24W 1310lm 120° IP20 930

Product code 20146

Brand Maytoni
Supply voltage 48V
Output 24W
Luminous flux 1310lumens
Luminaire's efficiency lm79 55W
Correlated colour temperature warm
white 3000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 44.0mm
Width 22.0mm
Length 302.0mm
Weight 360 g
Package weight 490 g
In package 1pc
Casing colour white
Casing material aluminium
Warranty 5 years



Track light Maytoni Exility Basis Angle white 48V 24W 1680lm 120° IP20 930

Product code 20147

Brand Maytoni
Supply voltage 48V
Output 24W
Luminous flux 1680lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm
white 3000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 44.0mm
Width 321.0mm
Length 321.0mm
Weight 380 g
Package weight 510 g
In package 1pc
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Exility Basis Angle white 48V 24W 1770lm 120° IP20 940

Product code 21587

Brand Maytoni
Supply voltage 48V
Output 24W
Luminous flux 1770lumens
Luminaire's efficiency lm79 74W
Correlated colour temperature pure
white 4000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 44.0mm
Width 321.0mm
Length 321.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Exility Basis black 48V 12W 720lm 120° IP20 930

Product code 21676

Brand Maytoni
Supply voltage 48V
Output 12W
Luminous flux 720lumens
Luminaire's efficiency lm79 60W
Correlated colour temperature warm
white 3000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 44.0mm
Width 304.0mm
Length 22.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Exility Focus LED black 48V 12W CRI90 36° IP20 DALI 2700K-6000K warm + cold white

Product code 21735 DALI dimmable

Brand Maytoni
Supply voltage 48V
Dimmable DALI
Output 12W
Maximum output 12W/1m
Correlated colour temperature warm
+ cold white 2700K-6000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 192.0mm
Width 52.0mm
Length 195.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Exility Focus LED black 48V 20W 1500lm CRI90 24° IP20 Dim Smart 2700K-6000K warm + cold white

**Product code 21744 Dim Smart
dimmable**

Brand Maytoni
Supply voltage 48V
Dimmable Dim Smart
Output 20W
Luminous flux 1500lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
+ cold white 2700K-6000K
Lens angle 24
Cri 90
Protection class IP20
Lifespan 50000h
Height 212.0mm
Length 150.0mm
Diameter 65.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Exility Focus white 48V 5W CRI90 24° IP20 Dim Smart 2700K-6000K warm + cold white

**Product code 20103 Dim Smart
dimmable**

Brand Maytoni
Supply voltage 48V
Dimmable Dim Smart
Output 5W
Maximum output 5W/1m
Correlated colour temperature warm
+ cold white 2700K-6000K
Lens angle 24
Cri 90
Protection class IP20
Lifespan 50000h
Height 148.0mm
Width 193.0mm
Length 100.0mm
Diameter 45.0mm
Weight 160 g
Package weight 190 g
In package 1pc
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Exility Points Rot black 12W CRI90 36° IP20 DALI 2700K-6000K warm + cold white

Product code 21715 DALI dimmable

Brand Maytoni
Dimmable DALI
Output 12W
Correlated colour temperature warm
+ cold white 2700K-6000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 107.0mm
Width 221.0mm
Length 23.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Points Rot series luminaire is available in ever-stylish black and white versions. The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The luminaire's high-quality aluminum housing ensures reliability and longevity. It features a rotary mechanism for directional lighting and a recessed light source adjustable to a range of color temperatures between 2700K and 6000K, and it supports DALI dimming. Available in black and white, this design is easy to match with your interior style. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the rotary mechanism lets you adjust the light angle as needed. The luminaire consumes very little energy and will last for a long time.



Track light Maytoni Exility Points Rot black 12W CRI90 36° IP20 DALI 2700K-6000K warm + cold white

Product code 21717 DALI dimmable

Brand Maytoni
Dimmable DALI
Output 12W
Correlated colour temperature warm
+ cold white 2700K-6000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 108.0mm
Width 220.0mm
Length 23.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The luminaire's high-quality aluminum housing ensures reliability and longevity. It features a rotary mechanism for directional lighting and a recessed light source adjustable to a range of color temperatures between 2700K and 6000K, and it supports DALI dimming. Available in black and white, this design is easy to match with your interior style. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the rotary mechanism lets you adjust the light angle as needed. The luminaire consumes very little energy and will last for a long time.






Track light Maytoni Exility Points Rot white 12W CRI90 36° IP20 DALI 2700K-6000K warm + cold white

Product code 21716 DALI dimmable

Brand Maytoni
 Dimmable DALI
 Output 12W
 Correlated colour temperature warm + cold white 2700K-6000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 107.0mm
 Width 221.0mm
 Length 23.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The luminaire's high-quality aluminum housing ensures reliability and longevity. It features a rotary mechanism for directional lighting and a recessed light source adjustable to a range of color temperatures between 2700K and 6000K, and it supports DALI dimming. Available in black and white, this design is easy to match with your interior style. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the rotary mechanism lets you adjust the light angle as needed. The luminaire consumes very little energy and will last for a long time. The product is covered by a 5-year warranty, and we offer technical support.




Track light Maytoni Exility Points Rot white 12W CRI90 36° IP20 DALI 2700K-6000K warm + cold white

Product code 21718 DALI dimmable

Brand Maytoni
 Dimmable DALI
 Output 12W
 Correlated colour temperature warm + cold white 2700K-6000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 108.0mm
 Width 220.0mm
 Length 23.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The luminaire's high-quality aluminum housing ensures reliability and longevity. It features a rotary mechanism for directional lighting and a recessed light source adjustable to a range of color temperatures between 2700K and 6000K, and it supports DALI dimming. Available in black and white, this design is easy to match with your interior style. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the rotary mechanism lets you adjust the light angle as needed. The luminaire consumes very little energy and will last for a long time.



Track light Maytoni Radity Basis black 12W 850lm 120° IP20 940

Product code 21802

Brand Maytoni
Output 12W
Luminous flux 850lumens
Luminaire's efficiency lm79 71W
Correlated colour temperature pure white 4000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 29.0mm
Width 26.0mm
Length 222.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Radity Basis black 16W 900lm 120° IP20 930

Product code 21804

Brand Maytoni
Output 16W
Luminous flux 900lumens
Luminaire's efficiency lm79 56W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 28.0mm
Width 25.0mm
Length 330.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Radity Basis black 48V 6W 350lm 120° IP20 940

Product code 21809

Brand Maytoni
 Supply voltage 48V
 Output 6W
 Luminous flux 350lumens
 Luminaire's efficiency lm79 58W
 Correlated colour temperature pure white 4000K
 Lens angle 120
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts. The produ



Track light Maytoni Radity Basis black 6W 350lm 120° IP20 930

Product code 21807

Brand Maytoni
 Output 6W
 Luminous flux 350lumens
 Luminaire's efficiency lm79 58W
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.



Track light Maytoni Radity Basis Grid black 12W 190lm 60° IP20 930

Product code 21814

Brand Maytoni
Output 12W
Luminous flux 190lumens
Luminaire's efficiency lm79 16W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Protection class IP20
Lifespan 50000h
Height 29.0mm
Width 26.0mm
Length 222.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years




Track light Maytoni Radity Basis Grid black 48V 6W 90lm 60° IP20 940

Product code 21812

Brand Maytoni
 Supply voltage 48V
 Output 6W
 Luminous flux 90lumens
 Luminaire's efficiency lm79 15W
 Correlated colour temperature pure white 4000K
 Lens angle 60
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design with a unique texture seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 60-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black and white finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.



Track light Maytoni Radity Basis Grid white 48V 12W 190lm 60° IP20 930

Product code 21815

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Luminous flux 190lumens
 Luminaire's efficiency lm79 16W
 Correlated colour temperature warm white 3000K
 Lens angle 60
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design with a unique texture seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 60-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black and white finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.



Track light Maytoni Radity Basis Grid white 48V 12W 190lm 60° IP20 940

Product code 21816

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Luminous flux 190lumens
 Luminaire's efficiency lm79 16W
 Correlated colour temperature pure white 4000K
 Lens angle 60
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design with a unique texture seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 60-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black and white finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.



Track light Maytoni Radity Basis Grid white 48V 6W 90lm 60° IP20 940

Product code 21813

Brand Maytoni
Supply voltage 48V
Output 6W
Luminous flux 90lumens
Luminaire's efficiency lm79 15W
Correlated colour temperature pure white 4000K
Lens angle 60
Cri 90
Protection class IP20
Lifespan 50000h
Height 28.0mm
Width 26.0mm
Length 116.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Radity Basis Grid white 6W 90lm 60° IP20 930

Product code 21811

Brand Maytoni
 Output 6W
 Luminous flux 90lumens
 Luminaire's efficiency lm79 15W
 Correlated colour temperature warm white 3000K
 Lens angle 60
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design with a unique texture seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 60-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black and white finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.



Track light Maytoni Radity Basis white 48V 12W 1000lm 120°

IP20 940

Product code 21803

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Luminous flux 1000lumens
 Luminaire's efficiency lm79 83W
 Correlated colour temperature pure white 4000K
 Lens angle 120
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.




Track light Maytoni Radity Basis white 48V 12W 950lm 120° IP20 930

Product code 21801

Brand Maytoni
Supply voltage 48V
Output 12W
Luminous flux 950lumens
Luminaire's efficiency lm79 79W
Correlated colour temperature warm
white 3000K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 29.0mm
Width 26.0mm
Length 222.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.



Track light Maytoni Radity Basis white 48V 16W 1150lm 120° IP20 930

Product code 21805

Brand Maytoni
 Supply voltage 48V
 Output 16W
 Luminous flux 1150lumens
 Luminaire's efficiency lm79 72W
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 25.0mm
 Length 330.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.




Track light Maytoni Radity Basis white 48V 16W 1200lm 120° IP20 940

Product code 21806

Brand Maytoni
 Supply voltage 48V
 Output 16W
 Luminous flux 1200lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature pure white 4000K
 Lens angle 120
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 25.0mm
 Length 330.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.




Track light Maytoni Radity Basis white 48V 6W 450lm 120° IP20 930

Product code 21808

Brand Maytoni
 Supply voltage 48V
 Output 6W
 Luminous flux 450lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts.



Track light Maytoni Radity Focus LED black 48V 12W 1000lm 36° IP20 930

Product code 21834

Brand Maytoni
Supply voltage 48V
Output 12W
Luminous flux 1000lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 133.0mm
Width 44.0mm
Length 115.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Focus LED track luminaire is a stylish and customizable lighting solution available in white, black, or brass metal housing. It is ideal for creating accent lighting in store, exhibition, office, and residential interiors. The light is made of sturdy metal for long-lasting quality. It is available in two color temperature options: 3000K and 4000K. It has a high color rendering index and low glare. The diffusion angles can be adjusted, and you can add the Honeycomb anti-glare mesh (available separately). The lights are easy to install on the track system, including models featuring Bluetooth control. The product is covered by a 5-year warranty, and we offer technical support.



Track light Maytoni Radity Focus LED black 48V 5W 400lm 36° IP20 930

Product code 21830

Brand Maytoni
Supply voltage 48V
Output 5W
Luminous flux 400lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm
white 3000K
Lens angle 36°
Cri 90
Protection class IP20
Lifespan 50000h
Height 97.0mm
Length 115.0mm
Diameter 31.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Radity Focus LED black 48V 5W 450lm 36° IP20 940

Product code 21832

Brand Maytoni
 Supply voltage 48V
 Output 5W
 Luminous flux 450lumens
 Luminaire's efficiency lm79 90W
 Correlated colour temperature pure white 4000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 97.0mm
 Width 31.0mm
 Length 115.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Focus LED track luminaire is a stylish and customizable lighting solution available in white, black, or brass metal housing. It is ideal for creating accent lighting in store, exhibition, office, and residential interiors. The light is made of sturdy metal for long-lasting quality. It is available in two color temperature options: 3000K and 4000K. It has a high color rendering index and low glare. The diffusion angles can be adjusted, and you can add the Honeycomb anti-glare mesh (available separately). The lights are easy to install on the track system, including models featuring Bluetooth control.



Track light Maytoni Radity Focus LED white 48V 12W 1000lm 36° IP20 930

Product code 21827

Brand Maytoni
Supply voltage 48V
Output 12W
Luminous flux 1000lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 133.0mm
Width 44.0mm
Length 115.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Focus LED track luminaire is a stylish and customizable lighting solution available in white, black, or brass metal housing. It is ideal for creating accent lighting in store, exhibition, office, and residential interiors. The light is made of sturdy metal for long-lasting quality. It is available in two color temperature options: 3000K and 4000K. It has a high color rendering index and low glare. The diffusion angles can be adjusted, and you can add the Honeycomb anti-glare mesh (available separately). The lights are easy to install on the track system, including models featuring Bluetooth control.



Track light Maytoni Radity Focus LED white 48V 12W 1100lm 36° IP20 940

Product code 21829

Brand Maytoni
Supply voltage 48V
Output 12W
Luminous flux 1100lumens
Luminaire's efficiency lm79 92W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 133.0mm
Width 44.0mm
Length 115.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Focus LED track luminaire is a stylish and customizable lighting solution available in white, black, or brass metal housing. It is ideal for creating accent lighting in store, exhibition, office, and residential interiors. The light is made of sturdy metal for long-lasting quality. It is available in two color temperature options: 3000K and 4000K. It has a high color rendering index and low glare. The diffusion angles can be adjusted, and you can add the Honeycomb anti-glare mesh (available separately). The lights are easy to install on the track system, including models featuring Bluetooth control. T



Track light Maytoni Radity Focus LED white 48V 5W 400lm 36° IP20 930

Product code 21831

Brand Maytoni
Supply voltage 48V
Output 5W
Luminous flux 400lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm
white 3000K
Lens angle 36°
Cri 90
Protection class IP20
Lifespan 50000h
Height 97.0mm
Width 31.0mm
Length 115.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Focus LED track luminaire is a stylish and customizable lighting solution available in white, black, or brass metal housing. It is ideal for creating accent lighting in store, exhibition, office, and residential interiors. The light is made of sturdy metal for long-lasting quality. It is available in two color temperature options: 3000K and 4000K. It has a high color rendering index and low glare. The diffusion angles can be adjusted, and you can add the Honeycomb anti-glare mesh (available separately). The lights are easy to install on the track system, including models featuring Bluetooth control.



Track light Maytoni Radity Focus LED white 48V 5W 450lm 36° IP20 940

Product code 21833

Brand Maytoni
 Supply voltage 48V
 Output 5W
 Luminous flux 450lumens
 Luminaire's efficiency lm79 90W
 Correlated colour temperature pure white 4000K
 Lens angle 36°
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 97.0mm
 Width 31.0mm
 Length 115.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Focus LED track luminaire is a stylish and customizable lighting solution available in white, black, or brass metal housing. It is ideal for creating accent lighting in store, exhibition, office, and residential interiors. The light is made of sturdy metal for long-lasting quality. It is available in two color temperature options: 3000K and 4000K. It has a high color rendering index and low glare. The diffusion angles can be adjusted, and you can add the Honeycomb anti-glare mesh (available separately). The lights are easy to install on the track system, including models featuring Bluetooth control.



Track light Maytoni Radity Points black 48V 12W 1400lm 36° IP20 940

Product code 21822

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Luminous flux 1400lumens
 Luminaire's efficiency lm79 117W
 Correlated colour temperature pure white 4000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick.





Track light Maytoni Radity Points black 48V 6W 700lm 36° IP20 940

Product code 21819

Brand Maytoni
 Supply voltage 48V
 Output 6W
 Luminous flux 700lumens
 Luminaire's efficiency lm79 117W
 Correlated colour temperature pure white 4000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

About series Points The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick.



Track light Maytoni Radity Points black 6W 600lm 36° IP20 930

Product code 21817

Brand Maytoni
 Output 6W
 Luminous flux 600lumens
 Luminaire's efficiency lm79 100W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years



Track light Maytoni Radity Points white 48V 12W 1300lm 36° IP20 930

Product code 21821

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Luminous flux 1300lumens
 Luminaire's efficiency lm79 108W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick.




Track light Maytoni Radity Points white 48V 12W 1400lm 36° IP20 940

Product code 21823

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Luminous flux 1400lumens
 Luminaire's efficiency lm79 117W
 Correlated colour temperature pure white 4000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick.



Track light Maytoni Radity Points white 48V 16W 1800lm 36° IP20 930

Product code 21825

Brand Maytoni
Supply voltage 48V
Output 16W
Luminous flux 1800lumens
Luminaire's efficiency lm79 113W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 28.0mm
Width 25.0mm
Length 330.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick.



Track light Maytoni Radity Points white 48V 16W 1850lm 36° IP20 940

Product code 21826

Brand Maytoni
 Supply voltage 48V
 Output 16W
 Luminous flux 1850lumens
 Luminaire's efficiency lm79 116W
 Correlated colour temperature pure white 4000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 25.0mm
 Length 330.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick.



Track light Maytoni Radity Points white 48V 6W 600lm 36° IP20 930

Product code 21818

Brand Maytoni
Supply voltage 48V
Output 6W
Luminous flux 600lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Protection class IP20
Lifespan 50000h
Height 28.0mm
Width 26.0mm
Length 116.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick.



Track light Maytoni Radity Slim Basis black 12W 700lm 120° IP20 930

Product code 21800

Brand Maytoni
 Output 12W
 Luminous flux 700lumens
 Luminaire's efficiency lm79 58W
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 120-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts. The product is covered by a 5-year warranty, and we offer technical support.



Track light Maytoni Radity Slim Basis Grid black 6W 90lm 60° IP20 930

Product code 21810

Brand Maytoni
 Output 6W
 Luminous flux 90lumens
 Luminaire's efficiency lm79 15W
 Correlated colour temperature warm white 3000K
 Lens angle 60
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 26.0mm
 Length 116.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The efficient Basis track luminaires are made of high-quality extruded aluminum and have a matte polycarbonate diffuser, ensuring reliability and stylish looks. Designed for general lighting, they are perfect for both commercial and residential settings. This modern design with a unique texture seamlessly integrates into any interior. The luminaire has a durable aluminum housing, and its diffuser is made of high-quality matte polycarbonate. SANAN LEDs. The 60-degree diffusion angle and Ra 90 color rendering index ensure high-quality lighting. The lights are available in white or black and white finish, allowing you to create attractive combinations. The lights have a 3000K or 4000K color temperature. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness. The luminaire is very easy to install, which makes it a great choice for both professionals and DIY enthusiasts. The product is covered by a 5-year warranty, and we offer technical support.



Track light Maytoni Radity Slim Focus LED black 48V 12W 1100lm 36° IP20 940

Product code 21828

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Maximum output 12W/1m
 Luminous flux 1100lumens
 Luminaire's efficiency lm79 92W
 Correlated colour temperature pure white 4000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 133.0mm
 Width 44.0mm
 Length 115.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years



The Focus LED track luminaire is a stylish and customizable lighting solution available in white, black, or brass metal housing. It is ideal for creating accent lighting in store, exhibition, office, and residential interiors. The light is made of sturdy metal for long-lasting quality. It is available in two color temperature options: 3000K and 4000K. It has a high color rendering index and low glare. The diffusion angles can be adjusted, and you can add the Honeycomb anti-glare mesh (available separately). The lights are easy to install on the track system, including models featuring Bluetooth control. The product is covered by a 5-year warranty, and we offer technical support.


Track light Maytoni Radity Slim Points black 12W 1200lm 36°

IP20 930

Product code 21820

Brand Maytoni
 Output 12W
 Luminous flux 1200lumens
 Luminaire's efficiency lm79 100W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 29.0mm
 Width 26.0mm
 Length 222.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick. The product is covered by a 5-year warranty, and we offer technical support.



Track light Maytoni Radity Slim Points black 16W 1800lm 36° IP20 930

Product code 21824

Brand Maytoni
 Output 16W
 Luminous flux 1800lumens
 Luminaire's efficiency lm79 113W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 28.0mm
 Width 25.0mm
 Length 330.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years

The Points track luminaire is a stylish and functional lighting option that will be perfect for both office and residential environments. It is designed to create an intricate light architecture with accents, allowing you to emphasize the important elements of a space. Its modern and minimalist design and universal color choice help it blend perfectly into any interior. The luminaire is made of strong aluminum, which makes it durable and reliable. It features an optical system that produces a "light from nowhere" effect. The luminaires are available in a classic black color, making them a versatile choice for various interior decorating styles. Their compact, elegant outlines are ideal for organizing lighting in various spaces. The solution is compatible with the S35 track system, making it easy to install and integrate into existing lighting architecture. The lights are designed to meet modern energy efficiency standards. Compatibility with a track system makes the installation process easy and quick. The product is covered by a 5-year warranty, and we offer technical support.



Power track Maytoni Siinivalgusti Exility Focus LED white 48V 12W 970lm 24° IP20 930

Product code 20143

Brand Maytoni
 Supply voltage 48V
 Output 12W
 Luminous flux 970lumens
 Luminaire's efficiency lm79 81W
 Correlated colour temperature warm
 white 3000K
 Lens angle 24
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 194.0mm
 Minimum length 125.0mm
 Diameter 52.0mm
 Weight 300 g
 Package weight 340 g
 In package 1pc
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years



Track light Prolumen Amigo black 48V 20W 1620lm 60° IP20 DALI 930

Product code 17445 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 20W
 Maximum output 20W/1m
 Luminous flux 1620lumens
 Luminaire's efficiency lm79 81W
 Correlated colour temperature warm white 3000K
 Lens angle 60
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 47.0mm
 Diameter 90.0mm
 In package 1pc
 In box 18pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 - +40°C
 Certificates CE
 Warranty 5 years



LED track light with a matte black design! This IP20 rated light is an ideal choice for both home and office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The light features a DALI dimming function, allowing you to conveniently adjust the light intensity with a remote control. The Amigo light is available with the following options: Beam angle: 20°/36°/60° Color temperature: 2700/3000/3500/4000K or adjustable lighting from 2700-6500K. Additionally, a honeycomb filter and gold/black/white ring can be added to the product. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles black 48V 10W 650lm 36° IP20 DALI 930

Product code 17729 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 650lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 105.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles black 48V 10W 650lm 50° IP20 DALI 930

Product code 19610 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 650lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature warm white 3000K
 Lens angle 50
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 105.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles black 48V 4W 300lm 36° IP20 DALI 930

Product code 17970 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 4W
 Maximum output 4W/1m
 Luminous flux 300lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light SANAN LED
 Cri 97
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 50.0mm
 Diameter 30.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles black 48V 6W 420lm CRI90 36° IP20 RF 2700K-6000K warm + cold white

Product code 17476 RF dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable RF
Output 6W
Maximum output 6W/1m
Luminous flux 420lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm
+ cold white 2700K-6000K
Lens angle 36
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 70.0mm
Diameter 40.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles black 48V 6W 450lm 36° IP20 DALI 927

Product code 17573 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 6W
 Maximum output 6W/1m
 Luminous flux 450lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 2700K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 70.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles black 48V 6W 450lm 36° IP20 DALI 930

Product code 17444 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 6W
 Maximum output 6W/1m
 Luminous flux 450lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light [BRIDGELUX LED](#)
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 600.0mm
 Diameter 52.0mm
 In package 1pc
 In box 20pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 - +40°C
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles CT black 48V 12W 990lm 24° IP20 DALI 930

Product code 20426 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 12W
Maximum output 12W/1m
Luminous flux 990lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm
white 3000K
Lens angle 24
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 220.0mm
Diameter 48.0mm
In package 1pc
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen Arles CT black 48V 7W 430lm 24° IP20 DALI 930

Product code 20901 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 7W
Maximum output 7W/1m
Luminous flux 430lumens
Luminaire's efficiency lm79 61W
Correlated colour temperature warm
white 3000K
Lens angle 24
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 160.0mm
Diameter 36.0mm
In package 1pc
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen Arles RF black 48V 4W 300lm 36° IP20 RF 930

Product code 17309 RF dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable RF
Output 4W
Maximum output 4W/1m
Luminous flux 300lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light SANAN LED
Cri 97
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 50.0mm
Diameter 30.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles RF black 48V 6W 420lm CRI90 36° IP20 RF 2700K-6000K warm + cold white

Product code 17310 RF dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable RF
 Output 6W
 Maximum output 6W/1m
 Luminous flux 420lumens
 Luminaire's efficiency lm79 70W
 Correlated colour temperature warm
 + cold white 2700K-6000K
 Lens angle 36
 Source of light SANAN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 70.0mm
 Diameter 40.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles white 48V 10W 650lm 36° IP20 DALI 930

Product code 19374 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 650lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 105.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Arles white 48V 10W 660lm 36° IP20 930

Product code 17938

Brand [Prolumen](#)

Supply voltage 48V

Power factor 0.90

Output 10W

Maximum output 10W/1m

Luminous flux 660lumens

Luminaire's efficiency lm79 66W

Correlated colour temperature warm white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 105.0mm

Diameter 40.0mm

In package 1pc

In box 30pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 +40°C

Certificates CE

Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Broad 48V white 48V 20W 2100lm 36° IP20 DALI 930

Product code 17540 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 2100lumens
Luminaire's efficiency lm79 105W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 83.0mm
Diameter 90.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Broad track light is available with the following options:
Power: 15W, 20W Dimming: TRIAC, DALI, RF Beam angle: 20°/36°/60°
Color temperature:
2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).
Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Broad 48V white 48V 20W 2100lm 60° IP20 DALI 930

Product code 19689 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 2100lumens
Luminaire's efficiency lm79 105W
Correlated colour temperature warm white 3000K
Lens angle 60
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 83.0mm
Diameter 90.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Broad track light is available with the following options: Power: 15W, 20W Dimming: TRIAC, DALI, RF Beam angle: 20°/36°/60° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Columna black 48V 6W 400lm 15° IP20 DALI 930

Product code 20760 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 6W
Maximum output 6W/1m
Luminous flux 400lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature warm white 3000K
Lens angle 15°
CRI 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 400.0mm
Diameter 30.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



48V track light with magnetic mounting.

Track light Prolumen Columna black 48V 6W 400lm 15° IP20 DALI 940

Product code 20765 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 6W
Maximum output 6W/1m
Luminous flux 400lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature pure white 4000K
Lens angle 15
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B50 @25°C 50.000h
Height 400.0mm
Diameter 30.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



48V track light with magnetic mounting.

Track light Prolumen Columna white 48V 6W 400lm 15° IP20 DALI 930

Product code 20763 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 6W
Maximum output 6W/1m
Luminous flux 400lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature warm
white 3000K
Lens angle 15
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B50 @25°C 50.000h
Height 400.0mm
Diameter 30.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



48V track light with magnetic
mounting.

Track light Prolumen D30 black 48V 7W 450lm 30° IP20 DALI 930

Product code 18279 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 7W
Maximum output 7W/1m
Luminous flux 450lumens
Luminaire's efficiency lm79 64W
Correlated colour temperature warm white 3000K
Lens angle 30
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 30.0mm
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen D30AR black 48V 4W 200lm 105° IP20 DALI 930

Product code 20900 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 4W
Maximum output 4W/1m
Luminous flux 200lumens
Luminaire's efficiency lm79 50W
Correlated colour temperature warm white 3000K
Lens angle 105
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 30.0mm
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen D40 black 48V 12W 750lm 30° IP20 DALI 930

Product code 20896 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Maximum output 12W/1m
Luminous flux 750lumens
Luminaire's efficiency lm79 63W
Correlated colour temperature warm white 3000K
Lens angle 30
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 40.0mm
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen D40AR black 48V 7W 450lm 105° IP20 DALI 930

Product code 20899 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 7W
Maximum output 7W/1m
Luminous flux 450lumens
Luminaire's efficiency lm79 64W
Correlated colour temperature warm white 3000K
Lens angle 105
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 40.0mm
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen D50 black 48V 18W 1350lm 30° IP20 DALI 930

Product code 20897 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 18W
Maximum output 18W/1m
Luminous flux 1350lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 30
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 50.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen D50AR black 48V 12W 850lm 105° IP20 DALI 930

Product code 20898 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Maximum output 12W/1m
Luminous flux 850lumens
Luminaire's efficiency lm79 71W
Correlated colour temperature warm white 3000K
Lens angle 105
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 50.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen DF265 black 48V 12W 750lm 105° IP20 DALI 930

Product code 20908 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Maximum output 12W/1m
Luminous flux 750lumens
Luminaire's efficiency lm79 63W
Correlated colour temperature warm
white 3000K
Lens angle 105
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 65.0mm
Width 34.0mm
Length 268.0mm
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen G100 black 48V 4W 200lm 110° IP20 DALI 930

Product code 20905 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 4W
Maximum output 4W/1m
Luminous flux 200lumens
Luminaire's efficiency lm79 50W
Correlated colour temperature warm white 3000K
Lens angle 110
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 150.0mm
Diameter 100.0mm
In box 8pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen Istres black 48V 10W 500lm 30° IP20 DALI 930

Product code 17315 DALI dimmable

Brand [Prolumen](#)

Supply voltage 48V

Dimmable DALI

Output 10W

Maximum output 10W/1m

Luminous flux 500lumens

Luminaire's efficiency lm79 50W

Correlated colour temperature warm white 3000K

Lens angle 30

Source of light OSRAM LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 25.5mm

Width 22.0mm

Length 231.0mm

In package 1pc

In box 54pcs

Casing colour black

Casing material aluminium

Polishing matt

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Istres black 48V 20W 1600lm 30° IP20 DALI 930

Product code 17728 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 1600lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm
white 3000K
Lens angle 30
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 458.0mm
In package 1pc
In box 54pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen LB10 black 48V 20W 1550lm 30° IP20 DALI 930

Product code 20907 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 1550lumens
Luminaire's efficiency lm79 78W
Correlated colour temperature warm
white 3000K
Lens angle 30
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 65.0mm
Width 36.0mm
Length 268.0mm
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen LB5 black 48V 10W 800lm 30° IP20 DALI 930

Product code 20906 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm white 3000K
Lens angle 30
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 65.0mm
Width 36.0mm
Length 135.0mm
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen Magnatubus black 48V 6W 620lm 36° IP20 DALI 927

Product code 20681 DALI dimmable

Brand [Prolumen](#)

Supply voltage 48V

Power factor 0.90

Dimmable DALI

Output 6W

Maximum output 6W/1m

Luminous flux 620lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm
white 2700K

Lens angle 36

Source of light [BRIDGELUX LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 188.0mm

Width 120.0mm

Diameter 40.0mm

In package 1pc

Casing colour black

Casing material aluminium

Work environment indoor use

Operation temperature -20 - +40°C

Warranty 5 years



Track light Prolumen Magnetic 9002 black 48V 10W 1100lm 24° IP20 930

Product code 16260

Brand [Prolumen](#)

Supply voltage 48V

Output 10W

Maximum output 10W/1m

Luminous flux 1100lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm white 3000K

Lens angle 24

Cri 90

Protection class IP20

Length 100.0mm

Diameter 40.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 3 years



48V track light with magnetic mounting.

Track light Prolumen Magnetic 48V 20-06 black 48V 6W 660lm 24° IP20 930

Product code 16259

Brand [Prolumen](#)

Supply voltage 48V

Output 6W

Maximum output 6W/1m

Luminous flux 660lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm white 3000K

Lens angle 24

Cri 90

Protection class IP20

Height 105.0mm

Width 22.0mm

Length 135.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 3 years



48V track light with magnetic mounting.

Track light Prolumen Magnetic 48V 20/06 black 48V 6W 660lm 15-38° IP20 930

Product code 16261

Brand [Prolumen](#)
 Supply voltage 48V
 Output 6W
 Maximum output 6W/1m
 Luminous flux 660lumens
 Luminaire's efficiency lm79 110W
 Correlated colour temperature warm
 white 3000K
 Lens angle 15-38
 Cri 90
 Protection class IP20
 Length 100.0mm
 Diameter 50.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 3 years



48V track light with magnetic
 mounting.

Track light Prolumen Magnetic 48V 20/06 black 48V 6W 660lm 24° IP20 930

Product code 16263

Brand [Prolumen](#)
 Supply voltage 48V
 Output 6W
 Maximum output 6W/1m
 Luminous flux 660lumens
 Luminaire's efficiency lm79 110W
 Correlated colour temperature warm
 white 3000K
 Lens angle 24
 Cri 90
 Protection class IP20
 Height 25.0mm
 Width 22.0mm
 Length 135.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 3 years



48V track light with magnetic
 mounting.

Track light Prolumen Magnetic 48V 3006 black 48V 6W 660lm 15° IP20 930

Product code 16264

Brand [Prolumen](#)

Supply voltage 48V

Output 6W

Maximum output 6W/1m

Luminous flux 660lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm
white 3000K

Lens angle 15

Cri 90

Protection class IP20

Length 300.0mm

Diameter 30.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 3 years



48V track light with magnetic
mounting.

Track light Prolumen Magnetic 48V 3006 black 48V 6W 660lm 15° IP20 940

Product code 20754

Brand [Prolumen](#)

Supply voltage 48V

Output 6W

Maximum output 6W/1m

Luminous flux 660lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature pure
white 4000K

Lens angle 15

Cri 90

Protection class IP20

Length 300.0mm

Diameter 30.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 3 years



48V track light with magnetic
mounting.

Track light Prolumen Magnetic 48V 32W/XZ black 230V 32W 3200lm 15-60° IP20 930

Product code 16265

Brand [Prolumen](#)

Supply voltage 230V

Output 32W

Maximum output 32W/1m

Luminous flux 3200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 15-60

Cri 90

Protection class IP20

Length 188.0mm

Diameter 80.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 3 years



Track light Prolumen Magnetic 48V 600 black 48V 20W 2200lm 120° IP20 930

Product code 16262

Brand [Prolumen](#)

Supply voltage 48V

Output 20W

Maximum output 20W/1m

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm
white 3000K

Lens angle 120

Cri 90

Protection class IP20

Height 25.0mm

Width 22.0mm

Length 600.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 3 years



48V track light with magnetic
mounting.

Track light Prolumen Marui CT black 48V 15W 1000lm 110° IP20 DALI 930

Product code 20427 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1000lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature warm
white 3000K
Lens angle 110
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 283.0mm
Diameter 205.0mm
In package 1pc
In box 8pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen Montreuil black 48V 10W 780lm 50° IP20 DALI 927

Product code 18111 DALI dimmable

Brand [Prolumen](#)

Supply voltage 48V

Power factor 0.90

Dimmable DALI

Output 10W

Maximum output 10W/1m

Luminous flux 780lumens

Luminaire's efficiency lm79 78W

Correlated colour temperature warm white 2700K

Lens angle 50

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 105.0mm

Diameter 45.0mm

In package 1pc

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options:

Power: 6W, 10W Dimming: DALI,

TRIAC, 1-10V Beam angle:

15°/24°/36°/50° Color temperature:

2700/3000/3500/4000K Additionally,

honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Montreuil black 48V 10W 780lm 50° IP20 DALI 940

Product code 17312 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 780lumens
 Luminaire's efficiency lm79 78W
 Correlated colour temperature pure white 4000K
 Lens angle 50
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 105.0mm
 Diameter 45.0mm
 In package 1pc
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Montreuil white 48V 15W 1500lm 36° IP20 930

Product code 22226

Brand [Prolumen](#)
Supply voltage 48V
Output 15W
Maximum output 15W/1m
Luminous flux 1500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 131.0mm
Diameter 55.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Montreuil white 48V 15W 1500lm 36° IP20 DALI 930

Product code 17541 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 131.0mm
Diameter 55.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 930

Product code 17969 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 300lumens
 Luminaire's efficiency lm79 30W
 Correlated colour temperature warm white 3000K
 Lens angle 8-40
 Source of light CITIZEN LED
 Cri 90
 Ugr 10
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 114.0mm
 Diameter 45.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!

Track light Prolumen Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 940

Product code 17311 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 300lumens
 Luminaire's efficiency lm79 30W
 Correlated colour temperature pure white 4000K
 Lens angle 8-40
 Source of light CITIZEN LED
 Cri 90
 Ugr 10
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 114.0mm
 Diameter 45.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!

Track light Prolumen Montreuil ZOOM black 48V 12W 900lm 11-50° IP20 DALI 940

Product code 17313 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Dimmable DALI
 Output 12W
 Maximum output 12W/1m
 Luminous flux 900lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature pure white 4000K
 Lens angle 11-50
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 120.0mm
 Diameter 62.0mm
 In package 1pc
 Casing colour black
 Casing material aluminium
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Magnetic LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options:
 Dimming: DALI, RF Power: 12W, 15W
 Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Montreuil ZOOM white 48V 12W 900lm 11-50° IP20 DALI 940

Product code 17766 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 11-50
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 120.0mm
Diameter 62.0mm
In package 1pc
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnetic LED track light with an elegant matte design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options:
Dimming: DALI, RF Power: 12W, 15W
Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen R70 black 48V 4W 200lm 70° IP20 DALI 930

Product code 20904 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 4W
Maximum output 4W/1m
Luminous flux 200lumens
Luminaire's efficiency lm79 50W
Correlated colour temperature warm
white 3000K
Lens angle 70
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 118.0mm
Diameter 70.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen Venus black 48V 12W 1000lm 32° IP20 DALI 930

Product code 17727 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 12W
 Maximum output 12W/1m
 Luminous flux 1000lumens
 Luminaire's efficiency lm79 83W
 Correlated colour temperature warm white 3000K
 Lens angle 32
 Source of light OSRAM LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 86.0mm
 Width 22.0mm
 Length 117.0mm
 In package 1pc
 In box 24pcs
 Casing colour black
 Casing material aluminium
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).

Track light Prolumen Venus black 48V 6W 500lm 32° IP20 DALI 930

Product code 17446 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Dimmable DALI
 Output 6W
 Maximum output 6W/1m
 Luminous flux 500lumens
 Luminaire's efficiency lm79 83W
 Correlated colour temperature warm white 3000K
 Lens angle 32
 Source of light OSRAM LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 86.0mm
 Width 22.0mm
 Length 117.0mm
 In package 1pc
 In box 24pcs
 Casing colour black
 Casing material aluminium
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).

Track light Prolumen Vernon black 48V 10W 600lm 100° IP20 DALI 930

Product code 18237 DALI dimmable

Brand [Prolumen](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 600lumens
 Luminaire's efficiency lm79 60W
 Correlated colour temperature warm white 3000K
 Lens angle 100
 Source of light OSRAM LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 25.5mm
 Width 22.0mm
 Length 246.0mm
 In package 1pc
 In box 54pcs
 Casing colour black
 Casing material aluminium
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Vernon black 48V 20W 1280lm 100° IP20 DALI 930

Product code 17314 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 1280lumens
Luminaire's efficiency lm79 64W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 25.5mm
Width 22.0mm
Length 490.0mm
In package 1pc
In box 54pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Vernon black 48V 20W 1400lm 100° IP20 DALI 930

Product code 18318 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 1400lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L90B50 @25°C 50.000h
Height 25.5mm
Width 22.0mm
Length 600.0mm
Casing colour black
Casing material aluminium + plastic
Work environment indoor use
Operation temperature -20° - +40°C
Certificates CE, SAA, RoHS,
Warranty 3 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Vernon white 48V 10W 600lm 100° IP20 DALI 930

Product code 19378 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 60W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 246.0mm
In package 1pc
In box 54pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen Vernon white 48V 20W 1200lm 100° IP20 DALI 930

Product code 21057 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 1200lumens
Luminaire's efficiency lm79 60W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 246.0mm
In package 1pc
In box 54pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Track light Prolumen X60 black 48V 12W 800lm 30° IP20 DALI 930

Product code 20902 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Maximum output 12W/1m
Luminous flux 800lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature warm white 3000K
Lens angle 30
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 60.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen X80 black 48V 18W 1350lm 30° IP20 DALI 930

Product code 20903 DALI dimmable

Brand [Prolumen](#)
Supply voltage 48V
Dimmable DALI
Output 18W
Maximum output 18W/1m
Luminous flux 1350lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 30
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 30000h
Height 125.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 3 years



Track light Prolumen Z7W black 48V 7W 400lm 24° IP20 DALI 930

Product code 20909 DALI dimmable

Brand [Prolumen](#)

Supply voltage 48V

Dimmable DALI

Output 7W

Maximum output 7W/1m

Luminous flux 400lumens

Luminaire's efficiency lm79 57W

Correlated colour temperature warm white 3000K

Lens angle 24

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 30000h

Height 102.0mm

Diameter 90.0mm

In box 20pcs

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE

Warranty 3 years

