

LED track light PROLUMEN Amigo black 48V 20W 1620lm 60° IP20 DALI 930

Product code 17445 DALI dimmable

Brand PROLUMEN

Supply voltage 48V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 1620lumens Luminaire's efficiency Im79 81W Correlated colour temperature warm white 3000K Lens angle 60 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 47.0mm Diameter 90.0mm In package 1pc In box 18pcs Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 - +40°C Certificates CE Warranty 5 years

LED track light with a matte black design! This IP20 rated light is an ideal choice for both home and office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The light features a DALI dimming function, allowing you to conveniently adjust the light intensity with a remote control. The Amigo light is available with the following options: Beam angle: 20°/36°/60° Color temperature: 2700/3000/3500/4000K or adjustable lighting from 2700-6500K. Additionally, a honeycomb filter and gold/black/white ring can be added to the product. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!



LED track light PROLUMEN Arles black 48V 10W 650lm 36° IP20 DALI 930

Product code 17729 DALI dimmable

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 650lumens Luminaire's efficiency Im79 65W Correlated colour temperature warm white 3000K Lens angle 36 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 105.0mm Diameter 40.0mm In package 1pc In box 30pcs Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 +40°C Certificates CE Warranty 5 years



LED track light PROLUMEN Arles black 48V 4W 300lm 36° IP20 DALI 930

Product code 17970 DALI dimmable

Brand **PROLUMEN** Supply voltage 48V Power factor 0.90 Dimmable DALI Output 4W Maximum output 4W/1m Luminous flux 300lumens Luminaire's efficiency Im79 75W Correlated colour temperature warm white 3000K Lens angle 36 Source of light SANAN LED Cri 97 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 50.0mm Diameter 30.0mm Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 \sim 40°C Certificates CE Warranty 5 years





LED track light PROLUMEN Arles black 48V 6W 420Im CRI90 36° IP20 RF 2700K-6000K warm + cold white

Product code 17476 RF dimmable

Brand PROLUMEN

Supply voltage 48V Power factor 0.90 Dimmable RF Output 6W Maximum output 6W/1m Luminous flux 420lumens Luminaire's efficiency Im79 70W Correlated colour temperature warm + cold white 2700K-6000K Lens angle 36 Source of light SANAN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 70.0mm Diameter 40.0mm Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 \sim 40°C Certificates CE Warranty 5 years





LED track light PROLUMEN Arles black 48V 6W 450lm 36° IP20 DALI 927

Product code 17573 DALI dimmable

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Dimmable DALI Output 6W Maximum output 6W/1m Luminous flux 450lumens Luminaire's efficiency Im79 75W Correlated colour temperature warm white 2700K Lens angle 36 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 70.0mm Diameter 40.0mm In package 1pc In box 30pcs Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 +40°C Certificates CE Warranty 5 years





LED track light PROLUMEN Arles black 48V 6W 450lm 36° IP20 DALI 930

Product code 17444 DALI dimmable

Brand <u>PROLUMEN</u> Supply voltage 48V

Power factor 0.90 Dimmable DALI Output 6W Maximum output 6W/1m Luminous flux 450lumens Luminaire's efficiency Im79 75W Correlated colour temperature warm white 3000K Lens angle 36 Source of light BRIDGELUX LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 600.0mm Diameter 52.0mm In package 1pc Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 - +40°C Warranty 5 years



LED track light PROLUMEN Arles RF black 48V 4W 300lm 36° IP20 RF 930

Product code 17309 RF dimmable

Brand <u>PROLUMEN</u> Supply voltage 48V

Power factor 0.90 Dimmable RF Output 4W Maximum output 4W/1m Luminous flux 300lumens Luminaire's efficiency Im79 75W Correlated colour temperature warm white 3000K Lens angle 36 Source of light SANAN LED Cri 97 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 50.0mm Diameter 30.0mm Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 \sim 40°C Certificates CE Warranty 5 years



LED track light PROLUMEN Arles RF black 48V 6W 420Im CRI90 36° IP20 RF 2700K-6000K warm + cold white

Product code 17310 RF dimmable

Brand PROLUMEN

Supply voltage 48V Power factor 0.90 Dimmable RF Output 6W Maximum output 6W/1m Luminous flux 420lumens Luminaire's efficiency Im79 70W Correlated colour temperature warm + cold white 2700K-6000K Lens angle 36 Source of light SANAN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 70.0mm Diameter 40.0mm Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 \sim 40°C Certificates CE Warranty 5 years





LED track light PROLUMEN Arles white 48V 10W 650lm 36° IP20 DALI 930

Product code 19374 DALI dimmable

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 650lumens Luminaire's efficiency Im79 65W Correlated colour temperature warm white 3000K Lens angle 36 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 105.0mm Diameter 40.0mm In package 1pc In box 30pcs Casing colour white Casing material aluminum Work environment indoor use Operation temperature -20 +40°C Certificates CE Warranty 5 years





LED track light PROLUMEN Arles white 48V 10W 660lm 36° IP20 930

Product code 17938

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Output 10W Maximum output 10W/1m Luminous flux 660lumens Luminaire's efficiency Im79 66W Correlated colour temperature warm white 3000K Lens angle 36 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 105.0mm Diameter 40.0mm In package 1pc In box 30pcs Casing colour white Casing material aluminum Work environment indoor use Operation temperature -20 +40°C Certificates CE Warranty 5 years





LED track light PROLUMEN Broad 48V white 48V 20W 2100Im 36° IP20 DALI 930

Product code 17540 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 2100lumens Luminaire's efficiency Im79 105W Correlated colour temperature warm white 3000K Lens angle 36 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 83.0mm Diameter 90.0mm In package 1pc In box 18pcs Casing colour white Casing material aluminum Work environment indoor use Certificates CE Warranty 5 years

LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production. design, and other visual creative fields. The Broad track light is available with the following options: Power: 15W, 20W Dimming: TRIAC, DALI, RF Beam angle: 20°/36°/60° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Istres black 48V 10W 400Im 30° IP20 DALI 930

Product code 17315 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 400lumens Luminaire's efficiency Im79 40W Correlated colour temperature warm white 3000K Lens angle 30 Source of light OSRAM LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 25.5mm Width 22.0mm Length 231.0mm In package 1pc In box 54pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years

LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Istres black 48V 20W 900lm 30° IP20 DALI 930

Product code 17728 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 900lumens Luminaire's efficiency Im79 45W Correlated colour temperature warm white 3000K Lens angle 30 Source of light OSRAM LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 25.5mm Width 22.0mm Length 458.0mm In package 1pc In box 54pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years

LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Magnetic 48V 20-06 black 48V 6W 660Im 24° IP20 930

Product code 16259

Brand PROLUMEN Supply voltage 48V Output 6W Maximum output 6W/1m Luminous flux 660lumens Luminaire's efficiency Im79 110W Correlated colour temperature warm white 3000K Lens angle 24 Cri 90 Protection class IP20 Height 105.0mm Width 22.0mm Length 135.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years



48V track light with magnetic mounting.

LED track light PROLUMEN Magnetic 48V 20/06 black 48V 6W 660Im 15-38° IP20 930

Product code 16261

Brand PROLUMEN Supply voltage 48V Output 6W Maximum output 6W/1m Luminous flux 660lumens Luminaire's efficiency Im79 110W Correlated colour temperature warm white 3000K Lens angle 15-38 Cri 90 Protection class IP20 Length 100.0mm Diameter 50.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years



48V track light with magnetic mounting.



LED track light PROLUMEN Magnetic 48V 20/06 black 48V 6W 660Im 24° IP20 930

Product code 16263

Brand PROLUMEN Supply voltage 48V Output 6W Maximum output 6W/1m Luminous flux 660lumens Luminaire's efficiency Im79 110W Correlated colour temperature warm white 3000K Lens angle 24 Cri 90 Protection class IP20 Height 25.0mm Width 22.0mm Length 135.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years

48V track light with magnetic mounting.



LED track light PROLUMEN Magnetic 48V 3006 black 48V 6W 660lm 15° IP20 930

Product code 16264





LED track light PROLUMEN Magnetic 48V 32W/XZ black 230V 32W 3200lm 15-60° IP20 930

Product code 16265

Brand PROLUMEN Supply voltage 230V Output 32W Maximum output 32W/1m Luminous flux 3200lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 15-60 Cri 90 Protection class IP20 Length 188.0mm Diameter 80.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years



LED track light PROLUMEN Magnetic 48V 600 black 48V 20W 2200lm 120° IP20 930

Product code 16262

Brand PROLUMEN Supply voltage 48V Output 20W Maximum output 20W/1m Luminous flux 2200lumens Luminaire's efficiency Im79 110W Correlated colour temperature warm white 3000K Lens angle 120 Cri 90 Protection class IP20 Height 25.0mm Width 22.0mm Length 600.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years



48V track light with magnetic mounting.



LED track light PROLUMEN Magnetic 48V 9002 black 48V 10W 1100lm 24° IP20 930

Product code 16260

Brand **PROLUMEN** Supply voltage 48V Output 10W Maximum output 10W/1m Luminous flux 1100lumens Luminaire's efficiency Im79 110W Correlated colour temperature warm white 3000K Lens angle 24 Cri 90 Protection class IP20 Length 100.0mm Diameter 40.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years



48V track light with magnetic mounting.

LED track light PROLUMEN Montreuil black 48V 10W 780lm 50° IP20 DALI 927



Product code 18111 DALI dimmable

Brand PROLUMEN

Supply voltage 48V Power factor 0.90 Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 780lumens Luminaire's efficiency Im79 78W Correlated colour temperature warm white 2700K Lens angle 50 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 105.0mm Diameter 45.0mm In package 1pc Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 5 years

LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various lightdistorting lenses can be ordered. With proper use, the luminaire is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Montreuil black 48V 10W 780lm 50° IP20 DALI 940

Product code 17312 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 780lumens Luminaire's efficiency Im79 78W Correlated colour temperature pure white 4000K Lens angle 50 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 105.0mm Diameter 45.0mm In package 1pc Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 5 years

LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various lightdistorting lenses can be ordered. With proper use, the luminaire is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Montreuil white 48V 15W 1600lm 36° IP20 DALI 930

Product code 17541 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 15W Maximum output 15W/1m Luminous flux 1600lumens Luminaire's efficiency Im79 107W Correlated colour temperature warm white 3000K Lens angle 36 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 131.0mm Diameter 55.0mm In package 1pc In box 20pcs Casing colour white Casing material aluminum Work environment indoor use Certificates CE Warranty 5 years

LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various lightdistorting lenses can be ordered. With proper use, the luminaire is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 930

Product code 17969 DALI dimmable

Brand **PROLUMEN** Supply voltage 48V Power factor 0.90 **Dimmable DALI** Output 10W Maximum output 10W/1m Luminous flux 300lumens Luminaire's efficiency Im79 30W Correlated colour temperature warm white 3000K Lens angle 8-40 Source of light CITIZEN LED Cri 90 Uar 10 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 114.0mm Diameter 45.0mm In package 1pc In box 30pcs Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 5 years

Montreuil track light with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for colorcritical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a topnotch lighting solution from the LED House selection!





LED track light PROLUMEN Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 940

Product code 17311 DALI dimmable

Brand **PROLUMEN** Supply voltage 48V Power factor 0.90 **Dimmable DALI** Output 10W Maximum output 10W/1m Luminous flux 300lumens Luminaire's efficiency Im79 30W Correlated colour temperature pure white 4000K Lens angle 8-40 Source of light CITIZEN LED Cri 90 Uar 10 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 114.0mm Diameter 45.0mm In package 1pc In box 30pcs Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 5 years

Montreuil track light with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for colorcritical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a topnotch lighting solution from the LED House selection!





LED track light PROLUMEN Montreuil ZOOM black 48V 12W 900lm 11-50° IP20 DALI 940

Product code 17313 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 12W Maximum output 12W/1m Luminous flux 900lumens Luminaire's efficiency Im79 75W Correlated colour temperature pure white 4000K Lens angle 11-50 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 120.0mm Diameter 62.0mm In package 1pc Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years

Magnetic LED track light with an elegant matte black design! This IP20rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options: Dimming: DALI, RF Power: 12W, 15W Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Montreuil ZOOM white 48V 12W 900lm 11-50° IP20 DALI 940

Product code 17766 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 12W Maximum output 12W/1m Luminous flux 900lumens Luminaire's efficiency Im79 75W Correlated colour temperature pure white 4000K Lens angle 11-50 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 120.0mm Diameter 62.0mm In package 1pc Casing colour white Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years

Magnetic LED track light with an elegant matte design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options: Dimming: DALI, RF Power: 12W, 15W Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!





LED track light PROLUMEN Venus black 48V 12W 1000lm 32° IP20 DALI 930

Product code 17727 DALI dimmable

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Dimmable DALI Output 12W Maximum output 12W/1m Luminous flux 1000lumens Luminaire's efficiency Im79 83W Correlated colour temperature warm white 3000K Lens angle 32 Source of light OSRAM LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 86.0mm Width 22.0mm Length 117.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years

Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).






LED track light PROLUMEN Venus black 48V 6W 500lm 32° IP20 DALI 930

Product code 17446 DALI dimmable

Brand PROLUMEN Supply voltage 48V Dimmable DALI Output 6W Maximum output 6W/1m Luminous flux 500lumens Luminaire's efficiency Im79 83W Correlated colour temperature warm white 3000K Lens angle 32 Source of light OSRAM LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 86.0mm Width 22.0mm Length 117.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years

Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).





LED track light PROLUMEN Vernon black 48V 10W 600lm 100° IP20 DALI 930

Product code 18237 DALI dimmable

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 600lumens Luminaire's efficiency Im79 60W Correlated colour temperature warm white 3000K Lens angle 100 Source of light OSRAM LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 25.5mm Width 22.0mm Length 246.0mm In package 1pc In box 54pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!



LED track light PROLUMEN Vernon black 48V 20W 1280lm 100° IP20 DALI 930

Product code 17314 DALI dimmable

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 1280lumens Luminaire's efficiency Im79 64W Correlated colour temperature warm white 3000K Lens angle 100 Source of light OSRAM LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 25.5mm Width 22.0mm Length 490.0mm In package 1pc In box 54pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!



LED track light PROLUMEN Vernon white 48V 10W 600lm 100° IP20 DALI 930

Product code 19378 DALI dimmable

Brand PROLUMEN Supply voltage 48V Power factor 0.90 Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 600lumens Luminaire's efficiency Im79 60W Correlated colour temperature warm white 3000K Lens angle 100 Source of light OSRAM LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 25.5mm Width 22.0mm Length 246.0mm In package 1pc In box 54pcs Casing colour white Casing material aluminum Polishing matt Work environment indoor use Certificates CE Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!



LED track light Spectra Lighting Insight PLX black 48V 12W 850lm 112° IP20 DALI 830

Product code 17134 DALI dimmable

Brand Spectra Lighting Supply voltage 48V Dimmable DALI Output 12W Maximum output 12W/1m Luminous flux 850lumens Luminaire's efficiency Im79 71W Correlated colour temperature warm white 3000K Lens angle 112 Cri 80 Protection class IP20 Llmf tm21 L70B50 @25°C 60.000h Height 48.0mm Width 24.0mm Length 407.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years

Linear 48V linear light. Available in various power levels (8W, 12W, 22W, 38W), lengths (205mm, 407mm, 800mm, and 1200mm), and color temperatures (3000K, 4000K). There is also an option to choose a model equipped with dimming technology so that the user can adjust the light intensity according to their needs.





LED track light Spectra Lighting Insight SPOT black 48V 9W 550lm 37° IP20 830

Product code 16667

Brand Spectra Lighting Supply voltage 48V Output 9W Maximum output 9W/1m Luminous flux 550lumens Luminaire's efficiency Im79 61W Correlated colour temperature warm white 3000K Lens angle 37 Cri 80 Protection class IP20 Llmf tm21 L70B50 @25°C 60.000h Height 60.0mm Diameter 30.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 3 years

48V track-mounted spotlight with adjustable light direction. Available in various power levels (4W, 9W, 15W, 21W) and color temperatures (3000K, 4000K).