

Mounting clip Ceiling mount EZ click with rod 1m white

Product code 17557

Length 1000.0mm
Casing colour white
Casing material metal



Power supply KGP 48V DC TCI 122764 230V 150W IP20

Product code 17133

Brand [KGP](#)
Supply voltage 230V
Output voltage 48V
Output 150W
Maximum output 150W/1m
Rated current 3125mA
Protection class IP20
Height 49.0mm
Width 60.0mm
Length 240.0mm
Casing material plastic
Warranty 3 years

The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



Mounting clip Mounting clamp white

Product code 17558

Length 1000.0mm
Casing colour white
Casing material metal

Mounting clip N-mount with 1m suspension cable PRO-N147-B black

Product code 18023

Length 1000.0mm
Casing colour black
Casing material metal



Power track POWERGEAR 2m Track PRO-N120-W white 48V

Product code 17525

Brand [POWERGEAR](#)
Supply voltage 48V
Height 21.9mm
Width 26.2mm
Length 2000.0mm
In package 1pc
In box 9pcs
Casing colour white


High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



Power track POWERGEAR 2m Track PRO-RN120-B black 48V

Product code 17533

Brand [POWERGEAR](#)
 Supply voltage 48V
 Length 3000.0mm
 In package 1pc
 In box 6pcs
 Casing colour black




High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 2m Track PRO-RN120-W white 48V

Product code 17528

Brand [POWERGEAR](#)
 Supply voltage 48V
 Height 46.9mm
 Width 23.2mm
 Length 2000.0mm
 In package 1pc
 In box 8pcs
 Casing colour white



High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 2m PRO-N120-B black 48V

Product code 17362

Brand [POWERGEAR](#)
Supply voltage 48V
Length 2000.0mm
In package 1pc
In box 4pcs
Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 3m Track PRO-N130-B black 48V

Product code 16266

Brand [POWERGEAR](#)
Supply voltage 48V
Length 3000.0mm
In package 1pc
In box 4pcs
Casing colour black





High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 3m Track PRO-RN130-B black 48V

Product code 16267

Brand [POWERGEAR](#)
 Supply voltage 48V
 Length 3000.0mm
 In package 1pc
 In box 6pcs
 Casing colour black




High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR 3m Track PRO-RN130-W white 48V

Product code 17527

Brand [POWERGEAR](#)
 Supply voltage 48V
 Height 46.9mm
 Width 23.2mm
 Length 3000.0mm
 In package 1pc
 In box 6pcs
 Casing colour white



High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Mounting clip POWERGEAR Clamp black 48V

Product code 17559

Brand [POWERGEAR](#)
Supply voltage 48V
Casing colour black
Casing material metal



Power track POWERGEAR Connector I PRO-N133-B black 48V

Product code 17538

Brand [POWERGEAR](#)
Supply voltage 48V
Height 16.0mm
Width 16.0mm
Length 144.0mm
In package 1pc
In box 15pcs
Casing colour black
Work environment indoor use
Certificates CE



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR Connector I PRO-N133-W white 48V

Product code 17536

Brand [POWERGEAR](#)

Supply voltage 48V

Height 16.0mm

Width 16.0mm

Length 144.0mm

In package 1pc

In box 15pcs

Casing colour white

Work environment indoor use

Certificates CE



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR Connector Right PRO-N131R-W white 48V

Product code 17537

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour white

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

Power track POWERGEAR deep 2m PRO-DN120-B-PT black 48V

Product code 18082

Brand [POWERGEAR](#)
 Supply voltage 48V
 Height 47.2mm
 Width 26.2mm
 Length 2000.0mm
 In package 1pc
 In box 6pcs
 Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR deep 3m PRO-DN130-B-PT black 48V

Product code 18108

Brand [POWERGEAR](#)
 Supply voltage 48V
 Height 47.2mm
 Width 26.2mm
 Length 2000.0mm
 In package 1pc
 In box 6pcs
 Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power track POWERGEAR FLEXIBLE CONNECTOR PRO-N139-B black 48V

Product code 17375

Brand [POWERGEAR](#)
Supply voltage 48V
Height 17.0mm
Length 97.0mm
In package 1pc
In box 20pcs
Casing colour black



Busbar adapter, flexible. Extendable
busbar length up to 30 meters.

Power track POWERGEAR FLEXIBLE CONNECTOR PRO-N139-W white 48V

Product code 17539

Brand [POWERGEAR](#)
Supply voltage 48V
Height 17.0mm
Width 17.0mm
Length 97.0mm
In package 1pc
In box 20pcs
Casing colour white





Busbar adapter, flexible. Extendable
busbar length up to 30 meters.

Power track POWERGEAR L connector PRO-N135S black 48V

Product code 17648

Brand [POWERGEAR](#)
Supply voltage 48V
Height 107.0mm
Length 107.0mm
Weight 138g
In package 1pc
In box 96pcs
Casing colour black
Casing material metal + plastic




L-shaped corner for 48V power track.

Power track POWERGEAR L connector PRO-RN135S black 48V

Product code 15482

Brand [POWERGEAR](#)
Supply voltage 48V
Length 113.0mm
In package 1pc
In box 20pcs
Casing colour black
Casing material steel




L-shaped corner for 48V power track.

Power track POWERGEAR L PROFILE CONNECTOR FLAT LEFT PRO-N135FL-B black 48V

Product code 17548

Brand [POWERGEAR](#)
Supply voltage 48V
Height 71.0mm
Length 71.0mm
In package 1pc
In box 12pcs
Casing colour black
Work environment indoor use




Busbar corner connector for finishing.
Use together with Powergear L-shaped connector.

Power track POWERGEAR L PROFILE CONNECTOR FLAT LEFT PRO-N135FL-W white 48V

Product code 17547

Brand [POWERGEAR](#)
Supply voltage 48V
Height 71.0mm
Length 71.0mm
In package 1pc
In box 12pcs
Casing colour white
Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-shaped connector.

Power track POWERGEAR L PROFILE CONNECTOR FLAT RIGHT PRO-N135FR-B black 48V

Product code 17544

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L PROFILE CONNECTOR FLAT RIGHT PRO-N135FR-W white 48V

Product code 17545

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT LEFT PRO-RN135FL-B black 48V

Product code 17549

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT RIGHT PRO-RN135FR-B black 48V

Product code 17550

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT RIGHT PRO-RN135FR-W white 48V

Product code 17551

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L RECESSED PROFILE CONNECTOR LEFT RIGHT PRO-RN135FL-W white 48V

Product code 17552

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.
Use together with Powergear L-
shaped connector.

Power track POWERGEAR L-shaped connector PRO-N135-B black 48V

Product code 17542

Brand [POWERGEAR](#)

Supply voltage 48V

Height 114.0mm

Width 16.0mm

Length 114.0mm

In package 1pc

Casing colour black

Work environment indoor use



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR L-shaped connector PRO-N135-W white 48V

Product code 17543

Brand [POWERGEAR](#)

Supply voltage 48V

Height 114.0mm

Width 16.0mm

Length 114.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

Power track POWERGEAR Live end connector Left PRO-N131L-B black 48V

Product code 16429

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour black

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

Power track POWERGEAR Live end connector Left PRO-N131L-W white 48V

Product code 17546

Brand [POWERGEAR](#)

Supply voltage 48V

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour white

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

Power track POWERGEAR Live end connector Right PRO-N131R-B black 48V

Product code 16428

Brand [POWERGEAR](#)
 Supply voltage 48V
 Height 17.0mm
 Width 16.0mm
 Length 97.0mm
 Weight 20g
 In package 1pc
 In box 10pcs
 Casing colour black
 Casing material plastic
 Work environment indoor use
 Certificates CE




48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

Power track POWERGEAR PRO-N130-W-PT 3m white 48V

Product code 17526

Brand [POWERGEAR](#)
 Supply voltage 48V
 Height 21.9mm
 Width 26.2mm
 Length 3000.0mm
 In package 1pc
 In box 9pcs
 Casing colour white



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Power supply POWERGEAR PRO-PS200W-B black 48V 200W

Product code 17561

Brand [POWERGEAR](#)
Supply voltage 48V
Output 200W
Maximum output 200W/1m
In package 1pc
In box 1pc
Casing colour black
Certificates CE



Power supply POWERGEAR PRO-PS200W-W white 48V 200W


Product code 17560

Brand [POWERGEAR](#)
Supply voltage 48V
Output 200W
Maximum output 200W/1m
In package 1pc
In box 1pc
Casing colour white
Certificates CE

Power track POWERGEAR PVC Cover PRO-CSN20-B 2m black

Product code 17594

Brand [POWERGEAR](#)
Height 6.0mm
Width 20.0mm
Length 2000.0mm
In package 1pc
In box 50pcs
Casing colour black



Cover for recessed track.

Power track POWERGEAR PVC Cover PRO-CSN20-B 2m white

Product code 18022

Brand [POWERGEAR](#)

Height 6.0mm

Width 20.0mm

Length 2000.0mm

In package 1pc

In box 50pcs

Casing colour white



Cover for recessed track.

Power track POWERGEAR Suspension set PRO-N149 black 48V

Product code 17702

Brand [POWERGEAR](#)

Supply voltage 48V

Length 1500.0mm

In package 1pc

In box 20pcs

Casing colour black

Casing material steel



Suspension set with 1.5m wire and mounting bracket for 48V track system.

End cup PRO-DN132-B black

Product code 18067

Height 47.0mm

Width 32.0mm

Casing colour black

Casing material aluminum

Polishing matt



End cup PRO-N132-B black 48V

Product code 17529

Supply voltage 48V
Height 22.0mm
Width 26.0mm
In box 30pcs
Casing colour black



End cap for 48V surface-mounted
POWERGEAR busbar.

End cup PRO-N132-W white 48V

Product code 17530

Supply voltage 48V
Height 22.0mm
Width 26.0mm
Casing colour white



End cap for 48V surface-mounted
POWERGEAR busbar.

End cup PRO-RN132-B black 48V

Product code 17532

Supply voltage 48V
Height 47.0mm
Width 34.0mm
Casing colour black



End cap for 48V recessed
POWERGEAR busbar.

End cup PRO-RN132-W white 48V

Product code 17531

Supply voltage 48V
Height 47.0mm
Width 34.0mm
Casing colour white

End cap for 48V recessed
POWERGEAR busbar.




End cup PRO-RX432-B black 48V

Product code 17654

Supply voltage 48V
Width 20.0mm
Length 56.0mm
In package 1pc
In box 24pcs
Casing colour black

End cap for 48V recessed
POWERGEAR busbar.



LED track light PROLUMEN Amigo black 48V 20W 1620lm 60° IP20 DALI 930

Product code 17445 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 48V

Power factor 0.90

Dimmable DALI

Output 20W

Maximum output 20W/1m

Luminous flux 1620lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature warm white 3000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 47.0mm

Diameter 90.0mm

In package 1pc

In box 18pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 - +40°C

Certificates CE

Warranty 5 years



LED track light with a matte black design! This IP20 rated light is an ideal choice for both home and office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The light features a DALI dimming function, allowing you to conveniently adjust the light intensity with a remote control. The Amigo light is available with the following options: Beam angle: 20°/36°/60° Color temperature: 2700/3000/3500/4000K or adjustable lighting from 2700-6500K. Additionally, a honeycomb filter and gold/black/white ring can be added to the product. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles black 48V 10W 650lm 36° IP20 DALI 930

Product code 17729 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 650lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 105.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles black 48V 4W 300lm 36° IP20 DALI 930

Product code 17970 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 4W
 Maximum output 4W/1m
 Luminous flux 300lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light SANAN LED
 Cri 97
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 50.0mm
 Diameter 30.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles black 48V 6W 420lm CRI90 36° IP20 RF 2700K-6000K warm + cold white

Product code 17476 RF dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable RF
Output 6W
Maximum output 6W/1m
Luminous flux 420lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm + cold white 2700K-6000K
Lens angle 36
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 70.0mm
Diameter 40.0mm
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles black 48V 6W 450lm 36° IP20 DALI 927

Product code 17573 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 6W
 Maximum output 6W/1m
 Luminous flux 450lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 2700K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 70.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles black 48V 6W 450lm 36° IP20 DALI 930

Product code 17444 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 6W
 Maximum output 6W/1m
 Luminous flux 450lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light [BRIDGELUX LED](#)
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 600.0mm
 Diameter 52.0mm
 In package 1pc
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 - +40°C
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles RF black 48V 4W 300lm 36° IP20 RF 930

Product code 17309 RF dimmable

Brand [PROLUMEN](#)

Supply voltage 48V

Power factor 0.90

Dimmable RF

Output 4W

Maximum output 4W/1m

Luminous flux 300lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature warm white 3000K

Lens angle 36

Source of light SANAN LED

Cri 97

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 50.0mm

Diameter 30.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF
Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles RF black 48V 6W 420lm CRI90 36° IP20 RF 2700K-6000K warm + cold white

Product code 17310 RF dimmable

Brand [PROLUMEN](#)

Supply voltage 48V

Power factor 0.90

Dimmable RF

Output 6W

Maximum output 6W/1m

Luminous flux 420lumens

Luminaire's efficiency lm79 70W

Correlated colour temperature warm + cold white 2700K-6000K

Lens angle 36

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 70.0mm

Diameter 40.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles white 48V 10W 650lm 36° IP20 DALI 930

Product code 19374 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 650lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 105.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour white
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Arles white 48V 10W 660lm 36° IP20 930

Product code 17938

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Output 10W
 Maximum output 10W/1m
 Luminous flux 660lumens
 Luminaire's efficiency lm79 66W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 105.0mm
 Diameter 40.0mm
 In package 1pc
 In box 30pcs
 Casing colour white
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 +40°C
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Broad 48V white 48V 20W 2100lm 36° IP20 DALI 930

Product code 17540 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 2100lumens
Luminaire's efficiency lm79 105W
Correlated colour temperature warm
white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 83.0mm
Diameter 90.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Broad track light is available with the following options:
Power: 15W, 20W Dimming: TRIAC, DALI, RF Beam angle: 20°/36°/60°
Color temperature:
2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).
Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Power track PROLUMEN CT13 - 1M black 48V

Product code 18278

Brand [PROLUMEN](#)
Supply voltage 48V
Height 19.0mm
Width 135.0mm
Length 1000.0mm
Casing colour black

High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED track light PROLUMEN Istres black 48V 10W 400lm 30° IP20 DALI 930

Product code 17315 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 48V

Dimmable DALI

Output 10W

Maximum output 10W/1m

Luminous flux 400lumens

Luminaire's efficiency lm79 40W

Correlated colour temperature warm white 3000K

Lens angle 30

Source of light OSRAM LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 25.5mm

Width 22.0mm

Length 231.0mm

In package 1pc

In box 54pcs

Casing colour black

Casing material aluminum

Polishing matt

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Istres black 48V 20W 900lm 30° IP20 DALI 930

Product code 17728 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 45W
Correlated colour temperature warm
white 3000K
Lens angle 30
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 458.0mm
In package 1pc
In box 54pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Magnetic 48V 20-06 black 48V 6W 660lm 24° IP20 930

Product code 16259

Brand [PROLUMEN](#)
 Supply voltage 48V
 Output 6W
 Maximum output 6W/1m
 Luminous flux 660lumens
 Luminaire's efficiency lm79 110W
 Correlated colour temperature warm
 white 3000K
 Lens angle 24
 Cri 90
 Protection class IP20
 Height 105.0mm
 Width 22.0mm
 Length 135.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 3 years



48V track light with magnetic
 mounting.

LED track light PROLUMEN Magnetic 48V 20/06 black 48V 6W 660lm 15-38° IP20 930

Product code 16261

Brand [PROLUMEN](#)
 Supply voltage 48V
 Output 6W
 Maximum output 6W/1m
 Luminous flux 660lumens
 Luminaire's efficiency lm79 110W
 Correlated colour temperature warm
 white 3000K
 Lens angle 15-38
 Cri 90
 Protection class IP20
 Length 100.0mm
 Diameter 50.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 3 years



48V track light with magnetic
 mounting.

LED track light PROLUMEN Magnetic 48V 20/06 black 48V 6W 660lm 24° IP20 930

Product code 16263

Brand [PROLUMEN](#)
 Supply voltage 48V
 Output 6W
 Maximum output 6W/1m
 Luminous flux 660lumens
 Luminaire's efficiency lm79 110W
 Correlated colour temperature warm
 white 3000K
 Lens angle 24
 Cri 90
 Protection class IP20
 Height 25.0mm
 Width 22.0mm
 Length 135.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 3 years



48V track light with magnetic
 mounting.

LED track light PROLUMEN Magnetic 48V 3006 black 48V 6W 660lm 15° IP20 930

Product code 16264

Brand [PROLUMEN](#)
 Supply voltage 48V
 Output 6W
 Maximum output 6W/1m
 Luminous flux 660lumens
 Luminaire's efficiency lm79 110W
 Correlated colour temperature warm
 white 3000K
 Lens angle 15
 Cri 90
 Protection class IP20
 Length 300.0mm
 Diameter 30.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 3 years



48V track light with magnetic
 mounting.

LED track light PROLUMEN Magnetic 48V 32W/XZ black 230V 32W 3200lm 15-60° IP20 930

Product code 16265

Brand [PROLUMEN](#)

Supply voltage 230V

Output 32W

Maximum output 32W/1m

Luminous flux 3200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 15-60

Cri 90

Protection class IP20

Length 188.0mm

Diameter 80.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 3 years



LED track light PROLUMEN Magnetic 48V 600 black 48V 20W 2200lm 120° IP20 930

Product code 16262

Brand [PROLUMEN](#)

Supply voltage 48V

Output 20W

Maximum output 20W/1m

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm
white 3000K

Lens angle 120

Cri 90

Protection class IP20

Height 25.0mm

Width 22.0mm

Length 600.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 3 years



48V track light with magnetic
mounting.

LED track light PROLUMEN Magnetic 48V 9002 black 48V 10W 1100lm 24° IP20 930

Product code 16260

Brand [PROLUMEN](#)

Supply voltage 48V

Output 10W

Maximum output 10W/1m

Luminous flux 1100lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm white 3000K

Lens angle 24

Cri 90

Protection class IP20

Length 100.0mm

Diameter 40.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 3 years



48V track light with magnetic mounting.

LED track light PROLUMEN Montreuil black 48V 10W 780lm 50° IP20 DALI 927

Product code 18111 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 780lumens
 Luminaire's efficiency lm79 78W
 Correlated colour temperature warm white 2700K
 Lens angle 50
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 105.0mm
 Diameter 45.0mm
 In package 1pc
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Montreuil black 48V 10W 780lm 50° IP20 DALI 940

Product code 17312 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 780lumens
 Luminaire's efficiency lm79 78W
 Correlated colour temperature pure white 4000K
 Lens angle 50
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 105.0mm
 Diameter 45.0mm
 In package 1pc
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Montreuil white 48V 15W 1600lm 36° IP20 DALI 930

Product code 17541 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1600lumens
Luminaire's efficiency lm79 107W
Correlated colour temperature warm
white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 131.0mm
Diameter 55.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 930

Product code 17969 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 300lumens
 Luminaire's efficiency lm79 30W
 Correlated colour temperature warm white 3000K
 Lens angle 8-40
 Source of light CITIZEN LED
 Cri 90
 Ugr 10
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 114.0mm
 Diameter 45.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!

LED track light PROLUMEN Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 940

Product code 17311 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 10W
 Maximum output 10W/1m
 Luminous flux 300lumens
 Luminaire's efficiency lm79 30W
 Correlated colour temperature pure white 4000K
 Lens angle 8-40
 Source of light CITIZEN LED
 Cri 90
 Ugr 10
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 114.0mm
 Diameter 45.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!

LED track light PROLUMEN Montreuil ZOOM black 48V 12W 900lm 11-50° IP20 DALI 940

Product code 17313 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Dimmable DALI
 Output 12W
 Maximum output 12W/1m
 Luminous flux 900lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature pure white 4000K
 Lens angle 11-50
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 120.0mm
 Diameter 62.0mm
 In package 1pc
 Casing colour black
 Casing material aluminum
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Magnetic LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options:
 Dimming: DALI, RF Power: 12W, 15W
 Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Montreuil ZOOM white 48V 12W 900lm 11-50° IP20 DALI 940

Product code 17766 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Dimmable DALI
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 11-50
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 120.0mm
Diameter 62.0mm
In package 1pc
Casing colour white
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnetic LED track light with an elegant matte design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options:
Dimming: DALI, RF Power: 12W, 15W
Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Venus black 48V 12W 1000lm 32° IP20 DALI 930

Product code 17727 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Power factor 0.90
 Dimmable DALI
 Output 12W
 Maximum output 12W/1m
 Luminous flux 1000lumens
 Luminaire's efficiency lm79 83W
 Correlated colour temperature warm white 3000K
 Lens angle 32
 Source of light OSRAM LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 86.0mm
 Width 22.0mm
 Length 117.0mm
 In package 1pc
 In box 24pcs
 Casing colour black
 Casing material aluminum
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).

LED track light PROLUMEN Venus black 48V 6W 500lm 32° IP20 DALI 930

Product code 17446 DALI dimmable

Brand [PROLUMEN](#)
 Supply voltage 48V
 Dimmable DALI
 Output 6W
 Maximum output 6W/1m
 Luminous flux 500lumens
 Luminaire's efficiency lm79 83W
 Correlated colour temperature warm white 3000K
 Lens angle 32
 Source of light OSRAM LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 86.0mm
 Width 22.0mm
 Length 117.0mm
 In package 1pc
 In box 24pcs
 Casing colour black
 Casing material aluminum
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).

LED track light PROLUMEN Vernon black 48V 10W 600lm 100° IP20 DALI 930

Product code 18237 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 60W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 246.0mm
In package 1pc
In box 54pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Vernon black 48V 20W 1280lm 100° IP20 DALI 930

Product code 17314 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 1280lumens
Luminaire's efficiency lm79 64W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 490.0mm
In package 1pc
In box 54pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED module luminaire PROLUMEN Vernon black 48V 20W 1400lm 100° IP20 DALI 930

Product code 18318 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 1400lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L90B50 @25°C 50.000h
Height 25.5mm
Width 22.0mm
Length 600.0mm
Casing colour black
Casing material aluminum + plastic
Work environment indoor use
Operation temperature -20° - +40°C
Certificates CE, SAA, RoHS,
Warranty 3 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Vernon white 48V 10W 600lm 100° IP20 DALI 930

Product code 19378 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 48V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 60W
Correlated colour temperature warm white 3000K
Lens angle 100
Source of light OSRAM LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 22.0mm
Length 246.0mm
In package 1pc
In box 54pcs
Casing colour white
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years




Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Power track Spectra Lighting 1500 mm Feed Cable power terminal Profile 1/2 black 48V IP20

Product code 17132

Brand [Spectra Lighting](#)
 Supply voltage 48V
 Protection class IP20
 Height 24.0mm
 Width 24.0mm
 Length 75.0mm
 Weight 60g
 Casing colour black
 Casing material plastic
 Warranty 3 years




Insight profile end feed with cable

Power track Spectra Lighting corner Insight Profile 1 black 48V IP20

Product code 16835


Brand [Spectra Lighting](#)
 Supply voltage 48V
 Protection class IP20
 Height 54.0mm
 Width 76.0mm
 Casing colour black
 Casing material aluminum
 Warranty 3 years



Power track Spectra Lighting cover 2m Insight black IP20

Product code 16833

Brand [Spectra Lighting](#)
 Protection class IP20
 Length 2000.0mm
 Weight 160g
 Casing colour black
 Casing material plastic
 Warranty 3 years



Power track Spectra Lighting Endcap Profile 1/2 black IP20

Product code 16702


Brand [Spectra Lighting](#)
Protection class IP20
Casing colour black
Casing material plastic
Warranty 3 years



Power track Spectra Lighting Feed Connector Flexible electrical connector with cable black 48V IP20

Product code 16834


Brand [Spectra Lighting](#)
Supply voltage 48V
Protection class IP20
Height 24.0mm
Width 24.0mm
Length 75.0mm
Casing colour black
Casing material plastic
Warranty 3 years



Power track Spectra Lighting Feed Linear electrical connector Profile 1/2 black 48V IP20

Product code 16704

Brand [Spectra Lighting](#)
Supply voltage 48V
Protection class IP20
Height 24.0mm
Width 24.0mm
Length 75.0mm
Casing colour black
Casing material metal
Warranty 3 years



LED track light Spectra Lighting Insight PLX black 48V 12W 850lm 112° IP20 DALI 830

Product code 17134 DALI dimmable

Brand [Spectra Lighting](#)
 Supply voltage 48V
 Dimmable DALI
 Output 12W
 Maximum output 12W/1m
 Luminous flux 850lumens
 Luminaire's efficiency lm79 71W
 Correlated colour temperature warm white 3000K
 Lens angle 112
 Cri 80
 Protection class IP20
 Lmf tm21 L70B50 @25°C 60.000h
 Height 48.0mm
 Width 24.0mm
 Length 407.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 3 years




Linear 48V linear light. Available in various power levels (8W, 12W, 22W, 38W), lengths (205mm, 407mm, 800mm, and 1200mm), and color temperatures (3000K, 4000K). There is also an option to choose a model equipped with dimming technology so that the user can adjust the light intensity according to their needs.

Power track Spectra Lighting Insight Profile 1 2m black 48V IP20

Product code 16701


Brand [Spectra Lighting](#)
 Supply voltage 48V
 Protection class IP20
 Height 54.0mm
 Width 30.0mm
 Length 2000.0mm
 Casing colour black
 Casing material aluminum
 Warranty 3 years



Power track Spectra Lighting Insight Profile 1 3m black 48V IP20

Product code 16706


Brand [Spectra Lighting](#)
Supply voltage 48V
Protection class IP20
Height 54.0mm
Width 30.0mm
Length 3000.0mm
Casing colour black
Casing material aluminum
Warranty 3 years



LED track light Spectra Lighting Insight SPOT black 48V 9W 550lm 37° IP20 830

Product code 16667

Brand [Spectra Lighting](#)
Supply voltage 48V
Output 9W
Maximum output 9W/1m
Luminous flux 550lumens
Luminaire's efficiency lm79 61W
Correlated colour temperature warm white 3000K
Lens angle 37
Cri 80
Protection class IP20
Llmf tm21 L70B50 @25°C 60.000h
Height 60.0mm
Diameter 30.0mm
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 3 years




48V track-mounted spotlight with adjustable light direction. Available in various power levels (4W, 9W, 15W, 21W) and color temperatures (3000K, 4000K).

Power track Spectra Lighting mechanical connector Profile 1/2 black IP20

Product code 16703

Brand [Spectra Lighting](#)
Protection class IP20
Casing colour black
Casing material metal
Warranty 3 years



Power supply Tridonic LCU 230V 150W IP20

Product code 16748

Brand [Tridonic](#)
Supply voltage 230V
Output voltage 48V
Output 150W
Maximum output 150W/1m
Rated current 3125mA
Protection class IP20
Height 31.0mm
Width 100.0mm
Length 235.0mm
Weight 369g
Casing material plastic
Warranty 3 years



Power supply Tridonic LCU 230V 75W IP20

Product code 16749

Brand [Tridonic](#)
Supply voltage 230V
Output voltage 48V
Output 75W
Maximum output 75W/1m
Rated current 1560mA
Protection class IP20
Height 31.0mm
Width 100.0mm
Length 235.0mm
Weight 369g
Casing material plastic
Warranty 3 years

