

## Mounting clip Ceiling mount EZ click with rod 1m white

**Product code 17557**

---

Length 1000.0mm  
Casing colour white  
Casing material metal



## Mounting clip Mounting clamp white

**Product code 17558**

---

Length 1000.0mm  
Casing colour white  
Casing material metal

## Mounting clip N-mount with 1m suspension cable PRO-N147-B black

**Product code 18023**

---

Length 1000.0mm  
Casing colour black  
Casing material metal



## Power track POWERGEAR 2m Track PRO-N120-B black 48V

**Product code 17362**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Length 2000.0mm  
In package 1pc  
In box 4pcs  
Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR 2m Track PRO-N120-W white 48V

**Product code 17525**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Height 21.9mm  
Width 26.2mm  
Length 2000.0mm  
In package 1pc  
In box 9pcs  
Casing colour white




High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR 2m Track PRO-RN120-B black 48V

**Product code 17533**

Brand [POWERGEAR](#)  
 Supply voltage 48V  
 Length 3000.0mm  
 In package 1pc  
 In box 6pcs  
 Casing colour black




High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR 2m Track PRO-RN120-W white 48V

**Product code 17528**

Brand [POWERGEAR](#)  
 Supply voltage 48V  
 Height 46.9mm  
 Width 23.2mm  
 Length 2000.0mm  
 In package 1pc  
 In box 8pcs  
 Casing colour white



High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR 3m Track PRO-N130-B black 48V

**Product code 16266**

Brand [POWERGEAR](#)

Supply voltage 48V

Length 3000.0mm

In package 1pc

In box 4pcs

Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR 3m Track PRO-RN130-B black 48V

**Product code 16267**

Brand [POWERGEAR](#)


Supply voltage 48V

Length 3000.0mm

In package 1pc

In box 6pcs

Casing colour black




High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR 3m Track PRO-RN130-W white 48V

**Product code 17527**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Height 46.9mm  
Width 23.2mm  
Length 3000.0mm  
In package 1pc  
In box 6pcs  
Casing colour white

High-quality 48V recessed power track for track light installation. The magnetic mounting mechanism allows for quick and safe installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



## Mounting clip POWERGEAR Clamp black 48V

**Product code 17559**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Casing colour black  
Casing material metal



## Power track POWERGEAR Connector I PRO-N133-B black 48V

**Product code 17538**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Height 16.0mm  
Width 16.0mm  
Length 144.0mm  
In package 1pc  
In box 15pcs  
Casing colour black  
Work environment indoor use  
Certificates CE



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

## Power track POWERGEAR Connector I PRO-N133-W white 48V

**Product code 17536**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Height 16.0mm  
Width 16.0mm  
Length 144.0mm  
In package 1pc  
In box 15pcs  
Casing colour white  
Work environment indoor use  
Certificates CE



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

## Power track POWERGEAR Connector Right PRO-N131R-W white 48V

**Product code 17537**

Brand [POWERGEAR](#)  
 Supply voltage 48V  
 Height 17.0mm  
 Width 16.0mm  
 Length 97.0mm  
 Weight 20g  
 In package 1pc  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 Work environment indoor use  
 Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars.  
 Continuous busbar length up to 30 meters.

## Power track POWERGEAR deep 2m PRO-DN120-B-PT black 48V

**Product code 18082**

Brand [POWERGEAR](#)  
 Supply voltage 48V  
 Height 47.2mm  
 Width 26.2mm  
 Length 2000.0mm  
 In package 1pc  
 In box 6pcs  
 Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR deep 3m PRO-DN130-B-PT black 48V

**Product code 18108**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 47.2mm

Width 26.2mm

Length 2000.0mm

In package 1pc

In box 6pcs

Casing colour black



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Power track POWERGEAR FLEXIBLE CONNECTOR PRO-N139-B black 48V

**Product code 17375**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Length 97.0mm

In package 1pc

In box 20pcs

Casing colour black



Busbar adapter, flexible. Extendable busbar length up to 30 meters.



## Power track POWERGEAR FLEXIBLE CONNECTOR PRO-N139-W white 48V

**Product code 17539**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Width 17.0mm

Length 97.0mm

In package 1pc

In box 20pcs

Casing colour white



Busbar adapter, flexible. Extendable busbar length up to 30 meters.

## Power track POWERGEAR L connector PRO-N135S black 48V

**Product code 17648**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 107.0mm

Length 107.0mm


Weight 138g

In package 1pc

In box 96pcs

Casing colour black

Casing material metal + plastic



L-shaped corner for 48V power track.

## Power track POWERGEAR L connector PRO-RN135S black 48V

**Product code 15482**

Brand [POWERGEAR](#)

Supply voltage 48V


Length 113.0mm

In package 1pc

In box 20pcs

Casing colour black

Casing material steel



L-shaped corner for 48V power track.

## Power track POWERGEAR L PROFILE CONNECTOR FLAT LEFT PRO-N135FL-B black 48V

**Product code 17548**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L PROFILE CONNECTOR FLAT LEFT PRO-N135FL-W white 48V

**Product code 17547**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L PROFILE CONNECTOR FLAT RIGHT PRO-N135FR-B black 48V

**Product code 17544**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L PROFILE CONNECTOR FLAT RIGHT PRO-N135FR-W white 48V

**Product code 17545**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 71.0mm


Length 71.0mm

In package 1pc

In box 12pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT LEFT PRO-RN135FL-B black 48V

**Product code 17549**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT RIGHT PRO-RN135FR-B black 48V

**Product code 17550**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour black

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L RECESSED PROFILE CONNECTOR FLAT RIGHT PRO-RN135FR-W white 48V

**Product code 17551**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L RECESSED PROFILE CONNECTOR LEFT RIGHT PRO-RN135FL-W white 48V

**Product code 17552**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 95.0mm


Length 95.0mm

In package 1pc

In box 20pcs

Casing colour white

Work environment indoor use



Busbar corner connector for finishing.  
Use together with Powergear L-  
shaped connector.

## Power track POWERGEAR L-shaped connector PRO-N135-B black 48V

**Product code 17542**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Height 114.0mm  
Width 16.0mm  
Length 114.0mm  
In package 1pc  
Casing colour black  
Work environment indoor use



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

## Power track POWERGEAR L-shaped connector PRO-N135-W white 48V

**Product code 17543**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Height 114.0mm  
Width 16.0mm  
Length 114.0mm  
In package 1pc  
In box 20pcs  
Casing colour white  
Work environment indoor use



48V busbar connector. Compatible with magnetic POWERGEAR busbars. Extendable busbar length up to 30 meters.

## Power track POWERGEAR Live end connector Left PRO-N131L-B black 48V

**Product code 16429**

Brand [POWERGEAR](#)

Supply voltage 48V

Height 17.0mm

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour black

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

## Power track POWERGEAR Live end connector Left PRO-N131L-W white 48V

**Product code 17546**

Brand [POWERGEAR](#)

Supply voltage 48V

Width 16.0mm

Length 97.0mm

Weight 20g

In package 1pc

In box 10pcs

Casing colour white

Casing material plastic

Work environment indoor use

Certificates CE



48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

## Power track POWERGEAR Live end connector Right PRO-N131R-B black 48V

**Product code 16428**

Brand [POWERGEAR](#)  
 Supply voltage 48V  
 Height 17.0mm  
 Width 16.0mm  
 Length 97.0mm  
 Weight 20g  
 In package 1pc  
 In box 10pcs  
 Casing colour black  
 Casing material plastic  
 Work environment indoor use  
 Certificates CE




48V busbar end feed. Compatible with magnetic POWERGEAR busbars. Continuous busbar length up to 30 meters.

## Power track POWERGEAR PRO-N130-W-PT white 48V

**Product code 17526**

Brand [POWERGEAR](#)  
 Supply voltage 48V  
 Height 21.9mm  
 Width 26.2mm  
 Length 3000.0mm  
 In package 1pc  
 In box 9pcs  
 Casing colour white



High-quality 48V power track for track light installation. The magnetic mounting mechanism allows for quick and secure installation of the power track, avoiding complex wire connections. This ensures a safe power source, making it an ideal choice for both residential and commercial spaces where quality and reliable lighting are important. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



## Power supply POWERGEAR PRO-PS200W-B black 48V 200W

**Product code 17561**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Output 200W  
Maximum output 200W/1m  
In package 1pc  
In box 1pc  
Casing colour black  
Certificates CE



## Power supply POWERGEAR PRO-PS200W-W white 48V 200W


**Product code 17560**

Brand [POWERGEAR](#)  
Supply voltage 48V  
Output 200W  
Maximum output 200W/1m  
In package 1pc  
In box 1pc  
Casing colour white  
Certificates CE

## Power track POWERGEAR PVC Cover PRO-CSN20-B 2m black

**Product code 17594**

Brand [POWERGEAR](#)  
Height 6.0mm  
Width 20.0mm  
Length 2000.0mm  
In package 1pc  
In box 50pcs  
Casing colour black



Cover for recessed track.

## Power track POWERGEAR PVC Cover PRO-CSN20-B 2m white

**Product code 18022**

Brand [POWERGEAR](#)

Height 6.0mm

Width 20.0mm

Length 2000.0mm

In package 1pc

In box 50pcs

Casing colour white



Cover for recessed track.

## Power track POWERGEAR Suspension set PRO-N149 black 48V

**Product code 17702**

Brand [POWERGEAR](#)

Supply voltage 48V

Length 1500.0mm

In package 1pc

In box 20pcs

Casing colour black

Casing material steel



Suspension set with 1.5m wire and mounting bracket for 48V track system.

## End cup PRO-N132-B black 48V

**Product code 17529**

Supply voltage 48V

Height 22.0mm

Width 26.0mm

In box 30pcs

Casing colour black



End cap for 48V surface-mounted POWERGEAR busbar.

## End cup PRO-N132-W white 48V

### Product code 17530

---

Supply voltage 48V  
Height 22.0mm  
Width 26.0mm  
Casing colour white

End cap for 48V surface-mounted  
POWERGEAR busbar.



## End cup PRO-RN132-B black 48V

### Product code 17532

---

Supply voltage 48V  
Height 47.0mm  
Width 34.0mm  
Casing colour black

End cap for 48V recessed  
POWERGEAR busbar.



## End cup PRO-RN132-W white 48V

### Product code 17531

---

Supply voltage 48V  
Height 47.0mm  
Width 34.0mm  
Casing colour white


End cap for 48V recessed  
POWERGEAR busbar.



## End cup PRO-RX432-B black 48V

### Product code 17654

Supply voltage 48V  
Width 20.0mm  
Length 56.0mm  
In package 1pc  
In box 24pcs  
Casing colour black



End cap for 48V recessed  
POWERGEAR busbar.

## LED track light PROLUMEN Amigo black 48V 20W 1620lm 60° IP20 DALI 930

**Product code 17445 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 48V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 1620lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature warm white 3000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 47.0mm

Diameter 90.0mm

In package 1pc

In box 18pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 - +40°C

Certificates CE

Warranty 5 years



LED track light with a matte black design! This IP20 rated light is an ideal choice for both home and office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The light features a DALI dimming function, allowing you to conveniently adjust the light intensity with a remote control. The Amigo light is available with the following options: Beam angle: 20°/36°/60° Color temperature: 2700/3000/3500/4000K or adjustable lighting from 2700-6500K. Additionally, a honeycomb filter and gold/black/white ring can be added to the product. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

# LED track light PROLUMEN Arles black 48V 10W 650lm 36° IP20 DALI 930

**Product code 17729 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable DALI  
 Output 10W  
 Luminous flux 650lumens  
 Luminaire's efficiency lm79 65W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 105.0mm  
 Diameter 40.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 +40°C  
 Certificates CE  
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF  
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

# LED track light PROLUMEN Arles black 48V 4W 300lm 36° IP20 DALI 930

**Product code 17970 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable DALI  
 Output 4W  
 Luminous flux 300lumens  
 Luminaire's efficiency lm79 75W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light SANAN LED  
 Cri 97  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 50.0mm  
 Diameter 30.0mm  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

# LED track light PROLUMEN Arles black 48V 6W 420lm CRI90 36° IP20 RF 2700K + 6000K warm + cold white

**Product code 17476 RF dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable RF  
 Output 6W  
 Luminous flux 420lumens  
 Luminaire's efficiency lm79 70W  
 Correlated colour temperature warm + cold white 2700K + 6000K  
 Lens angle 36  
 Source of light SANAN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 70.0mm  
 Diameter 40.0mm  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF  
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



# LED track light PROLUMEN Arles black 48V 6W 450lm 36° IP20 DALI 927

**Product code 17573 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Power factor 0.90  
Dimmable DALI  
Output 6W  
Luminous flux 450lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 2700K  
Lens angle 36  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 70.0mm  
Diameter 40.0mm  
In package 1pc  
In box 30pcs  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Operation temperature -20 +40°C  
Certificates CE  
Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF  
Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

# LED track light PROLUMEN Arles black 48V 6W 450lm 36° IP20 DALI 930

**Product code 17444 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable DALI  
 Output 6W  
 Luminous flux 450lumens  
 Luminaire's efficiency lm79 75W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light [BRIDGELUX LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 600.0mm  
 Diameter 52.0mm  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 - +40°C  
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Arles RF black 48V 4W 300lm 36° IP20 RF 930

**Product code 17309 RF dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable RF  
 Output 4W  
 Luminous flux 300lumens  
 Luminaire's efficiency lm79 75W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light SANAN LED  
 Cri 97  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 50.0mm  
 Diameter 30.0mm  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF  
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Arles RF black 48V 6W 420lm CRI90 36° IP20 RF 2700K + 6000K warm + cold white

**Product code 17310 RF dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable RF  
 Output 6W  
 Luminous flux 420lumens  
 Luminaire's efficiency lm79 70W  
 Correlated colour temperature warm + cold white 2700K + 6000K  
 Lens angle 36  
 Source of light SANAN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 70.0mm  
 Diameter 40.0mm  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF  
 Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

# LED track light PROLUMEN Arles white 48V 10W 660lm 36° IP20 930

## Product code 17938

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Output 10W  
 Luminous flux 660lumens  
 Luminaire's efficiency lm79 66W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 105.0mm  
 Diameter 40.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour white  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 +40°C  
 Certificates CE  
 Warranty 5 years



LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its CRI90, the LED light can display colors naturally, contributing to the overall atmosphere and feel of the room. The 48V Arles model is available with the following options: Dimming: DALI, RF Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. Pairing the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control three times briefly. If the light blinks, it means the pairing was successful. Deleting the RF Remote: Switch off the power, then switch on the power again, repeat this process. Then, immediately press the zone button on the remote control five times briefly. If the light blinks, it means all pairings with the remote controls have been deleted. Proper use makes this luminaire energy-efficient, environmentally friendly, and with a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Broad 48V white 48V 20W 2100lm 36° IP20 DALI 930

**Product code 17540 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 20W  
Luminous flux 2100lumens  
Luminaire's efficiency lm79 105W  
Correlated colour temperature warm  
white 3000K  
Lens angle 36  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 83.0mm  
Diameter 90.0mm  
In package 1pc  
In box 18pcs  
Casing colour white  
Casing material aluminum  
Work environment indoor use  
Certificates CE  
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Broad track light is available with the following options:  
Power: 15W, 20W Dimming: TRIAC, DALI, RF Beam angle: 20°/36°/60°  
Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).  
Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Istres black 48V 10W 500lm 30° IP20 DALI 930

**Product code 17315 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 10W  
Luminous flux 500lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Lens angle 30  
Source of light OSRAM LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 25.5mm  
Width 22.0mm  
Length 231.0mm  
In package 1pc  
In box 54pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE  
Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Istres black 48V 20W 1000lm 30° IP20 DALI 930

**Product code 17728 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 20W  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Lens angle 30  
Source of light OSRAM LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 25.5mm  
Width 22.0mm  
Length 458.0mm  
In package 1pc  
In box 54pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE  
Warranty 5 years



LED track light with a magnetic base and an elegant matte black design! This luminaire, rated IP20, is an ideal choice for home or office environments. With a CRI90 rating, the LED light is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. This 48V track light is available with the following options: Power: 10W, 20W, 25W Dimming: DALI, RF Color temperature: 2700/3000/4000K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## LED track light PROLUMEN Montreuil black 48V 10W 780lm 50° IP20 DALI 927

**Product code 18111 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable DALI  
 Output 10W  
 Luminous flux 780lumens  
 Luminaire's efficiency lm79 78W  
 Correlated colour temperature warm white 2700K  
 Lens angle 50  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 105.0mm  
 Diameter 45.0mm  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Montreuil black 48V 10W 780lm 50° IP20 DALI 940

**Product code 17312 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 10W  
Luminous flux 780lumens  
Luminaire's efficiency lm79 78W  
Correlated colour temperature pure white 4000K  
Lens angle 50  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 105.0mm  
Diameter 45.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Certificates CE  
Warranty 5 years



LED track light with an elegant matte black design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. Thanks to its high color rendering index, this luminaire is perfect for color-critical environments such as photography, film production, design, and other visual creative fields. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Montreuil white 48V 15W 1600lm 36° IP20 DALI 930

**Product code 17541 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 15W  
Luminous flux 1600lumens  
Luminaire's efficiency lm79 107W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 131.0mm  
Diameter 55.0mm  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminum  
Work environment indoor use  
Certificates CE  
Warranty 5 years



LED track light with an elegant matte white design! This luminaire, with an IP20 protection class, is an ideal choice for home or office environments. The Montreuil track light is available with the following options: Power: 6W, 10W Dimming: DALI, TRIAC, 1-10V Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000K Additionally, honeycomb filters and various light-distorting lenses can be ordered. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 930

**Product code 17969 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable DALI  
 Output 10W  
 Luminous flux 300lumens  
 Luminaire's efficiency lm79 30W  
 Correlated colour temperature warm white 3000K  
 Lens angle 8-40  
 Source of light CITIZEN LED  
 Cri 90  
 Ugr 10  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 114.0mm  
 Diameter 45.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!



# LED track light PROLUMEN Montreuil Zoom black 48V 10W 300lm 8-40° IP20 DALI 940

**Product code 17311 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 48V  
 Power factor 0.90  
 Dimmable DALI  
 Output 10W  
 Luminous flux 300lumens  
 Luminaire's efficiency lm79 30W  
 Correlated colour temperature pure white 4000K  
 Lens angle 8-40  
 Source of light CITIZEN LED  
 Cri 90  
 Ugr 10  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 114.0mm  
 Diameter 45.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!

## LED track light PROLUMEN Montreuil ZOOM black 48V 12W 900lm 11-50° IP20 DALI 940

**Product code 17313 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature pure white 4000K  
Lens angle 11-50  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 120.0mm  
Diameter 62.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE  
Warranty 5 years



Magnetic LED track light with an elegant matte black design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options: Dimming: DALI, RF Power: 12W, 15W Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Montreuil ZOOM white 48V 12W 900lm 11-50° IP20 DALI 940

**Product code 17766 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature pure white 4000K  
Lens angle 11-50  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 120.0mm  
Diameter 62.0mm  
In package 1pc  
Casing colour white  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE  
Warranty 5 years



Magnetic LED track light with an elegant matte design! This IP20-rated light is an ideal choice for home or office environments. Thanks to its high color rendering index, this light is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. The Montreuil track light is available with the following options:  
Dimming: DALI, RF Power: 12W, 15W  
Zoom: 11-50°, 15-50°, 23-50° Color temperature: 2700/3000/3500/4000K or adjustable 2700-6500K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Venus black 48V 12W 1000lm 32° IP20 DALI 930

**Product code 17727 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Power factor 0.90  
Dimmable DALI  
Output 12W  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 83W  
Correlated colour temperature warm  
white 3000K  
Lens angle 32  
Source of light OSRAM LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 86.0mm  
Width 22.0mm  
Length 117.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE  
Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).



## LED track light PROLUMEN Venus black 48V 6W 500lm 32° IP20 DALI 930

**Product code 17446 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Dimmable DALI  
Output 6W  
Luminous flux 500lumens  
Luminaire's efficiency lm79 83W  
Correlated colour temperature warm white 3000K  
Lens angle 32  
Source of light OSRAM LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 86.0mm  
Width 22.0mm  
Length 117.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE  
Warranty 5 years



Compact and adjustable linear light. This luminaire with IP20 protection rating is an ideal choice for home or office environments. Thanks to CRI90, the LED luminaire is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. The Venus track light is available with the following options: Dimming: DALI, RF Power: 6W, 12W Beam angle: 20°/32°/50° Color temperature: 2700/3000/4000K Width: 117mm, 231mm. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours).

## LED track light PROLUMEN Vernon black 48V 20W 1260lm 100° IP20 DALI 930

**Product code 17314 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 48V  
Power factor 0.90  
Dimmable DALI  
Output 20W  
Luminous flux 1260lumens  
Luminaire's efficiency lm79 63W  
Correlated colour temperature warm white 3000K  
Lens angle 100  
Source of light OSRAM LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 25.5mm  
Width 22.0mm  
Length 600.0mm  
In package 1pc  
In box 54pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE  
Warranty 5 years



Magnet-based LED track light with an elegant matte black design! This IP20-rated luminaire is an ideal choice for home or office environments. With a CRI90 rating, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. Integrated DALI Dim technology allows the luminaire brightness to be adjusted as needed. The light temperature ranges from warm white to cool white (2700K to 5700K). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light Spectra Lighting Insight PLX black 48V 12W 850lm 112° IP20 DALI 830

**Product code 17134 DALI dimmable**

Brand [Spectra Lighting](#)

Supply voltage 48V

Dimmable DALI

Output 12W

Luminous flux 850lumens

Luminaire's efficiency lm79 71W

Correlated colour temperature warm white 3000K

Lens angle 112

Cri 80

Protection class IP20

Lmf tm21 L70B50 @25°C 60.000h

Height 48.0mm

Width 24.0mm

Length 407.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 3 years



Linear 48V linear light. Available in various power levels (8W, 12W, 22W, 38W), lengths (205mm, 407mm, 800mm, and 1200mm), and color temperatures (3000K, 4000K). There is also an option to choose a model equipped with dimming technology so that the user can adjust the light intensity according to their needs.

## **LED track light Spectra Lighting Insight SPOT black 48V 9W 550lm 37° IP20 830**

**Product code 16667**

Brand [Spectra Lighting](#)

Supply voltage 48V

Output 9W

Luminous flux 550lumens

Luminaire's efficiency lm79 61W

Correlated colour temperature warm  
white 3000K

Lens angle 37

Cri 80

Protection class IP20

Llmf tm21 L70B50 @25°C 60.000h

Height 60.0mm

Diameter 30.0mm


Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 3 years



48V track-mounted spotlight with adjustable light direction. Available in various power levels (4W, 9W, 15W, 21W) and color temperatures (3000K, 4000K).