


Power track Corner T white 230V IP20

Product code 13661

Supply voltage 230V
Protection class IP20
Casing colour white
Warranty 5 years



Controller Linear Rail 30X 3F

Product code 13657

Height 40.0mm
Width 68.0mm
Length 2832.0mm

5 Wires, (L1, L2, L3, N, PE)



Cover Linear Rail S 1200 white

Product code 13659

Length 1500.0mm
Casing colour white

Cover plate for empty module of
linear light.



Cover Linear Rail S 1500 white

Product code 16037

Length 1500.0mm
Casing colour white
Warranty 5 years

Cover plate for empty module of linear light.



End cup Linear Rail S white

Product code 13658

Casing colour white



Trunking rail Linear S 1500 white

Product code 13860

Length 1500.0mm
Casing colour white
Warranty 5 years


Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Power track PROLUMEN Corner L white 230V IP20

Product code 16137


Brand [PROLUMEN](#)
Supply voltage 230V
Protection class IP20
Casing colour white
Warranty 5 years



Power track PROLUMEN Corner L white 230V IP20

Product code 13663

Brand [PROLUMEN](#)
Supply voltage 230V
Protection class IP20
Casing colour white
Warranty 5 years



Power cable PROLUMEN Feed-in connector 5 wires

Product code 16105

Brand [PROLUMEN](#)



Power cable PROLUMEN Feed-in connector 8 wires

Product code 16913

Brand [PROLUMEN](#)



**LED luminaire PROLUMEN Linear C 1500+ Emergency white
230V 50W 7400lm 90° IP20 DALI 840**

Product code 17666 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 50W

Luminous flux 7400lumens

Luminaire's efficiency lm79 148W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Ugr 19

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Width 60.0mm

Length 1500.0mm

Casing colour white

Casing material metal

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Suspension cord PROLUMEN Linear Rail S 1,5m

Product code 13660

Brand [PROLUMEN](#)



Power track PROLUMEN Linear Rail S 1500 white

Product code 16911

Brand [PROLUMEN](#)
 Length 1500.0mm
 Casing colour white
 Warranty 5 years

Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)




Power track PROLUMEN Linear Rail S 1500 white

Product code 16912

Brand [PROLUMEN](#)
 Length 1500.0mm
 Casing colour white
 Warranty 5 years

Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Suspension cord PROLUMEN Linear Rail S 5m

Product code 16914

Brand [PROLUMEN](#)



Power track PROLUMEN Linear Rail S 600 white

Product code 17668

Brand [PROLUMEN](#)

Length 600.0mm

Casing colour white

Warranty 5 years

Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



PROLUMEN Linear Rail S cable gland

Product code 17669

Brand [PROLUMEN](#)

Warranty 5 years

Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED luminaire PROLUMEN Linear S 1500 35/40/45/50W 180lm/W white 230V 120° IP20 840

Product code 16227

Brand [PROLUMEN](#)
Supply voltage 230V
Correlated colour temperature pure white 4000K
Lens angle 120
Cri 80
Ugr 19
Protection class IP20
Lifespan 50000h
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED luminaire PROLUMEN Linear S 1500 35/40/45/50W 180lm/W

white 230V 9000lm 90° IP20 DALI 840

Product code 17649 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Dimmable DALI
Luminous flux 9000lumens
Correlated colour temperature pure white 4000K
Lens angle 90
Cri 80
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED luminaire PROLUMEN Linear S 1500 35/40/45/50W 180lm/W white 230V 90° IP20 830

Product code 16004

Brand [PROLUMEN](#)
Supply voltage 230V
Correlated colour temperature warm white 3000K
Lens angle 90
Cri 80
Ugr 19
Protection class IP20
Lifespan 50000h
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED luminaire PROLUMEN Linear S 1500 35/40/45/50W 180lm/W white 230V 90° IP20 840

Product code 16012

Brand [PROLUMEN](#)

Supply voltage 230V

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Ugr 19

Protection class IP20

Lifespan 50000h

Width 60.0mm

Length 1500.0mm

Casing colour white

Casing material metal

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years

PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED luminaire PROLUMEN Linear S 1500 55/60/65/70W 180lm/W white 230V 70W 12600lm 120° IP20 830

Product code 17620

Brand [PROLUMEN](#)
Supply voltage 230V
Output 70W
Luminous flux 12600lumens
Luminaire's efficiency lm79 180W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 80
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Length 1500.0mm
In package 1pc
In box 10pcs
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED luminaire PROLUMEN Linear S 1500 55/60/65/70W 180lm/W white 230V 70W 12600lm 90° IP20 840

Product code 18110

Brand [PROLUMEN](#)

Supply voltage 230V

Output 70W

Luminous flux 12600lumens

Luminaire's efficiency lm79 180W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Ugr 19

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Length 1500.0mm

In package 1pc

In box 10pcs

Casing colour white

Casing material metal

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED luminaire PROLUMEN Linear S 1500 70W 180lm/W white 230V 12600lm CRI80 120° IP20 DALI 3000K, 4000K, 6000K WW/DW/CW

Product code 16908 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Dimmable DALI
Luminous flux 12600lumens
Correlated colour temperature
WW/DW/CW 3000K, 4000K, 6000K
Lens angle 120
Cri 80
Ugr 19
Protection class IP20
Lifespan 50000h
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Power supply [TRIDONIC](#)
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED luminaire PROLUMEN Linear S 1500 Emergency white 230V 50W 9250lm 90° IP20 840

Product code 17664

Brand [PROLUMEN](#)
Supply voltage 230V
Output 50W
Luminous flux 9250lumens
Luminaire's efficiency lm79 185W
Correlated colour temperature pure white 4000K
Lens angle 90
Cri 80
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED luminaire PROLUMEN Linear S 1500 white 230V 50W 9250lm 90° IP20 DALI 840

Product code 17665 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Dimmable DALI
Output 50W
Luminous flux 9250lumens
Luminaire's efficiency lm79 185W
Correlated colour temperature pure white 4000K
Lens angle 90
Cri 80
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Power track PROLUMEN Linear S end cap white

Product code 17667

Brand [PROLUMEN](#)
Casing colour white
Warranty 5 years

Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Power track PROLUMEN Linear S module 1500 white

Product code 17671

Brand [PROLUMEN](#)
Length 1500.0mm
Casing colour white
Warranty 5 years

Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Power track PROLUMEN Linear S module 600 white

Product code 17670

Brand [PROLUMEN](#)
Length 600.0mm
Casing colour white
Warranty 5 years

Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Power track PROLUMEN Linear S module for EXIT 600 white DALI

Product code 17672 DALI dimmable

Brand [PROLUMEN](#)
Dimmable DALI
Length 600.0mm
Casing colour white
Warranty 5 years



Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED luminaire PROLUMEN Linear S-line 1500 35/40/45/50W 180lm/W white 230V 50W 9000lm 120° IP20 830

Product code 16104

Brand [PROLUMEN](#)

Supply voltage 230V

Output 50W

Luminous flux 9000lumens

Luminaire's efficiency lm79 180W

Correlated colour temperature warm white 3000K

Lens angle 120

Cri 80

Ugr 19

Protection class IP20

Lifespan 50000h

Length 1500.0mm

In box 10pcs

Casing colour white

Casing material metal

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years

PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

