
Power track Corner T white 230V IP20

Product code 13661

Supply voltage 230V
Protection class IP20
Casing colour white
Warranty 5 years



Cover Linear Rail S 1200 white

Product code 13659

Length 1500.0mm
Casing colour white

Cover plate for empty module of linear light.



Cover Linear Rail S 1500 white

Product code 16037

Length 1500.0mm
Casing colour white
Warranty 5 years

Cover plate for empty module of linear light.



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

End cap Linear Rail S white

Product code 13658

Casing colour white




Power track Linear S 1500 white

Product code 13860

Length 1500.0mm
Casing colour white
Warranty 5 years


Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - check out our project portfolio here!



Power track Prolumen Corner L white 230V IP20

Product code 16137


Brand Prolumen
Supply voltage 230V
Protection class IP20
Casing colour white
Warranty 5 years



Power track Prolumen Corner L white 230V IP20

Product code 13663

Brand Prolumen
Supply voltage 230V
Protection class IP20
Casing colour white
Warranty 5 years



Power cable Prolumen Feed-in connector 5 wires

Product code 16105

Brand Prolumen



Power cable Prolumen Feed-in connector 8 wires

Product code 16913

Brand Prolumen



LED luminaire Prolumen Linear C 1500 + Emergency white

230V 50W 7400lm 90° IP20 DALI 840

Product code 17666 DALI dimmable

Brand Prolumen
Supply voltage 230V
Dimmable DALI
Output 50W
Maximum output 50W/1m
Luminous flux 7400lumens
Luminaire’s efficiency 148W
Correlated colour temperature pure white 4000K
Lens angle 90
CRI 80
UGR 19
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

Suspension cord Prolumen Linear Rail S 1,5m

Product code 13660

Brand Prolumen





Power track Prolumen Linear Rail S 1500 white

Product code 16911

Brand Prolumen
Length 1500.0mm
Casing colour white
Warranty 5 years

Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - check out our project portfolio here!



Power track Prolumen Linear Rail S 1500 white

Product code 16912

Brand Prolumen
Length 1500.0mm
Casing colour white
Warranty 5 years

Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - check out our project portfolio here!



Suspension cord Prolumen Linear Rail S 5m

Product code 16914

Brand Prolumen





Power track Prolumen Linear Rail S 600 white

Product code 17668

Brand Prolumen
Length 600.0mm
Casing colour white
Warranty 5 years

Light rail module for attaching LED lights. Multi-channel wiring allows for simple and efficient wiring. Illuminate your world with LED House professionals - check out our project portfolio here!



Prolumen Linear Rail S cable gland

Product code 17669

Brand Prolumen
Warranty 5 years

Illuminate your world with LED House professionals - check out our project portfolio here!



LED luminaire Prolumen Linear S 1500 35/40/45/50W 180lm/W white 230V 120° IP20 840

Product code 16227

Brand Prolumen
Supply voltage 230V
Correlated colour temperature pure white 4000K
Lens angle 120
CRI 80
UGR 19
Protection class IP20
Lifespan 50000h
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

LED luminaire Prolumen Linear S 1500 35/40/45/50W 180lm/W

white 230V 9000lm 90° IP20 DALI 840

Product code 17649 DALI dimmable

Brand Prolumen
Supply voltage 230V
Dimmable DALI
Luminous flux 9000lumens
Correlated colour temperature pure white 4000K
Lens angle 90
CRI 80
UGR 19
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs Illuminate your world with LED House professionals - check out our project portfolio here!

LED luminaire Prolumen Linear S 1500 35/40/45/50W 180lm/W white 230V 90° IP20 830

Product code 16004

Brand Prolumen
Supply voltage 230V
Correlated colour temperature warm white 3000K
Lens angle 90
CRI 80
UGR 19
Protection class IP20
Lifespan 50000h
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

LED luminaire Prolumen Linear S 1500 35/40/45/50W 180lm/W white 230V 90° IP20 840

Product code 16012

Brand Prolumen
Supply voltage 230V
Correlated colour temperature pure white 4000K
Lens angle 90
CRI 80
UGR 19
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs Illuminate your world with LED House professionals - check out our project portfolio here!

LED luminaire Prolumen Linear S 1500 55/60/65/70W 180lm/W white 230V 70W 12600lm 120° IP20 830

Product code 17620

Brand Prolumen
Supply voltage 230V
Output 70W
Maximum output 70W/1m
Luminous flux 12600lumens
Luminaire’s efficiency 180W
Correlated colour temperature warm white 3000K
Lens angle 120
CRI 80
UGR 19
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Length 1500.0mm
In package 1pc
In box 10pcs
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

LED luminaire Prolumen Linear S 1500 55/60/65/70W 180lm/W white 230V 70W 12600lm 90° IP20 840

Product code 18110

Brand Prolumen
Supply voltage 230V
Output 70W
Maximum output 70W/1m
Luminous flux 12600lumens
Luminaire’s efficiency 180W
Correlated colour temperature pure white 4000K
Lens angle 90
CRI 80
UGR 19
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Length 1500.0mm
In package 1pc
In box 10pcs
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

LED luminaire Prolumen Linear S 1500 70W 180lm/W white 230V 12600lm CRI80 120° IP20 DALI 3000K, 4000K, 6000K 3CCT

Product code 16908 DALI dimmable

Brand Prolumen
Supply voltage 230V
Dimmable DALI
Luminous flux 12600lumens
Correlated colour temperature 3CCT
3000K, 4000K, 6000K
Lens angle 120
CRI 80
UGR 19
Protection class IP20
Lifespan 50000h
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Power supply TRIDONIC
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

LED luminaire Prolumen Linear S 1500 Emergency white 230V 50W 9250lm 90° IP20 840

Product code 17664

Brand Prolumen
Supply voltage 230V
Output 50W
Maximum output 50W/1m
Luminous flux 9250lumens
Luminaire’s efficiency 185W
Correlated colour temperature pure white 4000K
Lens angle 90
CRI 80
UGR 19
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

LED luminaire Prolumen Linear S 1500 white 230V 50W 9250lm 90° IP20 DALI 840

Product code 17665 DALI dimmable

Brand Prolumen
Supply voltage 230V
Dimmable DALI
Output 50W
Maximum output 50W/1m
Luminous flux 9250lumens
Luminaire’s efficiency 185W
Correlated colour temperature pure white 4000K
Lens angle 90
CRI 80
UGR 19
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Width 60.0mm
Length 1500.0mm
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!

Power track Prolumen Linear S end cap white

Product code 17667

Brand Prolumen
Casing colour white
Warranty 5 years

Illuminate your world with LED House professionals - check out our project portfolio here!



Power track Prolumen Linear S module 1500 white

Product code 17671

Brand Prolumen
Length 1500.0mm
Casing colour white
Warranty 5 years

Illuminate your world with LED House professionals - check out our project portfolio here!




Power track Prolumen Linear S module 600 white

Product code 17670

Brand Prolumen
Length 600.0mm
Casing colour white
Warranty 5 years

Illuminate your world with LED House professionals - check out our project portfolio here!



Power track Prolumen Linear S module for EXIT 600 white DALI

Product code 17672 DALI dimmable

Brand Prolumen
Dimmable DALI
Length 600.0mm
Casing colour white
Warranty 5 years

Illuminate your world with LED House professionals - check out our project portfolio here!



LED luminaire Prolumen Linear S-line 1500 35/40/45/50W 180lm/W white 230V 50W 9000lm 120° IP20 830

Product code 16104

Brand Prolumen
Supply voltage 230V
Output 50W
Maximum output 50W/1m
Luminous flux 9000lumens
Luminaire’s efficiency 180W
Correlated colour temperature warm white 3000K
Lens angle 120
CRI 80
UGR 19
Protection class IP20
Lifespan 50000h
Length 1500.0mm
In box 10pcs
Casing colour white
Casing material metal
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



PROLUMEN Linear S 1500 is a linear luminaire that is installed onto the power track. This luminaire series offers various power options and configurations, allowing for lighting customization based on specific requirements and room characteristics. The IP20 protection class ensures durability against dust and minor liquid ingress, making them suitable for various indoor environments such as offices, shopping centers, or homes. Additionally, there is also the PROLUMEN Linear S 1500 model available, which supports the DALI system, enabling advanced management and control of the lighting according to the needs
Illuminate your world with LED House professionals - check out our project portfolio here!