

Socket SIEMENS Delta i-system 2XUSB A+C black IP20

Product code 19603

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Socket SIEMENS Delta i-system 2XUSB A+C carbon IP20

Product code 18842

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use



DELTA i-system carbon metallic USB-SCHUKO socket outlet 2 USB A+C
Power: Up to 18W

Socket SIEMENS Delta i-system aluminum IP20

Product code 19082

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals with spring flap 55x 55 mm



Socket SIEMENS Delta i-system aluminum IP20

Product code 18833

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
with increased touch protection cover
plate 55 x 55 mm



Socket SIEMENS Delta i-system aluminum IP20

Product code 18837

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic
SCHUKO socket outlet 10/16 A 250 V.
With screwless Connection terminals
cover plate 55 x 55 mm



Socket SIEMENS Delta i-system carbon IP20

Product code 18834

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
with increased touch protection cover
plate 55 x 55 mm



Socket SIEMENS Delta i-system carbon IP20

Product code 18838

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
cover plate 55 x 55 mm



Socket SIEMENS Delta i-system carbon IP20

Product code 18841

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta i-system carbon IP20

Product code 19430

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
with spring flap 55x 55 mm



Socket SIEMENS Delta i-system cream IP20

Product code 18832

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA i-system electrical white
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
with increased touch protection cover
plate 55 x 55 mm



Socket SIEMENS Delta i-system cream IP20

Product code 18836

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA i-system electrical white
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
cover plate 55 x 55 mm



Socket SIEMENS Delta i-system cream IP20

Product code 18839

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta i-system cream IP20

Product code 18903

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta i-system red IP20

Product code 18926

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour red
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta i-system silver IP20

Product code 19604

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour silver
Casing material plastic
Work environment indoor use



DELTA i-system aluminium metallic
USB-SCHUKO socket outlet 2 USB A+C
Power: Up to 18W

Socket SIEMENS Delta i-system Soft black IP20

Product code 20514

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



DELTA i-system soft black SCHUKO
socket outlet 10/16 A 250 V With
screwless Connection terminals cover
plate 55 x 55 mm

Socket SIEMENS Delta i-system Soft black IP20

Product code 20515

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Socket SIEMENS Delta i-system Soft black IP20

Product code 20516

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Socket SIEMENS Delta i-system USB A+C 18W white 18W IP20

Product code 19540

Brand SIEMENS
Output 18W
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanwhite USB-SCHUKO socket outlet 2 USB A+C
Power: Up to 18W



Socket SIEMENS Delta i-system white IP20

Product code 19558

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
with increased touch protection cover
plate 55 x 55 mm



Socket SIEMENS Delta i-system white IP20

Product code 19073

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
with spring flap 55x 55 mm



Socket SIEMENS Delta i-system white IP20

Product code 18835

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white
SCHUKO socket outlet 10/16 A 250 V
With screwless Connection terminals
cover plate 55 x 55 mm



Socket SIEMENS Delta Line white

Product code 21880

Brand SIEMENS
Casing colour white



Socket SIEMENS Delta Profil white IP20

Product code 19437

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Profil aluminum IP20

Product code 23030

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Profil aluminum IP20

Product code 23031

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Profil aluminum IP20

Product code 23032

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Profil white IP20

Product code 18831

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA profil, titanium white SCHUKO
socket outlet 10/16 A 250 V With
screwless Connection terminals Cover
plate 65x 65 mm



Socket SIEMENS Delta Profil white IP20

Product code 23019

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA profil, titanium white SCHUKO
socket outlet 10/16 A 250 V With
screwless Connection terminals Cover
plate 65x 65 mm



Socket SIEMENS Delta Style aluminum IP20

Product code 23082

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style anthracite IP20

Product code 23044

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour anthracite
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style IP20

Product code 23078

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style matte gold IP20

Product code 23073

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour matte gold
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style matte gold IP20

Product code 23076

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour matte gold
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style matte gold IP20

Product code 23080

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour matte gold
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style platinum IP20

Product code 19583

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use

DELTA style, platinum metallic
SCHUKO socket outlet 10/16 A 250 V
with spring flap cover plate 68 x 68
mm



Socket SIEMENS Delta Style platinum IP20

Product code 18928

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use

DELTA style, platinum metallic
SCHUKO socket outlet 10/16 A 250 V
cover plate 68 x 68 mm



Socket SIEMENS Delta Style white IP20

Product code 21030

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style white IP20

Product code 23079

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style white IP20

Product code 23081

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Socket SIEMENS Delta Style white IP44

Product code 18927

Brand SIEMENS
Protection class IP44
Height 68.0mm
Minimum length 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA style, titanium white SCHUKO
socket outlet 10/16 A 250 V with
spring flap cover plate 68 x 68 mm



Socket THPG Bakeliit black IP20

Product code 22452

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP20
Length 49.0mm
Diameter 62.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

With spring clips and integrated shutter Socket with side earthing contacts and shutter for surface mounting. With solid screw contacts. The housing is made of black Bakelite. The integrated shutter ensures increased protection against electric shock. Installing electrical wiring and switches on the surface is by far the most economical means, of course, which is also why this is the most common type of installation in workshops. It eliminates the need to cut or pry open the walls and allows for easy inspection, repairs, and expansion of the system itself and its wiring network. It is also a good option anywhere that installation on the wall surface is advisable or required for structural reasons (historical preservation, wood beams, concrete, etc.), whether the wiring itself is also installed on the wall or inside it. Two small drill holes are all it takes to ensure a firm hold. Taking their shape from classics in their genre, all of the parts of our surface-mounted series comply with present-day standards and safety regulations in technical terms. The sturdy, 2.5-millimetre housings made of black Bakelite are moulded in a single piece and provide sufficient protection for the electrical components underneath. Openings on the sides allow wiring to pass through. The back of the housing is open. For the mechanical parts, we rely on the same proven components that are used for the other switch series. Here, as in the other switches, the ceramic switch action ensures uniform switch contact that is gentle on the materials.



Socket THPG Bakeliit black IP44

Product code 22648

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP44
Width 97.0mm
Length 70.0mm
Weight 190 g
Casing colour black
Casing material bakelite
Work environment indoor use

For horizontal layouts with two outlets, e.g. for two or more outlets at different locations in a single room. Two-part case and lid made of Bakelite with adjacent in- and outputs. Two lateral screw attachments facilitate wall mounting. Outlet with integrated shutter. With spring clips. Cable mounted on wall surface. Safety rating IP44 with sealed lid, rating IP20 when plug inserted. Each outlet comes with an additional rubber ring: if applied to an IP44 plug as an additional seal, the outlet attains safety rating IP44.



Socket THPG Bakeliit black IP44

Product code 22649

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP44
Width 96.0mm
Length 116.0mm
Weight 190 g
Casing colour black
Casing material bakelite
Work environment indoor use

or vertical layouts with two outlets.
Two-part case and lid made of Bakelite with non-adjacent in- and outputs. Two lateral screw attachments facilitate wall mounting. Outlet with integrated shutter. With spring clips. Cable mounted on wall surface. Safety rating IP44 with sealed lid, rating IP20 when plug inserted. Each outlet comes with an additional rubber ring: if applied to an IP44 plug as an additional seal, the outlet attains safety rating IP44.



Socket THPG Bakelit Data socket Cat.6 black IP20

Product code 22632

Brand THPG
Protection class IP20
Diameter 70.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Data socket with two RJ45 network connections (real.Cat.6a) for the switch system Bakelite. The central insert is made of Bakelite and is compatible with the coverings of the switch system Bakelite specially designed for junction boxes. Note: For problem-free installation of the data socket, we recommend flush-mounted sockets with an enlarged socket volume. Data socket with two RJ45 network connections for the switch system Bakelite. - Bakelite central insert - with 2 x RJ45 network connections (real.Cat.6a) - for use in 10 Gigabit Ethernet networks (transmission bandwidth up to 500 MHz) - Ø 7.0 cm Note: For problem-free installation of the data socket, we recommend flush-mounted sockets with an enlarged socket volume.



Socket THPG Base plate surface-mounted Bakelite black IP20

Product code 22529

Brand THPG
Protection class IP20
Height 25.0mm
Diameter 62.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

When mounting our surface-mounted switch system on flammable or uneven surfaces, it is important to place a base plate between the surface and the switch or socket. Here is a suitable base plate made of Bakelite.



Socket THPG Data socket Cat.6 white IP20

Product code 22502

Brand THPG
Protection class IP20
Casing colour white
Casing material porcelain
Work environment indoor use

Data socket with two RJ45 network connections (real.Cat.6a) for the switch system Porcelain white. The central insert is made of colour-matched Duroplast and is compatible with the coverings of the switch system Porcelain white specially designed for junction boxes. Note: For problem-free installation of the data socket, we recommend flush-mounted sockets with an enlarged socket volume. Data socket with two RJ45 network connections for the switch system Porcelain white. - colour-matched Duroplast central insert - with 2 x RJ45 network connections (real.Cat.6a) - for use in 10 Gigabit Ethernet networks (transmission bandwidth up to 500 MHz) - Ø 7.0 cm



Socket THPG Duroplast Data socket Cat.6 white IP20

Product code 22664

Brand THPG
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Data socket with two RJ45 network connections (real.Cat.6a) for the switch system Duroplast. The central insert is made of Duroplast and is compatible with the coverings of the switch system Duroplast specially designed for junction boxes. Note: For problem-free installation of the data socket, we recommend flush-mounted sockets with an enlarged socket volume.



Socket THPG Duroplast white IP20

Product code 22656

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Socket with side earthing contacts for the switch system Duroplast. With solid screw contacts. The central insert and the base body are made of white Duroplast.



Socket THPG Duroplast white IP20

Product code 22519

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP20
Length 49.0mm
Diameter 62.0mm
Casing colour white
Casing material bakelite
Work environment indoor use

Socket with side earthing contacts and shutter for surface mounting. With solid screw contacts. The housing is made of white Duroplast. The integrated shutter ensures increased protection against electric shock.



Socket THPG Duroplast white IP20

Product code 22520

Brand THPG
Protection class IP20
Height 25.0mm
Diameter 62.0mm
Casing colour white
Casing material bakelite
Work environment indoor use

When mounting our surface-mounted switch system on flammable or uneven surfaces, it is important to place a base plate between the surface and the switch or socket. Here is a suitable base plate made of Duroplast.




Socket THPG Porcelain white

Product code 22481

Brand THPG
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Antenna socket cable connection for the switch system Porcelain white. The central insert is made of colour-matched Duroplast and is compatible with the coverings of the switch system Porcelain white specially designed for junction boxes. - colour-matched Duroplast central insert - HF-tight metal housing - BZT approval - Radio and television connection for system with amplifier or cable connection - Feed-through and end socket - Ø 7.0 cm



Socket THPG Porcelain white IP20

Product code 22454

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use



Socket THPG Porcelain white IP20

Product code 22518

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Socket with side earthing contacts and shutter for the switch system Porcelain white. With solid screw contacts. The central insert and the base body are made of Duroplast. The integrated shutter ensures increased protection against electric shock. - 16 A, AC 250V - Central insert made of colour-matched Duroplast - with screw contacts and integrated shutter



Socket THPG Socket with shutter moisture-proof Bakeliit black IP44

Product code 22650

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP44
Width 96.0mm
Length 85.0mm
Weight 160 g
Casing colour black
Casing material bakelite
Work environment indoor use

Two-part case and lid made of Bakelite with a single lateral input; two lateral screw attachments facilitate wall mounting. Outlet with integrated shutter. With spring clips. Cable mounted on wall surface. Safety rating IP44 with sealed lid, rating IP20 when plug inserted. Each outlet comes with an additional rubber ring: if applied to an IP44 plug as an additional seal, the outlet attains safety rating IP44.



Socket THPG USB charging station white IP20

Product code 22516

Brand THPG
Protection class IP20
Casing colour white
Casing material porcelain
Work environment indoor use

USB charging station for the switch system Porcelain white with two charging sockets (USB-A). The maximum charging current is 2.5 A. The central insert is made of colour-matched Duroplast. - colour-matched Duroplast central insert - 100-240 V~/50- 60 HZ - Max. charging current 2.5 A in total - 2 charging sockets USB type A



Socket THPG USB-C 3.1 charging station white IP20

Product code 22661

Brand THPG
Protection class IP20
Casing colour white
Casing material porcelain
Work environment indoor use



USB-C 3.1 Gen 2 connection for data transfers as part of the switch system Porcelain white. The central insert is made of colour-matched Duroplast and is compatible with the coverings for junction boxes of the switch system Porcelain white.

Socket Trio Lighting Garden 4 anthracite IP54

Product code 19983

Brand [Trio Lighting](#)
Protection class IP54
Height 400.0mm
Width 100.0mm
Length 100.0mm
Weight 1.2 kg
Package weight 1.3 kg
Casing colour anthracite
Casing material aluminium



No more extension cables. The POLLER socket column now provides sufficient power connections in the garden. The pillar offers four sockets and therefore provides plenty of flexibility when organising the garden. Thanks to its IP44 protection rating, the 40 x 10 cm pillar is protected against splashing water and is therefore suitable for outdoor use. Thanks to the anthracite colour scheme, the column can be integrated inconspicuously.

Socket Trio Lighting Garden gray IP44

Product code 19984

Brand [Trio Lighting](#)
Protection class IP44
Height 200.0mm
Width 190.0mm
Length 200.0mm
Weight 4 kg
Package weight 4.4 kg
Casing colour gray
Casing material aluminium



No more extension cables. The STECKDOSENSTEIN now provides sufficient power connections in the garden. The stone offers four sockets and therefore provides a great deal of flexibility when designing the outdoor area. Thanks to its IP44 protection rating, it is protected against splash water and is therefore suitable for outdoor use. Thanks to the grey colour scheme, the stone can be integrated inconspicuously into the garden.