

## Socket SIEMENS Delta i-system USB A+C white 18W IP20

**Product code 19540**

Brand SIEMENS  
Output 18W  
Rated current 16mA  
Protection class IP20  
Casing colour white

DELTA i-system titanwhite USB-  
SCHUKO socket outlet 2 USB A+C  
Power: Up to 18W



## Socket SIEMENS Delta Line white

**Product code 21880**

Brand SIEMENS  
Casing colour white



## Socket SIEMENS Delta Line white IP20

**Product code 18835**

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour white

DELTA i-system titanium white  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
cover plate 55 x 55 mm



## Socket SIEMENS Delta Miro Soft black IP20

### Product code 20514

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour black  
Work environment indoor use

DELTA i-system soft black SCHUKO  
socket outlet 10/16 A 250 V With  
screwless Connection terminals cover  
plate 55 x 55 mm



## Socket SIEMENS Delta Miro Soft black IP20

### Product code 20515


Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour black  
Work environment indoor use



## Socket SIEMENS Delta Miro Soft black IP20

### Product code 20516

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour black  
Work environment indoor use



## Socket SIEMENS Delta Profil kattega white IP20

**Product code 19437**

Brand SIEMENS  
Protection class IP20  
Height 65.0mm  
Width 65.0mm  
Casing colour white



## Socket SIEMENS Delta Profil white IP20

**Product code 18831**

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA profil, titanium white SCHUKO  
socket outlet 10/16 A 250 V With  
screwless Connection terminals Cover  
plate 65x 65 mm



## Socket SIEMENS Delta Style 5UB1852 white IP44

**Product code 18927**

Brand SIEMENS  
Protection class IP44  
Casing colour white

DELTA style, titanium white SCHUKO  
socket outlet 10/16 A 250 V with  
spring flap cover plate 68 x 68 mm



## Socket SIEMENS i-system 5UB1921 carbon IP20

**Product code 18838**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
cover plate 55 x 55 mm



## Socket SIEMENS i-system 5UB1934 aluminum IP20

**Product code 18833**

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
with increased touch protection cover  
plate 55 x 55 mm



## Socket SIEMENS i-system klapiga 5UB1917 white IP20

**Product code 19073**

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
with spring flap 55x 55 mm



## Socket SIEMENS i-system lastekaitsega 5UB1924 carbon IP20

### Product code 18834

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
with increased touch protection cover  
plate 55 x 55 mm



## Socket SIEMENS i-system lastekaitsega 5UB1518 white IP20

### Product code 19558

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
with increased touch protection cover  
plate 55 x 55 mm



## Socket SIEMENS i-system lastekaitsemega 5UB1558 cream IP20

### Product code 18832

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
with increased touch protection cover  
plate 55 x 55 mm



## Socket SIEMENS i-system 2XUSB A+C kuni 18W 5UB1970-1CM01 carbon IP20

**Product code 18842**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic USB-  
SCHUKO socket outlet 2 USB A+C  
Power: Up to 18W



## Socket SIEMENS i-system 2XUSB A+C kuni 18W 5UB1970-1SB01 black IP20

**Product code 19603**

Brand SIEMENS  
Protection class IP20  
Casing colour black

DELTA i-system soft black USB-  
SCHUKO socket outlet 2 USB A+C  
Power: Up to 18W




## Socket SIEMENS i-system 2XUSB A+C 18W 5UB1970-1AM01 silver IP20

**Product code 19604**

Brand SIEMENS  
Protection class IP20  
Casing colour silver

DELTA i-system aluminium metallic  
USB-SCHUKO socket outlet 2 USB A+C  
Power: Up to 18W



## Socket SIEMENS i-system 2XUSB-ga carbon IP20

**Product code 18841**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon



## Socket SIEMENS i-system 5UB1551 cream IP20

**Product code 18836**

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
cover plate 55 x 55 mm



## Socket SIEMENS i-system 5UB1931 aluminum IP20

**Product code 18837**

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic  
SCHUKO socket outlet 10/16 A 250 V.  
With screwless Connection terminals  
cover plate 55 x 55 mm



## Socket SIEMENS i-system 5UB1937 aluminum IP20

### Product code 19082

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
with spring flap 55x 55 mm



## Socket SIEMENS i-system klapiga 5UB1927 carbon IP20

### Product code 19430

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic  
SCHUKO socket outlet 10/16 A 250 V  
With screwless Connection terminals  
with spring flap 55x 55 mm



## Socket SIEMENS i-system klapiga 5UB1907 cream IP20

### Product code 18839

Brand SIEMENS  
Protection class IP20  
Casing colour cream



## Socket SIEMENS platinum met Delta Style 5UB1852-1 silver IP20

### Product code 19583

Brand SIEMENS  
Protection class IP20  
Casing colour silver

DELTA style, platinum metallic  
SCHUKO socket outlet 10/16 A 250 V  
with spring flap cover plate 68 x 68  
mm



## Socket SIEMENS platinum met style 5UB1853-1 silver IP20

### Product code 18928

Brand SIEMENS  
Protection class IP20  
Casing colour silver

DELTA style, platinum metallic  
SCHUKO socket outlet 10/16 A 250 V  
cover plate 68 x 68 mm



## Socket THPG Bakeliit black IP20

**Product code 22452**

Brand THPG  
Output voltage 250V  
Rated current 16mA  
Protection class IP20  
Length 49.0mm  
Diameter 62.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

With spring clips and integrated shutter Socket with side earthing contacts and shutter for surface mounting. With solid screw contacts. The housing is made of black Bakelite. The integrated shutter ensures increased protection against electric shock. Installing electrical wiring and switches on the surface is by far the most economical means, of course, which is also why this is the most common type of installation in workshops. It eliminates the need to cut or pry open the walls and allows for easy inspection, repairs, and expansion of the system itself and its wiring network. It is also a good option anywhere that installation on the wall surface is advisable or required for structural reasons (historical preservation, wood beams, concrete, etc.), whether the wiring itself is also installed on the wall or inside it. Two small drill holes are all it takes to ensure a firm hold. Taking their shape from classics in their genre, all of the parts of our surface-mounted series comply with present-day standards and safety regulations in technical terms. The sturdy, 2.5-millimetre housings made of black Bakelite are moulded in a single piece and provide sufficient protection for the electrical components underneath. Openings on the sides allow wiring to pass through. The back of the housing is open. For the mechanical parts, we rely on the same proven components that are used for the other switch series. Here, as in the other switches, the ceramic switch action ensures uniform switch contact that is gentle on the materials.



## Socket THPG Base plate surface-mounted Bakelite black IP20

**Product code 22529**

Brand THPG  
Protection class IP20  
Height 25.0mm  
Diameter 62.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

When mounting our surface-mounted switch system on flammable or uneven surfaces, it is important to place a base plate between the surface and the switch or socket. Here is a suitable base plate made of Bakelite.



## Socket THPG Data socket Cat.6 white IP20

**Product code 22502**

Brand THPG  
Protection class IP20  
Casing colour white  
Casing material porcelain  
Work environment indoor use

Data socket with two RJ45 network connections (real.Cat.6a) for the switch system Porcelain white. The central insert is made of colour-matched Duroplast and is compatible with the coverings of the switch system Porcelain white specially designed for junction boxes. Note: For problem-free installation of the data socket, we recommend flush-mounted sockets with an enlarged socket volume. Data socket with two RJ45 network connections for the switch system Porcelain white. - colour-matched Duroplast central insert - with 2 x RJ45 network connections (real.Cat.6a) - for use in 10 Gigabit Ethernet networks (transmission bandwidth up to 500 MHz) - Ø 7.0 cm



## Socket THPG Duroplast white IP20

**Product code 22519**

Brand THPG  
Output voltage 250V  
Rated current 16mA  
Protection class IP20  
Length 49.0mm  
Diameter 62.0mm  
Casing colour white  
Casing material bakelite  
Work environment indoor use



Socket with side earthing contacts and shutter for surface mounting. With solid screw contacts. The housing is made of white Duroplast. The integrated shutter ensures increased protection against electric shock.

## Socket THPG Duroplast white IP20

**Product code 22520**

Brand THPG  
Protection class IP20  
Height 25.0mm  
Diameter 62.0mm  
Casing colour white  
Casing material bakelite  
Work environment indoor use



When mounting our surface-mounted switch system on flammable or uneven surfaces, it is important to place a base plate between the surface and the switch or socket. Here is a suitable base plate made of Duroplast.

## Socket THPG Porcelain white

**Product code 22481**

Brand THPG  
Diameter 70.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

Antenna socket cable connection for the switch system Porcelain white. The central insert is made of colour-matched Duroplast and is compatible with the coverings of the switch system Porcelain white specially designed for junction boxes. - colour-matched Duroplast central insert - HF-tight metal housing - BZT approval - Radio and television connection for system with amplifier or cable connection - Feed-through and end socket - Ø 7.0 cm



## Socket THPG Porcelain white IP20

**Product code 22454**

Brand THPG  
Output voltage 250V  
Rated current 16mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use



## Socket THPG Porcelain white IP20

### Product code 22518

Brand THPG  
 Output voltage 250V  
 Rated current 16mA  
 Protection class IP20  
 Diameter 70.0mm  
 Casing colour white  
 Casing material porcelain  
 Work environment indoor use

Socket with side earthing contacts and shutter for the switch system Porcelain white. With solid screw contacts. The central insert and the base body are made of Duroplast. The integrated shutter ensures increased protection against electric shock. - 16 A, AC 250V - Central insert made of colour-matched Duroplast - with screw contacts and integrated shutter



## Socket THPG USB charging station white IP20

### Product code 22516

Brand THPG  
 Protection class IP20  
 Casing colour white  
 Casing material porcelain  
 Work environment indoor use

USB charging station for the switch system Porcelain white with two charging sockets (USB-A). The maximum charging current is 2.5 A. The central insert is made of colour-matched Duroplast. - colour-matched Duroplast central insert - 100-240 V~/50- 60 HZ - Max. charging current 2.5 A in total - 2 charging sockets USB type A



## Socket Trio Lighting Garden 4 anthracite IP54

**Product code 19983**

Brand [Trio Lighting](#)  
 Protection class IP54  
 Height 400.0mm  
 Width 100.0mm  
 Length 100.0mm  
 Weight 1.2 kg  
 Package weight 1.3 kg  
 Casing colour anthracite  
 Casing material aluminium



No more extension cables. The POLLER socket column now provides sufficient power connections in the garden. The pillar offers four sockets and therefore provides plenty of flexibility when organising the garden. Thanks to its IP44 protection rating, the 40 x 10 cm pillar is protected against splashing water and is therefore suitable for outdoor use. Thanks to the anthracite colour scheme, the column can be integrated inconspicuously.



## Socket Trio Lighting Garden gray IP44

**Product code 19984**

Brand [Trio Lighting](#)  
 Protection class IP44  
 Height 200.0mm  
 Width 190.0mm  
 Length 200.0mm  
 Weight 4 kg  
 Package weight 4.4 kg  
 Casing colour gray  
 Casing material aluminium



No more extension cables. The STECKDOSENSTEIN now provides sufficient power connections in the garden. The stone offers four sockets and therefore provides a great deal of flexibility when designing the outdoor area. Thanks to its IP44 protection rating, it is protected against splash water and is therefore suitable for outdoor use. Thanks to the grey colour scheme, the stone can be integrated inconspicuously into the garden.

