

## Carrier for street light ø60mm tube

### Product code 14456

Installation opening diameter 60mm



## LED street light PROLUMEN ADELA (MW + Lux) black 230V 100W 13400lm 60x140° IP66 830

### Product code 17094

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.95  
Output 100W  
Luminous flux 13400lumens  
Luminaire's efficiency lm79 134W  
Correlated colour temperature warm  
white 3000K  
Lens angle 60x140  
Source of light [LUMILEDS](#)  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP66  
Lifespan 100000h  
Llmf tm21 L80B10 @25°C 100.000h  
Height 205.0mm  
Width 272.0mm  
Length 508.0mm  
Casing colour black  
Casing material aluminum  
Polishing matt  
Power supply [INVENTRONICS](#)  
Impact resistance IK08  
Work environment outdoor use  
Operation temperature -40 °C ...  
+50°C  
Certificates CE  
Warranty 5 years



A stylish street and outdoor light  
fixture.

## LED street light PROLUMEN ADELA (MW + Lux) black 230V 30W 4100lm 60x140° IP66 830

**Product code 17045**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.95  
 Output 30W  
 Luminous flux 4100lumens  
 Luminaire's efficiency lm79 137W  
 Correlated colour temperature warm white 3000K  
 Lens angle 60x140  
 Source of light [LUMILEDS](#)  
 Cri 80  
 Sdcm - macadam ellipses 2  
 Protection class IP66  
 Lifespan 100000h  
 Llmf tm21 L80B10 @25°C 100.000h  
 Height 201.2mm  
 Width 269.8mm  
 Length 479.7mm  
 Casing colour black  
 Casing material aluminum  
 Polishing matt  
 Power supply [INVENTRONICS](#)  
 Impact resistance IK08  
 Work environment outdoor use  
 Operation temperature -40 °C ... +50°C  
 Certificates CE  
 Warranty 5 years



Smart streetlight that makes moving in urban spaces safe even in the darkness of the night! Ideal for driveways, streets, parking lots, and all other outdoor areas requiring safe and efficient lighting. The luminaire is perfectly suited for integration with security cameras (see additional details in the product specifications). Additionally, the luminaire's maintenance process has been made particularly easy - saving on labor and time! This feature is provided by a removable electrical board, making wiring connections exceptionally convenient during installation.

## LED street light PROLUMEN ADELA (MW + Lux) black 230V 50W 6500lm 60x140° IP66 830

**Product code 17049**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.95

Output 50W

Luminous flux 6500lumens

Luminaire's efficiency lm79 130W

Correlated colour temperature warm white 3000K

Lens angle 60x140

Source of light [LUMILEDS](#)

Cri 80

Sdcm - macadam ellipses 6

Protection class IP66

Lifespan 100000h

Llmf tm21 L80B10 @25°C 100.000h

Height 201.2mm

Width 269.8mm

Length 479.7mm

Casing colour black

Casing material aluminum

Polishing matt

Power supply [INVENTRONICS](#)

Impact resistance IK08

Work environment outdoor use

Operation temperature -40 °C ... +50°C

Certificates CE

Warranty 5 years



Smart streetlight that makes moving in urban spaces safe even in the darkness of the night! Ideal for driveways, streets, parking lots, and all other outdoor areas requiring safe and efficient lighting. The luminaire is perfectly suited for integration with security cameras (see additional details in the product specifications). Additionally, the luminaire's maintenance process has been made particularly easy - saving on labor and time! This feature is provided by a removable electrical board, making wiring connections exceptionally convenient during installation.

## LED street light PROLUMEN Hermoso black 230V 40W 6000lm 90° IP66 830

**Product code 17044**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.95  
Output 40W  
Luminous flux 6000lumens  
Luminaire's efficiency lm79 150W  
Correlated colour temperature warm white 3000K  
Lens angle 90  
Source of light [LUMILEDS](#)  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP66  
Lifespan 50000h  
Llmf tm21 L90B10 @25°C 50.000h  
Height 539.0mm  
Diameter 422.0mm  
Weight 5700g  
In package 1pc  
Casing colour black  
Casing material aluminum  
Polishing matt  
Power supply [MEAN WELL](#)  
Impact resistance IK08  
Work environment outdoor use  
Operation temperature -40 °C ... +50°C  
Certificates CE  
Warranty 5 years

An elegant style outdoor light.  
Available options: 30W, 40W, 60W, 90W.



## LED street light PROLUMEN Slim silvery 230V 40W 4800lm 70x140° IP66 840

**Product code 15837**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 40W

Luminous flux 4800lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature pure white 4000K

Lens angle 70x140

Source of light [LUMILEDS](#)

Cri 80

Protection class IP66

Lifespan 50000h

Installation opening diameter 60mm

Weight 2100g

In package 1pc

Casing colour silvery

Casing material aluminum


Polishing matt

Power supply [MEAN WELL](#)

Work environment outdoor use

Operation temperature -40° -+50°C

Certificates CE, RoHS, ENEC



## LED street light PROLUMEN Slim silvery 230V 60W 7200lm 70x140° IP66 840

**Product code 13957**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 60W

Luminous flux 7200lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature pure white 4000K

Lens angle 70x140

Source of light [LUMILEDS](#)

Cri 80

Protection class IP66

Lifespan 50000h

Installation opening diameter 60mm

Weight 2100g

In package 1pc

Casing colour silvery

Casing material aluminum



Polishing matt

Power supply [MEAN WELL](#)

Work environment outdoor use

Operation temperature -40° -+50°C

Certificates CE, RoHS, ENEC



## LED street light Slim Adaptor 60

**Product code 14528**

Installation opening diameter 60mm

