


Track light Focus Mini black 230V GU10 IP20

Product code 18356

Supply voltage 230V
 Maximum output 50W/1m
 Socket GU10
 Protection class IP20
 Height 100.0mm
 Length 179.0mm
 Diameter 54.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



Track light Light4U Irmin Opal black 22W 2400lm 110° IP20 930

Product code 20391

Brand [Light4U](#)
 Output voltage 220-240V
 Output 22W
 Luminous flux 2400lumens
 Luminaire's efficiency lm79 109W
 Correlated colour temperature warm white 3000K
 Lens angle 110
 Cri 90
 Protection class IP20
 Lifespan 100000h
 Height 39.0mm
 Width 853.0mm
 Length 44.5mm
 Weight 1.4 kg
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years



Track light Light4U Irmin Opal white 22W 2400lm 110° IP20 930

Product code 20389

Brand [Light4U](#)

Output voltage 220-240V

Output 22W

Luminous flux 2400lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm white 3000K

Lens angle 110

Cri 90

Protection class IP20

Lifespan 100000h

Height 39.0mm

Width 853.0mm

Length 44.5mm

Weight 1.4 kg

Casing colour white

Casing material aluminium

Work environment indoor use

Warranty 5 years



Track light Maytoni Elti white GU10 IP20

Product code 21895

Brand Maytoni

Socket GU10

Protection class IP20

Height 280.0mm

Width 200.0mm

Length 81.0mm

Diameter 53.0mm

Weight 390 g

Package weight 470 g

Casing colour white

Casing material aluminium

Work environment indoor use


Warranty 2 years



1-phase track light Maytoni Focus Mini black 230V GU10 IP20

Product code 20394

Brand Maytoni
Supply voltage 230V
Maximum output 50W/1m
Socket GU10
Protection class IP20
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Track light Maytoni Trinity Vuoro black 10W 750lm 24° IP20 930

Product code 21561

Brand Maytoni
Output 10W
Luminous flux 750lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 24
Cri 90
Protection class IP20
Lifespan 30000h
Height 180.0mm
Length 118.0mm
Diameter 78.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

Its modern, minimalist design easily blends into any setting. The light is available with two light temperature options: 3000K for warm light and 4000K for neutral light. The light spreads out at an angle of 24°. Options include classic black and white, allowing you to choose the perfect option for your interior. The luminaire allows you to customize your lighting according to your needs and preferences. It is easy to install into a track system, suitable for both homes and offices. The product is covered by a 5-year warranty, and we offer technical support.



Track light Maytoni Trinity Vuoro black 10W 800lm 24° IP20 940

Product code 21563

Brand Maytoni
Output 10W
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 90
Protection class IP20
Lifespan 30000h
Height 180.0mm
Length 118.0mm
Diameter 78.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

Its modern, minimalist design easily blends into any setting. The light is available with two light temperature options: 3000K for warm light and 4000K for neutral light. The light spreads out at an angle of 24°. Options include classic black and white, allowing you to choose the perfect option for your interior. The luminaire allows you to customize your lighting according to your needs and preferences. It is easy to install into a track system, suitable for both homes and offices. T



Track light Maytoni Trinity Vuoro white 10W 750lm 24° IP20 930

Product code 21562

Brand Maytoni
Output 10W
Luminous flux 750lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 3000K
Lens angle 24
Cri 90
Protection class IP20
Lifespan 30000h
Height 180.0mm
Length 118.0mm
Diameter 78.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years


Its modern, minimalist design easily blends into any setting. The light is available with two light temperature options: 3000K for warm light and 4000K for neutral light. The light spreads out at an angle of 24°. Options include classic black and white, allowing you to choose the perfect option for your interior. The luminaire allows you to customize your lighting according to your needs and preferences. It is easy to install into a track system, suitable for both homes and offices.



1-phase track light Maytoni Unity Artisan black / golden 230V GU10 IP20

Product code 20483


Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 108.0mm
Width 140.0mm
Length 82.0mm
Diameter 54.0mm
Weight 160 g
Package weight 180 g
Casing colour black / golden
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Artisan black 230V GU10 IP20

Product code 20181


Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 108.0mm
Width 140.0mm
Length 82.0mm
Diameter 54.0mm
Weight 160 g
Package weight 180 g
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Artisan white 230V GU10 IP20

Product code 20484


Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 108.0mm
Width 140.0mm
Length 82.0mm
Diameter 54.0mm
Weight 160 g
Package weight 180 g
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Basis Rot black 230V 10W 620lm 30° IP20 930

Product code 20600

Brand Maytoni
Supply voltage 230V
Output 10W
Luminous flux 620lumens
Luminaire's efficiency lm79 62W
Correlated colour temperature warm
white 3000K
Lens angle 30
Cri 90
Protection class IP20
Height 46.0mm
Width 382.0mm
Length 33.0mm
Weight 300 g
Package weight 400 g
In package 1pc
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 3 years



1-phase track light Maytoni Unity Basis Rot black 230V 12W 780lm 110° IP20 930

Product code 20503

Brand Maytoni
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Luminous flux 780lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature warm
white 3000K
Lens angle 110
Cri 90
Protection class IP20
Height 46.0mm
Width 382.0mm
Length 33.0mm
Weight 300 g
Package weight 400 g
In package 1pc
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 3 years



1-phase track light Maytoni Unity Basis Rot black 230V 12W 780lm 110° IP20 940

Product code 20504

Brand Maytoni
 Supply voltage 230V
 Output 12W
 Maximum output 12W/1m
 Luminous flux 780lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature pure white 4000K
 Lens angle 110
 Cri 90
 Protection class IP20
 Height 46.0mm
 Width 382.0mm
 Length 33.0mm
 Weight 300 g
 Package weight 400 g
 In package 1pc
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 3 years



1-phase track light Maytoni Unity Basis Rot black 230V 22W 1130lm 30° IP20 3000K warm white

Product code 20839

Brand Maytoni
 Supply voltage 230V
 Output 22W
 Luminous flux 1130lumens
 Luminaire's efficiency lm79 51W
 Correlated colour temperature warm white 3000K
 Lens angle 30
 Protection class IP20
 Height 46.0mm
 Width 510.0mm
 Length 33.0mm
 Weight 500 g
 Package weight 600 g
 In package 1pc
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 3 years

The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The light's high-quality aluminum housing ensures reliability and durability. It features a swivel mechanism for directing the beam and a recessed light source with classic 3000K and 4000K color temperatures. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the swivel mechanism lets you adjust the light angle as needed. The light consumes very little energy and will last for a long time. The solution is compatible with the Unity track system, making it easy to install and integrate into existing lighting architecture.



Track light Maytoni Unity Basis Rot black 230V 24W 1540lm 110° IP20 930

Product code 21492

Brand Maytoni
Supply voltage 230V
Output 24W
Luminous flux 1540lumens
Luminaire's efficiency lm79 64W
Correlated colour temperature warm
white 3000K
Lens angle 110
Cri 90
Protection class IP20
Height 57.0mm
Width 57.0mm
Length 33.0mm
Casing colour black
Casing material aluminium + plastic
Work environment indoor use
Warranty 3 years

The Basis Rot track luminaire is a modern lighting solution with an elegant aluminum housing finished in black or white. Basis Rot luminaires are designed for lighting both commercial and residential spaces, including stores, showrooms, and apartments. They provide quality directional lighting that can emphasize the decor or displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects.



Track light Maytoni Unity Basis Rot black 230V 24W 1900lm 110° IP20 940

Product code 21494

Brand Maytoni
 Supply voltage 230V
 Output 24W
 Luminous flux 1900lumens
 Luminaire's efficiency lm79 79W
 Correlated colour temperature pure white 4000K
 Lens angle 110
 Cri 90
 Protection class IP20
 Height 57.0mm
 Width 510.0mm
 Length 33.0mm
 Casing colour black
 Casing material aluminium + plastic
 Work environment indoor use
 Warranty 3 years



The Basis Rot track luminaire is a modern lighting solution with an elegant aluminum housing finished in black or white. Basis Rot luminaires are designed for lighting both commercial and residential spaces, including stores, showrooms, and apartments. They provide quality directional lighting that can emphasize the decor or displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects.


1-phase track light Maytoni Unity Basis Rot white 230V 10W 620lm 30° IP20 930

Product code 20840

Brand Maytoni
 Supply voltage 230V
 Output 10W
 Luminous flux 620lumens
 Luminaire's efficiency lm79 62W
 Correlated colour temperature warm white 3000K
 Lens angle 30
 Cri 90
 Protection class IP20
 Height 46.0mm
 Width 382.0mm
 Length 33.0mm
 Weight 300 g
 Package weight 400 g
 In package 1pc
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 3 years




The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The light's high-quality aluminum housing ensures reliability and durability. It features a swivel mechanism for directing the beam and a recessed light source with classic 3000K and 4000K color temperatures. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the swivel mechanism lets you adjust the light angle as needed. The light consumes very little energy and will last for a long time. The solution is compatible with the Unity track system, making it easy to install and integrate into existing lighting architecture.



1-phase track light Maytoni Unity Basis Rot white 230V 12W 780lm 110° IP20 930

Product code 20505


Brand Maytoni
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Luminous flux 780lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature warm
white 3000K
Lens angle 110
Cri 90
Protection class IP20
Height 46.0mm
Width 382.0mm
Length 33.0mm
Weight 300 g
Package weight 400 g
In package 1pc
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 3 years



1-phase track light Maytoni Unity Basis Rot white 230V 12W 780lm 110° IP20 940

Product code 20506

Brand Maytoni
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Luminous flux 780lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature pure white 4000K
Lens angle 110
Cri 90
Protection class IP20
Height 46.0mm
Width 382.0mm
Length 33.0mm
Weight 300 g
Package weight 400 g
In package 1pc
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 3 years



Track light Maytoni Unity Basis Rot white 230V 24W 1540lm 110° IP20 930

Product code 21493

Brand Maytoni
 Supply voltage 230V
 Output 24W
 Luminous flux 1540lumens
 Luminaire's efficiency lm79 64W
 Correlated colour temperature warm white 3000K
 Lens angle 110
 Cri 90
 Protection class IP20
 Height 57.0mm
 Width 510.0mm
 Length 33.0mm
 Casing colour white
 Casing material aluminium + plastic
 Work environment indoor use
 Warranty 3 years



The Basis Rot track luminaire is a modern lighting solution with an elegant aluminum housing finished in black or white. Basis Rot luminaires are designed for lighting both commercial and residential spaces, including stores, showrooms, and apartments. They provide quality directional lighting that can emphasize the decor or displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects

Track light Maytoni Unity Basis Rot white 230V 24W 1900lm 110° IP20 940

Product code 21495

Brand Maytoni
 Supply voltage 230V
 Output 24W
 Luminous flux 1900lumens
 Luminaire's efficiency lm79 79W
 Correlated colour temperature pure white 4000K
 Lens angle 110
 Cri 90
 Protection class IP20
 Height 46.0mm
 Width 510.0mm
 Length 33.0mm
 Casing colour white
 Casing material aluminium + plastic
 Work environment indoor use
 Warranty 3 years


displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects.



Track light Maytoni Unity Calipso black / golden 230V GU10 IP20

Product code 20487


Brand Maytoni
 Supply voltage 230V
 Socket GU10
 Protection class IP20
 Height 132.0mm
 Width 100.0mm
 Length 82.0mm
 Diameter 56.0mm
 Weight 160 g
 Package weight 180 g
 Casing colour black / golden
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 2 years



1-phase track light Maytoni Unity Calipso black 230V GU10 IP20

Product code 20485

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 132.0mm
Width 100.0mm
Length 82.0mm
Diameter 56.0mm
Weight 160 g
Package weight 180 g
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Calipso white 230V GU10 IP20

Product code 20486


Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 132.0mm
Width 100.0mm
Length 82.0mm
Diameter 56.0mm
Weight 160 g
Package weight 180 g
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Focus black 230V GU10 IP20

Product code 19518

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 210.0mm
Minimum length 130.0mm
Diameter 60.0mm
Weight 300 g
Package weight 343 g
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Focus Dim black 230V 12W 900lm 50° IP20 TRIAC 930

Product code 20115 TRIAC dimmable

Brand Maytoni
Supply voltage 230V
Dimmable TRIAC
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 3000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Width 82.0mm
Diameter 82.0mm
Weight 280 g
Package weight 320 g
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 5 years



1-phase track light Maytoni Unity Focus Dual black / golden 230V 6W 460lm 36° IP20 930

Product code 20489


Brand Maytoni
 Supply voltage 230V
 Output 6W
 Luminous flux 460lumens
 Luminaire's efficiency lm79 77W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 325.0mm
 Width 81.5mm
 Length 30.0mm
 Diameter 30.0mm
 Weight 250 g
 Package weight 380 g
 Casing colour black / golden
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 5 years



1-phase track light Maytoni Unity Focus Dual black 230V 6W 460lm 36° IP20 930

Product code 20490


Brand Maytoni
 Supply voltage 230V
 Output 6W
 Luminous flux 460lumens
 Luminaire's efficiency lm79 77W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 325.0mm
 Width 81.5mm
 Length 30.0mm
 Diameter 30.0mm
 Weight 250 g
 Package weight 380 g
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 5 years



1-phase track light Maytoni Unity Focus Dual white 230V 6W 460lm 36° IP20 930

Product code 20488

Brand Maytoni
 Supply voltage 230V
 Output 6W
 Luminous flux 460lumens
 Luminaire's efficiency lm79 77W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 325.0mm
 Width 81.5mm
 Length 30.0mm
 Diameter 30.0mm
 Weight 250 g
 Package weight 380 g
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Track light Maytoni Unity Focus LED 12W 900lm 50° 930

Product code 19233

Brand Maytoni
 Output 12W
 Luminous flux 900lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 3000K
 Lens angle 50
 Cri 90
 Lifespan 50000h
 Height 158.0mm
 Width 125.0mm
 Length 93.0mm
 Diameter 52.0mm
 Warranty 5 years



Track light Maytoni Unity Focus LED black 230V 12W 900lm 50° IP20 940

Product code 21501

Brand Maytoni
Supply voltage 230V
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Width 82.0mm
Length 125.0mm
Diameter 52.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Unity Focus LED gold 230V 12W 900lm 50° IP20 930

Product code 21503

Brand Maytoni
Supply voltage 230V
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Width 82.0mm
Length 125.0mm
Diameter 52.0mm
Casing colour gold
Casing material aluminium
Work environment indoor use
Warranty 2 years



1-phase track light Maytoni Unity Focus LED white 230V 12W 900lm 50° IP20 3000K warm white

Product code 20396


Brand Maytoni
Supply voltage 230V
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 50
Protection class IP20
Lifespan 50000h
Height 158.0mm
Width 125.0mm
Length 82.0mm
Diameter 52.0mm
Weight 280 g
Package weight 310 g
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE
Warranty 5 years



1-phase track light Maytoni Unity Focus Mini white 230V GU10 IP20

Product code 19519

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 179.0mm
Diameter 54.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 2 years



Track light Maytoni Unity Focus S black / golden 230V 10W GU10 IP20

Product code 21506


Brand Maytoni
Supply voltage 230V
Output 10W
Socket GU10
Protection class IP20
Height 125.0mm
Length 92.0mm
Diameter 52.0mm
Casing colour black / golden
Casing material aluminium
Work environment indoor use
Warranty 2 years



Track light Maytoni Unity Focus S black / golden 230V 10W GU10 IP20

Product code 21507

Brand Maytoni
Supply voltage 230V
Output 10W
Socket GU10
Protection class IP20
Height 125.0mm
Length 92.0mm
Diameter 52.0mm
Casing colour black / golden
Casing material aluminium
Work environment indoor use
Warranty 2 years



1-phase track light Maytoni Unity Focus S black 230V GU10 IP20

Product code 19515


Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 165.0mm
Diameter 58.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Focus S black 230V GU10 IP20

Product code 20182

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 125.0mm
Width 92.0mm
Diameter 52.0mm
Weight 130 g
Package weight 160 g
In package 1pc
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 2 years



1-phase track light Maytoni Unity Focus S gold 230V GU10 IP20

Product code 20411


Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 125.0mm
Width 92.0mm
Diameter 52.0mm
Weight 130 g
Package weight 160 g
Casing colour gold
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 2 years



Track light Maytoni Unity Focus S white / golden 230V 10W GU10 IP20

Product code 21505

Brand Maytoni
Supply voltage 230V
Output 10W
Socket GU10
Protection class IP20
Height 125.0mm
Length 92.0mm
Diameter 52.0mm
Casing colour white / golden
Casing material aluminium
Work environment indoor use
Warranty 2 years



1-phase track light Maytoni Unity Focus S white 230V GU10 IP20

Product code 19511


Brand Maytoni
Supply voltage 230V
Maximum output 10W/1m
Socket GU10
Protection class IP20
Height 125.0mm
Diameter 52.0mm
In package 1pc
In box 30pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Track light Maytoni Unity Focus S white 230V GU10 IP20

Product code 20613



Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 210.0mm
Diameter 60.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE



1-phase track light Maytoni Unity Focus white 230V GU10 IP20

Product code 19516

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 210.0mm
Diameter 60.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE



Track light Maytoni Unity Focus Zoom black 230V 12W 900lm 15-50° IP20 930

Product code 21513

Brand Maytoni
 Supply voltage 230V
 Output 12W
 Luminous flux 900lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature warm white 3000K
 Lens angle 15-50
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 158.0mm
 Length 125.0mm
 Diameter 55.0mm
 Casing colour black
 Casing material aluminium
 Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle.

Track light Maytoni Unity Focus Zoom black 230V 12W 900lm 15-50° IP20 TRIAC 940

Product code 21508 TRIAC dimmable

Brand Maytoni
Supply voltage 230V
Dimmable TRIAC
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 15-50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Length 125.0mm
Diameter 55.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. The product is covered by a 5-year warranty, and we offer technical support.



Track light Maytoni Unity Focus Zoom black 230V 12W 900lm 15°-50° IP20 940

Product code 21511

Brand Maytoni
Supply voltage 230V
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 15°-50°
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Length 125.0mm
Diameter 55.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle.

Track light Maytoni Unity Focus Zoom DIM black 230V 12W 900lm 15-50° IP20 TRIAC 930

Product code 21514 TRIAC dimmable

Brand Maytoni
Supply voltage 230V
Dimmable TRIAC
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 3000K
Lens angle 15-50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Length 125.0mm
Diameter 55.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. T

Track light Maytoni Unity Focus Zoom DIM white 230V 12W 900lm 15-50° IP20 TRIAC 940

Product code 21509 TRIAC dimmable

Brand Maytoni
Supply voltage 230V
Dimmable TRIAC
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 15-50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Length 125.0mm
Diameter 55.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. The product is covered by a 5-year warranty, and we offer technical support.



Track light Maytoni Unity Focus Zoom white 230V 12W 900lm 15-50° IP20 930

Product code 21512

Brand Maytoni
Supply voltage 230V
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 3000K
Lens angle 15-50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Length 125.0mm
Diameter 55.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. Th

Track light Maytoni Unity Focus Zoom white 230V 12W 900lm 15-50° IP20 940

Product code 21870

Brand Maytoni
Supply voltage 230V
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 15-50
Cri 90
Protection class IP20
Lifespan 50000h
Height 158.0mm
Length 125.0mm
Diameter 55.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. The product is covered by a 5-year warranty, and we offer technical support.



1-phase track light Maytoni Unity Lipari black / golden 230V GU10 IP20

Product code 19500

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 95.0mm
Diameter 54.0mm
In package 1pc
In box 30pcs
Casing colour black / golden
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



1-phase track light Maytoni Unity Lipari white / golden 230V GU10 IP20

Product code 20561

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 95.0mm
Diameter 54.0mm
In package 1pc
In box 30pcs
Casing colour white / golden
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



1-phase track light Maytoni Unity Onda black 230V 12W 780lm CRI90 120° IP20

Product code 20008

Brand Maytoni
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Luminous flux 780lumens
Luminaire's efficiency lm79 65W
Lens angle 120
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

The swivel mechanism allows you to adjust the light direction horizontally by 355° and vertically by 90°. Energy-efficient LEDs are designed to consume less power while maintaining high levels of brightness.



1-phase track light Maytoni Unity Onda white 230V 12W 780lm 120° IP20

Product code 19952

Brand Maytoni
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Luminous flux 780lumens
Luminaire's efficiency lm79 65W
Lens angle 120
Protection class IP20
Height 80.0mm
Diameter 85.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

The Onda luminaire embodies adaptability and versatility. Its sleek metal housing is available in white, classic black, or a sophisticated black and matte gold combination. Thanks to its adjustable swivel mechanism, the light can be directed precisely where it's needed. Onda offers a choice of wattages and color temperatures, including biodynamic models. With a wide 120° beam angle and a high color rendering index (CRI >90), it delivers comfortable, natural illumination that enhances any environment. Compatible with both DALI and Triac dimming systems, Onda is ready to integrate seamlessly into the smart homes of tomorrow - where comfort, control, and performance go hand in hand.



Track light Maytoni Unity Onda white 230V 12W 838lm 120° IP20 927

Product code 21517

Brand Maytoni
Supply voltage 230V
Output 12W
Luminous flux 838lumens
Luminaire's efficiency lm79 70W
Correlated colour temperature warm
white 2700K
Lens angle 120
Cri 90
Protection class IP20
Lifespan 30000h
Height 110.0mm
Diameter 85.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

The Onda luminaire embodies adaptability and versatility. Its sleek metal housing is available in white, classic black, or a sophisticated black and matte gold combination. Thanks to its adjustable swivel mechanism, the light can be directed precisely where it's needed. Onda offers a choice of wattages and color temperatures, including biodynamic models. With a wide 120° beam angle and a high color rendering index (CRI >90), it delivers comfortable, natural illumination that enhances any environment. Compatible with both DALI and Triac dimming systems, Onda is ready to integrate seamlessly into the smart homes of tomorrow - where comfort, control, and performance go hand in hand.



Track light Maytoni Unity Points Rot black 100-240V 10W 760lm 30° IP20 940

Product code 21498

Brand Maytoni
 Supply voltage 100-240V
 Output 10W
 Luminous flux 760lumens
 Luminaire's efficiency lm79 76W
 Correlated colour temperature pure white 4000K
 Lens angle 30
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 46.0mm
 Width 382.0mm
 Length 33.0mm
 Casing colour black
 Casing material aluminium + plastic
 Work environment indoor use
 Warranty 3 years



The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The light's high-quality aluminum housing ensures reliability and durability. It features a swivel mechanism for directing the beam and a recessed light source with classic 3000K and 4000K color temperatures. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the swivel mechanism lets you adjust the light angle as needed. The light consumes very little energy and will last for a long time. The solution is compatible with the Unity track system, making it easy to install and integrate into existing lighting architecture.



Track light Maytoni Unity Points Rot black 100-240V 22W 1440lm 30° IP20 940

Product code 21496

Brand Maytoni
 Supply voltage 100-240V
 Output 22W
 Luminous flux 1440lumens
 Luminaire's efficiency lm79 65W
 Correlated colour temperature pure white 4000K
 Lens angle 30
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 46.0mm
 Width 510.0mm
 Length 33.0mm
 Casing colour black
 Casing material aluminium + plastic
 Work environment indoor use
 Warranty 3 years



The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The light's high-quality aluminum housing ensures reliability and durability. It features a swivel mechanism for directing the beam and a recessed light source with classic 3000K and 4000K color temperatures. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the swivel mechanism lets you adjust the light angle as needed. The light consumes very little energy and will last for a long time. The solution is compatible with the Unity track system, making it easy to install and integrate into existing lighting architecture.



Track light Maytoni Unity Polar black 230V 12W G53 IP20

Product code 21482

Brand Maytoni
Supply voltage 230V
Output 12W
Socket G53
Protection class IP20
Height 148.0mm
Diameter 82.0mm
Casing colour black
Casing material aluminium + plastic
Work environment indoor use
Warranty 2 years



Track light Maytoni Unity Polar white 230V 12W G53 IP20

Product code 21481

Brand Maytoni
Supply voltage 230V
Output 12W
Socket G53
Protection class IP20
Height 148.0mm
Diameter 82.0mm
Casing colour white
Casing material aluminium + plastic
Work environment indoor use
Warranty 2 years



Track light Maytoni Unity Virar black 230V GU10 IP20

Product code 19513

Brand Maytoni
Supply voltage 230V
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 80.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE



Track light Maytoni Unity Vuoro black 230V 10W 850lm 24° IP20 930

Product code 21523

Brand Maytoni
Supply voltage 230V
Output 10W
Luminous flux 850lumens
Luminaire's efficiency lm79 85W
Correlated colour temperature warm white 3000K
Lens angle 24
Cri 90
Protection class IP20
Height 147.0mm
Length 118.0mm
Diameter 78.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



1-phase track light Maytoni Unity Vuoro black 230V 10W 900lm 24° IP20 940

Product code 20401

Brand Maytoni
Supply voltage 230V
Output 10W
Luminous flux 900lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 90
Protection class IP20
Height 147.0mm
Width 118.0mm
Diameter 78.0mm
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



1-phase track light Maytoni Unity Vuoro black 230V 15W 1300lm 24° IP20 940

Product code 19520

Brand Maytoni
Supply voltage 230V
Output 15W
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 90
Protection class IP20
Height 210.0mm
Width 138.0mm
Diameter 89.0mm
Weight 270 g
Package weight 330 g
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE



1-phase track light Maytoni Unity Vuoro black 230V 15W 980lm 24° IP20 930

Product code 19953

Brand Maytoni
Supply voltage 230V
Output 15W
Luminous flux 980lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature warm white 3000K
Lens angle 24
Cri 90
Protection class IP20
Height 165.0mm
Diameter 89.0mm
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Track light Maytoni Unity Vuoro black 230V 26W 2420lm 24° IP20 940

Product code 21525

Brand Maytoni
Supply voltage 230V
Output 26W
Luminous flux 2420lumens
Luminaire's efficiency lm79 93W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 90
Protection class IP20
Height 165.0mm
Length 138.0mm
Diameter 89.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Unity Vuoro black 230V 26W 2698lm 24° IP20 930

Product code 21524

Brand Maytoni
Supply voltage 230V
Output 26W
Luminous flux 2698lumens
Luminaire's efficiency lm79 104W
Correlated colour temperature warm white 3000K
Lens angle 24
Cri 90
Protection class IP20
Height 165.0mm
Length 138.0mm
Diameter 89.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



1-phase track light Maytoni Unity Vuoro black 230V 6W 450lm 24° IP20 3000K warm white

Product code 19514

Brand Maytoni
Supply voltage 230V
Output 6W
Maximum output 6W/1m
Luminous flux 450lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm white 3000K
Lens angle 24
Protection class IP20
Height 165.0mm
Diameter 58.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE



Track light Maytoni Unity Vuoro white 230V 15W 1600lm 24° IP20 940

Product code 21522

Brand Maytoni
Supply voltage 230V
Output 15W
Luminous flux 1600lumens
Luminaire's efficiency lm79 107W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 90
Protection class IP20
Height 165.0mm
Length 138.0mm
Diameter 89.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Track light Maytoni Unity Vuoro white 230V 26W 2310lm 24° IP20 940

Product code 21526

Brand Maytoni
Supply voltage 230V
Output 26W
Luminous flux 2310lumens
Luminaire's efficiency lm79 89W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 90
Protection class IP20
Height 165.0mm
Length 138.0mm
Diameter 89.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



1-phase track light Maytoni Unity Vuoro white 230V 6W 450lm 24° IP20 3000K warm white

Product code 19517


Brand Maytoni
Supply voltage 230V
Output 6W
Luminous flux 450lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 3000K
Lens angle 24
Protection class IP20
Height 165.0mm
Diameter 58.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE



1-phase track light Maytoni Unity Zon black 230V 12W 840lm 110° IP20

Product code 20183

Brand Maytoni
 Supply voltage 230V
 Output 12W
 Luminous flux 840lumens
 Luminaire's efficiency lm79 70W
 Lens angle 110
 Protection class IP20
 Height 83.0mm
 Width 156.0mm
 Length 135.0mm
 Diameter 135.0mm
 Weight 540 g
 Package weight 580 g
 In package 1pc
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



Their design is modern and minimalistic, making them suitable for various interior styles. These lights are made of high-quality materials for durability and a stylish look. They provide powerful and even illumination thanks to the wide dispersion angle. The luminaires are available in an elegant black color. Their flat design fits perfectly into a track system and is easy to mount. LED light sources come in two classic color temperatures: 3000K and 4000K, to create the perfect atmosphere for you. They use energy-efficient technologies to help reduce your energy costs. The lights are exclusively compatible with the Unity track system for ease of installation. The product is covered by a 5-year warranty, and we offer technical support.

1-phase track light Maytoni Vuoro white 230V 15W 1600lm 24° IP20

Product code 21480

Brand Maytoni
Supply voltage 230V
Output 15W
Luminous flux 1600lumens
Luminaire's efficiency lm79 107W
Lens angle 24
Protection class IP20
Height 165.0mm
Width 138.0mm
Diameter 89.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Track light Maytoni Yin black 15W 1359lm 24° 2700K-4000K warm + day white

Product code 20583

Brand Maytoni
Output 15W
Luminous flux 1359lumens
Luminaire's efficiency lm79 91W
Correlated colour temperature warm + day white 2700K-4000K
Lens angle 24
Lifespan 30000h
Height 105.0mm
Diameter 100.0mm
Weight 510 g
Package weight 540 g
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



It is designed to provide directional light for exhibition spaces, stores, and living areas. This light is made of high-quality aluminum for durability and a stylish design. Options include 3000K and 4000K light temperatures. The light has a 24° beam angle and supports Triac dimming. It is available in a range of neutral and vibrant colors to match any interior design.

Track light Maytoni Yin DIM white 15W 1359lm 24° TRIAC 2700K-4000K warm + day white

Product code 20582 TRIAC dimmable

Brand Maytoni
 Dimmable TRIAC
 Output 15W
 Luminous flux 1359lumens
 Luminaire's efficiency lm79 91W
 Correlated colour temperature warm
 + day white 2700K-4000K
 Lens angle 24
 Lifespan 30000h
 Height 105.0mm
 Diameter 100.0mm
 Weight 510 g
 Package weight 540 g
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years




The Yin track luminaire is a contemporary lighting solution that is perfect for adding accents to any interior. It is designed to provide directional light for exhibition spaces, stores, and living areas. This light is made of high-quality aluminum for durability and a stylish design. Options include 3000K and 4000K light temperatures. The light has a 24° beam angle and supports Triac dimming. It is available in a range of neutral and vibrant colors to match any interior design. The product is covered by a 5-year warranty, and we offer technical support.

1-phase track light Prolumen Mesh black 230V GU10 IP20

Product code 19997

Brand [Prolumen](#)
 Supply voltage 230V
 Socket GU10
 Protection class IP20
 Height 210.0mm
 Diameter 60.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE



1-phase track light Prolumen Mesh white 230V GU10 IP20

Product code 19994

Brand [Prolumen](#)
 Supply voltage 230V
 Socket GU10
 Protection class IP20
 Height 210.0mm
 Diameter 60.0mm
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE



Track light Track 1F black / golden 230V GU10 IP20

Product code 18359

Supply voltage 230V
 Maximum output 50W/1m
 Socket GU10
 Protection class IP20
 In package 1pc
 In box 30pcs
 Casing colour black / golden
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



Track light Track 1F white / golden 230V GU10 IP20

Product code 18360


Supply voltage 230V
 Maximum output 50W/1m
 Socket GU10
 Protection class IP20
 In package 1pc
 In box 30pcs
 Casing colour white / golden
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



Track light Track 1F white 230V GU10 IP20

Product code 18357


Supply voltage 230V
 Maximum output 50W/1m
 Socket GU10
 Protection class IP20
 Height 179.0mm
 Width 100.0mm
 In package 1pc
 In box 30pcs
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



1-phase track light Unity Focus black 230V GU10 IP20

Product code 19694

Supply voltage 230V
 Maximum output 50W/1m
 Socket GU10
 Protection class IP20
 Height 130.0mm
 Length 210.0mm
 Diameter 60.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



1-phase track light Unity Focus white 230V GU10 IP20

Product code 18358

Supply voltage 230V
Maximum output 50W/1m
Socket GU10
Protection class IP20
In package 1pc
In box 30pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

