


## Track light Focus Mini black 230V GU10 IP20

### Product code 18356

Supply voltage 230V  
 Maximum output 50W/1m  
 Socket GU10  
 Protection class IP20  
 Height 100.0mm  
 Length 179.0mm  
 Diameter 54.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## Track light Light4U Irmin Opal black 22W 2400lm 110° IP20 930

### Product code 20391

Brand [Light4U](#)  
 Output voltage 220-240V  
 Output 22W  
 Luminous flux 2400lumens  
 Luminaire's efficiency lm79 109W  
 Correlated colour temperature warm white 3000K  
 Lens angle 110  
 Cri 90  
 Protection class IP20  
 Lifespan 100000h  
 Height 39.0mm  
 Width 853.0mm  
 Length 44.5mm  
 Weight 1.4 kg  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 5 years



## Track light Light4U Irmin Opal white 22W 2400lm 110° IP20 930

**Product code 20389**

Brand [Light4U](#)

Output voltage 220-240V

Output 22W

Luminous flux 2400lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm white 3000K

Lens angle 110

Cri 90

Protection class IP20

Lifespan 100000h

Height 39.0mm

Width 853.0mm

Length 44.5mm

Weight 1.4 kg

Casing colour white

Casing material aluminium

Work environment indoor use

Warranty 5 years



## Track light LINEAR L51 UGR17 white 230V 40W 4800lm 80° IP20 DALI 930

**Product code 23120 DALI dimmable**

Supply voltage 230V

Dimmable DALI

Output 40W

Maximum output 40W/1m

Rated current 1050mA

Luminous flux 4800lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature warm white 3000K

Lens angle 80

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Llmf tm21 L80B10 @25°C 50.000h

Height 35.0mm

Width 46.0mm


Length 595.0mm

Casing colour white


Casing material aluminium + plastic

Impact resistance IK02

Work environment indoor use





Unit:mm



## Track light LINEAR L51 UGR17 white 230V 40W 5000lm 80° IP20 DALI 940

**Product code 23062 DALI dimmable**


Supply voltage 230V  
 Dimmable DALI  
 Output 40W  
 Maximum output 40W/1m  
 Rated current 1050mA  
 Luminous flux 5000lumens  
 Luminaire's efficiency lm79 125W  
 Correlated colour temperature pure white 4000K  
 Lens angle 80  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 35.0mm  
 Width 46.0mm  
 Length 595.0mm  
 Casing colour white  
 Casing material aluminium + plastic  
 Impact resistance IK02  
 Work environment indoor use



## 1-phase track light Maytoni Focus Mini black 230V GU10 IP20

**Product code 20394**

Brand Maytoni  
 Supply voltage 230V  
 Maximum output 50W/1m  
 Socket GU10  
 Protection class IP20  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## Track light Maytoni Trinity Vuoro black 10W 750lm 24° IP20 930

### Product code 21561

Brand Maytoni  
Output 10W  
Luminous flux 750lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Lifespan 30000h  
Height 180.0mm  
Length 118.0mm  
Diameter 78.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years

Its modern, minimalist design easily blends into any setting. The light is available with two light temperature options: 3000K for warm light and 4000K for neutral light. The light spreads out at an angle of 24°. Options include classic black and white, allowing you to choose the perfect option for your interior. The luminaire allows you to customize your lighting according to your needs and preferences. It is easy to install into a track system, suitable for both homes and offices. The product is covered by a 5-year warranty, and we offer technical support.



## Track light Maytoni Trinity Vuoro black 10W 800lm 24° IP20 940

### Product code 21563

Brand Maytoni  
Output 10W  
Luminous flux 800lumens  
Luminaire's efficiency lm79 80W  
Correlated colour temperature pure white 4000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Lifespan 30000h  
Height 180.0mm  
Length 118.0mm  
Diameter 78.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years

Its modern, minimalist design easily blends into any setting. The light is available with two light temperature options: 3000K for warm light and 4000K for neutral light. The light spreads out at an angle of 24°. Options include classic black and white, allowing you to choose the perfect option for your interior. The luminaire allows you to customize your lighting according to your needs and preferences. It is easy to install into a track system, suitable for both homes and offices. T



## Track light Maytoni Trinity Vuoro white 10W 750lm 24° IP20 930

### Product code 21562

Brand Maytoni  
Output 10W  
Luminous flux 750lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Lifespan 30000h  
Height 180.0mm  
Length 118.0mm  
Diameter 78.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years


Its modern, minimalist design easily blends into any setting. The light is available with two light temperature options: 3000K for warm light and 4000K for neutral light. The light spreads out at an angle of 24°. Options include classic black and white, allowing you to choose the perfect option for your interior. The luminaire allows you to customize your lighting according to your needs and preferences. It is easy to install into a track system, suitable for both homes and offices.



## 1-phase track light Maytoni Unity Artisan black / golden 230V GU10 IP20

**Product code 20483**


Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 108.0mm  
Width 140.0mm  
Length 82.0mm  
Diameter 54.0mm  
Weight 160 g  
Package weight 180 g  
Casing colour black / golden  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Artisan black 230V GU10 IP20

**Product code 20181**


Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 108.0mm  
Width 140.0mm  
Length 82.0mm  
Diameter 54.0mm  
Weight 160 g  
Package weight 180 g  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Artisan white 230V GU10 IP20

**Product code 20484**


Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 108.0mm  
Width 140.0mm  
Length 82.0mm  
Diameter 54.0mm  
Weight 160 g  
Package weight 180 g  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Basis Rot black 230V 10W 620lm 30° IP20 930

**Product code 20600**

Brand Maytoni  
Supply voltage 230V  
Output 10W  
Luminous flux 620lumens  
Luminaire's efficiency lm79 62W  
Correlated colour temperature warm  
white 3000K  
Lens angle 30  
Cri 90  
Protection class IP20  
Height 46.0mm  
Width 382.0mm  
Length 33.0mm  
Weight 300 g  
Package weight 400 g  
In package 1pc  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 3 years



## 1-phase track light Maytoni Unity Basis Rot black 230V 12W 780lm 110° IP20 930

### Product code 20503

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 780lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature warm  
white 3000K  
Lens angle 110  
Cri 90  
Protection class IP20  
Height 46.0mm  
Width 382.0mm  
Length 33.0mm  
Weight 300 g  
Package weight 400 g  
In package 1pc  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 3 years



## 1-phase track light Maytoni Unity Basis Rot black 230V 12W 780lm 110° IP20 940

### Product code 20504

Brand Maytoni  
 Supply voltage 230V  
 Output 12W  
 Maximum output 12W/1m  
 Luminous flux 780lumens  
 Luminaire's efficiency lm79 65W  
 Correlated colour temperature pure white 4000K  
 Lens angle 110  
 Cri 90  
 Protection class IP20  
 Height 46.0mm  
 Width 382.0mm  
 Length 33.0mm  
 Weight 300 g  
 Package weight 400 g  
 In package 1pc  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 3 years



## 1-phase track light Maytoni Unity Basis Rot black 230V 22W 1130lm 30° IP20 3000K warm white

**Product code 20839**

Brand Maytoni  
 Supply voltage 230V  
 Output 22W  
 Luminous flux 1130lumens  
 Luminaire's efficiency lm79 51W  
 Correlated colour temperature warm white 3000K  
 Lens angle 30  
 Protection class IP20  
 Height 46.0mm  
 Width 510.0mm  
 Length 33.0mm  
 Weight 500 g  
 Package weight 600 g  
 In package 1pc  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 3 years

The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The light's high-quality aluminum housing ensures reliability and durability. It features a swivel mechanism for directing the beam and a recessed light source with classic 3000K and 4000K color temperatures. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the swivel mechanism lets you adjust the light angle as needed. The light consumes very little energy and will last for a long time. The solution is compatible with the Unity track system, making it easy to install and integrate into existing lighting architecture.



## Track light Maytoni Unity Basis Rot black 230V 24W 1540lm 110° IP20 930

### Product code 21492

Brand Maytoni  
Supply voltage 230V  
Output 24W  
Luminous flux 1540lumens  
Luminaire's efficiency lm79 64W  
Correlated colour temperature warm white 3000K  
Lens angle 110  
Cri 90  
Protection class IP20  
Height 57.0mm  
Width 57.0mm  
Length 33.0mm  
Casing colour black  
Casing material aluminium + plastic  
Work environment indoor use  
Warranty 3 years

The Basis Rot track luminaire is a modern lighting solution with an elegant aluminum housing finished in black or white. Basis Rot luminaires are designed for lighting both commercial and residential spaces, including stores, showrooms, and apartments. They provide quality directional lighting that can emphasize the decor or displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects.



## Track light Maytoni Unity Basis Rot black 230V 24W 1900lm 110° IP20 940

**Product code 21494**

Brand Maytoni  
 Supply voltage 230V  
 Output 24W  
 Luminous flux 1900lumens  
 Luminaire's efficiency lm79 79W  
 Correlated colour temperature pure white 4000K  
 Lens angle 110  
 Cri 90  
 Protection class IP20  
 Height 57.0mm  
 Width 510.0mm  
 Length 33.0mm  
 Casing colour black  
 Casing material aluminium + plastic  
 Work environment indoor use  
 Warranty 3 years



The Basis Rot track luminaire is a modern lighting solution with an elegant aluminum housing finished in black or white. Basis Rot luminaires are designed for lighting both commercial and residential spaces, including stores, showrooms, and apartments. They provide quality directional lighting that can emphasize the decor or displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects.


## 1-phase track light Maytoni Unity Basis Rot white 230V 10W 620lm 30° IP20 930

## Product code 20840

Brand Maytoni  
 Supply voltage 230V  
 Output 10W  
 Luminous flux 620lumens  
 Luminaire's efficiency lm79 62W  
 Correlated colour temperature warm white 3000K  
 Lens angle 30  
 Cri 90  
 Protection class IP20  
 Height 46.0mm  
 Width 382.0mm  
 Length 33.0mm  
 Weight 300 g  
 Package weight 400 g  
 In package 1pc  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 3 years




The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The light's high-quality aluminum housing ensures reliability and durability. It features a swivel mechanism for directing the beam and a recessed light source with classic 3000K and 4000K color temperatures. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the swivel mechanism lets you adjust the light angle as needed. The light consumes very little energy and will last for a long time. The solution is compatible with the Unity track system, making it easy to install and integrate into existing lighting architecture.



## **1-phase track light Maytoni Unity Basis Rot white 230V 12W 780lm 110° IP20 930**

### **Product code 20505**


Brand Maytoni  
Supply voltage 230V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 780lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature warm  
white 3000K  
Lens angle 110  
Cri 90  
Protection class IP20  
Height 46.0mm  
Width 382.0mm  
Length 33.0mm  
Weight 300 g  
Package weight 400 g  
In package 1pc  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 3 years



## **1-phase track light Maytoni Unity Basis Rot white 230V 12W 780lm 110° IP20 940**

**Product code 20506**

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 780lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature pure white 4000K  
Lens angle 110  
Cri 90  
Protection class IP20  
Height 46.0mm  
Width 382.0mm  
Length 33.0mm  
Weight 300 g  
Package weight 400 g  
In package 1pc  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 3 years



## **Track light Maytoni Unity Basis Rot white 230V 24W 1540lm 110° IP20 930**

**Product code 21493**

Brand Maytoni  
 Supply voltage 230V  
 Output 24W  
 Luminous flux 1540lumens  
 Luminaire's efficiency lm79 64W  
 Correlated colour temperature warm white 3000K  
 Lens angle 110  
 Cri 90  
 Protection class IP20  
 Height 57.0mm  
 Width 510.0mm  
 Length 33.0mm  
 Casing colour white  
 Casing material aluminium + plastic  
 Work environment indoor use  
 Warranty 3 years



The Basis Rot track luminaire is a modern lighting solution with an elegant aluminum housing finished in black or white. Basis Rot luminaires are designed for lighting both commercial and residential spaces, including stores, showrooms, and apartments. They provide quality directional lighting that can emphasize the decor or displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects

## Track light Maytoni Unity Basis Rot white 230V 24W 1900lm 110° IP20 940

**Product code 21495**

Brand Maytoni  
 Supply voltage 230V  
 Output 24W  
 Luminous flux 1900lumens  
 Luminaire's efficiency lm79 79W  
 Correlated colour temperature pure white 4000K  
 Lens angle 110  
 Cri 90  
 Protection class IP20  
 Height 46.0mm  
 Width 510.0mm  
 Length 33.0mm  
 Casing colour white  
 Casing material aluminium + plastic  
 Work environment indoor use  
 Warranty 3 years




displayed wares. The light source used in this luminaire is LED. The light dispersion angle is 110°. The color temperature is 3000K or 4000K. The vertical swivel function allows you to point the light beam in any direction, making the luminaire perfect for highlighting specific objects.

## Track light Maytoni Unity Calipso black / golden 230V GU10 IP20

**Product code 20487**


Brand Maytoni  
 Supply voltage 230V  
 Socket GU10  
 Protection class IP20  
 Height 132.0mm  
 Width 100.0mm  
 Length 82.0mm  
 Diameter 56.0mm  
 Weight 160 g  
 Package weight 180 g  
 Casing colour black / golden  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE  
 Warranty 2 years



## 1-phase track light Maytoni Unity Calipso black 230V GU10 IP20

**Product code 20485**

Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 132.0mm  
Width 100.0mm  
Length 82.0mm  
Diameter 56.0mm  
Weight 160 g  
Package weight 180 g  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Calipso white 230V GU10 IP20

**Product code 20486**


Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 132.0mm  
Width 100.0mm  
Length 82.0mm  
Diameter 56.0mm  
Weight 160 g  
Package weight 180 g  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Focus black 230V GU10 IP20

### Product code 19518


Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 210.0mm  
Minimum length 130.0mm  
Diameter 60.0mm  
Weight 300 g  
Package weight 343 g  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Focus Dim black 230V 12W 900lm 50° IP20 TRIAC 930

### Product code 20115 TRIAC dimmable

Brand Maytoni  
Supply voltage 230V  
Dimmable TRIAC  
Output 12W  
Maximum output 12W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Width 82.0mm  
Diameter 82.0mm  
Weight 280 g  
Package weight 320 g  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 5 years



## 1-phase track light Maytoni Unity Focus Dual black / golden 230V 6W 460lm 36° IP20 930

### Product code 20489


Brand Maytoni  
 Supply voltage 230V  
 Output 6W  
 Luminous flux 460lumens  
 Luminaire's efficiency lm79 77W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Cri 90  
 Protection class IP20  
 Lifespan 50000h  
 Height 325.0mm  
 Width 81.5mm  
 Length 30.0mm  
 Diameter 30.0mm  
 Weight 250 g  
 Package weight 380 g  
 Casing colour black / golden  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



## 1-phase track light Maytoni Unity Focus Dual black 230V 6W 460lm 36° IP20 930

### Product code 20490


Brand Maytoni  
 Supply voltage 230V  
 Output 6W  
 Luminous flux 460lumens  
 Luminaire's efficiency lm79 77W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Cri 90  
 Protection class IP20  
 Lifespan 50000h  
 Height 325.0mm  
 Width 81.5mm  
 Length 30.0mm  
 Diameter 30.0mm  
 Weight 250 g  
 Package weight 380 g  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



## 1-phase track light Maytoni Unity Focus Dual white 230V 6W 460lm 36° IP20 930

### Product code 20488

Brand Maytoni  
Supply voltage 230V  
Output 6W  
Luminous flux 460lumens  
Luminaire's efficiency lm79 77W  
Correlated colour temperature warm  
white 3000K  
Lens angle 36  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 325.0mm  
Width 81.5mm  
Length 30.0mm  
Diameter 30.0mm  
Weight 250 g  
Package weight 380 g  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 5 years



## Track light Maytoni Unity Focus LED 12W 900lm 50° 930

### Product code 19233

Brand Maytoni  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 50  
Cri 90  
Lifespan 50000h  
Height 158.0mm  
Width 125.0mm  
Length 93.0mm  
Diameter 52.0mm  
Warranty 5 years



## Track light Maytoni Unity Focus LED black 230V 12W 900lm 50° IP20 940

### Product code 21501

Brand Maytoni  
 Supply voltage 230V  
 Output 12W  
 Luminous flux 900lumens  
 Luminaire's efficiency lm79 75W  
 Correlated colour temperature pure white 4000K  
 Lens angle 50  
 Cri 90  
 Protection class IP20  
 Lifespan 50000h  
 Height 158.0mm  
 Width 82.0mm  
 Length 125.0mm  
 Diameter 52.0mm  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 5 years



## Track light Maytoni Unity Focus LED gold 230V 12W 900lm 50° IP20 930

### Product code 21503

Brand Maytoni  
 Supply voltage 230V  
 Output 12W  
 Luminous flux 900lumens  
 Luminaire's efficiency lm79 75W  
 Correlated colour temperature warm white 3000K  
 Lens angle 50  
 Cri 90  
 Protection class IP20  
 Lifespan 50000h  
 Height 158.0mm  
 Width 82.0mm  
 Length 125.0mm  
 Diameter 52.0mm  
 Casing colour gold  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## 1-phase track light Maytoni Unity Focus LED white 230V 12W 900lm 50° IP20 3000K warm white

**Product code 20396**


Brand Maytoni  
Supply voltage 230V  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 50  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Width 125.0mm  
Length 82.0mm  
Diameter 52.0mm  
Weight 280 g  
Package weight 310 g  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Certificates CE  
Warranty 5 years



## 1-phase track light Maytoni Unity Focus Mini white 230V GU10 IP20

**Product code 19519**

Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 179.0mm  
Diameter 54.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 2 years



## Track light Maytoni Unity Focus S black / golden 230V 10W GU10 IP20

### Product code 21506


Brand Maytoni  
Supply voltage 230V  
Output 10W  
Socket GU10  
Protection class IP20  
Height 125.0mm  
Length 92.0mm  
Diameter 52.0mm  
Casing colour black / golden  
Casing material aluminium  
Work environment indoor use  
Warranty 2 years



## Track light Maytoni Unity Focus S black / golden 230V 10W GU10 IP20

### Product code 21507

Brand Maytoni  
Supply voltage 230V  
Output 10W  
Socket GU10  
Protection class IP20  
Height 125.0mm  
Length 92.0mm  
Diameter 52.0mm  
Casing colour black / golden  
Casing material aluminium  
Work environment indoor use  
Warranty 2 years



## 1-phase track light Maytoni Unity Focus S black 230V GU10 IP20

**Product code 19515**

Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 165.0mm  
Diameter 58.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Focus S black 230V GU10 IP20

**Product code 20182**

Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 125.0mm  
Width 92.0mm  
Diameter 52.0mm  
Weight 130 g  
Package weight 160 g  
In package 1pc  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 2 years



## 1-phase track light Maytoni Unity Focus S gold 230V GU10 IP20

### Product code 20411


Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 125.0mm  
Width 92.0mm  
Diameter 52.0mm  
Weight 130 g  
Package weight 160 g  
Casing colour gold  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 2 years



## Track light Maytoni Unity Focus S white / golden 230V 10W GU10 IP20

### Product code 21505

Brand Maytoni  
Supply voltage 230V  
Output 10W  
Socket GU10  
Protection class IP20  
Height 125.0mm  
Length 92.0mm  
Diameter 52.0mm  
Casing colour white / golden  
Casing material aluminium  
Work environment indoor use  
Warranty 2 years



## 1-phase track light Maytoni Unity Focus S white 230V GU10 IP20

### Product code 19511



Brand Maytoni  
 Supply voltage 230V  
 Maximum output 10W/1m  
 Socket GU10  
 Protection class IP20  
 Height 125.0mm  
 Diameter 52.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## 1-phase track light Maytoni Unity Focus white 230V GU10 IP20

### Product code 19516

Brand Maytoni  
 Supply voltage 230V  
 Socket GU10  
 Protection class IP20  
 Height 210.0mm  
 Diameter 60.0mm  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE



## Track light Maytoni Unity Focus Zoom black 230V 12W 900lm 15-50° IP20 930

**Product code 21513**

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 15-50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Length 125.0mm  
Diameter 55.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years

This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle.



## Track light Maytoni Unity Focus Zoom black 230V 12W 900lm 15-50° IP20 TRIAC 940

**Product code 21508 TRIAC dimmable**

Brand Maytoni  
Supply voltage 230V  
Dimmable TRIAC  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature pure white 4000K  
Lens angle 15-50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Length 125.0mm  
Diameter 55.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. The product is covered by a 5-year warranty, and we offer technical support.

## Track light Maytoni Unity Focus Zoom black 230V 12W 900lm 15°-50° IP20 940

### Product code 21511

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature pure white 4000K  
Lens angle 15°-50°  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Length 125.0mm  
Diameter 55.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle.

## Track light Maytoni Unity Focus Zoom DIM black 230V 12W 900lm 15-50° IP20 TRIAC 930

**Product code 21514 TRIAC dimmable**

Brand Maytoni  
Supply voltage 230V  
Dimmable TRIAC  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 15-50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Length 125.0mm  
Diameter 55.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. T

## Track light Maytoni Unity Focus Zoom DIM white 230V 12W 900lm 15-50° IP20 TRIAC 940

**Product code 21509 TRIAC dimmable**

Brand Maytoni  
Supply voltage 230V  
Dimmable TRIAC  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature pure white 4000K  
Lens angle 15-50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Length 125.0mm  
Diameter 55.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years

This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. The product is covered by a 5-year warranty, and we offer technical support.



## Track light Maytoni Unity Focus Zoom white 230V 12W 900lm 15-50° IP20 930

### Product code 21512

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 15-50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Length 125.0mm  
Diameter 55.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. Th

## Track light Maytoni Unity Focus Zoom white 230V 12W 900lm 15-50° IP20 940

### Product code 21870

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature pure white 4000K  
Lens angle 15-50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 158.0mm  
Length 125.0mm  
Diameter 55.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years

This luminaire is designed to provide accent and directional lighting in interior spaces. It is suitable for both residential and commercial areas. Made of high-quality materials, which makes it durable and reliable. It has a swivel mechanism that allows you to adjust the direction of light by 355 degrees. The recessed light source creates an anti-glare effect, and the design of the housing allows you to precisely adjust the light angle. The product is covered by a 5-year warranty, and we offer technical support.



## 1-phase track light Maytoni Unity Lipari black / golden 230V GU10 IP20

**Product code 19500**

Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 95.0mm  
Diameter 54.0mm  
In package 1pc  
In box 30pcs  
Casing colour black / golden  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



## 1-phase track light Maytoni Unity Lipari white / golden 230V GU10 IP20

**Product code 20561**

Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 95.0mm  
Diameter 54.0mm  
In package 1pc  
In box 30pcs  
Casing colour white / golden  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



## Track light Maytoni Unity Onda white 230V 12W 838lm 120° IP20 927

### Product code 21517

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Luminous flux 838lumens  
Luminaire's efficiency lm79 70W  
Correlated colour temperature warm  
white 2700K  
Lens angle 120  
Cri 90  
Protection class IP20  
Lifespan 30000h  
Height 110.0mm  
Diameter 85.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years

The Onda luminaire embodies adaptability and versatility. Its sleek metal housing is available in white, classic black, or a sophisticated black and matte gold combination. Thanks to its adjustable swivel mechanism, the light can be directed precisely where it's needed. Onda offers a choice of wattages and color temperatures, including biodynamic models. With a wide 120° beam angle and a high color rendering index (CRI >90), it delivers comfortable, natural illumination that enhances any environment. Compatible with both DALI and Triac dimming systems, Onda is ready to integrate seamlessly into the smart homes of tomorrow - where comfort, control, and performance go hand in hand.



## Track light Maytoni Unity Points Rot black 100-240V 22W 1440lm 30° IP20 940

### Product code 21496

Brand Maytoni  
 Supply voltage 100-240V  
 Output 22W  
 Luminous flux 1440lumens  
 Luminaire's efficiency lm79 65W  
 Correlated colour temperature pure white 4000K  
 Lens angle 30  
 Cri 90  
 Protection class IP20  
 Lifespan 50000h  
 Height 46.0mm  
 Width 510.0mm  
 Length 33.0mm  
 Casing colour black  
 Casing material aluminium + plastic  
 Work environment indoor use  
 Warranty 3 years

The solution is perfect for illuminating homes and workplaces, creating a warm ambiance. Its contemporary, streamlined aesthetic is versatile for diverse spaces. The light's high-quality aluminum housing ensures reliability and durability. It features a swivel mechanism for directing the beam and a recessed light source with classic 3000K and 4000K color temperatures. Its streamlined and efficient design seamlessly fits into ceiling installations. The recessed light source offers soft and evenly distributed illumination, while the swivel mechanism lets you adjust the light angle as needed. The light consumes very little energy and will last for a long time. The solution is compatible with the Unity track system, making it easy to install and integrate into existing lighting architecture.



## Track light Maytoni Unity Polar black 230V 12W G53 IP20

### Product code 21482

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Socket G53  
Protection class IP20  
Height 148.0mm  
Diameter 82.0mm  
Casing colour black  
Casing material aluminium + plastic  
Work environment indoor use  
Warranty 2 years



## Track light Maytoni Unity Polar white 230V 12W G53 IP20

### Product code 21481

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Socket G53  
Protection class IP20  
Height 148.0mm  
Diameter 82.0mm  
Casing colour white  
Casing material aluminium + plastic  
Work environment indoor use  
Warranty 2 years



## Track light Maytoni Unity Virar black 230V GU10 IP20

### Product code 19513

Brand Maytoni  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 140.0mm  
Diameter 80.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE



## 1-phase track light Maytoni Unity Vuoro black 230V 10W 850lm 24° IP20 930

### Product code 21523

Brand Maytoni  
Supply voltage 230V  
Output 10W  
Luminous flux 850lumens  
Luminaire's efficiency lm79 85W  
Correlated colour temperature warm white 3000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 147.0mm  
Length 118.0mm  
Diameter 78.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## 1-phase track light Maytoni Unity Vuoro black 230V 10W 900lm 24° IP20 940

### Product code 20401

Brand Maytoni  
Supply voltage 230V  
Output 10W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 90W  
Correlated colour temperature pure white 4000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 147.0mm  
Width 118.0mm  
Diameter 78.0mm  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



## 1-phase track light Maytoni Unity Vuoro black 230V 15W 1300lm 24° IP20 940

### Product code 19520

Brand Maytoni  
Supply voltage 230V  
Output 15W  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature pure white 4000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 210.0mm  
Width 138.0mm  
Diameter 89.0mm  
Weight 270 g  
Package weight 330 g  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE



## 1-phase track light Maytoni Unity Vuoro black 230V 15W 980lm 24° IP20 930

### Product code 19953

Brand Maytoni  
Supply voltage 230V  
Output 15W  
Luminous flux 980lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature warm  
white 3000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 165.0mm  
Diameter 89.0mm  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



## Track light Maytoni Unity Vuoro black 230V 26W 2420lm 24° IP20 940

### Product code 21525

Brand Maytoni  
Supply voltage 230V  
Output 26W  
Luminous flux 2420lumens  
Luminaire's efficiency lm79 93W  
Correlated colour temperature pure  
white 4000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 165.0mm  
Length 138.0mm  
Diameter 89.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## Track light Maytoni Unity Vuoro black 230V 26W 2698lm 24° IP20 930

### Product code 21524

Brand Maytoni  
Supply voltage 230V  
Output 26W  
Luminous flux 2698lumens  
Luminaire's efficiency lm79 104W  
Correlated colour temperature warm white 3000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 165.0mm  
Length 138.0mm  
Diameter 89.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## 1-phase track light Maytoni Unity Vuoro black 230V 6W 450lm 24° IP20 3000K warm white

### Product code 19514

Brand Maytoni  
Supply voltage 230V  
Output 6W  
Maximum output 6W/1m  
Luminous flux 450lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 24  
Protection class IP20  
Height 165.0mm  
Diameter 58.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE



## Track light Maytoni Unity Vuoro white 230V 15W 1600lm 24° IP20 940

**Product code 21522**

Brand Maytoni  
Supply voltage 230V  
Output 15W  
Luminous flux 1600lumens  
Luminaire's efficiency lm79 107W  
Correlated colour temperature pure  
white 4000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 165.0mm  
Length 138.0mm  
Diameter 89.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## Track light Maytoni Unity Vuoro white 230V 26W 2310lm 24° IP20 940

**Product code 21526**

Brand Maytoni  
Supply voltage 230V  
Output 26W  
Luminous flux 2310lumens  
Luminaire's efficiency lm79 89W  
Correlated colour temperature pure  
white 4000K  
Lens angle 24  
Cri 90  
Protection class IP20  
Height 165.0mm  
Length 138.0mm  
Diameter 89.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## **1-phase track light Maytoni Unity Vuoro white 230V 6W 450lm 24° IP20 3000K warm white**

**Product code 19517**


Brand Maytoni  
Supply voltage 230V  
Output 6W  
Luminous flux 450lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 24  
Protection class IP20  
Height 165.0mm  
Diameter 58.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE



## **1-phase track light Maytoni Unity Zon black 230V 12W 840lm 110° IP20**

## Product code 20183

Brand Maytoni  
 Supply voltage 230V  
 Output 12W  
 Luminous flux 840lumens  
 Luminaire's efficiency lm79 70W  
 Lens angle 110  
 Protection class IP20  
 Height 83.0mm  
 Width 156.0mm  
 Length 135.0mm  
 Diameter 135.0mm  
 Weight 540 g  
 Package weight 580 g  
 In package 1pc  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



Their design is modern and minimalistic, making them suitable for various interior styles. These lights are made of high-quality materials for durability and a stylish look. They provide powerful and even illumination thanks to the wide dispersion angle. The luminaires are available in an elegant black color. Their flat design fits perfectly into a track system and is easy to mount. LED light sources come in two classic color temperatures: 3000K and 4000K, to create the perfect atmosphere for you. They use energy-efficient technologies to help reduce your energy costs. The lights are exclusively compatible with the Unity track system for ease of installation. The product is covered by a 5-year warranty, and we offer technical support.

## 1-phase track light Maytoni Vuoro white 230V 15W 1600lm 24° IP20

**Product code 21480**


Brand Maytoni  
 Supply voltage 230V  
 Output 15W  
 Luminous flux 1600lumens  
 Luminaire's efficiency lm79 107W  
 Lens angle 24  
 Protection class IP20  
 Height 165.0mm  
 Width 138.0mm  
 Diameter 89.0mm  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## 1-phase track light Prolumen Mesh black 230V GU10 IP20

**Product code 19997**


Brand [Prolumen](#)  
 Supply voltage 230V  
 Socket GU10  
 Protection class IP20  
 Height 210.0mm  
 Diameter 60.0mm  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE



## 1-phase track light Prolumen Mesh white 230V GU10 IP20

**Product code 19994**

Brand [Prolumen](#)  
Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 210.0mm  
Diameter 60.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE



## Track light Prolumen TANGO black / golden 230V 15W 1000lm 36° IP20 930

**Product code 23182**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 15W  
Maximum output 15W/1m  
Rated current 350mA  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Source of light [BRIDGELUX LED](#)  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 165.0mm  
Diameter 60.0mm  
Casing colour black / golden  
Casing material aluminium  
Work environment indoor use  
Operation temperature -15 ~ 40°C




## Track light RUNK UGR17 white 230V 30W 3500lm 36° IP20 DALI 940

**Product code 23063 DALI dimmable**

Supply voltage 230V  
 Dimmable DALI  
 Output 30W  
 Maximum output 30W/1m  
 Rated current 1050mA  
 Luminous flux 3500lumens  
 Luminaire's efficiency lm79 117W  
 Correlated colour temperature pure white 4000K  
 Lens angle 36  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 130.0mm  
 Diameter 100.0mm  
 Casing colour white  
 Casing material aluminium + plastic  
 Work environment indoor use  
 Operation temperature -15 ~ 40°C



Unit:mm



## Track light Track 1F black / golden 230V GU10 IP20

**Product code 18359**

Supply voltage 230V  
 Maximum output 50W/1m  
 Socket GU10  
 Protection class IP20  
 In package 1pc  
 In box 30pcs  
 Casing colour black / golden  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## Track light Track 1F white / golden 230V GU10 IP20

### Product code 18360


Supply voltage 230V  
 Maximum output 50W/1m  
 Socket GU10  
 Protection class IP20  
 In package 1pc  
 In box 30pcs  
 Casing colour white / golden  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## Track light Track 1F white 230V GU10 IP20

### Product code 18357


Supply voltage 230V  
 Maximum output 50W/1m  
 Socket GU10  
 Protection class IP20  
 Height 179.0mm  
 Width 100.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## 1-phase track light Unity Focus black 230V GU10 IP20

**Product code 19694**

Supply voltage 230V  
 Maximum output 50W/1m  
 Socket GU10  
 Protection class IP20  
 Height 130.0mm  
 Length 210.0mm  
 Diameter 60.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



## 1-phase track light Unity Focus white 230V GU10 IP20

**Product code 18358**

Supply voltage 230V  
 Maximum output 50W/1m  
 Socket GU10  
 Protection class IP20  
 In package 1pc  
 In box 30pcs  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

