


## Frame SIEMENS 1 slot plaatinametall Delta Style 5TG1321-1 silver IP20

**Product code 19572**

Brand SIEMENS  
Protection class IP20  
Casing colour silver  
Casing material plastic

DELTA style, Frame 1-fold, 82x 82 mm  
platinum metallic



## Frame SIEMENS 2-ne Delta Style white IP20

**Product code 19557**

Brand SIEMENS  
Protection class IP20  
Height 82.0mm  
Width 153.0mm  
Casing colour white



## Frame SIEMENS 2-ne plaatinametall Delta Style 5TG1322-1 silver IP20

**Product code 19573**

Brand SIEMENS  
Protection class IP20  
Casing colour silver  
Casing material plastic

DELTA style, Frame 2-fold, 82x 82 mm  
platinum metallic



## Frame SIEMENS 3-ne Delta Style 5TG1323 white IP20

### Product code 18884

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA style, titanium white frame 3-  
fold, 224x 82 mm



## Frame SIEMENS 3-ne platinametall Delta Style 5TG1323-1 IP20

### Product code 18885

Brand SIEMENS  
Protection class IP20  
Casing material plastic

DELTA style, Frame 3-fold, 82x 82 mm  
platinum metallic



## Frame SIEMENS 3-ne Profil 5TG1813 white IP20

### Product code 18853

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic

DELTA Profil, titanium white frame 3-  
fold, 222x 80 mm



## Frame SIEMENS 4 slot plaatinametall Delta Style 5TG1324-1 silver IP20

**Product code 19574**

---

Brand SIEMENS  
Protection class IP20  
Casing colour silver  
Casing material plastic



DELTA style, Frame 4-fold, 82x 82 mm  
platinum metallic

## Frame SIEMENS 4-ne Delta Style 5TG1324 white IP20

**Product code 18886**

---

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic



DELTA Style, titanium white frame 4-  
fold, 295x 82 mm

## Frame SIEMENS 4-ne Profil 5TG1814 white IP20

**Product code 19436**

---

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic



DELTA profil, titanium white frame 4-  
fold, 293x 80 mm

## Frame SIEMENS 5 slot plaatinametall Delta Style 5TG1325-1 silver IP20

### Product code 19575

Brand SIEMENS  
Protection class IP20  
Casing colour silver  
Casing material plastic



DELTA style, Frame 5-fold, 82x 82 mm  
platinum metallic

## Frame SIEMENS 5-ne Delta Style white IP20

### Product code 21896


Brand SIEMENS  
Protection class IP20  
Casing colour white



## Frame SIEMENS Delta Miro 2 slot 5TG1112-2 carbon IP20

### Product code 18369

Brand SIEMENS  
Protection class IP20  
Casing colour carbon  
Casing material plastic



DELTA miro Frame 2-fold Color carbon  
metallic Dimensions 161x 90 mm

## Frame SIEMENS Delta Miro 4 slot 5TG1114-2 carbon IP20

**Product code 18376**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon  
Casing material plastic




DELTA miro Frame 4-fold Color carbon  
metallic Dimensions 303x 90 mm

## Frame SIEMENS Delta Miro 5TG1111-2 carbon IP20

**Product code 18361**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon  
Work environment indoor use  
Certificates CE



## Frame SIEMENS Delta Miro 5TG1111-3 cream IP20

**Product code 19427**

Brand SIEMENS  
Protection class IP20  
Casing colour cream  
Work environment indoor use  
Certificates CE




DELTA miro Frame 1-fold Dimensions  
90x 90 mm electrical white

## Frame SIEMENS Delta Miro carbon IP20

### Product code 18362

Brand SIEMENS  
Protection class IP20  
Casing colour carbon  
Work environment indoor use  
Certificates CE



## Frame SIEMENS Delta Miro Soft black IP20

### Product code 20509

Brand SIEMENS  
Protection class IP20  
Height 90.0mm  
Width 90.0mm  
Casing colour black  
Work environment indoor use  
Certificates CE



## Frame SIEMENS Delta Miro Soft black IP20

### Product code 20510

Brand SIEMENS  
Protection class IP20  
Height 90.0mm  
Width 161.0mm  
Casing colour black  
Work environment indoor use  
Certificates CE



## Frame SIEMENS Delta Miro Soft black IP20

### Product code 20511

---

Brand SIEMENS  
Protection class IP20  
Height 90.0mm  
Width 232.0mm  
Casing colour black  
Work environment indoor use  
Certificates CE



## Frame SIEMENS Delta Miro Soft black IP20

### Product code 20512

---

Brand SIEMENS  
Protection class IP20  
Height 90.0mm  
Width 303.0mm  
Casing colour black  
Work environment indoor use  
Certificates CE



## Frame SIEMENS Delta Miro Soft black IP20

### Product code 20513

---

Brand SIEMENS  
Protection class IP20  
Height 90.0mm  
Width 374.0mm  
Casing colour black  
Work environment indoor use  
Certificates CE



## Frame SIEMENS Delta Profil 5TG1811 white IP20

### Product code 18851

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic


DELTA profil, titanium white frame 1-  
fold, 80x 80 mm



## Frame SIEMENS Delta Style white

### Product code 21874

Brand SIEMENS  
Height 820.0mm  
Width 820.0mm  
Casing colour white



## Frame SIEMENS i-system 1 slot 5TG1201-3 red IP20

### Product code 19594

Brand SIEMENS  
Protection class IP20  
Casing colour red  
Casing material glass



## Frame SIEMENS i-system 1 slot 5TG2551-0 white IP20

### Product code 18381

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic

DELTA line, titanium white frame 1-  
fold, 80x 80 mm



## Frame SIEMENS i-system 1 slot 5TG2551-6 carbon IP20

### Product code 18932

Brand SIEMENS  
Protection class IP20  
Casing colour carbon


DELTA line, carbon metallic frame 1-  
fold, 80x 80 mm



## Frame SIEMENS i-system 1 slot cream IP20

### Product code 18382

Brand SIEMENS  
Protection class IP20  
Casing colour cream



## Frame SIEMENS i-system 1 slot 5TG2551-3 aluminum IP20

**Product code 18383**

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum




## Frame SIEMENS i-system 2 slot 5TG2552-0 white IP20

**Product code 18933**

---

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA line, titanium white frame 2-  
fold, 151x 80 mm



## Frame SIEMENS i-system 2 slot 5TG2552-3 aluminum IP20

**Product code 19560**

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA line, aluminum-metallic frame  
2-fold, 151x 80 mm



## Frame SIEMENS i-system 2 slot 5TG2552-6 carbon IP20

**Product code 18386**

---

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA line, carbon metallic frame 2-  
fold, 151x 80 mm



## Frame SIEMENS i-system 2 slot 5TG2582-0 cream IP20

**Product code 18384**

---

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA line, electrical white frame 2-  
fold, 151x 80 mm



## Frame SIEMENS i-system 3 slot 5TG2553-0 white IP20

**Product code 18934**

---

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA line, titanium white frame 3-  
fold, 222x 80 mm



## Frame SIEMENS i-system 3 slot 5TG2553-6 carbon IP20

### Product code 19418

---

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA line, carbon metallic frame 3-  
fold, 222x 80 mm



## Frame SIEMENS i-system 3 slot 5TG2583-0 cream IP20

### Product code 18387

---

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA line, electrical white frame 3-  
fold, 222x 80 mm



## Frame SIEMENS i-system 3 slot 5TG2553-3 aluminum IP20

### Product code 18388

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA line aluminum-metallic frame  
3-fold 222x 80 mm



## Frame SIEMENS i-system 4 slot 5TG2554-6 carbon IP20

### Product code 18392

---

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA line, carbon metallic frame 4-  
fold, 293x 80 mm



## Frame SIEMENS i-system 4 slot 5TG2584-0 cream IP20

### Product code 18390

---

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA line, electrical white frame 4-  
fold, 293x 80 mm



## Frame SIEMENS i-system 4 slot 5TG2554-0 white IP20

### Product code 18389

---

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA line, titanium white frame 4-  
fold, 293x 80 mm



## Frame SIEMENS i-system 4 slot 5TG2554-3 aluminum IP20

### Product code 18391

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA line, aluminum-metallic frame  
4-fold, 293x 80 mm



## Frame SIEMENS i-system 5 slot 5TG2555-6 carbon IP20

### Product code 18395

---

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA line, carbon metallic frame 5-  
fold, 364x 80 mm



## Frame SIEMENS i-system 5 slot 5TG2552-3 aluminum IP20

### Product code 18385

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA line, aluminum-metallic frame  
5-fold, 364x 80 mm



## Frame SIEMENS i-system 5 slot 5TG2555-0 white IP20

### Product code 18393

---

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA line, titanium white frame 5-  
fold, 364x 80 mm



## Frame SIEMENS i-system 5 slot 5TG2585-0 cream IP20

### Product code 18394

---

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA line, electrical white frame 5-  
fold, 364x 80 mm



## Frame SIEMENS Miro 1-ne 5TG1101-3 maple IP20

### Product code 18888

---

Brand SIEMENS  
Protection class IP20  
Casing colour maple

DELTA miro Frame 1-fold Authentic  
material wood Wood type maple  
Dimensions 90x 90 mm



## Frame SIEMENS Miro 1-ne 5TG1101-4 beech IP20

**Product code 18889**

Brand SIEMENS  
Protection class IP20  
Casing colour beech  
Casing material wood

DELTA miro Frame 1-fold Authentic  
material wood Wood type beech  
Dimensions 90x 90 mm



## Frame SIEMENS Miro 2-ne 5TG1102-0 wenge IP20

**Product code 18890**

Brand SIEMENS  
Protection class IP20  
Casing colour wenge



## Frame SIEMENS Miro 3-ne 5TG1103-0 wenge IP20

**Product code 18892**

Brand SIEMENS  
Protection class IP20  
Casing colour wenge

MIRO frame 3-fold wood wenge Color  
shade due to treatment



## Frame SIEMENS Miro 3-ne 5TG1103-4 beech IP20

### Product code 18893

Brand SIEMENS  
Protection class IP20  
Casing colour beech

DELTA miro Frame 3-fold Authentic  
material wood Wood type beech  
Dimensions 232x 90 mm




## Frame SIEMENS Miro 1 slot 5TG1201 light green IP20

### Product code 18399

Brand SIEMENS  
Protection class IP20  
Casing colour light green  
Casing material glass

DELTA miro Frame 1-fold Authentic  
material glass crystal green  
Dimensions 90x 90 mm




## Frame SIEMENS Miro 1 slot 5TG1202-3 red IP20

### Product code 19595

Brand SIEMENS  
Protection class IP20  
Casing colour red  
Casing material glass

DELTA miro glass Frame 2-fold  
Authentic material glass ORIENT 161x  
90 mm



## Frame SIEMENS Miro 1 slot 5TG1111-0 white IP20

### Product code 18365

---

Brand SIEMENS  
Protection class IP20  
Height 90.0mm  
Width 90.0mm  
Casing colour white  
Casing material plastic



## Frame SIEMENS Miro 1 slot 5TG1111-1 aluminum IP20

### Product code 18366

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum  
Casing material plastic



## Frame SIEMENS Miro 1 slot 5TG1201-1 white IP20

### Product code 18396

---

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material glass

DELTA miro glass Frame 1-fold  
Authentic material white glass 90x 90  
mm



## Frame SIEMENS Miro 1 slot 5TG1201-2 black IP20

**Product code 18397**

Brand SIEMENS  
Protection class IP20  
Casing colour black  
Casing material glass

DELTA miro glass Frame 1-fold  
Authentic material black glass 90x 90  
mm



## Frame SIEMENS Miro 1 slot 5TG1201-4 cream IP20

**Product code 18398**

Brand SIEMENS  
Protection class IP20  
Casing colour cream  
Casing material glass

DELTA miro glass Frame 1-fold  
Authentic material glass Arena 90x 90  
mm



## Frame SIEMENS Miro 1-ne 5TG1101-2 red maple IP20

**Product code 18887**

Brand SIEMENS  
Protection class IP20  
Casing colour red maple  
Casing material wood

DELTA miro Frame 1-fold Authentic  
material wood Wood type maple red  
Dimensions 90x 90 mm




## Frame SIEMENS Miro 1-ne 5TG1121-3 yellow IP20

**Product code 18848**

Brand SIEMENS  
Protection class IP20  
Casing colour yellow  
Casing material aluminium

DELTA miro aluminum Frame 1-fold  
Authentic material aluminum oxide  
yellow Dimensions 95x 95 mm




## Frame SIEMENS Miro 2 slot 5TG1202 light green IP20

**Product code 18401**

Brand SIEMENS  
Protection class IP20  
Casing colour light green  
Casing material glass

DELTA miro Frame 2-fold Authentic  
material glass crystal green  
Dimensions 161x 90 mm



## Frame SIEMENS Miro 2 slot 5TG1112-0 white IP20

**Product code 18367**

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic

DELTA miro Frame 2-fold Color  
titanium white Dimensions 161x 90  
mm




## Frame SIEMENS Miro 2 slot 5TG1112-1 aluminum IP20

### Product code 19265

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum  
Casing material plastic

DELTA miro Frame 2-fold Color  
aluminum metallic Dimensions 161x  
90 mm



## Frame SIEMENS Miro 2 slot 5TG1112-3 cream IP20

### Product code 18368

Brand SIEMENS  
Protection class IP20  
Casing colour cream  
Casing material plastic

DELTA miro Frame 2-fold Dimensions  
90x 90 mm electrical white



## Frame SIEMENS Miro 2 slot 5TG1202-1 white IP20

### Product code 18400

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material glass

DELTA miro glass Frame 2-fold  
Authentic material white glass 161x  
90 mm



## Frame SIEMENS Miro 2 slot 5TG1202-2 black IP20

### Product code 19570

Brand SIEMENS  
Protection class IP20  
Casing colour black  
Casing material glass

DELTA miro glass Frame 2-fold  
Authentic material black glass 161x  
90 mm



## Frame SIEMENS Miro 2 slot 5TG1203 light green IP20

### Product code 19582

Brand SIEMENS  
Protection class IP20  
Casing colour light green  
Casing material glass

DELTA miro Frame 3-fold Authentic  
material glass crystal green  
Dimensions 232x 90 mm



## Frame SIEMENS Miro 2 slot 5TG1204-2 black IP20

### Product code 19608


Brand SIEMENS  
Protection class IP20  
Casing colour black  
Casing material glass



## Frame SIEMENS Miro 2-ne aluminium IP20

### Product code 18854


Brand SIEMENS  
Protection class IP20  
Height 90.0mm  
Width 161.0mm  
Casing material aluminium



## Frame SIEMENS Miro 2-ne 5TG1102-4 beech IP20

### Product code 18891

Brand SIEMENS  
Protection class IP20  
Casing colour beech  
Casing material wood



## Frame SIEMENS Miro 3 slot 5TG1203-1 white

### Product code 19565

Brand SIEMENS  
Casing colour white  
Casing material glass

DELTA miro glass Frame 3-fold  
Authentic material white glass 232x  
90 mm



## Frame SIEMENS Miro 3 slot 5TG1113-0 white IP20

### Product code 18370

---

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic



## Frame SIEMENS Miro 3 slot 5TG1203-2 black IP20

### Product code 18402

---

Brand SIEMENS  
Protection class IP20  
Casing colour black  
Casing material glass



DELTA miro glass Frame 3-fold  
Authentic material black glass 232x  
90 mm

## Frame SIEMENS Miro 3 slot 5TG1113-1 aluminum IP20

### Product code 18372

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum  
Casing material plastic



DELTA miro Frame 3-fold Color  
aluminum metallic Dimensions 232x  
90 mm

## Frame SIEMENS Miro 3 slot 5TG1113-3 cream IP20

### Product code 18371

Brand SIEMENS  
Protection class IP20  
Casing colour cream  
Casing material plastic

DELTA miro Frame 3-fold Dimensions  
90x 90 mm electrical white



## Frame SIEMENS Miro 4 slot 5TG1114-0 white IP20

### Product code 18373

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic

DELTA miro Frame 4-fold Color  
titanium white Dimensions 303x 90  
mm



## Frame SIEMENS Miro 4 slot 5TG1204 light green

### Product code 22450

Brand SIEMENS  
Height 90.0mm  
Width 303.0mm  
Casing colour light green  
Casing material glass



## Frame SIEMENS Miro 4 slot 5TG1204-1 white

### Product code 19566

---

Brand SIEMENS  
Casing colour white  
Casing material glass

DELTA miro glass Frame 4-fold  
Authentic material white glass 303x  
90 mm



## Frame SIEMENS Miro 4 slot 5TG1114-1 aluminum IP20

### Product code 18375

---

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum  
Casing material plastic

DELTA miro Frame 4-fold Color  
aluminum metallic Dimensions 303x  
90 mm



## Frame SIEMENS Miro 4 slot 5TG1114-3 cream IP20

### Product code 18374

---

Brand SIEMENS  
Protection class IP20  
Casing colour cream  
Casing material plastic

DELTA miro Frame 4-fold Dimensions  
90x 90 mm electrical white



## Frame SIEMENS Miro 5 slot 5TG1205 light green

### Product code 22451

Brand SIEMENS  
Height 90.0mm  
Width 374.0mm  
Casing colour light green  
Casing material glass



## Frame SIEMENS Miro 5 slot 5TG1205-1 white

### Product code 19567

Brand SIEMENS  
Casing colour white  
Casing material glass



DELTA miro glass Frame 5-fold  
Authentic material white glass 374x  
90 mm

## Frame SIEMENS Miro 5 slot 5TG1115-2 carbon IP20

### Product code 18380

Brand SIEMENS  
Protection class IP20  
Casing colour carbon  
Casing material plastic



DELTA miro Frame 5-fold Color carbon  
metallic Dimensions 374x 90 mm

## Frame SIEMENS Miro 5 slot glas TG1205-2 black IP20

### Product code 18403

Brand SIEMENS  
Protection class IP20  
Casing colour black  
Casing material glass

DELTA miro glass Frame 5-fold  
Authentic material black glass 374x  
90 mm



## Frame SIEMENS Miro 5 slot 5TG1115-0 white IP20

### Product code 18377

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic

DELTA miro Frame 5-fold Color  
titanium white Dimensions 374x 90  
mm



## Frame SIEMENS Miro 5 slot 5TG1115-1 aluminum IP20

### Product code 18379

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum  
Casing material plastic

DELTA miro Frame 5-fold Color  
aluminum metallic Dimensions 374x  
90 mm




## Frame SIEMENS Miro 5 slot 5TG1115-3 cream IP20

**Product code 18378**

Brand SIEMENS  
Protection class IP20  
Casing colour cream  
Casing material plastic

DELTA miro Frame 5-fold Dimensions  
90x 90 mm electrical white



## Frame SIEMENS Profil 5TG1812 white IP20

**Product code 18852**

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic

DELTA profil, titanium white frame 3-  
fold, 222x 80 mm



## Frame THPG Bakelite black

**Product code 22465**

Brand THPG  
Diameter 82.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

System covering made of 2.5 mm thick Bakelite. This covering can be combined with all switches, push-buttons and sockets from the Bakelite switch system and is intended as an external part of a multi-part installation. System coverings can be installed flush next to and below each other.



## Frame THPG Bakelite black

**Product code 22466**

---

Brand THPG  
Diameter 82.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use



## Frame THPG Bakelite black

**Product code 22467**

---

Brand THPG  
Diameter 82.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use



## Frame THPG Bakelite black

**Product code 22480**

---

Brand THPG  
Diameter 82.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use



## Frame THPG Bakelite black

**Product code 22487**

Brand THPG  
 Diameter 82.0mm  
 Casing colour black  
 Casing material bakelite  
 Work environment indoor use

System covering made of 2.5 mm thick Bakelite. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) from the Bakelite switch system and is intended as the centre part of a multi-part installation. System coverings can be installed flush next to and below each other. Switches, push-buttons and sockets only fit into the regular coverings. Round and square single coverings are also available.



## Frame THPG Bakelite black

**Product code 22488**

Brand THPG  
 Diameter 82.0mm  
 Casing colour black  
 Casing material bakelite  
 Work environment indoor use

System covering made of 2.5 mm thick Bakelite. This covering can be combined with all switches, push-buttons and sockets from the Bakelite switch system and is intended as the centre part of a multi-part installation. System coverings can be installed flush next to and below each other. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. Round and square single coverings are also available.




## Frame THPG Duroplast white

### Product code 22462

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

System covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the Duroplast switch system and is intended as an external part of a multi-part installation. System coverings can be installed flush next to and below each other. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. Round and square single coverings are also available.




## Frame THPG Duroplast white

### Product code 22464

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

System covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the Duroplast switch system and is intended as the centre part of a multi-part installation. System coverings can be installed flush next to and below each other.



## Frame THPG Duroplast white

### Product code 22469

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Round single covering made of Duroplast. - for mounting switches, push-buttons and sockets from the Duroplast switch system (unsuitable for dimmers, data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, loudspeaker connections and blind covers).



## Frame THPG Duroplast white

### Product code 22471

Brand THPG  
Height 82.0mm  
Width 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Square single covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the switch system Duroplast. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. In addition to round single coverings, round system coverings that can be installed flush next to and below each other are also available.



## Frame THPG Duroplast white

### Product code 22472

Brand THPG  
Height 157.0mm  
Width 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Square single covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the switch system Duroplast. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. In addition to round single coverings, round system coverings that can be installed flush next to and below each other are also available.



## Frame THPG Duroplast white

### Product code 22473

Brand THPG  
Height 228.0mm  
Width 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Triple covering made of 2.5 mm thick Duroplast. This cover can be combined with all central inserts from the Duroplast switch system (switches, push-buttons, sockets, junction boxes, dimmers, special devices).



## Frame THPG Duroplast white

### Product code 22474

Brand THPG  
Height 299.0mm  
Width 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use



## Frame THPG Duroplast white

### Product code 22499

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Round single covering made of 2.5 mm thick Duroplast. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) of the switch system Duroplast. The switches, push-buttons and sockets only fit in the regular coverings. Round system coverings are also available, which can be installed flush next to and below each other. - For mounting data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, speaker connections, dimmers and blind covers for the switch system Duroplast (unsuitable for switches, push-buttons and sockets).



## Frame THPG Duroplast white

### Product code 22500

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

System covering made of 2.5 mm thick Duroplast. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) from the Duroplast switch system and is intended as an external part of a multi-part installation. System coverings can be installed flush next to and below each other. Switches, push-buttons and sockets only fit into the regular coverings. Round and square single coverings are also available. - for mounting data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, loudspeaker connections, dimmers and blind covers for the switch system Duroplast (not suitable for switches, push-buttons and sockets).



## Frame THPG Duroplast white

**Product code 22501**

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Round single covering made of 2.5 mm thick Duroplast. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) of the switch system Duroplast. The switches, push-buttons and sockets only fit in the regular coverings. Round system coverings are also available, which can be installed flush next to and below each other. - For mounting data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, speaker connections, dimmers and blind covers for the switch system Duroplast (unsuitable for switches, push-buttons and sockets).



## Frame THPG Glass transparent

**Product code 22475**

Brand THPG  
 Diameter 82.0mm  
 Casing colour transparent  
 Casing material glass  
 Work environment indoor use

Single covering made of 4 mm thick, thermally hardened white glass from the Upper Palatinate Forest (Germany) with outstanding transparency. This covering can be combined with all parts of the Bakelit and Duroplast switch systems that have a central insert (switches, push-buttons, sockets, junction boxes). System coverings that can be installed flush next to and below each other are also available. Installation note: The wallpaper must not be thicker than 0.5 mm in order to comply with all VDE regulations and standards. Therefore, the hollow wall boxes must be installed neatly so that the plastic disc with a thickness of 1 mm is flush with the wall. The construction of our switches with white glass coverings requires a different installation process than usual: the electrician installs the inner workings and the plexiglass ring. Then wallpaper is hung over the fully connected switch, and finally the coverings are attached. If you want to mount several individual coverings next to each other, you have to take this into account when placing the boxes; in this case, 20 mm spacers are necessary. When installing system coverings, the centres must be exactly 71 mm apart. We generally recommend the Kaiser range of hollow wall boxes, which also includes the appropriate spacers.



## Frame THPG Glass transparent

### Product code 22476

Brand THPG  
Diameter 82.0mm  
Casing colour transparent  
Casing material glass  
Work environment indoor use

System covering made of 4 mm thick, thermally hardened white glass from the Upper Palatinate Forest (Germany) with outstanding transparency. This covering can be combined with all parts of the Bakelit and Duroplast switch systems that have a central insert (switches, push-buttons, sockets, junction boxes) and is intended as the external piece of a multi-part installation. System coverings can be installed flush next to and below each other. Single coverings are also available. Installation note: The wallpaper must not be thicker than 0.5 mm in order to comply with all VDE regulations and standards. Therefore, the hollow wall boxes must be installed neatly so that the plastic disc with a thickness of 1 mm is flush with the wall. The construction of our switches with white glass coverings requires a different installation process than usual: the electrician installs the inner workings and the plexiglass ring. Then wallpaper is hung over the fully connected switch, and finally the coverings are attached. If you want to mount several individual coverings next to each other, you have to take this into account when placing the boxes; in this case, 20 mm spacers are necessary. When installing system coverings, the centres must be exactly 71 mm apart. We generally recommend the Kaiser range of hollow wall boxes, which also includes the appropriate spacers.



## Frame THPG Glass transparent

### Product code 22477

---

Brand THPG  
Diameter 82.0mm  
Casing colour transparent  
Casing material glass  
Work environment indoor use

System covering made of 4 mm thick, thermally hardened white glass from the Upper Palatinate Forest (Germany) with outstanding transparency. This covering can be combined with all parts of the Bakelit and Duroplast switch systems that have a central insert (switches, push-buttons, sockets, junction boxes) and is intended as the centrepiece of a multi-part installation. System coverings can be installed flush next to and below each other. Single coverings are also available. Installation note: The wallpaper must not be thicker than 0.5 mm in order to comply with all VDE regulations and standards. Therefore, the hollow wall boxes must be installed neatly so that the plastic disc with a thickness of 1 mm is flush with the wall. The construction of our switches with white glass coverings requires a different installation process than usual: the electrician installs the inner workings and the plexiglass ring. Then wallpaper is hung over the fully connected switch, and finally the coverings are attached. If you want to mount several individual coverings next to each other, you have to take this into account when placing the boxes; in this case, 20 mm spacers are necessary. When installing system coverings, the centres must be exactly 71 mm apart. We generally recommend the Kaiser range of hollow wall boxes, which also includes the appropriate spacers.



## Frame THPG Porcelain white

### Product code 22455

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use



## Frame THPG Porcelain white

### Product code 22456

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use



## Frame THPG Porcelain white

**Product code 22457**

---

Brand THPG  
Height 82.0mm  
Width 153.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

We advertise with classic materials in solid quality. This is not just an empty phrase. Other manufacturers install an impact-resistant plastic plate behind their porcelain coverings in order to pass the test institutes' hammer impact test. We solve the problem differently - by using more material. Our porcelain coverings are 13 mm thick and consist entirely of the ceramic material, which you can actually see thanks to the transparent glaze. The fact that our uncompromising approach works is confirmed not least by the VDE certification of our products. We distinguish between two types of coverings: those for our switches, push-buttons, dimmers and outlets on the one hand and those for our junction boxes and special applications on the other. Both types are available as single or system coverings; the multiple coverings can only be combined with switches, outlets, etc. The reason for the difference is the different diameter of the inner opening for the central insert.



## Frame THPG Porcelain white

**Product code 22459**

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

System covering made of 13 mm thick, transparent glazed porcelain. This covering can be combined with all switches, push-buttons, dimmers and sockets from the switch system Porcelain white and is intended as the centrepiece of a multi-part installation. System coverings can be installed flush next to and below each other. The junction boxes and special devices (thermostats, USB charging points) only fit into the coverings for junction boxes. Individual coverings are also available.



## Frame THPG Porcelain white

**Product code 22483**

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use



## Frame THPG Porcelain white

### Product code 22484

---

Brand THPG  
Diameter 82.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

System covering made of 13 mm thick, transparent glazed porcelain. This covering can be combined with all junction boxes and special devices (thermostats, USB charging points) from the switch system Porcelain white and is intended as the outer part of a multi-part installation. System coverings can be installed flush next to and below each other. The switches, push-buttons, dimmers and sockets only fit into the regular coverings. Individual coverings are also available.

