

Frame SIEMENS Delta i-system aluminum IP20

Product code 19560

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 151.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA line, aluminum-metallic frame
2-fold, 151x 80 mm



Frame SIEMENS Delta i-system aluminum IP20

Product code 18383

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 80.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta i-system aluminum IP20

Product code 18385

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 364.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA line, aluminum-metallic frame
5-fold, 364x 80 mm



Frame SIEMENS Delta i-system aluminum IP20

Product code 18388

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 222.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA line aluminum-metallic frame
3-fold 222x 80 mm



Frame SIEMENS Delta i-system aluminum IP20

Product code 18391

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 293.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA line, aluminum-metallic frame
4-fold, 293x 80 mm



Frame SIEMENS Delta i-system carbon IP20

Product code 18386

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 151.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA line, carbon metallic frame 2-
fold, 151x 80 mm



Frame SIEMENS Delta i-system carbon IP20

Product code 18392

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 293.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA line, carbon metallic frame 4-
fold, 293x 80 mm



Frame SIEMENS Delta i-system carbon IP20

Product code 19418

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 222.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA line, carbon metallic frame 3-
fold, 222x 80 mm



Frame SIEMENS Delta i-system carbon IP20

Product code 18395

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 364.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA line, carbon metallic frame 5-
fold, 364x 80 mm



Frame SIEMENS Delta i-system carbon IP20

Product code 18932

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 80.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use


DELTA line, carbon metallic frame 1-
fold, 80x 80 mm



Frame SIEMENS Delta i-system cream IP20

Product code 18382

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use




Frame SIEMENS Delta i-system cream IP20

Product code 18384

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 151.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA line, electrical white frame 2-
fold, 151x 80 mm



Frame SIEMENS Delta i-system cream IP20

Product code 18387

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 222.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA line, electrical white frame 3-
fold, 222x 80 mm



Frame SIEMENS Delta i-system cream IP20

Product code 18390

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 293.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA line, electrical white frame 4-
fold, 293x 80 mm



Frame SIEMENS Delta i-system cream IP20

Product code 18394

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 364.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA line, electrical white frame 5-
fold, 364x 80 mm



Frame SIEMENS Delta i-system white IP20

Product code 18381

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 80.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA line, titanium white frame 1-fold, 80x 80 mm



Frame SIEMENS Delta i-system white IP20

Product code 18389

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 293.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA line, titanium white frame 4-fold, 293x 80 mm



Frame SIEMENS Delta i-system white IP20

Product code 18393

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 364.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA line, titanium white frame 5-fold, 364x 80 mm



Frame SIEMENS Delta i-system white IP20

Product code 18933

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 151.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA line, titanium white frame 2-fold, 151x 80 mm



Frame SIEMENS Delta i-system white IP20

Product code 18934

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 222.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA line, titanium white frame 3-fold, 222x 80 mm




Frame SIEMENS Delta Miro aluminum IP20

Product code 19265

Brand SIEMENS
Protection class IP20
Casing colour aluminum
Casing material plastic
Work environment indoor use


DELTA miro Frame 2-fold Color aluminum metallic Dimensions 161x 90 mm



Frame SIEMENS Delta Miro aluminum IP20

Product code 18854


Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour aluminum
Casing material aluminium
Work environment indoor use



Frame SIEMENS Delta Miro aluminum IP20

Product code 18366

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Miro aluminum IP20

Product code 18372

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



DELTA miro Frame 3-fold Color
aluminum metallic Dimensions 232x
90 mm

Frame SIEMENS Delta Miro aluminum IP20

Product code 18375

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 303.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



DELTA miro Frame 4-fold Color
aluminum metallic Dimensions 303x
90 mm

Frame SIEMENS Delta Miro aluminum IP20

Product code 18379

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 374.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use




DELTA miro Frame 5-fold Color
aluminum metallic Dimensions 374x
90 mm

Frame SIEMENS Delta Miro aluminum IP20

Product code 18908

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour aluminum
Casing material aluminium
Work environment indoor use



DELTA miro Frame 1-fold Authentic
material wood Wood type maple
Dimensions 90x 90 mm

Frame SIEMENS Delta Miro beech IP20

Product code 18889

Brand SIEMENS
Protection class IP20
Casing colour beech
Casing material wood
Work environment indoor use


DELTA miro Frame 1-fold Authentic
material wood Wood type beech
Dimensions 90x 90 mm



Frame SIEMENS Delta Miro beech IP20

Product code 18891

Brand SIEMENS
Protection class IP20
Casing colour beech
Casing material wood
Work environment indoor use



Frame SIEMENS Delta Miro beech IP20

Product code 18893

Brand SIEMENS
Protection class IP20
Casing colour beech
Casing material wood
Work environment indoor use

DELTA miro Frame 3-fold Authentic
material wood Wood type beech
Dimensions 232x 90 mm



Frame SIEMENS Delta Miro black IP20

Product code 19570

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour black
Casing material glass
Work environment indoor use



DELTA miro glass Frame 2-fold
Authentic material black glass 161x
90 mm

Frame SIEMENS Delta Miro black IP20

Product code 19608

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 303.0mm
Casing colour black
Casing material glass
Work environment indoor use



Frame SIEMENS Delta Miro black IP20

Product code 18397

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour black
Casing material glass
Work environment indoor use



DELTA miro glass Frame 1-fold
Authentic material black glass 90x 90
mm

Frame SIEMENS Delta Miro black IP20

Product code 18402

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour black
Casing material glass
Work environment indoor use



DELTA miro glass Frame 3-fold
Authentic material black glass 232x
90 mm

Frame SIEMENS Delta Miro black IP20

Product code 18403

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 374.0mm
Casing colour black
Casing material glass
Work environment indoor use




DELTA miro glass Frame 5-fold
Authentic material black glass 374x
90 mm

Frame SIEMENS Delta Miro carbon IP20

Product code 18361


Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use
Certificates CE



Frame SIEMENS Delta Miro carbon IP20

Product code 18362


Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use
Certificates CE



Frame SIEMENS Delta Miro carbon IP20

Product code 18369

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use



DELTA miro Frame 2-fold Color carbon
metallic Dimensions 161x 90 mm

Frame SIEMENS Delta Miro carbon IP20

Product code 18376

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 303.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use



DELTA miro Frame 4-fold Color carbon
metallic Dimensions 303x 90 mm

Frame SIEMENS Delta Miro carbon IP20

Product code 18380

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 374.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use



DELTA miro Frame 5-fold Color carbon
metallic Dimensions 374x 90 mm

Frame SIEMENS Delta Miro cream IP20

Product code 18368

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use



DELTA miro Frame 2-fold Dimensions
90x 90 mm electrical white

Frame SIEMENS Delta Miro cream IP20

Product code 18371

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use



DELTA miro Frame 3-fold Dimensions
90x 90 mm electrical white

Frame SIEMENS Delta Miro cream IP20

Product code 18374

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use




DELTA miro Frame 4-fold Dimensions
90x 90 mm electrical white

Frame SIEMENS Delta Miro cream IP20

Product code 18378

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use



DELTA miro Frame 5-fold Dimensions
90x 90 mm electrical white

Frame SIEMENS Delta Miro cream IP20

Product code 18398

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material glass
Work environment indoor use



DELTA miro glass Frame 1-fold
Authentic material glass Arena 90x 90
mm

Frame SIEMENS Delta Miro cream IP20

Product code 19427

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour cream
Casing material plastic
Work environment indoor use
Certificates CE



DELTA miro Frame 1-fold Dimensions
90x 90 mm electrical white

Frame SIEMENS Delta Miro light green IP20

Product code 19582

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour light green
Casing material glass
Work environment indoor use



DELTA miro Frame 3-fold Authentic
material glass crystal green
Dimensions 232x 90 mm

Frame SIEMENS Delta Miro light green IP20

Product code 22451

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 374.0mm
Casing colour light green
Casing material glass
Work environment indoor use




Frame SIEMENS Delta Miro light green IP20

Product code 18399

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour light green
Casing material glass
Work environment indoor use

DELTA miro Frame 1-fold Authentic
material glass crystal green
Dimensions 90x 90 mm




Frame SIEMENS Delta Miro light green IP20

Product code 18401

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour light green
Casing material glass
Work environment indoor use

DELTA miro Frame 2-fold Authentic
material glass crystal green
Dimensions 161x 90 mm



Frame SIEMENS Delta Miro red IP20

Product code 23102


Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour red
Casing material glass
Work environment indoor use



Frame SIEMENS Delta Miro red IP20

Product code 19594


Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour red
Casing material glass
Work environment indoor use



Frame SIEMENS Delta Miro red IP20

Product code 19595

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour red
Casing material glass
Work environment indoor use



DELTA miro glass Frame 2-fold
Authentic material glass ORIENT 161x
90 mm

Frame SIEMENS Delta Miro red maple IP20

Product code 18887

Brand SIEMENS
Protection class IP20
Casing colour red maple
Casing material wood
Work environment indoor use



DELTA miro Frame 1-fold Authentic
material wood Wood type maple red
Dimensions 90x 90 mm

Frame SIEMENS Delta Miro Soft black IP20

Product code 20509

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use
Certificates CE



Frame SIEMENS Delta Miro Soft black IP20

Product code 20510

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use
Certificates CE



Frame SIEMENS Delta Miro Soft black IP20

Product code 20511

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use
Certificates CE



Frame SIEMENS Delta Miro Soft black IP20

Product code 20512

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 303.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use
Certificates CE



Frame SIEMENS Delta Miro Soft black IP20

Product code 20513

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 374.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use
Certificates CE



Frame SIEMENS Delta Miro wenge IP20

Product code 18890

Brand SIEMENS
Protection class IP20
Casing colour wenge
Casing material wood
Work environment indoor use



Frame SIEMENS Delta Miro wenge IP20

Product code 18892

Brand SIEMENS
Protection class IP20
Casing colour wenge
Casing material wood
Work environment indoor use



MIRO frame 3-fold wood wenge Color shade due to treatment

Frame SIEMENS Delta Miro white

Product code 19565

Brand SIEMENS
Height 90.0mm
Width 232.0mm
Casing colour white
Casing material glass
Work environment indoor use




DELTA miro glass Frame 3-fold
Authentic material white glass 232x 90 mm

Frame SIEMENS Delta Miro white

Product code 19566

Brand SIEMENS
Height 90.0mm
Width 303.0mm
Casing colour white
Casing material glass
Work environment indoor use



DELTA miro glass Frame 4-fold
Authentic material white glass 303x 90 mm

Frame SIEMENS Delta Miro white IP20

Product code 19567

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 374.0mm
Casing colour white
Casing material glass
Work environment indoor use



DELTA miro glass Frame 5-fold
Authentic material white glass 374x
90 mm

Frame SIEMENS Delta Miro white IP20

Product code 18365

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Miro white IP20

Product code 18367

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA miro Frame 2-fold Color
titanium white Dimensions 161x 90
mm

Frame SIEMENS Delta Miro white IP20

Product code 18370

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Miro white IP20

Product code 18883

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Miro white IP20

Product code 18373

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 303.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA miro Frame 4-fold Color
titanium white Dimensions 303x 90
mm

Frame SIEMENS Delta Miro white IP20

Product code 18377

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 374.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA miro Frame 5-fold Color titanium white Dimensions 374x 90 mm

Frame SIEMENS Delta Miro white IP20

Product code 18396

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour white
Casing material glass
Work environment indoor use



DELTA miro glass Frame 1-fold Authentic material white glass 90x 90 mm

Frame SIEMENS Delta Miro white IP20

Product code 18400

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 161.0mm
Casing colour white
Casing material glass
Work environment indoor use




DELTA miro glass Frame 2-fold Authentic material white glass 161x 90 mm

Frame SIEMENS Delta Miro yellow IP20

Product code 23108

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 232.0mm
Casing colour yellow
Casing material aluminium
Work environment indoor use



Frame SIEMENS Delta Miro yellow IP20

Product code 23109

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 303.0mm
Casing colour yellow
Casing material aluminium
Work environment indoor use



Frame SIEMENS Delta Miro yellow IP20

Product code 23110

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 347.0mm
Casing colour yellow
Casing material aluminium
Work environment indoor use




Frame SIEMENS Delta Miro yellow IP20

Product code 18848

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 90.0mm
Casing colour yellow
Casing material aluminium
Work environment indoor use

DELTA miro aluminum Frame 1-fold
Authentic material aluminum oxide
yellow Dimensions 95x 95 mm



Frame SIEMENS Delta Miro yellow IP20

Product code 18850

Brand SIEMENS
Protection class IP20
Height 90.0mm
Length 161.0mm
Casing colour yellow
Casing material aluminium
Work environment indoor use



Frame SIEMENS Delta Profil aluminum IP20

Product code 23008

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 80.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil aluminum IP20

Product code 23009

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 151.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil aluminum IP20

Product code 23010


Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 222.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil platinum IP20

Product code 23054


Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil platinum IP20

Product code 23097


Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil white IP20

Product code 23053


Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil white IP20

Product code 23098

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil white IP20

Product code 18851

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 80.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA profil, titanium white frame 1-fold, 80x 80 mm

Frame SIEMENS Delta Profil white IP20

Product code 18852

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 151.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil white IP20

Product code 18853

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 222.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA Profil, titanium white frame 3-fold, 222x 80 mm

Frame SIEMENS Delta Profil aluminum IP20

Product code 23011

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 293.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil aluminum IP20

Product code 23012

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 364.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil white IP20

Product code 22972

Brand SIEMENS
Protection class IP20
Height 90.0mm
Width 8.0mm
Length 370.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Profil white IP20

Product code 19436

Brand SIEMENS
Protection class IP20
Height 80.0mm
Width 293.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA profil, titanium white frame 4-fold, 293x 80 mm

Frame SIEMENS Delta Style 5-ne anthracite IP20

Product code 23052


Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 366.0mm
Casing colour anthracite
Casing material thermoplastic
Work environment indoor use



Frame SIEMENS Delta Style anthracite IP20

Product code 23093


Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour anthracite
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style anthracite IP20

Product code 23101


Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour anthracite
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style anthracite IP20

Product code 23001


Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour anthracite
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style anthracite IP20

Product code 23002


Brand SIEMENS
Protection class IP20
Casing colour anthracite
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style anthracite IP20

Product code 23003

Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 224.0mm
Length 11.0mm
Casing colour anthracite
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style anthracite IP20

Product code 23036


Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 295.0mm
Casing colour anthracite
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style IP20

Product code 23086


Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 82.0mm
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style IP20

Product code 23087

Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 153.0mm
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style IP20

Product code 23088

Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 224.0mm
Length 11.0mm
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style IP20

Product code 23089

Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 295.0mm
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style IP20

Product code 23090


Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 366.0mm
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style IP20

Product code 23091

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style IP20

Product code 23092


Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style platinum IP20

Product code 23100

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use




Frame SIEMENS Delta Style platinum IP20

Product code 19572

Brand SIEMENS
Protection class IP20
Casing colour platinum
Casing material plastic
Work environment indoor use

DELTA style, Frame 1-fold, 82x 82 mm
platinum metallic



Frame SIEMENS Delta Style platinum IP20

Product code 19573

Brand SIEMENS
Protection class IP20
Casing colour platinum
Casing material plastic
Work environment indoor use

DELTA style, Frame 2-fold, 82x 82 mm
platinum metallic



Frame SIEMENS Delta Style platinum IP20

Product code 19574

Brand SIEMENS
Protection class IP20
Casing colour platinum
Casing material plastic
Work environment indoor use



DELTA style, Frame 4-fold, 82x 82 mm
platinum metallic

Frame SIEMENS Delta Style platinum IP20

Product code 19575

Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 366.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



DELTA style, Frame 5-fold, 82x 82 mm
platinum metallic

Frame SIEMENS Delta Style platinum IP20

Product code 18885

Brand SIEMENS
Protection class IP20
Casing colour platinum
Casing material plastic
Work environment indoor use




DELTA style, Frame 3-fold, 82x 82 mm
platinum metallic

Frame SIEMENS Delta Style white IP20

Product code 23099

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style white IP20

Product code 19557


Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 153.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style white IP20

Product code 21874

Brand SIEMENS
Protection class IP20
Height 820.0mm
Width 820.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style white IP20

Product code 21896

Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 366.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Frame SIEMENS Delta Style white IP20

Product code 18884

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use



DELTA style, titanium white frame 3-
fold, 224x 82 mm

Frame SIEMENS Delta Style white IP20

Product code 18886

Brand SIEMENS
Protection class IP20
Height 82.0mm
Width 295.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA Style, titanium white frame 4-
fold, 295x 82 mm

Frame SIEMENS Miro 1-ne maple IP20

Product code 18888

Brand SIEMENS
Protection class IP20
Casing colour maple
Casing material wood
Work environment indoor use

DELTA miro Frame 1-fold Authentic
material wood Wood type maple
Dimensions 90x 90 mm



Frame SIEMENS Miro Miro light green

Product code 22450

Brand SIEMENS
Height 90.0mm
Width 303.0mm
Casing colour light green
Casing material glass
Work environment indoor use



Frame SIEMENS Miro Miro red

Product code 23103

Brand SIEMENS
Height 90.0mm
Width 303.0mm
Casing colour red
Casing material glass
Work environment indoor use



Frame SIEMENS Miro Miro red

Product code 23104

Brand SIEMENS
Height 90.0mm
Width 374.0mm
Casing colour red
Casing material glass
Work environment indoor use



Frame THPG Bakelite black

Product code 22633

Brand THPG
Height 82.0mm
Width 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Square single covering made of 2.5 mm thick Bakelite. This covering can be combined with all switches, push-buttons and sockets from the switch system Bakelite. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. In addition to round single coverings, round system coverings that can be installed flush next to and below each other are also available.



Frame THPG Bakelite black

Product code 22634

Brand THPG
Height 82.0mm
Width 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Square single covering made of 2.5 mm thick Bakelite. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) of the switch system Bakelite. The switches, push-buttons and sockets only fit in the regular coverings. In addition to round single coverings, round system coverings are also available, which can be installed flush next to and below each other. Square Bakelite single cover for junction boxes/dimmers. - For mounting data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, speaker connections, dimmers and blind covers for the switch system Bakelite (unsuitable for switches, push-buttons and sockets).



Frame THPG Bakelite black

Product code 22635

Brand THPG
Height 82.0mm
Width 157.0mm
Casing colour black
Casing material bakelite
Work environment indoor use



Frame THPG Bakelite black

Product code 22636

Brand THPG
Height 82.0mm
Width 228.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Triple covering made of 2.5 mm thick Bakelite. This cover can be combined with all central inserts from the Bakelite switch system (switches, push-buttons, sockets, junction boxes, dimmers, special devices).



Frame THPG Bakelite black

Product code 22637

Brand THPG
Height 82.0mm
Width 299.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Quadruple covering made of 2.5 mm thick Bakelite. This cover can be combined with all central inserts from the Bakelite switch system (switches, push-buttons, sockets, junction boxes, dimmers, special devices).



Frame THPG Bakelite black

Product code 22465

Brand THPG
Diameter 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

System covering made of 2.5 mm thick Bakelite. This covering can be combined with all switches, push-buttons and sockets from the Bakelite switch system and is intended as an external part of a multi-part installation. System coverings can be installed flush next to and below each other.



Frame THPG Bakelite black

Product code 22466

Brand THPG
Diameter 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use



Frame THPG Bakelite black

Product code 22467

Brand THPG
Diameter 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use



Frame THPG Bakelite black

Product code 22480

Brand THPG
Diameter 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use



Frame THPG Bakelite black

Product code 22487

Brand THPG
Diameter 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

System covering made of 2.5 mm thick Bakelite. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) from the Bakelite switch system and is intended as the centre part of a multi-part installation. System coverings can be installed flush next to and below each other. Switches, push-buttons and sockets only fit into the regular coverings. Round and square single coverings are also available.



Frame THPG Bakelite black

Product code 22488

Brand THPG
Diameter 82.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

System covering made of 2.5 mm thick Bakelite. This covering can be combined with all switches, push-buttons and sockets from the Bakelite switch system and is intended as the centre part of a multi-part installation. System coverings can be installed flush next to and below each other. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. Round and square single coverings are also available.



Frame THPG Duroplast white

Product code 22462

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

System covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the Duroplast switch system and is intended as an external part of a multi-part installation. System coverings can be installed flush next to and below each other. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. Round and square single coverings are also available.




Frame THPG Duroplast white

Product code 22464

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

System covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the Duroplast switch system and is intended as the centre part of a multi-part installation. System coverings can be installed flush next to and below each other.



Frame THPG Duroplast white

Product code 22469

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Round single covering made of Duroplast. - for mounting switches, push-buttons and sockets from the Duroplast switch system (unsuitable for dimmers, data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, loudspeaker connections and blind covers).



Frame THPG Duroplast white

Product code 22471

Brand THPG
 Height 82.0mm
 Width 82.0mm
 Casing colour white
 Casing material duroplast
 Work environment indoor use

Square single covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the switch system Duroplast. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. In addition to round single coverings, round system coverings that can be installed flush next to and below each other are also available.



Frame THPG Duroplast white

Product code 22472

Brand THPG
 Height 157.0mm
 Width 82.0mm
 Casing colour white
 Casing material duroplast
 Work environment indoor use

Square single covering made of 2.5 mm thick Duroplast. This covering can be combined with all switches, push-buttons and sockets from the switch system Duroplast. The junction boxes, dimmers and special devices (thermostats, USB charging stations) only fit into the coverings for junction boxes/dimmers. In addition to round single coverings, round system coverings that can be installed flush next to and below each other are also available.



Frame THPG Duroplast white

Product code 22473

Brand THPG
Height 228.0mm
Width 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Triple covering made of 2.5 mm thick Duroplast. This cover can be combined with all central inserts from the Duroplast switch system (switches, push-buttons, sockets, junction boxes, dimmers, special devices).



Frame THPG Duroplast white

Product code 22474

Brand THPG
Height 299.0mm
Width 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use



Frame THPG Duroplast white

Product code 22499

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Round single covering made of 2.5 mm thick Duroplast. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) of the switch system Duroplast. The switches, push-buttons and sockets only fit in the regular coverings. Round system coverings are also available, which can be installed flush next to and below each other. - For mounting data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, speaker connections, dimmers and blind covers for the switch system Duroplast (unsuitable for switches, push-buttons and sockets).



Frame THPG Duroplast white

Product code 22500

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

System covering made of 2.5 mm thick Duroplast. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) from the Duroplast switch system and is intended as an external part of a multi-part installation. System coverings can be installed flush next to and below each other. Switches, push-buttons and sockets only fit into the regular coverings. Round and square single coverings are also available. - for mounting data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, loudspeaker connections, dimmers and blind covers for the switch system Duroplast (not suitable for switches, push-buttons and sockets).



Frame THPG Duroplast white

Product code 22501

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Round single covering made of 2.5 mm thick Duroplast. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) of the switch system Duroplast. The switches, push-buttons and sockets only fit in the regular coverings. Round system coverings are also available, which can be installed flush next to and below each other. - For mounting data sockets, telephone jacks, antenna sockets, temperature controls, USB charging stations, speaker connections, dimmers and blind covers for the switch system Duroplast (unsuitable for switches, push-buttons and sockets).



Frame THPG Glass transparent

Product code 22638

Brand THPG
Diameter 82.0mm
Casing colour transparent
Casing material glass
Work environment indoor use

System covering made of 4 mm thick, thermally hardened white glass from the Upper Palatinate Forest (Germany) with outstanding transparency. This covering can be combined with all parts of the Bakelit and Duroplast switch systems that have a central insert (switches, push-buttons, sockets, junction boxes) and is intended as the external piece of a multi-part installation. System coverings can be installed flush next to and below each other. Single coverings are also available. Installation note: The wallpaper must not be thicker than 0.5 mm in order to comply with all VDE regulations and standards. Therefore, the hollow wall boxes must be installed neatly so that the plastic disc with a thickness of 1 mm is flush with the wall. The construction of our switches with white glass coverings requires a different installation process than usual: the electrician installs the inner workings and the plexiglass ring. Then wallpaper is hung over the fully connected switch, and finally the coverings are attached. If you want to mount several individual coverings next to each other, you have to take this into account when placing the boxes; in this case, 20 mm spacers are necessary. When installing system coverings, the centres must be exactly 71 mm apart. We generally recommend the Kaiser range of hollow wall boxes, which also includes the appropriate spacers.




Frame THPG Glass transparent

Product code 22475

Brand THPG
 Diameter 82.0mm
 Casing colour transparent
 Casing material glass
 Work environment indoor use

Single covering made of 4 mm thick, thermally hardened white glass from the Upper Palatinate Forest (Germany) with outstanding transparency. This covering can be combined with all parts of the Bakelit and Duroplast switch systems that have a central insert (switches, push-buttons, sockets, junction boxes). System coverings that can be installed flush next to and below each other are also available. Installation note: The wallpaper must not be thicker than 0.5 mm in order to comply with all VDE regulations and standards. Therefore, the hollow wall boxes must be installed neatly so that the plastic disc with a thickness of 1 mm is flush with the wall. The construction of our switches with white glass coverings requires a different installation process than usual: the electrician installs the inner workings and the plexiglass ring. Then wallpaper is hung over the fully connected switch, and finally the coverings are attached. If you want to mount several individual coverings next to each other, you have to take this into account when placing the boxes; in this case, 20 mm spacers are necessary. When installing system coverings, the centres must be exactly 71 mm apart. We generally recommend the Kaiser range of hollow wall boxes, which also includes the appropriate spacers.



Frame THPG Glass transparent

Product code 22476

Brand THPG
Diameter 82.0mm
Casing colour transparent
Casing material glass
Work environment indoor use

System covering made of 4 mm thick, thermally hardened white glass from the Upper Palatinate Forest (Germany) with outstanding transparency. This covering can be combined with all parts of the Bakelit and Duroplast switch systems that have a central insert (switches, push-buttons, sockets, junction boxes) and is intended as the external piece of a multi-part installation. System coverings can be installed flush next to and below each other. Single coverings are also available.

Installation note: The wallpaper must not be thicker than 0.5 mm in order to comply with all VDE regulations and standards. Therefore, the hollow wall boxes must be installed neatly so that the plastic disc with a thickness of 1 mm is flush with the wall. The construction of our switches with white glass coverings requires a different installation process than usual: the electrician installs the inner workings and the plexiglass ring. Then wallpaper is hung over the fully connected switch, and finally the coverings are attached. If you want to mount several individual coverings next to each other, you have to take this into account when placing the boxes; in this case, 20 mm spacers are necessary. When installing system coverings, the centres must be exactly 71 mm apart. We generally recommend the Kaiser range of hollow wall boxes, which also includes the appropriate spacers.



Frame THPG Glass transparent

Product code 22477

Brand THPG
Diameter 82.0mm
Casing colour transparent
Casing material glass
Work environment indoor use

System covering made of 4 mm thick, thermally hardened white glass from the Upper Palatinate Forest (Germany) with outstanding transparency. This covering can be combined with all parts of the Bakelit and Duroplast switch systems that have a central insert (switches, push-buttons, sockets, junction boxes) and is intended as the centrepiece of a multi-part installation. System coverings can be installed flush next to and below each other. Single coverings are also available. Installation note: The wallpaper must not be thicker than 0.5 mm in order to comply with all VDE regulations and standards. Therefore, the hollow wall boxes must be installed neatly so that the plastic disc with a thickness of 1 mm is flush with the wall. The construction of our switches with white glass coverings requires a different installation process than usual: the electrician installs the inner workings and the plexiglass ring. Then wallpaper is hung over the fully connected switch, and finally the coverings are attached. If you want to mount several individual coverings next to each other, you have to take this into account when placing the boxes; in this case, 20 mm spacers are necessary. When installing system coverings, the centres must be exactly 71 mm apart. We generally recommend the Kaiser range of hollow wall boxes, which also includes the appropriate spacers.



Frame THPG Porcelain white

Product code 22455

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material porcelain
Work environment indoor use



Frame THPG Porcelain white

Product code 22456

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material porcelain
Work environment indoor use



Frame THPG Porcelain white

Product code 22457

Brand THPG
Height 82.0mm
Width 153.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

We advertise with classic materials in solid quality. This is not just an empty phrase. Other manufacturers install an impact-resistant plastic plate behind their porcelain coverings in order to pass the test institutes' hammer impact test. We solve the problem differently - by using more material. Our porcelain coverings are 13 mm thick and consist entirely of the ceramic material, which you can actually see thanks to the transparent glaze. The fact that our uncompromising approach works is confirmed not least by the VDE certification of our products. We distinguish between two types of coverings: those for our switches, push-buttons, dimmers and outlets on the one hand and those for our junction boxes and special applications on the other. Both types are available as single or system coverings; the multiple coverings can only be combined with switches, outlets, etc. The reason for the difference is the different diameter of the inner opening for the central insert.



Frame THPG Porcelain white

Product code 22459

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

System covering made of 13 mm thick, transparent glazed porcelain. This covering can be combined with all switches, push-buttons, dimmers and sockets from the switch system Porcelain white and is intended as the centrepiece of a multi-part installation. System coverings can be installed flush next to and below each other. The junction boxes and special devices (thermostats, USB charging points) only fit into the coverings for junction boxes. Individual coverings are also available.



Frame THPG Porcelain white

Product code 22483

Brand THPG
Diameter 82.0mm
Casing colour white
Casing material porcelain
Work environment indoor use



Frame THPG Porcelain white

Product code 22484

Brand THPG
 Diameter 82.0mm
 Casing colour white
 Casing material porcelain
 Work environment indoor use

System covering made of 13 mm thick, transparent glazed porcelain. This covering can be combined with all junction boxes and special devices (thermostats, USB charging points) from the switch system Porcelain white and is intended as the outer part of a multi-part installation. System coverings can be installed flush next to and below each other. The switches, push-buttons, dimmers and sockets only fit into the regular coverings. Individual coverings are also available.



Frame THPG Single covering for junction boxes/dimmer squareDuroplast white

Product code 22665

Brand THPG
 Height 82.0mm
 Width 82.0mm
 Casing colour white
 Casing material duroplast
 Work environment indoor use

Square single covering made of 2.5 mm thick Duroplast. This covering can be combined with all junction boxes, dimmers and special devices (thermostats, USB charging stations) of the switch system Duroplast. The switches, push-buttons and sockets only fit in the regular coverings. In addition to round single coverings, round system coverings are also available, which can be installed flush next to and below each other.



