Luminaire frame AQUARIUS 1xGU10 white GU10 IP44

Product code 19672

Socket GU10
Protection class IP44
Height 84.0mm
Diameter 80.0mm
Weight 270 g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame AQUARIUS black round GU10 IP20

Product code 19211

Socket GU10
Protection class IP20
Height 95.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!






Spotlight Cube 40x40 white 230V 5W 450lm CRI92 36° IP20

Product code 18079

Supply voltage 230V
Output 5W
Maximum output 5W/1m
Luminous flux 450lumens
Luminaire’s efficiency 90W
Lens angle 36
Cri 92
Protection class IP20
Lifespan 40000h
Height 70.0mm
Width 40.0mm
Length 40.0mm
Casing colour white
Casing material aluminium
Warranty 3 years





Spotlight Deko-Light Caja I white GU10 IP20

Product code 20202

Brand Deko-Light
Output voltage 220-240V
Socket GU10
Protection class IP20
Height 160.0mm
Width 132.0mm
Length 132.0mm
In package 1pc
Casing colour white
Casing material gypsum
Polishing matt
Work environment indoor use
Operation temperature -20 kuni 40 °C°C
Warranty 3 years



Spotlight Deko-Light Modular Sytem COB

Product code 20399

Brand Deko-Light
Diameter 75.0mm
Casing material aluminium




Spotlight Karizma Luce Caro SF DTW Dali black 14W 1100lm CRI90 25° IP20 DALI 1800K - 3000K

Product code 23310 DALI dimmable

Brand Karizma Luce
Dimmable DALI
Output 14W
Maximum output 14W/1m
Luminous flux 1100lumens
Luminaire’s efficiency 79W
Correlated colour temperature warm white 1800K - 3000K
Lens angle 25
Cri 90
Protection class IP20
Height 165.0mm
Diameter 50.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

Karizma Luce Caro SF is a surface-mounted cylindrical spotlight that combines compact design with extremely high efficiency. With a 40mm diameter, it integrates easily into galleries, shops, museums, restaurants, and hospitality spaces, offering a strong architectural look where ceiling-mounted flexibility is needed without compromising light performance.






Spotlight Karizma Luce Caro SF DTW Dali white 14W 1100lm CRI90 25° IP20 DALI 1800K - 3000K

Product code 23311 DALI dimmable

Brand Karizma Luce
Dimmable DALI
Output 14W
Maximum output 14W/1m
Luminous flux 1100lumens
Luminaire’s efficiency 79W
Correlated colour temperature warm white 1800K - 3000K
Lens angle 25
Cri 90
Protection class IP20
Height 165.0mm
Diameter 50.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Karizma Luce Caro SF is a surface-mounted cylindrical spotlight that combines compact design with extremely high efficiency. With a 40mm diameter, it integrates easily into galleries, shops, museums, restaurants, and hospitality spaces, offering a strong architectural look where ceiling-mounted flexibility is needed without compromising light performance.

Spotlight Karizma Luce Dea Flora S black 10,5W 800lm CRI90 40° IP20 TRIAC 1800K - 3000K

Product code 22006 TRIAC dimmable

Brand Karizma Luce
Dimmable TRIAC
Output 10,5W
Luminous flux 800lumens
Correlated colour temperature warm white 1800K - 3000K
Lens angle 40
Cri 90
Protection class IP20
Height 116.0mm
Diameter 87.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Karizma Luce Dea Flora S white / golden round 230V 10.5W 880lm 40° IP20 TRIAC 930

Product code 23480 TRIAC dimmable

Brand Karizma Luce
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10.5W
Maximum output 10.5W/1m
Luminous flux 880lumens
Luminaire’s efficiency 84W
Correlated colour temperature warm white 3000K
Lens angle 40
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 116.0mm
Diameter 87.0mm
Casing colour white / golden
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Spotlight Karizma Luce Dea Flora S white round 230V 10.5W 880lm 40° IP20 TRIAC 930

Product code 23405 TRIAC dimmable


Brand Karizma Luce
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10.5W
Maximum output 10.5W/1m
Luminous flux 880lumens
Luminaire’s efficiency 84W
Correlated colour temperature warm white 3000K
Lens angle 40
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 116.0mm
Diameter 87.0mm
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Spotlight Karizma Luce Doris XS black 10,5W 900lm 40° IP65 TRIAC 930

Product code 23798 TRIAC dimmable


Brand Karizma Luce
Dimmable TRIAC
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 900lumens
Correlated colour temperature warm white 3000K
Lens angle 40
Cri 90
Protection class IP65
Height 100.0mm
Diameter 75.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Karizma Luce Doris XS white 10,5W 800lm 40° IP65 TRIAC 927

Product code 23878 TRIAC dimmable

Brand Karizma Luce
Dimmable TRIAC
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 800lumens
Correlated colour temperature warm white 2700K
Lens angle 40
Cri 90
Protection class IP65
Lifespan 50000h
Height 100.0mm
Diameter 75.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Luminaire frame KIVI black round 230V GU10 IP20

Product code 16209

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!



Luminaire frame KIVI white round 230V GU10 IP20

Product code 17107

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
Weight 560 g
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use



Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!

Spotlight Lahti Mini Duo black 230V 18W 1050lm 35° IP20 TRIAC 930

Product code 16426 TRIAC dimmable

Supply voltage 230V
Dimmable TRIAC
Output 18W
Maximum output 18W/1m
Luminous flux 1050lumens
Luminaire’s efficiency 58W
Correlated colour temperature warm white 3000K
Lens angle 35
Source of light PHILIPS LED
Cri 90
Protection class IP20
Lifespan 30000h
Height 82.0mm
Width 78.0mm
Length 161.0mm
Weight 820 g
In box 12pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



LAHTI MINI surface-mounted LED luminaire. Modern and elegant, offering minimalist design that fits various interiors. This luminaire, with IP20 protection rating, is an ideal choice for home or office environments, providing warm white light at 3000K. With this LED lamp, you can keep colors true to life in living spaces, making it suitable as the main light source in a room! The lamp body is made of aluminum, in a matte black finish. The 18W LAHTI MINI is also dimmable (TRIAC). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Elevate the quality of your everyday lighting and choose a top-notch lighting solution from the LED house product range!

Spotlight LENO black GU10 IP20

Product code 17151

Socket GU10
Protection class IP20
Height 123.0mm
Length 175.0mm
In box 10pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!



Spotlight LENO white GU10 IP20

Product code 17150

Socket GU10
Protection class IP20
Height 123.0mm
Length 175.0mm
In box 10pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!



Spotlight Light4U Skadi 160 SM HE white 14W 2300lm 45° IP20 DALI 940

Product code 24025 DALI dimmable

Brand Light4U
Dimmable DALI
Output voltage 220-240V
Output 14W
Maximum output 14W/1m
Luminous flux 2300lumens
Luminaire’s efficiency 164W
Correlated colour temperature pure white 4000K
Lens angle 45
Cri 90
Protection class IP20
Lifespan 100000h
Height 181.0mm
Diameter 160.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Light4U Skadi 220 SM HE white 23W 3450lm 40° IP20 DALI 940

Product code 24024 DALI dimmable

Brand Light4U
Dimmable DALI
Output voltage 220-240V
Output 23W
Maximum output 23W/1m
Luminous flux 3450lumens
Luminaire’s efficiency 150W
Correlated colour temperature pure white 4000K
Lens angle 40
Cri 90
Protection class IP20
Lifespan 100000h
Height 241.0mm
Diameter 220.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Maxlight Love black GU10

Product code 21906

Brand Maxlight
Socket GU10
Height 140.0mm
Diameter 75.0mm
Casing colour black
Casing material aluminium
Work environment indoor use



Spotlight Maxlight Love white GU10

Product code 21952

Brand Maxlight
Socket GU10
Height 140.0mm
Diameter 75.0mm
Casing colour white
Casing material aluminium
Work environment indoor use



Spotlight Maytoni Artisan black GU10

Product code 22774

Brand Maytoni
Socket GU10
Height 146.0mm
Diameter 54.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 2 years



Spotlight Maytoni Artisan black round GU10

Product code 20211

Brand Maytoni
Socket GU10
Height 130.0mm
Diameter 60.0mm
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use
Warranty 2 years




Spotlight Maytoni Artisan gold GU10



Product code 22776

Brand Maytoni
Socket GU10
Height 146.0mm
Diameter 54.0mm
Casing colour gold
Casing material aluminium
Work environment indoor use
Warranty 2 years


Spotlight Maytoni Artisan gold round GU10



Product code 22778

Brand Maytoni
Socket GU10
Height 108.0mm
Diameter 54.0mm
Casing colour gold
Casing material aluminium
Shape round
Work environment indoor use

Spotlight Maytoni Artisan white GU10



Product code 22777

Brand Maytoni
Socket GU10
Height 146.0mm
Diameter 54.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 2 years

Spotlight Maytoni Artisan white round GU10



Product code 20212

Brand Maytoni
Socket GU10
Height 108.0mm
Diameter 54.0mm
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Atom black round GU10



Product code 20214

Brand Maytoni
Socket GU10
Height 115.0mm
Diameter 85.0mm
Weight 320 g
Package weight 370 g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use
Warranty 2 years

Luminaire frame Maytoni Atom white GU10 IP20



Product code 19512

Brand Maytoni
Socket GU10
Protection class IP20
Height 115.0mm
Diameter 85.0mm
Casing colour white
Casing material aluminium

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Bar graphite 12W 1300lm 81° IP65 830

Product code 19738

Brand Maytoni
Output 12W
Luminous flux 1300lumens
Luminaire’s efficiency 108W
Correlated colour temperature warm white 3000K
Lens angle 81
Cri 80
Protection class IP65
Height 155.0mm
Casing colour graphite
Casing material metal
Work environment indoor / outdoor use



Spotlight Maytoni Bar graphite round 7W 800lm 81° IP65 830

Product code 19739

Brand Maytoni
Output 7W
Luminous flux 800lumens
Luminaire’s efficiency 114W
Correlated colour temperature warm white 3000K
Lens angle 81
Cri 80
Protection class IP65
Lifespan 50000h
Height 115.0mm
Diameter 90.0mm
Weight 510 g
Package weight 540 g
Casing colour graphite
Casing material metal
Shape round
Work environment indoor / outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Basis Holity black 48V 13W 990lm 40° IP20 930

Product code 22729 **DALI 2 dimmable**

Brand Maytoni
Supply voltage 48V
Dimmable DALI 2
Output 13W
Maximum output 13W/1m
Luminous flux 990lumens
Luminaire’s efficiency 76W
Correlated colour temperature warm white 3000K
Lens angle 40
Cri 90
Protection class IP20
Height 90.0mm
Width 322.0mm
Length 34.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Calipso black GU10 IP20


Product code 20936

Brand Maytoni
Socket GU10
Protection class IP20
Height 137.0mm
Length 100.0mm
Diameter 56.0mm
Weight 240 g
Package weight 270 g
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 2 years



Spotlight Maytoni Calipso black round GU10







Product code 20933

Brand Maytoni
Socket GU10
Height 100.0mm
Diameter 56.0mm
Weight 170 g
Package weight 200 g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use

Spotlight Maytoni Calipso gold GU10 IP20


Product code 20946

Brand Maytoni
Socket GU10
Protection class IP20
Height 137.0mm
Length 100.0mm
Diameter 56.0mm
Weight 240 g
Package weight 270 g
Casing colour gold
Casing material aluminium
Work environment indoor use
Warranty 2 years

Spotlight Maytoni Calipso gold round GU10



Product code 20935

Brand Maytoni
Socket GU10
Height 100.0mm
Diameter 56.0mm
Weight 170 g
Package weight 200 g
Casing colour gold
Casing material aluminium
Shape round
Work environment indoor use

Spotlight Maytoni Calipso white GU10 IP20



Product code 19709

Brand Maytoni
Socket GU10
Protection class IP20
Height 137.0mm
Length 100.0mm
Diameter 56.0mm
Casing colour white

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Calipso white round GU10



Product code 20934

Brand Maytoni
Socket GU10
Height 100.0mm
Diameter 56.0mm
Weight 170 g
Package weight 200 g
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use

Spotlight Maytoni Conik white GU10 IP20



Product code 20019

Brand Maytoni
Socket GU10
Protection class IP20
Height 135.0mm
Diameter 110.0mm
Casing colour white
Casing material metal

Spotlight Maytoni Dafne black round 10W 800lm 38° 930



Product code 20949

Brand Maytoni
Output 10W
Luminous flux 800lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Lens angle 38
Cri 90
Height 160.0mm
Diameter 50.0mm
Weight 380 g
Package weight 420 g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use

Spotlight Maytoni Focus black GU10 IP20



Product code 23318

Brand Maytoni
Socket GU10
Protection class IP20
Height 195.0mm
Diameter 60.0mm
Casing colour black
Casing material aluminium
Work environment indoor use

Minimalistic light with GU10 base for accents and zonal lighting.

Spotlight Maytoni Focus black GU10 IP20

Product code 20215




Brand Maytoni
Socket GU10
Protection class IP20
Height 130.0mm
Diameter 60.0mm
Weight 240 g
Package weight 250 g
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 2 years

Spotlight Maytoni Focus gold GU10 IP20

Product code 20786







Brand Maytoni
Socket GU10
Protection class IP20
Height 195.0mm
Diameter 60.0mm
Weight 250 g
Package weight 280 g
Casing colour gold
Warranty 2 years

Spotlight Maytoni Focus gold GU10 IP20





Product code 20149

Brand Maytoni
Socket GU10
Protection class IP20
Height 192.0mm
Diameter 60.0mm
Installation opening diameter 50mm
Weight 300 g
Package weight 350 g
Casing colour gold
Casing material aluminium
Warranty 2 years

Spotlight Maytoni Focus gold GU10 IP20






Product code 21478

Brand Maytoni
Socket GU10
Protection class IP20
Height 130.0mm
Diameter 60.0mm
Weight 240 g
Package weight 250 g
Casing colour gold
Warranty 2 years

Honeycomb filter Maytoni Focus LED black IP20

Product code 22792


Brand Maytoni
Protection class IP20
Height 3.0mm
Diameter 42.0mm
Casing colour black
Casing material aluminium
Work environment indoor use



Honeycomb filter Maytoni Focus LED black IP20

Product code 23783


Brand Maytoni
Protection class IP20
Height 3.0mm
Diameter 32.0mm
Casing colour black
Casing material aluminium
Work environment indoor use



Honeycomb filter Maytoni Focus LED black IP20

Product code 23784

Brand Maytoni
Protection class IP20
Height 3.0mm
Diameter 53.0mm
Casing colour black
Casing material aluminium
Work environment indoor use



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Focus LED black round 12W 900lm 50° IP20 930

Product code 23772

Brand Maytoni
Output voltage 220-240V
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 125.0mm
Diameter 52.0mm
Weight 240 g
Package weight 260 g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED brass round 12W 900lm 50° IP20 930

Product code 23773

Brand Maytoni
Output voltage 220-240V
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 125.0mm
Diameter 52.0mm
Weight 240 g
Package weight 260 g
Casing colour brass
Casing material aluminium
Shape round
Work environment indoor use
Warranty 5 years



The Focus LED track luminaire is a stylish and practical accent lighting solution. The luminaire is made of metal and is available in three colors: white, black, and black with brass. With clean lines and classic colors, its modern design makes it a versatile addition to any interior.

Spotlight Maytoni Focus LED Holity black 48V 13W 960lm 38° IP20 930

Product code 21165

Brand Maytoni
Supply voltage 48V
Output 13W
Maximum output 13W/1m
Luminous flux 960lumens
Luminaire’s efficiency 74W
Correlated colour temperature warm white 3000K
Lens angle 38
Cri 90
Protection class IP20
Height 157.0mm
Diameter 56.0mm
Casing colour black
Casing material aluminium
Impact resistance IK03
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 12W 15° IP20

Product code 23776

Brand Maytoni
Output 12W
Lens angle 15
Protection class IP20
Height 19.0mm
Diameter 43.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 12W IP20

Product code 23774

Brand Maytoni
Output 12W
Protection class IP20
Height 19.0mm
Diameter 43.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 12W IP20

Product code 23775

Brand Maytoni
Output 12W
Protection class IP20
Height 19.0mm
Diameter 43.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 12W IP20

Product code 23780

Brand Maytoni
Output 12W
Maximum output 12W/1m
Protection class IP20
Height 19.0mm
Diameter 43.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 20W IP20

Product code 23785

Brand Maytoni
Output 20W
Protection class IP20
Height 24.0mm
Diameter 55.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 20W IP20

Product code 23786

Brand Maytoni
Output 20W
Protection class IP20
Height 24.0mm
Diameter 55.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 20W IP20

Product code 23788

Brand Maytoni
Output 20W
Protection class IP20
Height 24.0mm
Diameter 55.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Focus LED transparent 20W IP20

Product code 23789

Brand Maytoni
Output 20W
Maximum output 20W/1m
Protection class IP20
Height 24.0mm
Diameter 55.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 5W 15° IP20

Product code 23791

Brand Maytoni
Output 5W
Lens angle 15
Protection class IP20
Height 19.0mm
Diameter 43.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 5W IP20

Product code 23787

Brand Maytoni
Output 5W
Protection class IP20
Height 18.0mm
Diameter 35.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 5W IP20

Product code 23790

Brand Maytoni
Output 5W
Protection class IP20
Height 18.0mm
Diameter 35.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED transparent 5W IP20

Product code 23793

Brand Maytoni
Output 5W
Maximum output 5W/1m
Protection class IP20
Height 19.0mm
Diameter 43.0mm
Casing colour transparent
Casing material plastic
Work environment indoor use
Warranty 5 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Focus LED white 12W 900lm 50° IP20 930

Product code 22791

Brand Maytoni
Output voltage 220-240V
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 125.0mm
Diameter 52.0mm
Weight 240 g
Package weight 260 g
Casing colour white
Casing material aluminium
Work environment indoor use

The modern and minimalist design fits perfectly into any interior, whether it's minimalist or classic.



Spotlight Maytoni Focus LED white IP20

Product code 23777

Brand Maytoni
Protection class IP20
Height 23.0mm
Diameter 50.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee


Spotlight Maytoni Focus LED white IP20



Product code 23781

Brand Maytoni
Protection class IP20
Height 22.0mm
Diameter 43.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

Spotlight Maytoni Focus LED white IP20



Product code 23782

Brand Maytoni
Protection class IP20
Height 24.5mm
Diameter 63.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee


Spotlight Maytoni Focus S 2 white GU10 IP20



Product code 23942

Brand Maytoni
Socket GU10
Protection class IP20
Height 120.0mm
Width 344.0mm
Length 60.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 5 years

Spotlight Maytoni Focus S black GU10 IP20



Product code 22023

Brand Maytoni
Socket GU10
Protection class IP20
Height 128.0mm
Diameter 52.0mm
Casing colour black

Spotlight Maytoni Focus S black GU10 IP20

Product code 19637

Brand Maytoni
Socket GU10
Protection class IP20
Height 100.0mm
Diameter 52.0mm
Casing colour black




Spotlight Maytoni Focus S matte gold GU10 IP20


Product code 22024

Brand Maytoni
Socket GU10
Protection class IP20
Height 128.0mm
Diameter 52.0mm
Casing colour matte gold










Spotlight Maytoni Focus S white GU10 IP20





Product code 22022

Brand Maytoni
Socket GU10
Protection class IP20
Height 128.0mm
Diameter 52.0mm
Casing colour white

Spotlight Maytoni Focus S white GU10 IP20



Product code 19638

Brand Maytoni
Socket GU10
Protection class IP20
Height 100.0mm
Diameter 52.0mm
Casing colour white

Spotlight Maytoni Focus white GU10 IP20



Product code 23319

Brand Maytoni
Socket GU10
Protection class IP20
Height 195.0mm
Diameter 60.0mm
Casing colour white

Minimalistic light with GU10 base for accents and zonal lighting.

Spotlight Maytoni Focus white GU10 IP20



Product code 20434

Brand Maytoni
Socket GU10
Protection class IP20
Height 130.0mm
Diameter 60.0mm
Weight 240 g
Package weight 250 g
Casing colour white
Warranty 2 years

Spotlight Maytoni Hoop black G53 IP20

Product code 20403

Brand Maytoni
Socket GX53
Protection class IP20
Height 50.0mm
Diameter 85.0mm
Weight 140 g
Package weight 150 g
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Warranty 2 years



Spotlight Maytoni Hydra black 10W 870lm 120° IP44 930

Product code 20833

Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour black
Casing material aluminium
Warranty 5 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Hydra matte gold 10W 870lm 120° IP44 930

Product code 20834

Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour matte gold
Casing material aluminium
Warranty 5 years



Spotlight Maytoni Hydra white 10W 870lm 120° IP44 930

Product code 20832

Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour white
Casing material aluminium
Warranty 5 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Lens white 12W 1155lm 70° IP20 930

Product code 23307

Brand Maytoni
Output 12W
Luminous flux 1155lumens
Luminaire’s efficiency 96W
Correlated colour temperature warm white 3000K
Lens angle 70
Cri 90
Protection class IP20
Lifespan 50000h
Height 74.0mm
Diameter 90.0mm
Weight 600 g
Package weight 620 g
In package 1pc
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 3 years



Lens is a high-performance track light designed for the Exility magnetic system, equipped with a set of interchangeable filters. Housed in a black metal body, the fixture conceals advanced optical features: a transparent lens that delivers a professional studio-quality lighting effect, and optional filters for experimenting with holographic glow. The smart model supports DALI dimming protocol, allowing for precise control of lighting levels to suit your specific needs and preferences.

Spotlight Maytoni Lipari black / golden GU10



Product code 23629

Brand Maytoni
Socket GU10
Height 150.0mm
Diameter 60.0mm
Weight 210 g
Package weight 250 g
In package 1pc
Casing colour black / golden
Casing material aluminium

Spotlight Maytoni Lipari white / golden GU10



Product code 20414

Brand Maytoni
Socket GU10
Height 150.0mm
Diameter 60.0mm
Weight 210 g
Package weight 250 g
In package 1pc
Casing colour white / golden
Casing material aluminium

Spotlight Maytoni Meli Holity black 48V 11W 810lm 60° IP20 930

Product code 22730 DALI 2 dimmable

Brand Maytoni
Supply voltage 48V
Dimmable DALI 2
Output 11W
Maximum output 11W/1m
Luminous flux 810lumens
Luminaire’s efficiency 74W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Protection class IP20
Height 70.0mm
Diameter 810.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Pauline black 870lm G53 IP44

Product code 20835

Brand Maytoni
Luminous flux 870lumens
Socket GX53
Protection class IP44
Height 70.0mm
Diameter 82.0mm
Weight 180 g
Package weight 210 g
Casing colour black
Casing material aluminium
Warranty 2 years



Spotlight Maytoni Pauline white 870lm G53 IP44



Product code 20836

Brand Maytoni
Luminous flux 870lumens
Socket GX53
Protection class IP44
Height 70.0mm
Diameter 82.0mm
Weight 180 g
Package weight 210 g
Casing colour white
Casing material aluminium
Warranty 2 years

Spotlight Maytoni Points Holity black 48V 13W 990lm 40° IP20 930



Product code 22724 **DALI 2 dimmable**

Brand Maytoni
Supply voltage 48V
Dimmable DALI 2
Output 13W
Maximum output 13W/1m
Luminous flux 990lumens
Luminaire’s efficiency 76W
Correlated colour temperature warm white 3000K
Lens angle 40
Cri 90
Protection class IP20
Height 90.0mm
Width 322.0mm
Length 34.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Maytoni Roll black GU10 IP54



Product code 19841

Brand Maytoni
Socket GU10
Protection class IP54
Height 100.0mm
Diameter 65.0mm
Weight 190 g
Package weight 230 g
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Warranty 2 years

Body is resistant to corrosion and temperature differences.

Spotlight Maytoni Yin black 15W 1020lm 24° IP20 Dip Switch 2700K, 3000K, 4000K



Product code 22300 Dip Switch dimmable

Brand Maytoni
Dimmable Dip Switch
Output 15W
Luminous flux 1020lumens
Luminaire’s efficiency 68W
Lens angle 24
Protection class IP20
Lifespan 20000h
Height 105.0mm
Diameter 100.0mm
Weight 510 g
Package weight 560 g
Casing colour black
Casing material aluminium
Warranty 5 years

Spotlight Maytoni Yin dim white 15W 1020lm 24° IP20 Dip Switch 2700K, 3000K, 4000K

Product code 20109 **Dip Switch dimmable**

Brand Maytoni
Dimmable Dip Switch
Output 15W
Luminous flux 1020lumens
Luminaire’s efficiency 68W
Lens angle 24
Protection class IP20
Lifespan 20000h
Height 105.0mm
Diameter 100.0mm
Weight 510 g
Package weight 560 g
Casing colour white
Casing material aluminium
Warranty 5 years



Spotlight Maytoni Zoom white GU10 IP54

Product code 22062

Brand Maytoni
Socket GU10
Protection class IP54
Height 115.0mm
Width 90.0mm
Length 90.0mm
Weight 450 g
Package weight 490 g
Casing colour white
Casing material aluminium



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Nova Luce Cerise anthracite 230V GU10 IP54

Product code 23696

Brand Nova Luce
Supply voltage 230V
Socket GU10
Protection class IP54
Height 90.0mm
Diameter 90.0mm
Casing colour anthracite
Casing material aluminium + glass
Work environment outdoor use
Warranty 3 years



The Cerise outdoor ceiling light combines a dark gray die-cast aluminum body with a durable glass diffuser for a sleek, modern appearance. Designed for surface mounting, this fixture accommodates a single GU10 LED bulb up to 10 watts, providing efficient illumination. Its IP54 rating ensures reliable protection against dust and water, making it ideal for outdoor environments. Compact in size with a 9 cm diameter and height, it fits seamlessly into various exterior spaces. The fixture operates on a wide voltage range and is built to withstand ambient temperatures up to 45°C, ensuring consistent performance. This non-adjustable ceiling light offers a minimalist design suitable for contemporary outdoor settings.

Spotlight Nova Luce Cerise anthracite 230V GU10 IP54

Product code 23704


Brand Nova Luce
Supply voltage 230V
Socket GU10
Protection class IP54
Height 10.5mm
Diameter 60.0mm
Casing colour anthracite
Casing material aluminium + glass
Work environment outdoor use
Warranty 3 years



Spotlight Nova Luce Lumina white 9W 716lm 18° IP65 3000K warm white








Product code 22780

Brand Nova Luce
Output 9W
Maximum output 9W/1m
Luminous flux 716lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Lens angle 18
Protection class IP65
Height 100.0mm
Diameter 80.0mm
Casing colour white
Casing material metal
Work environment indoor / outdoor use

Spotlight Nowodvorski Lighting Eye M white round GU10





Product code 19982

Brand Nowodvorski Lighting
Socket GU10
Height 250.0mm
Diameter 55.0mm
Casing colour white
Casing material metal
Shape round
Work environment indoor use

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Nowodvorski Lighting Eye S black round GU10

Product code 19981

Brand Nowodvorski Lighting
Socket GU10
Height 100.0mm
Diameter 55.0mm
Casing colour black
Casing material metal
Shape round
Work environment indoor use



Spotlight Nowodvorski Lighting Eye S white round GU10

Product code 22274


Brand Nowodvorski Lighting
Socket GU10
Height 100.0mm
Diameter 55.0mm
Casing colour white
Casing material metal
Shape round
Work environment indoor use



Spotlight Nuuk black 230V GU10 IP20

Product code 18034

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use




Luminaire frame OH36 black 230V GU10 IP20

Product code 15234

Supply voltage 230V
Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame OH36 chrome GU10 IP20

Product code 18329

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame OH36 white GU10 IP20

Product code 16409

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
Weight 270 g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame OH36L white GU10 IP20

Product code 15828

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame OH36LK chrome GU10 IP20

Product code 18325

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame OH36S black IP20

Product code 19671

Maximum output 35W/1m
Protection class IP20
Height 50.0mm
Diameter 80.0mm
Weight 200 g
In package 1pc
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!



Luminaire frame OH36S white IP20

Product code 16858

Maximum output 35W/1m
Protection class IP20
Height 50.0mm
Diameter 80.0mm
Weight 200 g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!

Luminaire frame OH37 white GU10 IP20

Product code 18328

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540 g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!

Luminaire frame OH37K chrome GU10 IP20

Product code 18327

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540 g
In package 1pc
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!

Luminaire frame OH37LK chrome GU10 IP20

Product code 18324

Socket GU10
Protection class IP20
Height 115.0mm
Width 80.0mm
Length 80.0mm
Weight 730 g
In package 1pc
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!

Luminaire frame OH37M black GU10 IP20

Product code 18326

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540 g
In package 1pc
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!

Spotlight Prolumen AXIO black 12W 1080lm 55° IP20 TRIAC 3000K warm white

Product code 23734 TRIAC dimmable

Brand Prolumen
Dimmable TRIAC
Output 12W
Maximum output 12W/1m
Luminous flux 1080lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Lens angle 55
Protection class IP20
Lifespan 20000h
Height 105.0mm
Diameter 100.0mm
Weight 510 g
Package weight 560 g
Casing colour black
Casing material aluminium
Warranty 5 years



Spotlight Prolumen AXIO white 12W 1080lm 55° IP20 TRIAC 3000K warm white

Product code 23737 TRIAC dimmable

Brand Prolumen
Dimmable TRIAC
Output 12W
Maximum output 12W/1m
Luminous flux 1080lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Lens angle 55
Protection class IP20
Lifespan 20000h
Height 105.0mm
Diameter 100.0mm
Weight 510 g
Package weight 560 g
Casing colour white
Casing material aluminium
Warranty 5 years



Spotlight Prolumen DL115A black 18W 1890lm 90° IP54 940

Product code 15519

Brand Prolumen
Output 18W
Maximum output 18W/1m
Luminous flux 1890lumens
Luminaire’s efficiency 105W
Correlated colour temperature pure white 4000K
Lens angle 90
Cri 90
Protection class IP54
Lifespan 50000h
Height 124.0mm
Diameter 170.0mm
In box 12pcs
Casing colour black
Casing material aluminium
Polishing matt
Impact resistance IK05
Work environment indoor use
Certificates CE
Warranty 5 years



Round-shaped surface-mounted LED ceiling light. Suitable for various spaces due to its simple design. This light fixture is intended for indoor use only, with an IP54 protection rating. It has an ideal color rendering index (CRI90) for workspaces and offices. LED lights with a color temperature of 4000K create neutral light, which is ideal for workspaces and kitchens, among other places. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL115A white round 230V 25W 2330lm 60° IP54 930

Product code 15892

Brand Prolumen
Supply voltage 230V
Output 25W
Maximum output 25W/1m
Luminous flux 2330lumens
Luminaire’s efficiency 93W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Protection class IP54
Lifespan 50000h
Height 129.0mm
Diameter 213.0mm
Weight 800 g
Package weight 12.5 kg
In box 12pcs
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The warm light of the luminaire is perfect for bedrooms, living rooms, and other spaces with a softer atmosphere. The same model of recessed luminaire can also be found in the LED house product range with a black-colored housing!

Spotlight Prolumen DL115B white round 230V 25W 2330lm 90° IP54 TRIAC 930

Product code 15873 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 25W
Maximum output 25W/1m
Luminous flux 2330lumens
Luminaire’s efficiency 93W
Correlated colour temperature warm white 3000K
Lens angle 90
Cri 90
Protection class IP54
Lifespan 50000h
Height 129.0mm
Diameter 213.0mm
Weight 800 g
Package weight 12.5 kg
In box 12pcs
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL115B white round 230V 25W 2400lm 90° IP54 940

Product code 15872

Brand Prolumen
Supply voltage 230V
Output 25W
Maximum output 25W/1m
Luminous flux 2400lumens
Luminaire’s efficiency 96W
Correlated colour temperature pure white 4000K
Lens angle 90
Cri 90
Protection class IP54
Lifespan 50000h
Height 129.0mm
Diameter 213.0mm
Weight 800 g
Package weight 12.5 kg
In box 12pcs
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL126 black 25W 36° IP20 DALI 930

Product code 19085 DALI dimmable

Brand Prolumen
Dimmable DALI
Output 25W
Maximum output 25W/1m
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Protection class IP20
Casing colour black
Casing material aluminium
Work environment indoor use



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL126 white 230V 10W 850lm CRI80 36° IP20 TRIAC 3000K, 4000K, 5000K 3CCT

Product code 18042 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 850lumens
Luminaire’s efficiency 85W
Correlated colour temperature 3CCT
3000K, 4000K, 5000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 248.0mm
Diameter 65.0mm
Casing colour white
Casing material aluminium
Impact resistance IK03
Work environment indoor use
Operation temperature -20° - + 40°C
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL129 black 230V 10W 1030lm 24° IP20 TRIAC 930

Product code 15890 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 1030lumens
Luminaire’s efficiency 103W
Correlated colour temperature warm white 3000K
Lens angle 24
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Width 90.0mm
Length 90.0mm
In box 24pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, Rohs
Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL129 black 230V 10W 1030lm 36° IP20 TRIAC 940

Product code 15888 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 1030lumens
Luminaire’s efficiency 103W
Correlated colour temperature pure white 4000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Width 90.0mm
Length 90.0mm
In box 24pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, Rohs
Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL129 black 230V 10W 1030lm 60° IP20 TRIAC 930

Product code 15102 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 1030lumens
Luminaire’s efficiency 103W
Correlated colour temperature warm white 3000K
Lens angle 60
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Width 90.0mm
Length 90.0mm
In box 24pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, Rohs
Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL129 white 230V 20W 2000lm 36° IP20 TRIAC 840

Product code 15891 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 20W
Maximum output 20W/1m
Luminous flux 2000lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 36
Source of light CITIZEN LED
Cri 80
Protection class IP20
Height 122.0mm
Width 115.0mm
Length 115.0mm
In box 18pcs
Casing colour white
Certificates CE, Rohs
Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL176 white 15W 1500lm 36° IP54 DALI 930

Product code 16994 DALI dimmable

Brand Prolumen
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1500lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Protection class IP54
Lifespan 50000h
Height 133.8mm
Diameter 100.4mm
In package 1pc
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

Spotlight Prolumen DL176 white 25W 2300lm 36° IP54 DALI 930

Product code 16233 DALI dimmable

Brand Prolumen
Dimmable DALI
Output 25W
Maximum output 25W/1m
Luminous flux 2300lumens
Luminaire’s efficiency 92W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Protection class IP54
Lifespan 50000h
Height 144.0mm
Diameter 120.0mm
Weight 960 g
Package weight 1.11 kg
In package 1pc
In box 12pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE
Warranty 5 years





Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

Spotlight Prolumen DL176 white 35W 3000lm 60° IP54 DALI 930

Product code 19084 **DALI dimmable**

Brand Prolumen
Power factor 0.95
Dimmable DALI
Output 35W
Maximum output 35W/1m
Luminous flux 3000lumens
Luminaire’s efficiency 86W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Ugr 19
Protection class IP54
Lifespan 50000h
Casing colour white
Operation temperature -20 - +40°C
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20 DALI 840

Product code 19394 DALI dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20

TRIAC 830

Product code 16507 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20 TRIAC 840

Product code 19388 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
In box 12pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 15W 1300lm 60° IP20 TRIAC 930

Product code 19389 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL207 black 230V 15W 1400lm 36° IP20 940

Product code 16867

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1400lumens
Luminaire’s efficiency 93W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Weight 750 g
Package weight 850 g
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 25W 2300lm 36° IP20 TRIAC 830

Product code 18029 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 25W
Maximum output 25W/1m
Luminous flux 2300lumens
Luminaire’s efficiency 92W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 211.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 25W 2300lm 36° IP20 TRIAC 940

Product code 20615 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 25W
Maximum output 25W/1m
Luminous flux 2300lumens
Luminaire’s efficiency 92W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Weight 750 g
Package weight 850 g
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL259 black 230V 16W 1550lm 36° IP20 TRIAC 930

Product code 15784 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 16W
Maximum output 16W/1m
Luminous flux 1550lumens
Luminaire’s efficiency 97W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 60.0mm
Width 135.0mm
Length 224.0mm
Weight 910 g
Package weight 1.01 kg
In package 1pc
In box 12pcs
Casing colour black
Casing material metal
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, SAA
Warranty 5 years



A rectangular designed ceiling light with two directional light beams. This luminaire is suitable for indoor use only, with an IP20 protection class. Thanks to CRI90, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. We recommend this warm white (3000K) light for both living spaces and work environments. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL259 black 230V 8W 700lm 36° IP20 TRIAC 930

Product code 15783 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 8W
Maximum output 8W/1m
Luminous flux 700lumens
Luminaire’s efficiency 88W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 60.0mm
Width 135.0mm
Length 135.0mm
Weight 580 g
Package weight 630 g
In package 1pc
In box 24pcs
Casing colour black
Casing material metal
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, SAA
Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL259 black 230V 8W 700lm 36° IP20 TRIAC 940

Product code 16181 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 8W
Maximum output 8W/1m
Luminous flux 700lumens
Luminaire’s efficiency 88W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 60.0mm
Width 135.0mm
Length 135.0mm
Weight 580 g
Package weight 630 g
In package 1pc
In box 24pcs
Casing colour black
Casing material metal
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, SAA
Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL259 white 230V 8W 700lm 36° IP20 TRIAC 930

Product code 22060 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Dimmable TRIAC
Output 8W
Maximum output 8W/1m
Luminous flux 700lumens
Luminaire’s efficiency 88W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 60.0mm
Width 135.0mm
Length 135.0mm
Weight 580 g
Package weight 630 g
In package 1pc
In box 24pcs
Casing colour white
Casing material metal
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, SAA
Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL269A 5 UGR19 black round 230V 18W 1750lm 60° IP65 940

Product code 23162

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 18W
Maximum output 18W/1m
Luminous flux 1750lumens
Luminaire’s efficiency 97W
Correlated colour temperature pure white 4000K
Lens angle 60
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 115.0mm
Diameter 130.0mm
Weight 920 g
Package weight 1.01 kg
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL269A 5 UGR19 white round 230V 18W 1750lm 60° IP65 940

Product code 23155

Brand Prolumen
Supply voltage 230V
Output 18W
Maximum output 18W/1m
Luminous flux 1750lumens
Luminaire’s efficiency 97W
Correlated colour temperature pure white 4000K
Lens angle 60
Cri 90
Ugr 19
Protection class IP65
Lifespan 50000h
Height 115.0mm
Diameter 130.0mm
Weight 920 g
Package weight 1.01 kg
In package 1pc
In box 12pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269A-3 white round 230V 10W 940lm 60° IP65 TRIAC 940

Product code 18114 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 940lumens
Luminaire’s efficiency 94W
Correlated colour temperature pure white 4000K
Lens angle 60
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 107.0mm
Diameter 90.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK06
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Spotlight Prolumen DL269B 3 black round 230V 15W 1300lm 70° IP65 830

Product code 16432

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 70
Cri 80
Ugr 22
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 107.0mm
Diameter 90.0mm
Weight 600 g
Package weight 646 g
In package 1pc
In box 18pcs
Casing colour black
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Spotlight Prolumen DL269B 3 black round 230V 35W 2700lm 70° IP65 940

Product code 17171

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 35W
Maximum output 35W/1m
Luminous flux 2700lumens
Luminaire’s efficiency 77W
Correlated colour temperature pure white 4000K
Lens angle 70
Cri 90
Ugr 22
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Height 119.0mm
Diameter 214.0mm
Weight 600 g
Package weight 646 g
In package 1pc
In box 6pcs
Casing colour black
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Spotlight Prolumen DL269B 3 UGR19 white round 230V 10W 850lm 75° IP65 930

Product code 16157

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 10W
Maximum output 10W/1m
Luminous flux 850lumens
Luminaire’s efficiency 85W
Correlated colour temperature warm white 3000K
Lens angle 75
Cri 90
Ugr 19
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 107.0mm
Diameter 90.0mm
Weight 600 g
Package weight 646 g
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 930

Product code 16156

Brand Prolumen
Supply voltage 230V
Output 18W
Maximum output 18W/1m
Luminous flux 1600lumens
Luminaire’s efficiency 89W
Correlated colour temperature warm white 3000K
Lens angle 75
Cri 90
Ugr 19
Protection class IP65
Lifespan 50000h
Height 115.0mm
Diameter 130.0mm
Weight 920 g
Package weight 1.01 kg
In package 1pc
In box 12pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 DALI 930

Product code 16155 DALI dimmable

Brand Prolumen
Supply voltage 230V
Dimmable DALI
Output 18W
Maximum output 18W/1m
Luminous flux 1600lumens
Luminaire’s efficiency 89W
Correlated colour temperature warm white 3000K
Lens angle 75
Cri 90
Ugr 19
Protection class IP65
Lifespan 50000h
Height 115.0mm
Diameter 130.0mm
Weight 920 g
Package weight 1.01 kg
In package 1pc
In box 12pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL269B 8 UGR19 white round 230V 25W 2400lm 75° IP65 DALI 930

Product code 15925 DALI dimmable

Brand Prolumen
Supply voltage 230V
Dimmable DALI
Output 25W
Maximum output 25W/1m
Luminous flux 2400lumens
Luminaire’s efficiency 96W
Correlated colour temperature warm white 3000K
Lens angle 75
Cri 90
Ugr 19
Protection class IP65
Lifespan 50000h
Height 119.0mm
Diameter 214.0mm
Weight 2.2 kg
Package weight 2.48 kg
In package 1pc
In box 6pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL269B 8 UGR19 white round 230V 35W 3000lm 60° IP65 DALI 930

Product code 19083 **DALI dimmable**

Brand Prolumen
Supply voltage 230V
Dimmable DALI
Output 35W
Maximum output 35W/1m
Luminous flux 3000lumens
Luminaire’s efficiency 86W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Ugr 19
Protection class IP65
Lifespan 50000h
Height 119.0mm
Diameter 214.0mm
Weight 2.2 kg
Package weight 2.48 kg
In package 1pc
In box 6pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen DL322A black round 230V 14W 1300lm 36° IP20 830

Product code 16313

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 14W
Maximum output 14W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 93W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 96.0mm
Diameter 120.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



Stylish round LED ceiling light, matte black. The direction of the light fixture can be adjusted by rotating the light beam around its axis within a range of 340 degrees. We recommend this warm white (3000K) light fixture for both living spaces and work environments. This LED ceiling lamp is designed as ambient lighting - suitable for use in hotels, homes, offices, shops, and many other spaces. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL338 black round 230V 15W 1300lm 36° IP20 DALI 930

Product code 22297 **DALI dimmable**

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 180.0mm
Diameter 65.0mm
Package weight 500 g
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS
Warranty 5 years



Spotlight Prolumen DL340A black 230V 10W 650lm 36° IP40 TRIAC 927

Product code 22166 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Rated current 250mA
Luminous flux 650lumens
Luminaire’s efficiency 65W
Correlated colour temperature warm white 2700K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP40
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 108.0mm
Diameter 100.0mm
Weight 540 g
Package weight 600 g
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL340A white 230V 10W 650lm 36° IP40 TRIAC 927

Product code 22164 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Rated current 250mA
Luminous flux 650lumens
Luminaire’s efficiency 65W
Correlated colour temperature warm white 2700K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP40
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 108.0mm
Diameter 100.0mm
Weight 540 g
Package weight 600 g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL340A white 230V 15W 1469lm 36° IP40 930

Product code 17244

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Rated current 250mA
Luminous flux 1469lumens
Luminaire’s efficiency 98W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP40
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 108.0mm
Diameter 100.0mm
Weight 540 g
Package weight 600 g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL340A white 230V 15W 1563lm 36° IP40 940

Product code 18151

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Rated current 250mA
Luminous flux 1563lumens
Luminaire’s efficiency 104W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP40
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 108.0mm
Diameter 100.0mm
Weight 540 g
Package weight 600 g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL38 black 230V 10W 1500lm 60° IP54 DALI 930

Product code 22107 DALI dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 1500lumens
Luminaire’s efficiency 150W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 120.0mm
Diameter 110.0mm
In package 1pc
In box 18pcs
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 black round 230V 15W 1300lm 60° IP54 TRIAC 830

Product code 15109 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 80
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 100.0mm
Diameter 90.0mm
Weight 520 g
Package weight 630 g
In package 1pc
In box 40pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 10W 1000lm 60° IP54 DALI 930

Product code 17370 DALI dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 1000lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 120.0mm
Diameter 110.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Work environment indoor / outdoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 15W 1300lm 60° IP54 DALI 840

Product code 22833 DALI dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature pure white 4000K
Lens angle 60
Cri 80
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 100.0mm
Diameter 90.0mm
Weight 474 g
Package weight 537 g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 15W 1300lm 60° IP54 TRIAC 930

Product code 15267 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 110.0mm
Diameter 120.0mm
Weight 520 g
Package weight 630 g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL387 - UGR19 black round 230V 8W 810lm 75° IP20 930

Product code 22326

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 8W
Maximum output 8W/1m
Luminous flux 810lumens
Luminaire’s efficiency 101W
Correlated colour temperature warm white 3000K
Lens angle 75
Cri 90
Ugr 19
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 100.0mm
Diameter 90.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Shape round
Impact resistance IK06
Work environment indoor use
Operation temperature -20°C~45°C°C
Certificates CE, RoHS
Warranty 5 years



Spotlight Prolumen DL38B black 230V 10W 800lm 60° IP54 TRIAC 930

Product code 23606 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 800lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 100.0mm
Diameter 90.0mm
Weight 474 g
Package weight 537 g
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38B black 230V 15W 1255lm 60° IP54 TRIAC 930

Product code 22065 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1255lumens
Luminaire’s efficiency 84W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 90.0mm
Diameter 100.0mm
In package 1pc
In box 40pcs
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen Jesmond D91 with 1m cable black 230V

15W 1600lm 24° IP20 TRIAC 930

Product code 18050 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1600lumens
Luminaire’s efficiency 107W
Correlated colour temperature warm white 3000K
Lens angle 24
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 112.0mm
Diameter 91.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen Jesmond D91 with 1m cable black 230V 15W 1600lm 50° IP20 TRIAC 930

Product code 18049 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1600lumens
Luminaire’s efficiency 107W
Correlated colour temperature warm white 3000K
Lens angle 50
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 112.0mm
Diameter 91.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen Jesmond with 1m cable black 230V 25W 2600lm 24° IP20 TRIAC 830

Product code 17973 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 25W
Maximum output 25W/1m
Luminous flux 2600lumens
Luminaire’s efficiency 104W
Correlated colour temperature warm white 3000K
Lens angle 24
Source of light CITIZEN LED
Cri 80
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 137.0mm
Diameter 128.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen Jesmond with 1m cable black 230V 25W 2600lm 50° IP20 TRIAC 830

Product code 17972 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 25W
Maximum output 25W/1m
Luminous flux 2600lumens
Luminaire’s efficiency 104W
Correlated colour temperature warm white 3000K
Lens angle 50
Source of light CITIZEN LED
Cri 80
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 137.0mm
Diameter 128.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Prolumen Lunel black 230V GU10 IP20

Product code 16403

Brand Prolumen
Supply voltage 230V
Maximum output 5W/1m
Socket GU10
Protection class IP20
Height 95.0mm
Diameter 54.0mm
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a ceiling light, surface-mounted black or white light, and also as a recessed light. As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Come and take a look around our showroom in Tallinn!

Spotlight Prolumen Newcastle with nickel ring surface mounted black / golden 230V 15W 1500lm 40° IP20 940

Product code 16207

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1500lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 40
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 152.0mm
Diameter 75.0mm
In package 1pc
In box 24pcs
Casing colour black / golden
Casing material aluminium
Polishing matt
Power supply LIFUD
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen Newcastle with silver ring surface mounted black round 230V 20W 2000lm 40° IP20 DALI 940

Product code 16288 DALI dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 20W
Maximum output 20W/1m
Luminous flux 2000lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
Lens angle 40
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 152.0mm
Diameter 115.0mm
In box 18pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen PD02A white 230V 18W 1520lm 24° IP20 TRIAC 940

Product code 15467 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 18W
Maximum output 18W/1m
Luminous flux 1520lumens
Luminaire’s efficiency 84W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 160.0mm
Length 1000.0mm
Diameter 80.0mm
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use
Operation temperature -20o C~65o C°C
Certificates CE, RoHS
Warranty 5 years







The dimmable PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. With TRIAC technology, the LED light can be easily adjusted for different lighting scenes, creating cozy lighting for a relaxing dinner or brighter light for working. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn

Spotlight QUERK 2 black 230V GU10 IP54

Product code 18227

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP54
Height 95.0mm
Diameter 90.0mm
Weight 260 g
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminum + glass
Impact resistance IK06
Work environment indoor / outdoor use
Operation temperature -40 - +60°C
Certificates CE




A modern facade luminaire with one GU10 sockets. With its minimalist design, it is suitable as a light fixture for many different buildings. An ideal way to keep your house looking impressive even in the dark. Illuminate your world with LED House professionals - check out our project portfolio here!

Spotlight Sisyr black round GU10 IP20

Product code 16309

Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 90.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use





Cylindrical housing for GU10 light bulb.

Spotlight Spot Luna white 230V GU10 IP54

Product code 18249

Supply voltage 230V
Socket GU10
Protection class IP54
Height 84.0mm
Diameter 80.0mm
In package 1pc
Casing colour white
Casing material aluminium
Work environment indoor / outdoor use
Certificates CE
Warranty 3 years



A modern facade luminaire with one GU10 sockets. With its minimalist design, it is suitable as a light fixture for many different buildings. An ideal way to keep your house looking impressive even in the dark. Illuminate your world with LED House professionals - check out our project portfolio here!

Spotlight Trio Lighting Cookie white round GU10

Product code 21009

Brand Trio Lighting
Socket GU10
Height 12.5mm
Width 17.8mm
Length 17.8mm
Diameter 85.0mm
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use
Warranty 2 years





Spotlight Trio Lighting Guayana black / silver GU10

Product code 20706



Brand Trio Lighting
Socket GU10
Height 120.0mm
Width 180.0mm
Length 87.0mm
Weight 800 g
Casing colour black / silver
Casing material aluminium

Spotlight Trio Lighting Guayana white GU10

Product code 22011



Brand Trio Lighting
Socket GU10
Height 120.0mm
Diameter 87.0mm
Casing colour white
Casing material metal
Work environment indoor use


Spot it! The modern spotlights in the GUAYANA range are not only perfect for highlighting accessories and furniture, but also as individual lighting in the hallway, bedroom or living area. The flexible spotlight heads contribute to the pleasant and light illumination of your desired area and cut a great figure on their own or in combination. Draw the focus to various eye-catchers in your living space! Thanks to the modern design in matt white, the luminaire can be perfectly integrated into many concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Spotlight Trio Lighting Marley 2 white GU10 IP20

Product code 21858

Brand Trio Lighting
Socket GU10
Protection class IP20
Height 150.0mm
Width 120.0mm
Diameter 120.0mm
Casing colour white
Casing material metal
Work environment indoor use






Spotlight Trio Lighting Marley 5 white GU10 IP20

Product code 23253

Brand Trio Lighting
Socket GU10
Protection class IP20
Height 224.0mm
Width 774.0mm
Length 574.0mm
Casing colour white
Casing material metal
Work environment indoor use
Warranty 5 years

Perfect and variable light! The MARLEY ceiling light is not only practical in form and function, but one thing above all: simply beautiful! The individual spotlights are discreet in design and impress with their high-quality workmanship. The arms and spotlights of the 5-bulb ceiling light are freely movable and can be individually aligned as required. Whether in the kitchen, in the hallway or in the living area: the MARLEY is versatile and can be easily combined with different furnishing styles. It is designed in the colour white and can therefore stylishly complement modern colour concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.





Spotlight Trio Lighting Taryn 2 black GU10 IP20

Product code 23208

Brand Trio Lighting
Socket GU10
Protection class IP20
Height 135.0mm
Width 280.0mm
Length 60.0mm
Casing colour black
Casing material metal
Work environment indoor use







The two-light TARYN wall light brings double flexibility and stylish accents to the living room. Equipped with two spotlights that can be individually aligned, it enables targeted and accentuated lighting as required. Whether to emphasise individual living areas, for atmospheric light on the wall or as a functional addition to the room - TARYN combines modern design with a versatile lighting effect. Made from black matt metal, the light impresses with its clear look and timeless restraint. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Spotlight Trio Lighting Taryn 3 black GU10 IP20

Product code 23209

Brand Trio Lighting
Socket GU10
Protection class IP20
Height 135.0mm
Width 445.0mm
Length 60.0mm
Casing colour black
Casing material metal
Work environment indoor use
Warranty 2 years



The three-light TARYN wall light brings double flexibility and stylish accents to the living room. Equipped with three spotlights that can be individually aligned, it enables targeted and accentuated lighting as required. Whether to emphasise individual living areas, for atmospheric light on the wall or as a functional addition to the room - TARYN combines modern design with a versatile lighting effect. Made from black matt metal, the light impresses with its clear look and timeless restraint. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Spotlight Trio Lighting Taurus 2 x 5 W black 230V 10W 900lm IP20 830

Product code 22147

Brand Trio Lighting
Supply voltage 230V
Output 10W
Maximum output 10W/1m
Luminous flux 900lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP20
Lifespan 20000h
Height 100.0mm
Width 80.0mm
Length 180.0mm
Weight 90 g
Casing colour black
Casing material metal
Work environment indoor use






The spotlights in the TAURUS range offer a wide range of applications and skilfully set the scene in living spaces. The spotlights can be installed as recessed or surface-mounted luminaires as required and consist of two light sources, a main light and an outer light ring, which can be switched separately. When used as a recessed light, a ceiling cut-out of 170 mm is required. Whether in the hallway, living room or bedroom, the modern luminaire ensures optimum lighting conditions and individual lighting accents. The spotlight can also be swivelled and individually aligned. The simple matt black colour scheme makes it easy to integrate into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Spotlight Trio Lighting Taurus black 230V 5W 450lm IP20 830

Product code 19382

Brand Trio Lighting
Supply voltage 230V
Output 5W
Maximum output 5W/1m
Luminous flux 450lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP20
Lifespan 20000h
Height 100.0mm
Diameter 80.0mm
Weight 400 g
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Spotlight Trio Lighting Taurus white 230V 5W 450lm IP20 830

Product code 19383

Brand Trio Lighting
Supply voltage 230V
Output 5W
Maximum output 5W/1m
Luminous flux 450lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP20
Lifespan 20000h
Height 100.0mm
Diameter 80.0mm
Weight 400 g
Casing colour white
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS



Spotlight Trio Lighting Taurus x 2 white 230V 10W 900lm IP20 830

Product code 19386

Brand Trio Lighting
Supply voltage 230V
Output 10W
Maximum output 10W/1m
Luminous flux 900lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP20
Lifespan 20000h
Height 100.0mm
Width 80.0mm
Length 180.0mm
Weight 90 g
Casing colour white
Casing material metal
Work environment indoor use
Certificates CE, RoHS



Spotlight Trio Lighting Taurus x 3 white 230V 15W 1350lm IP20 830

Product code 19385

Brand Trio Lighting
Supply voltage 230V
Output 15W
Maximum output 15W/1m
Luminous flux 1350lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP20
Lifespan 10000h
Height 100.0mm
Width 80.0mm
Length 270.0mm
Weight 1.3 kg
Casing colour white
Casing material metal
Work environment indoor use
Certificates CE, RoHS



Spotlight Tube white round GU10 IP20

Product code 17149

Socket GU10
Protection class IP20
Height 122.0mm
Diameter 94.0mm
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Round surface-mounted housing for GU10 bulb.





Spotlight Zumaline black GU10 IP20

Product code 22680

Brand Zumaline
Socket GU10
Protection class IP20
Height 95.0mm
Width 82.0mm
Length 82.0mm
Casing colour black
Casing material metal
Work environment indoor use

