

Luminaire frame AQUARIUS 1xGU10 white GU10 IP44

Product code 19672

Socket GU10
 Protection class IP44
 Height 84.0mm
 Diameter 80.0mm
 Weight 270 g
 In package 1pc
 In box 20pcs
 Casing colour white
 Casing material aluminium
 Polishing matt
 Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame AQUARIUS black round GU10 IP20

Product code 19211

Socket GU10
 Protection class IP20
 Height 95.0mm
 Diameter 80.0mm
 In box 20pcs
 Casing colour black
 Casing material aluminium
 Polishing matt
 Shape round
 Work environment indoor use


Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Spotlight Cube 40x40 white 230V 5W 450lm CRI92 36° IP20

Product code 18079

Supply voltage 230V
 Output 5W
 Maximum output 5W/1m
 Luminous flux 450lumens
 Luminaire's efficiency lm79 90W
 Lens angle 36
 Cri 92
 Protection class IP20
 Lifespan 40000h
 Height 70.0mm
 Width 40.0mm
 Length 40.0mm
 Casing colour white
 Casing material aluminium
 Warranty 3 years



Spotlight Deko-Light Caja I white GU10 IP20

Product code 20202

Brand [Deko-Light](#)
 Output voltage 220-240V
 Socket GU10
 Protection class IP20
 Height 160.0mm
 Width 132.0mm
 Length 132.0mm
 In package 1pc
 Casing colour white
 Casing material gypsum
 Polishing matt
 Work environment indoor use
 Operation temperature -20 kuni 40 °C
 Warranty 3 years



Spotlight Deko-Light Modular Sytem COB

Product code 20399


Brand [Deko-Light](#)
Diameter 75.0mm
Casing material aluminium



Spotlight Karizma Luce Dea Flora S black 10,5W 800lm CRI90 40° IP20 TRIAC 1800K - 3000K

Product code 22006 TRIAC dimmable

Brand [Karizma Luce](#)
Dimmable TRIAC
Output 10,5W
Luminous flux 800lumens
Correlated colour temperature 1800K
- 3000K
Lens angle 40
Cri 90
Protection class IP20
Height 116.0mm
Diameter 87.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Luminaire frame KIVI black round 230V GU10 IP20

Product code 16209

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame KIVI white round 230V GU10 IP20

Product code 17107

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
Weight 560 g
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use




Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Spotlight Lahti Mini Duo black 230V 18W 1050lm 35° IP20 TRIAC 930

Product code 16426 TRIAC dimmable

Supply voltage 230V
 Dimmable TRIAC
 Output 18W
 Maximum output 18W/1m
 Luminous flux 1050lumens
 Luminaire's efficiency lm79 58W
 Correlated colour temperature warm white 3000K
 Lens angle 35
 Source of light [PHILIPS LED](#)
 Cri 90
 Protection class IP20
 Lifespan 30000h
 Height 82.0mm
 Width 78.0mm
 Length 161.0mm
 Weight 820 g
 In box 12pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 2 years



LAHTI MINI surface-mounted LED luminaire. Modern and elegant, offering minimalist design that fits various interiors. This luminaire, with IP20 protection rating, is an ideal choice for home or office environments, providing warm white light at 3000K. With this LED lamp, you can keep colors true to life in living spaces, making it suitable as the main light source in a room! The lamp body is made of aluminum, in a matte black finish. The 18W LAHTI MINI is also dimmable (TRIAC). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Elevate the quality of your everyday lighting and choose a top-notch lighting solution from the LED house product range!

Spotlight LENO black GU10 IP20

Product code 17151

Socket GU10
Protection class IP20
Height 123.0mm
Length 175.0mm
In box 10pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Spotlight LENO white GU10 IP20

Product code 17150

Socket GU10
Protection class IP20
Height 123.0mm
Length 175.0mm
In box 10pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Spotlight Maxlight Love black GU10

Product code 21906

Brand [Maxlight](#)
Socket GU10
Height 140.0mm
Diameter 75.0mm
Casing colour black
Casing material aluminium
Work environment indoor use



Spotlight Maxlight Love white GU10

Product code 21952


Brand [Maxlight](#)
Socket GU10
Height 140.0mm
Diameter 75.0mm
Casing colour white
Casing material aluminium
Work environment indoor use



Spotlight Maytoni Artisan black GU10

Product code 22774

Brand Maytoni
Socket GU10
Height 146.0mm
Diameter 54.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 2 years



Spotlight Maytoni Artisan black round GU10

Product code 20211

Brand Maytoni
Socket GU10
Height 130.0mm
Diameter 60.0mm
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use
Warranty 2 years



Spotlight Maytoni Artisan gold GU10

Product code 22776


Brand Maytoni
Socket GU10
Height 146.0mm
Diameter 54.0mm
Casing colour gold
Casing material aluminium
Work environment indoor use
Warranty 2 years



Spotlight Maytoni Artisan gold round GU10

Product code 22778

Brand Maytoni
Socket GU10
Height 108.0mm
Diameter 54.0mm
Casing colour gold
Casing material aluminium
Shape round
Work environment indoor use



Spotlight Maytoni Artisan white GU10

Product code 22777

Brand Maytoni
Socket GU10
Height 146.0mm
Diameter 54.0mm
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 2 years



Spotlight Maytoni Artisan white round GU10

Product code 20212

Brand Maytoni
Socket GU10
Height 108.0mm
Diameter 54.0mm
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use



Spotlight Maytoni Atom black round GU10

Product code 20214

Brand Maytoni
Socket GU10
Height 115.0mm
Diameter 85.0mm
Weight 320 g
Package weight 370 g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use
Warranty 2 years



Luminaire frame Maytoni Atom white GU10 IP20

Product code 19512

Brand Maytoni
Socket GU10
Protection class IP20
Height 115.0mm
Diameter 85.0mm
Casing colour white
Casing material aluminium



Spotlight Maytoni Bar graphite 12W 1300lm 81° IP65 830

Product code 19738

Brand Maytoni
Output 12W
Luminous flux 1300lumens
Luminaire's efficiency lm79 108W
Correlated colour temperature warm white 3000K
Lens angle 81
Cri 80
Protection class IP65
Height 155.0mm
Casing colour graphite
Casing material metal
Work environment indoor / outdoor use



Spotlight Maytoni Bar graphite round 7W 800lm 81° IP65 830

Product code 19739


Brand Maytoni
 Output 7W
 Luminous flux 800lumens
 Luminaire's efficiency lm79 114W
 Correlated colour temperature warm white 3000K
 Lens angle 81
 Cri 80
 Protection class IP65
 Lifespan 50000h
 Height 115.0mm
 Diameter 90.0mm
 Weight 510 g
 Package weight 540 g
 Casing colour graphite
 Casing material metal
 Shape round
 Work environment indoor / outdoor use
 Operation temperature -40...+50°C
 Warranty 3 years



Spotlight Maytoni Basis Holity black 48V 13W 990lm 40° IP20 930

Product code 22729

Brand Maytoni
 Supply voltage 48V
 Output 13W
 Maximum output 13W/1m
 Luminous flux 990lumens
 Luminaire's efficiency lm79 76W
 Correlated colour temperature warm white 3000K
 Lens angle 40
 Cri 90
 Protection class IP20
 Height 90.0mm
 Width 322.0mm
 Length 34.0mm
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 5 years



Spotlight Maytoni Calipso black GU10 IP20

Product code 20936

Brand Maytoni
 Socket GU10
 Protection class IP20
 Height 137.0mm
 Length 100.0mm
 Diameter 56.0mm
 Weight 240 g
 Package weight 270 g
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Warranty 2 years



Spotlight Maytoni Calipso black round GU10

Product code 20933

Brand Maytoni
 Socket GU10
 Height 100.0mm
 Diameter 56.0mm
 Weight 170 g
 Package weight 200 g
 Casing colour black
 Casing material aluminium
 Shape round
 Work environment indoor use



Spotlight Maytoni Calipso gold GU10 IP20

Product code 20946

Brand Maytoni
 Socket GU10
 Protection class IP20
 Height 137.0mm
 Length 100.0mm
 Diameter 56.0mm
 Weight 240 g
 Package weight 270 g
 Casing colour gold
 Casing material aluminium
 Work environment indoor use
 Warranty 2 years



Spotlight Maytoni Calipso gold round GU10

Product code 20935

Brand Maytoni
 Socket GU10
 Height 100.0mm
 Diameter 56.0mm
 Weight 170 g
 Package weight 200 g
 Casing colour gold
 Casing material aluminium
 Shape round
 Work environment indoor use



Spotlight Maytoni Calipso white GU10 IP20

Product code 19709


Brand Maytoni
Socket GU10
Protection class IP20
Height 137.0mm
Length 100.0mm
Diameter 56.0mm
Casing colour white



Spotlight Maytoni Calipso white round GU10

Product code 20934

Brand Maytoni
Socket GU10
Height 100.0mm
Diameter 56.0mm
Weight 170 g
Package weight 200 g
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use



Spotlight Maytoni Conik white GU10 IP20

Product code 20019

Brand Maytoni
Socket GU10
Protection class IP20
Height 135.0mm
Diameter 110.0mm
Casing colour white
Casing material metal



Spotlight Maytoni Dafne black round 10W 800lm 38° 930

Product code 20949

Brand Maytoni
Output 10W
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm
white 3000K
Lens angle 38
Cri 90
Height 160.0mm
Diameter 50.0mm
Weight 380 g
Package weight 420 g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use



Spotlight Maytoni Focus black GU10 IP20

Product code 20215


Brand Maytoni
Socket GU10
Protection class IP20
Height 130.0mm
Diameter 60.0mm
Weight 240 g
Package weight 250 g
Casing colour black
Warranty 2 years



Spotlight Maytoni Focus gold GU10 IP20

Product code 20786

Brand Maytoni
Socket GU10
Protection class IP20
Height 195.0mm
Diameter 60.0mm
Weight 250 g
Package weight 280 g
Casing colour gold
Warranty 2 years



Spotlight Maytoni Focus gold GU10 IP20

Product code 21478

Brand Maytoni
Socket GU10
Protection class IP20
Height 130.0mm
Diameter 60.0mm
Weight 240 g
Package weight 250 g
Casing colour gold
Warranty 2 years



Spotlight Maytoni Focus LED black round 12W 900lm 50° IP20 TRIAC 940

Product code 22790 TRIAC dimmable

Brand Maytoni
Dimmable TRIAC
Output voltage 220-240V
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature pure white 4000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 125.0mm
Diameter 52.0mm
Weight 240 g
Package weight 260 g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use



Spotlight Maytoni Focus LED Holity black 48V 13W 960lm 38° IP20 930

Product code 21165

Brand Maytoni
Supply voltage 48V
Output 13W
Maximum output 13W/1m
Luminous flux 960lumens
Luminaire's efficiency lm79 74W
Correlated colour temperature warm white 3000K
Lens angle 38
Cri 90
Protection class IP20
Height 157.0mm
Diameter 56.0mm
Casing colour black
Casing material aluminium
Impact resistance IK03
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Focus LED white round 12W 900lm 50° IP20 TRIAC 930

Product code 22791 TRIAC dimmable

Brand Maytoni
Dimmable TRIAC
Output voltage 220-240V
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 3000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 125.0mm
Diameter 52.0mm
Weight 240 g
Package weight 260 g
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use



Spotlight Maytoni Focus LED white round 12W 900lm 50° IP20 TRIAC 930

Product code 22792 TRIAC dimmable


Brand Maytoni
Dimmable TRIAC
Output voltage 220-240V
Output 12W
Maximum output 12W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 3000K
Lens angle 50
Cri 90
Protection class IP20
Lifespan 50000h
Height 125.0mm
Diameter 52.0mm
Weight 240 g
Package weight 260 g
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use



Spotlight Maytoni Focus S black GU10 IP20

Product code 22023

Brand Maytoni
Socket GU10
Protection class IP20
Height 128.0mm
Diameter 52.0mm
Casing colour black



Spotlight Maytoni Focus S black GU10 IP20

Product code 19637

Brand Maytoni
Socket GU10
Protection class IP20
Height 100.0mm
Diameter 52.0mm
Casing colour black



Spotlight Maytoni Focus S matte gold GU10 IP20

Product code 22024

Brand Maytoni
Socket GU10
Protection class IP20
Height 128.0mm
Diameter 52.0mm
Casing colour matte gold



Spotlight Maytoni Focus S white GU10 IP20

Product code 22022

Brand Maytoni
Socket GU10
Protection class IP20
Height 128.0mm
Diameter 52.0mm
Casing colour white



Spotlight Maytoni Focus S white GU10 IP20

Product code 19638

Brand Maytoni
Socket GU10
Protection class IP20
Height 100.0mm
Diameter 52.0mm
Casing colour white



Spotlight Maytoni Focus white GU10 IP20

Product code 20434

Brand Maytoni
Socket GU10
Protection class IP20
Height 130.0mm
Diameter 60.0mm
Weight 240 g
Package weight 250 g
Casing colour white
Warranty 2 years



Spotlight Maytoni Hoop black G53 IP20

Product code 20403

Brand Maytoni
Socket G53
Protection class IP20
Height 50.0mm
Diameter 85.0mm
Weight 140 g
Package weight 150 g
Casing colour black
Casing material aluminium
Work environment indoor / outdoor
use
Warranty 2 years



Spotlight Maytoni Hydra black 10W 870lm 120° IP44 930

Product code 20833

Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour black
Casing material aluminium
Warranty 5 years



Spotlight Maytoni Hydra matte gold 10W 870lm 120° IP44 930

Product code 20834

Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour matte gold
Casing material aluminium
Warranty 5 years



Spotlight Maytoni Hydra white 10W 870lm 120° IP44 930

Product code 20832


Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour white
Casing material aluminium
Warranty 5 years



Spotlight Maytoni Lipari white / golden GU10

Product code 20414

Brand Maytoni
Socket GU10
Height 150.0mm
Diameter 60.0mm
Weight 210 g
Package weight 250 g
In package 1pc
Casing colour white / golden
Casing material aluminium



Spotlight Maytoni Meli Holity black 48V 11W 810lm 60° IP20 930

Product code 22730


Brand Maytoni
Supply voltage 48V
Output 11W
Maximum output 11W/1m
Luminous flux 810lumens
Luminaire's efficiency lm79 74W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Protection class IP20
Height 70.0mm
Diameter 810.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Pauline black 870lm G53 IP44

Product code 20835

Brand Maytoni
Luminous flux 870lumens
Socket G53
Protection class IP44
Height 70.0mm
Diameter 82.0mm
Weight 180 g
Package weight 210 g
Casing colour black
Casing material aluminium
Warranty 2 years



Spotlight Maytoni Pauline white 870lm G53 IP44

Product code 20836

Brand Maytoni
Luminous flux 870lumens
Socket G53
Protection class IP44
Height 70.0mm
Diameter 82.0mm
Weight 180 g
Package weight 210 g
Casing colour white
Casing material aluminium
Warranty 2 years



Spotlight Maytoni Points Holity black 48V 13W 990lm 40° IP20 930

Product code 22724

Brand Maytoni
Supply voltage 48V
Output 13W
Maximum output 13W/1m
Luminous flux 990lumens
Luminaire's efficiency lm79 76W
Correlated colour temperature warm white 3000K
Lens angle 40
Cri 90
Protection class IP20
Height 90.0mm
Width 322.0mm
Length 34.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Warranty 5 years



Spotlight Maytoni Yin dim white 15W 1020lm 24° IP20 TRIAC 3000K warm white

Product code 20109 TRIAC dimmable

Brand Maytoni
Dimmable TRIAC
Output 15W
Luminous flux 1020lumens
Luminaire's efficiency lm79 68W
Correlated colour temperature warm
white 3000K
Lens angle 24
Protection class IP20
Lifespan 20000h
Height 105.0mm
Diameter 100.0mm
Weight 510 g
Package weight 560 g
Casing colour white
Casing material aluminium
Warranty 5 years



Spotlight Maytoni Zoom white GU10 IP54

Product code 22062


Brand Maytoni
Socket GU10
Protection class IP54
Height 115.0mm
Width 90.0mm
Length 90.0mm
Weight 450 g
Package weight 490 g
Casing colour white
Casing material aluminium



Spotlight Nova Luce Lumina white 9W 716lm 18° IP65 3000K warm white

Product code 22780

Brand Nova Luce
Output 9W
Maximum output 9W/1m
Luminous flux 716lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm white 3000K
Lens angle 18
Protection class IP65
Height 100.0mm
Diameter 80.0mm
Casing colour white
Casing material metal
Work environment indoor / outdoor use



Spotlight Nowodvorski Lighting Eye M white round GU10

Product code 19982

Brand Nowodvorski Lighting
Socket GU10
Height 250.0mm
Diameter 55.0mm
Casing colour white
Casing material metal
Shape round
Work environment indoor use



Spotlight Nowodvorski Lighting Eye S black round GU10

Product code 19981

Brand Nowodvorski Lighting
Socket GU10
Height 100.0mm
Diameter 55.0mm
Casing colour black
Casing material metal
Shape round
Work environment indoor use



Spotlight Nowodvorski Lighting Eye S white round GU10

Product code 22274


Brand Nowodvorski Lighting
Socket GU10
Height 100.0mm
Diameter 55.0mm
Casing colour white
Casing material metal
Shape round
Work environment indoor use



Spotlight Nuuk black 230V GU10 IP20

Product code 18034


Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use



Luminaire frame OH36 black 230V GU10 IP20

Product code 15234

Supply voltage 230V
Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH36 chrome GU10 IP20

Product code 18329

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH36 white GU10 IP20

Product code 16409

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
Weight 270 g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36L white GU10 IP20

Product code 15828

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36LK chrome GU10 IP20

Product code 18325

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36S black IP20

Product code 19671

Maximum output 35W/1m
Protection class IP20
Height 50.0mm
Diameter 80.0mm
Weight 200 g
In package 1pc
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36S white IP20

Product code 16858

Maximum output 35W/1m
Protection class IP20
Height 50.0mm
Diameter 80.0mm
Weight 200 g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH37 white GU10 IP20

Product code 18328

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540 g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH37K chrome GU10 IP20

Product code 18327

Socket GU10
 Protection class IP20
 Height 84.0mm
 Width 80.0mm
 Length 80.0mm
 Weight 540 g
 In package 1pc
 In box 20pcs
 Casing colour chrome
 Casing material aluminium
 Polishing matt
 Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH37LK chrome GU10 IP20

Product code 18324

Socket GU10
 Protection class IP20
 Height 115.0mm
 Width 80.0mm
 Length 80.0mm
 Weight 730 g
 In package 1pc
 In box 20pcs
 Casing colour chrome
 Casing material aluminium
 Polishing matt
 Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH37M black GU10 IP20

Product code 18326

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540 g
In package 1pc
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Spotlight Prolumen DL115A black 18W 1890lm 90° IP54 940

Product code 15519

Brand [Prolumen](#)

Output 18W

Maximum output 18W/1m

Luminous flux 1890lumens

Luminaire's efficiency lm79 105W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 124.0mm

Diameter 170.0mm

In box 12pcs

Casing colour black

Casing material aluminium

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE

Warranty 5 years



Round-shaped surface-mounted LED ceiling light. Suitable for various spaces due to its simple design. This light fixture is intended for indoor use only, with an IP54 protection rating. It has an ideal color rendering index (CRI90) for workspaces and offices. LED lights with a color temperature of 4000K create neutral light, which is ideal for workspaces and kitchens, among other places. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL115A white round 230V 25W 2330lm 60° IP54 930

Product code 15892

Brand [Prolumen](#)
 Supply voltage 230V
 Output 25W
 Maximum output 25W/1m
 Luminous flux 2330lumens
 Luminaire's efficiency lm79 93W
 Correlated colour temperature warm
 white 3000K
 Lens angle 60
 Cri 90
 Protection class IP54
 Lifespan 50000h
 Height 129.0mm
 Diameter 213.0mm
 Weight 800 g
 Package weight 12.5 kg
 In box 12pcs
 Casing colour white
 Casing material aluminium
 Shape round
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The warm light of the luminaire is perfect for bedrooms, living rooms, and other spaces with a softer atmosphere. The same model of recessed luminaire can also be found in the LED house product range with a [black-colored housing!](#)

Spotlight Prolumen DL115B white round 230V 25W 2330lm 90° IP54 TRIAC 930

Product code 15873 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2330lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature warm white 3000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800 g

Package weight 12.5 kg

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL115B white round 230V 25W 2400lm 90° IP54 940

Product code 15872

Brand [Prolumen](#)

Supply voltage 230V

Output 25W

Maximum output 25W/1m

Luminous flux 2400lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800 g

Package weight 12.5 kg

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL126 black 25W 36° IP20 DALI 930

Product code 19085 DALI dimmable

Brand [Prolumen](#)
Dimmable DALI
Output 25W
Maximum output 25W/1m
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Protection class IP20
Casing colour black
Casing material aluminium
Work environment indoor use

Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.



Spotlight Prolumen DL126 white 230V 10W 850lm CRI80 36° IP20 TRIAC 3000K, 4000K, 5000K 3CCT

Product code 18042 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Maximum output 10W/1m

Luminous flux 850lumens

Luminaire's efficiency lm79 85W

Correlated colour temperature 3CCT

3000K, 4000K, 5000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 248.0mm

Diameter 65.0mm

Casing colour white

Casing material aluminium

Impact resistance IK03

Work environment indoor use

Operation temperature -20° - + 40°C

Certificates CE, RoHS

Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL129 black 230V 10W 1030lm 24° IP20 TRIAC 930

Product code 15890 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 1030lumens
Luminaire's efficiency lm79 103W
Correlated colour temperature warm white 3000K
Lens angle 24
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Width 90.0mm
Length 90.0mm
In box 24pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, Rohs
Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL129 black 230V 10W 1030lm 36° IP20 TRIAC 940

Product code 15888 TRIAC dimmable

Brand [Prolumen](#)
 Supply voltage 230V
 Dimmable TRIAC
 Output 10W
 Maximum output 10W/1m
 Luminous flux 1030lumens
 Luminaire's efficiency lm79 103W
 Correlated colour temperature pure white 4000K
 Lens angle 36
 Source of light CITIZEN LED
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 110.0mm
 Width 90.0mm
 Length 90.0mm
 In box 24pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE, Rohs
 Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL129 black 230V 10W 1030lm 60° IP20 TRIAC 930

Product code 15102 TRIAC dimmable

Brand [Prolumen](#)
 Supply voltage 230V
 Dimmable TRIAC
 Output 10W
 Maximum output 10W/1m
 Luminous flux 1030lumens
 Luminaire's efficiency lm79 103W
 Correlated colour temperature warm white 3000K
 Lens angle 60
 Source of light CITIZEN LED
 Cri 90
 Protection class IP20
 Lifespan 50000h
 Height 110.0mm
 Width 90.0mm
 Length 90.0mm
 In box 24pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Certificates CE, Rohs
 Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL129 white 230V 20W 2000lm 36° IP20 TRIAC 840

Product code 15891 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 20W

Maximum output 20W/1m

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 80

Protection class IP20

Height 122.0mm

Width 115.0mm

Length 115.0mm

In box 18pcs

Casing colour white

Certificates CE, Rohs

Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL176 white 15W 1500lm 36° IP54 DALI 930

Product code 16994 DALI dimmable

Brand [Prolumen](#)
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Protection class IP54
Lifespan 50000h
Height 133.8mm
Diameter 100.4mm
In package 1pc
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

Spotlight Prolumen DL176 white 25W 2300lm 36° IP54 DALI 930

Product code 16233 DALI dimmable

Brand [Prolumen](#)
 Dimmable DALI
 Output 25W
 Maximum output 25W/1m
 Luminous flux 2300lumens
 Luminaire's efficiency lm79 92W
 Correlated colour temperature warm white 3000K
 Lens angle 36
 Cri 90
 Protection class IP54
 Lifespan 50000h
 Height 144.0mm
 Diameter 120.0mm
 Weight 960 g
 Package weight 1.11 kg
 In package 1pc
 In box 12pcs
 Casing colour white
 Casing material aluminium
 Polishing matt
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

Spotlight Prolumen DL176 white 35W 3000lm 60° IP54 DALI 930

Product code 19084 DALI dimmable

Brand [Prolumen](#)
 Power factor 0.95
 Dimmable DALI
 Output 35W
 Maximum output 35W/1m
 Luminous flux 3000lumens
 Luminaire's efficiency lm79 86W
 Correlated colour temperature warm white 3000K
 Lens angle 60
 Cri 90
 Ugr 19
 Protection class IP54
 Lifespan 50000h
 Casing colour white
 Operation temperature -20 - +40°C
 Warranty 5 years

Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range



Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20 DALI 840

Product code 19394 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 186.0mm

Diameter 85.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20

TRIAC 830

Product code 16507 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20 TRIAC 840

Product code 19388 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
In box 12pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 15W 1300lm 60° IP20 TRIAC 930

Product code 19389 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 15W 1400lm 36° IP20 940

Product code 16867

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1400lumens
Luminaire's efficiency lm79 93W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 186.0mm
Diameter 85.0mm
Weight 750 g
Package weight 850 g
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 25W 2300lm 36° IP20 TRIAC 830

Product code 18029 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 25W
Maximum output 25W/1m
Luminous flux 2300lumens
Luminaire's efficiency lm79 92W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 211.0mm
Diameter 85.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL207 black 230V 25W 2300lm 36° IP20 TRIAC 940

Product code 20615 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 186.0mm

Diameter 85.0mm

Weight 750 g

Package weight 850 g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

Spotlight Prolumen DL259 black 230V 16W 1550lm 36° IP20 TRIAC 930

Product code 15784 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 16W

Maximum output 16W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 224.0mm

Weight 910 g

Package weight 1.01 kg

In package 1pc

In box 12pcs

Casing colour black

Casing material metal

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 5 years



A rectangular designed ceiling light with two directional light beams. This luminaire is suitable for indoor use only, with an IP20 protection class. Thanks to CRI90, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. We recommend this warm white (3000K) light for both living spaces and work environments. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL259 black 230V 8W 700lm 36° IP20 TRIAC 930

Product code 15783 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Maximum output 8W/1m

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature warm
white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580 g

Package weight 630 g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

Spotlight Prolumen DL259 black 230V 8W 700lm 36° IP20 TRIAC 940

Product code 16181 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Maximum output 8W/1m

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature pure
white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580 g

Package weight 630 g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

Spotlight Prolumen DL259 white 230V 8W 700lm 36° IP20 TRIAC 930

Product code 22060 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Dimmable TRIAC
Output 8W
Maximum output 8W/1m
Luminous flux 700lumens
Luminaire's efficiency lm79 88W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 60.0mm
Width 135.0mm
Length 135.0mm
Weight 580 g
Package weight 630 g
In package 1pc
In box 24pcs
Casing colour white
Casing material metal
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, SAA
Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

Spotlight Prolumen DL269A 5 UGR19 black round 230V 18W 1750lm 60° IP65 940

Product code 23162

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output 18W
Maximum output 18W/1m
Luminous flux 1750lumens
Luminaire's efficiency lm79 97W
Correlated colour temperature pure white 4000K
Lens angle 60
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 115.0mm
Diameter 130.0mm
Weight 920 g
Package weight 1.01 kg
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269A 5 UGR19 white round 230V 18W 1750lm 60° IP65 940

Product code 23155

Brand [Prolumen](#)

Supply voltage 230V

Output 18W

Maximum output 18W/1m

Luminous flux 1750lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920 g

Package weight 1.01 kg

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Impact resistance IK08

Work environment indoor / outdoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269A-3 white round 230V 10W 940lm 60° IP65 TRIAC 940

Product code 18114 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Luminous flux 940lumens
Luminaire's efficiency lm79 94W
Correlated colour temperature pure white 4000K
Lens angle 60
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 107.0mm
Diameter 90.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK06
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Spotlight Prolumen DL269B 3 black round 230V 15W 1300lm 70° IP65 830

Product code 16432

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm
white 3000K
Lens angle 70
Cri 80
Ugr 22
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 107.0mm
Diameter 90.0mm
Weight 600 g
Package weight 646 g
In package 1pc
In box 18pcs
Casing colour black
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Spotlight Prolumen DL269B 3 black round 230V 35W 2700lm 70° IP65 940

Product code 17171

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 35W

Maximum output 35W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 77W

Correlated colour temperature pure white 4000K

Lens angle 70

Cri 90

Ugr 22

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 119.0mm

Diameter 214.0mm

Weight 600 g

Package weight 646 g

In package 1pc

In box 6pcs

Casing colour black

Casing material aluminium

Shape round

Impact resistance IK08

Work environment indoor / outdoor use

Certificates CE, RoHS

Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Spotlight Prolumen DL269B 3 UGR19 white round 230V 10W 850lm 75° IP65 930

Product code 16157

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output 10W
Maximum output 10W/1m
Luminous flux 850lumens
Luminaire's efficiency lm79 85W
Correlated colour temperature warm white 3000K
Lens angle 75
Cri 90
Ugr 19
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 107.0mm
Diameter 90.0mm
Weight 600 g
Package weight 646 g
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 930

Product code 16156

Brand [Prolumen](#)

Supply voltage 230V

Output 18W

Maximum output 18W/1m

Luminous flux 1600lumens

Luminaire's efficiency lm79 89W

Correlated colour temperature warm
white 3000K

Lens angle 75

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920 g

Package weight 1.01 kg

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 DALI 930

Product code 16155 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Dimmable DALI

Output 18W

Maximum output 18W/1m

Luminous flux 1600lumens

Luminaire's efficiency lm79 89W

Correlated colour temperature warm
white 3000K

Lens angle 75

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920 g

Package weight 1.01 kg

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269B 8 UGR19 white round 230V 25W 2400lm 75° IP65 DALI 930

Product code 15925 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Dimmable DALI

Output 25W

Maximum output 25W/1m

Luminous flux 2400lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature warm
white 3000K

Lens angle 75

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 119.0mm

Diameter 214.0mm

Weight 2.2 kg

Package weight 2.48 kg

In package 1pc

In box 6pcs

Casing colour white

Casing material aluminium

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL269B 8 UGR19 white round 230V 35W 3000lm 60° IP65 DALI 930

Product code 19083 DALI dimmable

Brand [Prolumen](#)
Supply voltage 230V
Dimmable DALI
Output 35W
Maximum output 35W/1m
Luminous flux 3000lumens
Luminaire's efficiency lm79 86W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Ugr 19
Protection class IP65
Lifespan 50000h
Height 119.0mm
Diameter 214.0mm
Weight 2.2 kg
Package weight 2.48 kg
In package 1pc
In box 6pcs
Casing colour white
Casing material aluminium
Shape round
Impact resistance IK08
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

Spotlight Prolumen DL322A black round 230V 14W 1300lm 36° IP20 830

Product code 16313

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output 14W
Maximum output 14W/1m
Luminous flux 1300lumens
Luminaire's efficiency lm79 93W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 96.0mm
Diameter 120.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



Stylish round LED ceiling light, matte black. The direction of the light fixture can be adjusted by rotating the light beam around its axis within a range of 340 degrees. We recommend this warm white (3000K) light fixture for both living spaces and work environments. This LED ceiling lamp is designed as ambient lighting - suitable for use in hotels, homes, offices, shops, and many other spaces. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL338 black round 230V 15W 1300lm 36° IP20 DALI 930

Product code 22297 DALI dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 15W
Maximum output 15W/1m
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 5
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 180.0mm
Diameter 65.0mm
Package weight 500 g
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS
Warranty 5 years



Spotlight Prolumen DL340A black 230V 10W 650lm 36° IP40 TRIAC 927

Product code 22166 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Maximum output 10W/1m
Rated current 250mA
Luminous flux 650lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature warm
white 2700K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP40
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 108.0mm
Diameter 100.0mm
Weight 540 g
Package weight 600 g
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL340A white 230V 10W 650lm 36° IP40 TRIAC 927

Product code 22164 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Maximum output 10W/1m

Rated current 250mA

Luminous flux 650lumens

Luminaire's efficiency lm79 65W

Correlated colour temperature warm white 2700K

Lens angle 36

Cri 90

Ugr 19

Sdcm - macadam ellipses 3

Protection class IP40

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 108.0mm

Diameter 100.0mm

Weight 540 g

Package weight 600 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL340A white 230V 15W 1469lm 36° IP40 930

Product code 17244

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output voltage 40V
Output 15W
Maximum output 15W/1m
Rated current 250mA
Luminous flux 1469lumens
Luminaire's efficiency lm79 98W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 3
Protection class IP40
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 108.0mm
Diameter 100.0mm
Weight 540 g
Package weight 600 g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL340A white 230V 15W 1563lm 36° IP40 940

Product code 18151

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output voltage 40V

Output 15W

Maximum output 15W/1m

Rated current 250mA

Luminous flux 1563lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Ugr 19

Sdcm - macadam ellipses 3

Protection class IP40

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 108.0mm

Diameter 100.0mm

Weight 540 g

Package weight 600 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Spotlight Prolumen DL38 black 230V 10W 1500lm 60° IP54 DALI 930

Product code 22107 DALI dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 1500lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 120.0mm
Diameter 110.0mm
In package 1pc
In box 18pcs
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 black round 230V 15W 1300lm 60° IP54 TRIAC 830

Product code 15109 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm
white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520 g

Package weight 630 g

In package 1pc

In box 40pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 black round 230V 15W 1300lm 60° IP54 TRIAC 840

Product code 15309 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520 g

Package weight 630 g

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 black round 230V 25W 2700lm 45° IP54 TRIAC 830

Product code 15543 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm
white 3000K

Lens angle 45

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 black round 230V 35W 3400lm 36° IP54 TRIAC 940

Product code 14586 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure
white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 black round 230V 35W 3400lm 60° IP54 TRIAC 930

Product code 15442 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm
white 3000K

Lens angle 60

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 10W 1000lm 60° IP54 DALI 930

Product code 17370 DALI dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 1000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 120.0mm
Diameter 110.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminium
Work environment indoor / outdoor
use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 10W 800lm 60° IP54 TRIAC 930

Product code 15281 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Maximum output 10W/1m

Luminous flux 800lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature warm white 3000K

Lens angle 60

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 474 g

Package weight 537 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 15W 1300lm 60° IP54 DALI 840

Product code 22833 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 474 g

Package weight 537 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 15W 1300lm 60° IP54 TRIAC 840

Product code 14874 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure
white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 474 g

Package weight 537 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 15W 1300lm 60° IP54 TRIAC 930

Product code 15267 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm white 3000K

Lens angle 60

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 520 g

Package weight 630 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 25W 2300lm 45° IP54 DALI 940

Product code 15328 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 25W

Maximum output 25W/1m

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature pure
white 4000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 25W 2300lm 45° IP54 TRIAC 940

Product code 15327 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature pure
white 4000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 25W 2700lm 45° IP54 TRIAC 930

Product code 14935 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm white 3000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 930

Product code 15564

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output 35W
Maximum output 35W/1m
Luminous flux 3400lumens
Luminaire's efficiency lm79 97W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 120.0mm
Diameter 160.0mm
Weight 1.3 kg
Package weight 1.46 kg
In box 12pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 940

Product code 15563

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 DALI 930

Product code 15567 DALI dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 35W
Maximum output 35W/1m
Luminous flux 3400lumens
Luminaire's efficiency lm79 97W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 120.0mm
Diameter 160.0mm
Weight 1.3 kg
Package weight 1.46 kg
In box 12pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 DALI 940

Product code 14929 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure
white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 TRIAC 940

Product code 14508 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure
white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

Spotlight Prolumen DL387 - UGR19 black round 230V 8W 810lm 75° IP20 930

Product code 22326

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Maximum output 8W/1m

Luminous flux 810lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature warm white 3000K

Lens angle 75

Cri 90

Ugr 19

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 100.0mm

Diameter 90.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium

Shape round

Impact resistance IK06

Work environment indoor use

Operation temperature -20°C~45°C

Certificates CE, RoHS

Warranty 5 years



Spotlight Prolumen DL38B black 230V 15W 1255lm 60° IP54 TRIAC 930

Product code 22065 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1255lumens

Luminaire's efficiency lm79 84W

Correlated colour temperature warm white 3000K

Lens angle 60

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 90.0mm

Diameter 100.0mm

In package 1pc

In box 40pcs

Casing colour black


Casing material aluminium

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

**Spotlight Prolumen Jesmond D91 with 1m cable black 230V
15W 1600lm 24° IP20 TRIAC 930**

Product code 18050 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1600lumens

Luminaire's efficiency lm79 107W

Correlated colour temperature warm white 3000K

Lens angle 24

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 112.0mm

Diameter 91.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium

Polishing matt

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen Jesmond D91 with 1m cable black 230V 15W 1600lm 50° IP20 TRIAC 930

Product code 18049 TRIAC dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Luminous flux 1600lumens
Luminaire's efficiency lm79 107W
Correlated colour temperature warm
white 3000K
Lens angle 50
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 112.0mm
Diameter 91.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen Jesmond with 1m cable black 230V 25W 2600lm 24° IP20 TRIAC 830

Product code 17973 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2600lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm
white 3000K

Lens angle 24

Source of light CITIZEN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 137.0mm

Diameter 128.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium

Polishing matt

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen Jesmond with 1m cable black 230V 25W 2600lm 50° IP20 TRIAC 830

Product code 17972 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2600lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm
white 3000K

Lens angle 50

Source of light CITIZEN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 137.0mm

Diameter 128.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium

Polishing matt

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen Lunel black 230V GU10 IP20

Product code 16403

Brand [Prolumen](#)
 Supply voltage 230V
 Maximum output 5W/1m
 Socket GU10
 Protection class IP20
 Height 95.0mm
 Diameter 54.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years

With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a [ceiling light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Come and take a look around our showroom in Tallinn!



Spotlight Prolumen Lunel white 230V GU10 IP20

Product code 16830

Brand [Prolumen](#)
 Supply voltage 230V
 Maximum output 5W/1m
 Socket GU10
 Protection class IP20
 Height 95.0mm
 Diameter 54.0mm
 In package 1pc
 In box 30pcs
 Casing colour white
 Casing material aluminium
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a [ceiling light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!

Spotlight Prolumen Newcastle with nickel ring surface mounted black / golden 230V 15W 1500lm 40° IP20 940

Product code 16207

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Maximum output 15W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 75.0mm

In package 1pc

In box 24pcs

Casing colour black / golden

Casing material aluminium

Polishing matt

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen Newcastle with silver ring surface mounted black round 230V 20W 2000lm 40° IP20 DALI 940

Product code 16288 DALI dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Maximum output 20W/1m

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 115.0mm

In box 18pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Spotlight Prolumen PD02A white 230V 18W 1520lm 24° IP20 TRIAC 940

Product code 15467 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 18W

Maximum output 18W/1m

Luminous flux 1520lumens

Luminaire's efficiency lm79 84W

Correlated colour temperature pure white 4000K

Lens angle 24

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 160.0mm

Length 1000.0mm

Diameter 80.0mm

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Polishing matt

Work environment indoor use

Operation temperature -20o C~65o C°

Certificates CE, RoHS

Warranty 5 years




The dimmable PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. With TRIAC technology, the LED light can be easily adjusted for different lighting scenes, creating cozy lighting for a relaxing dinner or brighter light for working. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn

Spotlight Sisyr black round GU10 IP20

Product code 16309

Maximum output 35W/1m
 Socket GU10
 Protection class IP20
 Height 140.0mm
 Diameter 90.0mm
 In box 20pcs
 Casing colour black
 Casing material aluminium
 Polishing matt
 Shape round
 Work environment indoor use



Cylindrical housing for GU10 light bulb.

Spotlight Trio Lighting Cookie white round GU10

Product code 21009

Brand [Trio Lighting](#)
 Socket GU10
 Height 12.5mm
 Width 17.8mm
 Length 17.8mm
 Diameter 85.0mm
 Casing colour white
 Casing material aluminium
 Shape round
 Work environment indoor use
 Warranty 2 years



Spotlight Trio Lighting Guayana black / silver GU10

Product code 20706

Brand [Trio Lighting](#)
 Socket GU10
 Height 120.0mm
 Width 180.0mm
 Length 87.0mm
 Weight 800 g
 Casing colour black / silver
 Casing material aluminium



Spotlight Trio Lighting Guayana white GU10

Product code 22011

Brand [Trio Lighting](#)

Socket GU10

Height 120.0mm

Diameter 87.0mm

Casing colour white

Casing material metal

Work environment indoor use

Spot it! The modern spotlights in the GUAYANA range are not only perfect for highlighting accessories and furniture, but also as individual lighting in the hallway, bedroom or living area. The flexible spotlight heads contribute to the pleasant and light illumination of your desired area and cut a great figure on their own or in combination. Draw the focus to various eye-catchers in your living space! Thanks to the modern design in matt white, the luminaire can be perfectly integrated into many concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Spotlight Trio Lighting Marley 2 white GU10 IP20

Product code 21858

Brand [Trio Lighting](#)

Socket GU10

Protection class IP20

Height 150.0mm



Width 120.0mm

Diameter 120.0mm

Casing colour white

Casing material metal

Work environment indoor use



Spotlight Trio Lighting Marley 5 white GU10 IP20

Product code 23253

Brand [Trio Lighting](#)

Socket GU10

Protection class IP20

Height 224.0mm

Width 774.0mm

Length 574.0mm

Casing colour white


Casing material metal

Work environment indoor use

Warranty 5 years

Perfect and variable light! The MARLEY ceiling light is not only practical in form and function, but one thing above all: simply beautiful! The individual spotlights are discreet in design and impress with their high-quality workmanship. The arms and spotlights of the 5-bulb ceiling light are freely movable and can be individually aligned as required.

Whether in the kitchen, in the hallway or in the living area: the MARLEY is versatile and can be easily combined with different furnishing styles. It is designed in the colour white and can therefore stylishly complement modern colour concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Spotlight Trio Lighting Taryn 2 black GU10 IP20

Product code 23208

Brand [Trio Lighting](#)

Socket GU10

Protection class IP20

Height 135.0mm

Width 280.0mm

Length 60.0mm

Casing colour black

Casing material metal

Work environment indoor use

The two-light TARYN wall light brings double flexibility and stylish accents to the living room. Equipped with two spotlights that can be individually aligned, it enables targeted and accentuated lighting as required. Whether to emphasise individual living areas, for atmospheric light on the wall or as a functional addition to the room - TARYN combines modern design with a versatile lighting effect. Made from black matt metal, the light impresses with its clear look and timeless restraint. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Spotlight Trio Lighting Taryn 3 black GU10 IP20

Product code 23209

Brand [Trio Lighting](#)

Socket GU10

Protection class IP20

Height 135.0mm

Width 445.0mm

Length 60.0mm

Casing colour black

Casing material metal

Work environment indoor use

Warranty 2 years

The three-light TARYN wall light brings double flexibility and stylish accents to the living room. Equipped with three spotlights that can be individually aligned, it enables targeted and accentuated lighting as required. Whether to emphasise individual living areas, for atmospheric light on the wall or as a functional addition to the room - TARYN combines modern design with a versatile lighting effect. Made from black matt metal, the light impresses with its clear look and timeless restraint. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Spotlight Trio Lighting Taurus 2 x 5 W black 230V 10W 900lm IP20 830

Product code 22147

Brand [Trio Lighting](#)

Supply voltage 230V

Output 10W

Maximum output 10W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP20

Lifespan 20000h

Height 100.0mm

Width 80.0mm

Length 180.0mm

Weight 90 g

Casing colour black

Casing material metal

Work environment indoor use



The spotlights in the TAURUS range offer a wide range of applications and skilfully set the scene in living spaces. The spotlights can be installed as recessed or surface-mounted luminaires as required and consist of two light sources, a main light and an outer light ring, which can be switched separately. When used as a recessed light, a ceiling cut-out of 170 mm is required. Whether in the hallway, living room or bedroom, the modern luminaire ensures optimum lighting conditions and individual lighting accents. The spotlight can also be swivelled and individually aligned. The simple matt black colour scheme makes it easy to integrate into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Spotlight Trio Lighting Taurus black 230V 5W 450lm IP20 830

Product code 19382

Brand [Trio Lighting](#)

Supply voltage 230V

Output 5W

Maximum output 5W/1m

Luminous flux 450lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP20

Lifespan 20000h

Height 100.0mm

Diameter 80.0mm

Weight 400 g

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Spotlight Trio Lighting Taurus white 230V 5W 450lm IP20 830

Product code 19383

Brand [Trio Lighting](#)

Supply voltage 230V

Output 5W

Maximum output 5W/1m

Luminous flux 450lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP20

Lifespan 20000h

Height 100.0mm

Diameter 80.0mm

Weight 400 g

Casing colour white

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS



Spotlight Trio Lighting Taurus x 2 white 230V 10W 900lm IP20 830

Product code 19386

Brand [Trio Lighting](#)
Supply voltage 230V
Output 10W
Maximum output 10W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP20
Lifespan 20000h
Height 100.0mm
Width 80.0mm
Length 180.0mm
Weight 90 g
Casing colour white
Casing material metal
Work environment indoor use
Certificates CE, RoHS



Spotlight Trio Lighting Taurus x 3 white 230V 15W 1350lm IP20 830

Product code 19385

Brand [Trio Lighting](#)
Supply voltage 230V
Output 15W
Maximum output 15W/1m
Luminous flux 1350lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP20
Lifespan 10000h
Height 100.0mm
Width 80.0mm
Length 270.0mm
Weight 1.3 kg
Casing colour white
Casing material metal
Work environment indoor use
Certificates CE, RoHS



Ceiling lamp Trio Select Coda 3 beige G53 IP20

Product code 23256

Brand [Trio Select](#)

Socket G53

Protection class IP20

Height 110.0mm

Width 615.0mm

Length 465.0mm


Weight 1.3 kg

Package weight 1.8 kg

Casing colour beige

Casing material metal

Work environment indoor use



Ceiling lamp Trio Select Coda 6 beige G53 IP20

Product code 23255

Brand [Trio Select](#)

Socket G53

Protection class IP20

Height 110.0mm

Width 1135.0mm

Length 755.0mm


Weight 1.3 kg

Package weight 1.8 kg

Casing colour beige

Casing material metal

Work environment indoor use



Spotlight Tube white round GU10 IP20

Product code 17149

Socket GU10
Protection class IP20
Height 122.0mm
Diameter 94.0mm
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Round surface-mounted housing for
GU10 bulb.



Spotlight Zumaline black GU10 IP20

Product code 22680

Brand Zumaline
Socket GU10
Protection class IP20
Height 95.0mm
Width 82.0mm
Length 82.0mm
Casing colour black
Casing material metal
Work environment indoor use

