

## Luminaire frame AQUARIUS 1xGU10 white GU10 IP44

**Product code 19672**

Socket GU10  
 Protection class IP44  
 Height 84.0mm  
 Diameter 80.0mm  
 Weight 270 g  
 In package 1pc  
 In box 20pcs  
 Casing colour white  
 Casing material aluminium  
 Polishing matt  
 Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame AQUARIUS black round GU10 IP20

**Product code 19211**

Socket GU10  
 Protection class IP20  
 Height 95.0mm  
 Diameter 80.0mm  
 In box 20pcs  
 Casing colour black  
 Casing material aluminium  
 Polishing matt  
 Shape round  
 Work environment indoor use


Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Spotlight black IP20

### Product code 22680


Protection class IP20  
Height 95.0mm  
Width 82.0mm  
Length 82.0mm  
Casing colour black  
Casing material metal



## Spotlight Cube 40x40 white 230V 5W 450lm CRI92 36° IP20

### Product code 18079

Supply voltage 230V  
Output 5W  
Maximum output 5W/1m  
Luminous flux 450lumens  
Luminaire's efficiency lm79 90W  
Lens angle 36  
Cri 92  
Protection class IP20  
Lifespan 40000h  
Height 70.0mm  
Width 40.0mm  
Length 40.0mm  
Casing colour white  
Casing material aluminium  
Warranty 3 years



## Spotlight Deko-Light Caja I white GU10 IP20

**Product code 20202**

Brand [Deko-Light](#)

Output voltage 220-240V

Socket GU10

Protection class IP20

Height 160.0mm

Width 132.0mm

Length 132.0mm

In package 1pc

Casing colour white

Casing material gypsum

Polishing matt

Work environment indoor use

Operation temperature -20 kuni 40  
°C°C

Warranty 3 years



## Spotlight Deko-Light Modular Sytem COB

**Product code 20399**

Brand [Deko-Light](#)

Diameter 75.0mm

Casing material aluminium



## Spotlight Eye M white round GU10

**Product code 19982**

Socket GU10

Height 250.0mm

Diameter 55.0mm

Casing colour white

Casing material metal

Shape round


Work environment indoor use



## Spotlight Karizma Luce Dea Flora S black 10,5W 800lm CRI90 40° IP20 TRIAC 1800K - 3000K

**Product code 22006 TRIAC dimmable**

Brand [Karizma Luce](#)  
Dimmable TRIAC  
Output 10,5W  
Luminous flux 800lumens  
Correlated colour temperature 1800K  
- 3000K  
Lens angle 40°  
Cri 90  
Protection class IP20  
Height 116.0mm  
Diameter 87.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## Luminaire frame KIVI black round 230V GU10 IP20

**Product code 16209**

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Height 140.0mm  
Diameter 97.0mm  
In box 20pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Shape round  
Work environment indoor use



Striking surface-mounted [ceiling light](#).  
Suitable for illuminating various indoor  
spaces. LED bulb is not included in the  
package! Can be installed on both  
walls and ceilings. Illuminate your  
world with LED House professionals -  
[check out our project portfolio here!](#)

## Luminaire frame KIVI white round 230V GU10 IP20

### Product code 17107

---

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Height 140.0mm  
Diameter 97.0mm  
Weight 560 g  
In box 20pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Shape round  
Work environment indoor use




Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Spotlight Lahti Mini Duo black 230V 18W 1050lm 35° IP20 TRIAC 930

**Product code 16426 TRIAC dimmable**

Supply voltage 230V  
 Dimmable TRIAC  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1050lumens  
 Luminaire's efficiency lm79 58W  
 Correlated colour temperature warm white 3000K  
 Lens angle 35  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 82.0mm  
 Width 78.0mm  
 Length 161.0mm  
 Weight 820 g  
 In box 12pcs  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 2 years



LAHTI MINI surface-mounted LED luminaire. Modern and elegant, offering minimalist design that fits various interiors. This luminaire, with IP20 protection rating, is an ideal choice for home or office environments, providing warm white light at 3000K. With this LED lamp, you can keep colors true to life in living spaces, making it suitable as the main light source in a room! The lamp body is made of aluminum, in a matte black finish. The 18W LAHTI MINI is also dimmable (TRIAC). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Elevate the quality of your everyday lighting and choose a top-notch lighting solution from the LED house product range!

## Spotlight LENO black GU10 IP20

**Product code 17151**

Socket GU10  
Protection class IP20  
Height 123.0mm  
Length 175.0mm  
In box 10pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Spotlight LENO white GU10 IP20

**Product code 17150**

Socket GU10  
Protection class IP20  
Height 123.0mm  
Length 175.0mm  
In box 10pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Spotlight Maxlight Love black GU10

**Product code 21906**


Brand [Maxlight](#)  
 Socket GU10  
 Height 140.0mm  
 Diameter 75.0mm  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use



## Spotlight Maytoni Artisan black GU10

**Product code 22774**


Brand Maytoni  
 Socket GU10  
 Height 146.0mm  
 Diameter 54.0mm  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## Spotlight Maytoni Artisan black round GU10

### Product code 20211

Brand Maytoni  
Socket GU10  
Height 130.0mm  
Diameter 60.0mm  
Casing colour black  
Casing material aluminium  
Shape round  
Work environment indoor use  
Warranty 2 years



## Spotlight Maytoni Artisan gold GU10

### Product code 22776


Brand Maytoni  
Socket GU10  
Height 146.0mm  
Diameter 54.0mm  
Casing colour gold  
Casing material aluminium  
Work environment indoor use  
Warranty 2 years



## Spotlight Maytoni Artisan gold round GU10

**Product code 22778**


Brand Maytoni  
Socket GU10  
Height 108.0mm  
Diameter 54.0mm  
Casing colour gold  
Casing material aluminium  
Shape round  
Work environment indoor use



## Spotlight Maytoni Artisan white GU10

**Product code 22777**


Brand Maytoni  
Socket GU10  
Height 146.0mm  
Diameter 54.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 2 years



## Spotlight Maytoni Artisan white round GU10

### Product code 20212

Brand Maytoni  
Socket GU10  
Height 108.0mm  
Diameter 54.0mm  
Casing colour white  
Casing material aluminium  
Shape round  
Work environment indoor use



## Spotlight Maytoni Atom black round GU10

### Product code 20214

Brand Maytoni  
Socket GU10  
Height 115.0mm  
Diameter 85.0mm  
Weight 320 g  
Package weight 370 g  
Casing colour black  
Casing material aluminium  
Shape round  
Work environment indoor use  
Warranty 2 years



## Luminaire frame Maytoni Atom white GU10 IP20

### Product code 19512

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 115.0mm  
Diameter 85.0mm  
Casing colour white  
Casing material aluminium



## Spotlight Maytoni Bar graphite 12W 1300lm 81° IP65 830

### Product code 19738

Brand Maytoni  
Output 12W  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 108W  
Correlated colour temperature warm  
white 3000K  
Lens angle 81  
Cri 80  
Protection class IP65  
Height 155.0mm  
Casing colour graphite  
Casing material metal



## Spotlight Maytoni Bar graphite round 7W 800lm 81° IP65 830

**Product code 19739**

Brand Maytoni  
Output 7W  
Luminous flux 800lumens  
Luminaire's efficiency lm79 114W  
Correlated colour temperature warm white 3000K  
Lens angle 81  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 115.0mm  
Diameter 90.0mm  
Weight 510 g  
Package weight 540 g  
Casing colour graphite  
Casing material metal  
Shape round  
Work environment indoor / outdoor use  
Operation temperature -40...+50°C  
Warranty 3 years



## Spotlight Maytoni Calipso black GU10 IP20

**Product code 20936**

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 137.0mm  
Length 100.0mm  
Diameter 56.0mm  
Weight 240 g  
Package weight 270 g  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 2 years



## Spotlight Maytoni Calipso black round GU10

### Product code 20933

Brand Maytoni  
 Socket GU10  
 Height 100.0mm  
 Diameter 56.0mm  
 Weight 170 g  
 Package weight 200 g  
 Casing colour black  
 Casing material aluminium  
 Shape round  
 Work environment indoor use



## Spotlight Maytoni Calipso gold GU10 IP20

### Product code 20946

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 137.0mm  
 Length 100.0mm  
 Diameter 56.0mm  
 Weight 240 g  
 Package weight 270 g  
 Casing colour gold  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 2 years



## Spotlight Maytoni Calipso gold round GU10

### Product code 20935

Brand Maytoni  
 Socket GU10  
 Height 100.0mm  
 Diameter 56.0mm  
 Weight 170 g  
 Package weight 200 g  
 Casing colour gold  
 Casing material aluminium  
 Shape round  
 Work environment indoor use



## Spotlight Maytoni Calipso white GU10 IP20

### Product code 19709

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 137.0mm  
 Length 100.0mm  
 Diameter 56.0mm  
 Casing colour white



## Spotlight Maytoni Calipso white round GU10

### Product code 20934

Brand Maytoni  
Socket GU10  
Height 100.0mm  
Diameter 56.0mm  
Weight 170 g  
Package weight 200 g  
Casing colour white  
Casing material aluminium  
Shape round  
Work environment indoor use



## Spotlight Maytoni Conik white GU10 IP20

### Product code 20019

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 135.0mm  
Diameter 110.0mm  
Casing colour white  
Casing material metal



## Spotlight Maytoni Dafne black round 10W 800lm 38° 930

### Product code 20949

Brand Maytoni  
 Output 10W  
 Luminous flux 800lumens  
 Luminaire's efficiency lm79 80W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Cri 90  
 Height 160.0mm  
 Diameter 50.0mm  
 Weight 380 g  
 Package weight 420 g  
 Casing colour black  
 Casing material aluminium  
 Shape round  
 Work environment indoor use



## Spotlight Maytoni Focus black GU10 IP20

### Product code 20215

Brand Maytoni  
 Socket GU10  
 Protection class IP20  
 Height 130.0mm  
 Diameter 60.0mm  
 Weight 240 g  
 Package weight 250 g  
 Casing colour black  
 Warranty 2 years



## Spotlight Maytoni Focus gold GU10 IP20

### Product code 20786

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 195.0mm  
Diameter 60.0mm  
Weight 250 g  
Package weight 280 g  
Casing colour gold  
Warranty 2 years



## Spotlight Maytoni Focus gold GU10 IP20

### Product code 21478

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 130.0mm  
Diameter 60.0mm  
Weight 240 g  
Package weight 250 g  
Casing colour gold  
Warranty 2 years



## Spotlight Maytoni Focus LED black round 12W 900lm 50° IP20 TRIAC 940

**Product code 22790 TRIAC dimmable**

Brand Maytoni  
Dimmable TRIAC  
Output voltage 220-240V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature pure white 4000K  
Lens angle 50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 125.0mm  
Diameter 52.0mm  
Weight 240 g  
Package weight 260 g  
Casing colour black  
Casing material aluminium  
Shape round  
Work environment indoor use



## Spotlight Maytoni Focus LED white round 12W 900lm 50° IP20 TRIAC 930

**Product code 22791 TRIAC dimmable**

Brand Maytoni  
Dimmable TRIAC  
Output voltage 220-240V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 125.0mm  
Diameter 52.0mm  
Weight 240 g  
Package weight 260 g  
Casing colour white  
Casing material aluminium  
Shape round  
Work environment indoor use



## Spotlight Maytoni Focus LED white round 12W 900lm 50° IP20 TRIAC 930

**Product code 22792 TRIAC dimmable**

Brand Maytoni  
Dimmable TRIAC  
Output voltage 220-240V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 900lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm  
white 3000K  
Lens angle 50  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 125.0mm  
Diameter 52.0mm  
Weight 240 g  
Package weight 260 g  
Casing colour white  
Casing material aluminium  
Shape round  
Work environment indoor use



## Spotlight Maytoni Focus S black GU10 IP20

**Product code 22023**

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 128.0mm  
Diameter 52.0mm  
Casing colour black



## Spotlight Maytoni Focus S black GU10 IP20

**Product code 19637**

---

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 100.0mm  
Diameter 52.0mm  
Casing colour black



## Spotlight Maytoni Focus S matte gold GU10 IP20

**Product code 22024**

---

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 128.0mm  
Diameter 52.0mm  
Casing colour matte gold



## Spotlight Maytoni Focus S white GU10 IP20

### Product code 22022

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 128.0mm  
Diameter 52.0mm  
Casing colour white



## Spotlight Maytoni Focus S white GU10 IP20

### Product code 19638

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 100.0mm  
Diameter 52.0mm  
Casing colour white



## Spotlight Maytoni Focus white GU10 IP20

### Product code 20434

Brand Maytoni  
Socket GU10  
Protection class IP20  
Height 130.0mm  
Diameter 60.0mm  
Weight 240 g  
Package weight 250 g  
Casing colour white  
Warranty 2 years



## Spotlight Maytoni Hoop black G53 IP20

### Product code 20403

Brand Maytoni  
Socket G53  
Protection class IP20  
Height 50.0mm  
Diameter 85.0mm  
Weight 140 g  
Package weight 150 g  
Casing colour black  
Casing material aluminium  
Warranty 2 years



## Spotlight Maytoni Hydra black 10W 870lm 120° IP44 930

### Product code 20833

Brand Maytoni  
Output 10W  
Luminous flux 870lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Cri 90  
Protection class IP44  
Lifespan 30000h  
Height 70.0mm  
Diameter 105.0mm  
Weight 230 g  
Package weight 280 g  
Casing colour black  
Casing material aluminium  
Warranty 5 years



## Spotlight Maytoni Hydra matte gold 10W 870lm 120° IP44 930

### Product code 20834

Brand Maytoni  
Output 10W  
Luminous flux 870lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP44  
Lifespan 30000h  
Height 70.0mm  
Diameter 105.0mm  
Weight 230 g  
Package weight 280 g  
Casing colour matte gold  
Casing material aluminium  
Warranty 5 years



## Spotlight Maytoni Hydra white 10W 870lm 120° IP44 930

### Product code 20832

Brand Maytoni  
Output 10W  
Luminous flux 870lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP44  
Lifespan 30000h  
Height 70.0mm  
Diameter 105.0mm  
Weight 230 g  
Package weight 280 g  
Casing colour white  
Casing material aluminium  
Warranty 5 years



## Spotlight Maytoni Lipari white GU10

### Product code 20414


Brand Maytoni  
Socket GU10  
Height 150.0mm  
Diameter 60.0mm  
Weight 210 g  
Package weight 250 g  
In package 1pc  
Casing colour white  
Casing material aluminium



## Spotlight Maytoni Pauline black 870lm G53 IP44

### Product code 20835


Brand Maytoni  
Luminous flux 870lumens  
Socket G53  
Protection class IP44  
Height 70.0mm  
Diameter 82.0mm  
Weight 180 g  
Package weight 210 g  
Casing colour black  
Casing material aluminium  
Warranty 2 years



## Spotlight Maytoni Pauline white 870lm G53 IP44

**Product code 20836**

Brand Maytoni  
Luminous flux 870lumens  
Socket G53  
Protection class IP44  
Height 70.0mm  
Diameter 82.0mm  
Weight 180 g  
Package weight 210 g  
Casing colour white  
Casing material aluminium  
Warranty 2 years



## Spotlight Maytoni Yin dim white 15W 1020lm 24° IP20 TRIAC 3000K warm white

**Product code 20109 TRIAC dimmable**

Brand Maytoni  
Dimmable TRIAC  
Output 15W  
Luminous flux 1020lumens  
Luminaire's efficiency lm79 68W  
Correlated colour temperature warm white 3000K  
Lens angle 24  
Protection class IP20  
Lifespan 20000h  
Height 105.0mm  
Diameter 100.0mm  
Weight 510 g  
Package weight 560 g  
Casing colour white  
Casing material aluminium  
Warranty 5 years



## Spotlight Maytoni Zoom white GU10 IP54

**Product code 22062**


Brand Maytoni  
Socket GU10  
Protection class IP54  
Height 115.0mm  
Width 90.0mm  
Length 90.0mm  
Weight 450 g  
Package weight 490 g  
Casing colour white  
Casing material aluminium



## Spotlight Nova Luce Lumina white 9W 716lm 18° IP65 3000K warm white

**Product code 22780**

Brand Nova Luce  
Output 9W  
Maximum output 9W/1m  
Luminous flux 716lumens  
Luminaire's efficiency lm79 80W  
Correlated colour temperature warm white 3000K  
Lens angle 18  
Protection class IP65  
Height 100.0mm  
Diameter 80.0mm  
Casing colour white  
Casing material metal  
Work environment indoor / outdoor use



## Spotlight Nowodvorski Lighting Eye S black round GU10

### Product code 19981

Brand Nowodvorski Lighting  
Socket GU10  
Height 100.0mm  
Diameter 55.0mm  
Casing colour black  
Casing material metal  
Shape round  
Work environment indoor use



## Spotlight Nowodvorski Lighting Eye S white round GU10

### Product code 22274


Brand Nowodvorski Lighting  
Socket GU10  
Height 100.0mm  
Diameter 55.0mm  
Casing colour white  
Casing material metal  
Shape round  
Work environment indoor use



## Spotlight Nuuk black 230V GU10 IP20

### Product code 18034


Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
In box 20pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor use



## Luminaire frame OH36 black 230V GU10 IP20

### Product code 15234

Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 84.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH36 chrome GU10 IP20

### Product code 18329

Socket GU10  
Protection class IP20  
Height 84.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour chrome  
Casing material aluminium  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH36 white GU10 IP20

**Product code 16409**

Socket GU10  
Protection class IP20  
Height 84.0mm  
Diameter 80.0mm  
Weight 270 g  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36L white GU10 IP20

**Product code 15828**

Socket GU10  
Protection class IP20  
Height 115.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36LK chrome GU10 IP20

**Product code 18325**

Socket GU10  
Protection class IP20  
Height 115.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour chrome  
Casing material aluminium  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36S black IP20

**Product code 19671**

Maximum output 35W/1m  
Protection class IP20  
Height 50.0mm  
Diameter 80.0mm  
Weight 200 g  
In package 1pc  
In box 20pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36S white IP20

### Product code 16858

---

Maximum output 35W/1m  
Protection class IP20  
Height 50.0mm  
Diameter 80.0mm  
Weight 200 g  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH37 white GU10 IP20

### Product code 18328

---

Socket GU10  
Protection class IP20  
Height 84.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 540 g  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH37K chrome GU10 IP20

### Product code 18327

Socket GU10  
Protection class IP20  
Height 84.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 540 g  
In package 1pc  
In box 20pcs  
Casing colour chrome  
Casing material aluminium  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH37LK chrome GU10 IP20

### Product code 18324

Socket GU10  
Protection class IP20  
Height 115.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 730 g  
In package 1pc  
In box 20pcs  
Casing colour chrome  
Casing material aluminium  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH37M black GU10 IP20

**Product code 18326**

---

Socket GU10  
Protection class IP20  
Height 84.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 540 g  
In package 1pc  
In box 20pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Spotlight Prolumen DL115A black 18W 1890lm 90° IP54 940

**Product code 15519**

---

Brand [Prolumen](#)

Output 18W

Maximum output 18W/1m

Luminous flux 1890lumens

Luminaire's efficiency lm79 105W

Correlated colour temperature pure  
white 4000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 124.0mm

Diameter 170.0mm

In box 12pcs

Casing colour black

Casing material aluminium

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE

Warranty 5 years



Round-shaped surface-mounted LED ceiling light. Suitable for various spaces due to its simple design. This light fixture is intended for indoor use only, with an IP54 protection rating. It has an ideal color rendering index (CRI90) for workspaces and offices. LED lights with a color temperature of 4000K create neutral light, which is ideal for workspaces and kitchens, among other places. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## Spotlight Prolumen DL115A white round 230V 25W 2330lm 60° IP54 930

**Product code 15892**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Output 25W  
 Maximum output 25W/1m  
 Luminous flux 2330lumens  
 Luminaire's efficiency lm79 93W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 60  
 Cri 90  
 Protection class IP54  
 Lifespan 50000h  
 Height 129.0mm  
 Diameter 213.0mm  
 Weight 800 g  
 Package weight 12.5 kg  
 In box 12pcs  
 Casing colour white  
 Casing material aluminium  
 Shape round  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The warm light of the luminaire is perfect for bedrooms, living rooms, and other spaces with a softer atmosphere. The same model of recessed luminaire can also be found in the LED house product range with a [black-colored housing!](#)

## Spotlight Prolumen DL115B white round 230V 25W 2330lm 90° IP54 TRIAC 930

**Product code 15873 TRIAC dimmable**

---

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2330lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature warm white 3000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800 g

Package weight 12.5 kg

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL115B white round 230V 25W 2400lm 90° IP54 940

**Product code 15872**

Brand [Prolumen](#)

Supply voltage 230V

Output 25W

Maximum output 25W/1m

Luminous flux 2400lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800 g

Package weight 12.5 kg

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL126 black 25W 36° IP20 DALI 930

**Product code 19085 DALI dimmable**

Brand [Prolumen](#)  
Dimmable DALI  
Output 25W  
Maximum output 25W/1m  
Correlated colour temperature warm  
white 3000K  
Lens angle 36  
Cri 90  
Protection class IP20  
Casing colour black  
Casing material aluminium  
Work environment indoor use



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL126 white 230V 10W 850lm CRI80 36° IP20 TRIAC 3000K, 4000K, 5000K 3CCT

---

**Product code 18042 TRIAC dimmable**

---

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Maximum output 10W/1m

Luminous flux 850lumens

Luminaire's efficiency lm79 85W

Correlated colour temperature 3CCT

3000K, 4000K, 5000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 248.0mm

Diameter 65.0mm

Casing colour white

Casing material aluminium

Impact resistance IK03

Work environment indoor use

Operation temperature -20° - + 40°C

Certificates CE, RoHS

Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL129 black 230V 10W 1030lm 24° IP20 TRIAC 930

**Product code 15890 TRIAC dimmable**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Dimmable TRIAC  
 Output 10W  
 Maximum output 10W/1m  
 Luminous flux 1030lumens  
 Luminaire's efficiency lm79 103W  
 Correlated colour temperature warm white 3000K  
 Lens angle 24  
 Source of light CITIZEN LED  
 Cri 90  
 Protection class IP20  
 Lifespan 50000h  
 Height 110.0mm  
 Width 90.0mm  
 Length 90.0mm  
 In box 24pcs  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE, Rohs  
 Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

# Spotlight Prolumen DL129 black 230V 10W 1030lm 36° IP20 TRIAC 940

**Product code 15888 TRIAC dimmable**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Dimmable TRIAC  
 Output 10W  
 Maximum output 10W/1m  
 Luminous flux 1030lumens  
 Luminaire's efficiency lm79 103W  
 Correlated colour temperature pure white 4000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Protection class IP20  
 Lifespan 50000h  
 Height 110.0mm  
 Width 90.0mm  
 Length 90.0mm  
 In box 24pcs  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE, Rohs  
 Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## Spotlight Prolumen DL129 black 230V 10W 1030lm 60° IP20 TRIAC 930

**Product code 15102 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 10W  
Maximum output 10W/1m  
Luminous flux 1030lumens  
Luminaire's efficiency lm79 103W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Source of light CITIZEN LED  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 110.0mm  
Width 90.0mm  
Length 90.0mm  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE, Rohs  
Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## Spotlight Prolumen DL129 white 230V 20W 2000lm 36° IP20 TRIAC 840

**Product code 15891 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 20W

Maximum output 20W/1m

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure  
white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 80

Protection class IP20

Height 122.0mm

Width 115.0mm

Length 115.0mm

In box 18pcs

Casing colour white

Certificates CE, Rohs

Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

# Spotlight Prolumen DL176 white 15W 1500lm 36° IP54 DALI 930

**Product code 16994 DALI dimmable**

Brand [Prolumen](#)  
Dimmable DALI  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 90  
Protection class IP54  
Lifespan 50000h  
Height 133.8mm  
Diameter 100.4mm  
In package 1pc  
Casing colour white  
Casing material aluminium  
Polishing matt  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

# Spotlight Prolumen DL176 white 25W 2300lm 36° IP54 DALI 930

**Product code 16233 DALI dimmable**

Brand [Prolumen](#)  
 Dimmable DALI  
 Output 25W  
 Maximum output 25W/1m  
 Luminous flux 2300lumens  
 Luminaire's efficiency lm79 92W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Cri 90  
 Protection class IP54  
 Lifespan 50000h  
 Height 144.0mm  
 Diameter 120.0mm  
 Weight 960 g  
 Package weight 1.11 kg  
 In package 1pc  
 In box 12pcs  
 Casing colour white  
 Casing material aluminium  
 Polishing matt  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

## Spotlight Prolumen DL176 white 35W 3000lm 60° IP54 DALI 930

**Product code 19084 DALI dimmable**

Brand [Prolumen](#)  
 Power factor 0.95  
 Dimmable DALI  
 Output 35W  
 Maximum output 35W/1m  
 Luminous flux 3000lumens  
 Luminaire's efficiency lm79 86W  
 Correlated colour temperature warm white 3000K  
 Lens angle 60  
 Cri 90  
 Ugr 19  
 Protection class IP54  
 Lifespan 50000h  
 Casing colour white  
 Operation temperature -20 - +40°C  
 Warranty 5 years

Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range



## Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20 DALI 840

**Product code 19394 DALI dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 186.0mm

Diameter 85.0mm

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

**Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20**

## TRIAC 830

**Product code 16507 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 186.0mm  
Diameter 85.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL207 black 230V 15W 1300lm 36° IP20 TRIAC 840

**Product code 19388 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature pure white 4000K  
Lens angle 36  
Cri 80  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 186.0mm  
Diameter 85.0mm  
In box 12pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL207 black 230V 15W 1300lm 60° IP20 TRIAC 930

**Product code 19389 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Cri 90  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 186.0mm  
Diameter 85.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL207 black 230V 15W 1400lm 36° IP20 940

**Product code 16867**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1400lumens  
Luminaire's efficiency lm79 93W  
Correlated colour temperature pure white 4000K  
Lens angle 36  
Cri 90  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 186.0mm  
Diameter 85.0mm  
Weight 750 g  
Package weight 850 g  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL207 black 230V 25W 2300lm 36° IP20 TRIAC 830

**Product code 18029 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 25W  
Maximum output 25W/1m  
Luminous flux 2300lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 211.0mm  
Diameter 85.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL207 black 230V 25W 2300lm 36° IP20 TRIAC 940

**Product code 20615 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 25W  
Maximum output 25W/1m  
Luminous flux 2300lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature pure white 4000K  
Lens angle 36  
Cri 90  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 186.0mm  
Diameter 85.0mm  
Weight 750 g  
Package weight 850 g  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

## Spotlight Prolumen DL259 black 230V 16W 1550lm 36° IP20 TRIAC 930

**Product code 15784 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 16W  
Maximum output 16W/1m  
Luminous flux 1550lumens  
Luminaire's efficiency lm79 97W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Height 60.0mm  
Width 135.0mm  
Length 224.0mm  
Weight 910 g  
Package weight 1.01 kg  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material metal + plastic  
Polishing matt  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE, RoHS, SAA  
Warranty 5 years



A rectangular designed ceiling light with two directional light beams. This luminaire is suitable for indoor use only, with an IP20 protection class. Thanks to CRI90, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. We recommend this warm white (3000K) light for both living spaces and work environments. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL259 black 230V 8W 700lm 36° IP20 TRIAC 930

**Product code 15783 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Maximum output 8W/1m

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature warm  
white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580 g

Package weight 630 g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal + plastic

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

## Spotlight Prolumen DL259 black 230V 8W 700lm 36° IP20 TRIAC 940

**Product code 16181 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Maximum output 8W/1m

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature pure  
white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580 g

Package weight 630 g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal + plastic

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

## Spotlight Prolumen DL259 white 230V 8W 700lm 36° IP20 TRIAC 930

**Product code 22060 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 8W  
Maximum output 8W/1m  
Luminous flux 700lumens  
Luminaire's efficiency lm79 88W  
Correlated colour temperature warm  
white 3000K  
Lens angle 36  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Height 60.0mm  
Width 135.0mm  
Length 135.0mm  
Weight 580 g  
Package weight 630 g  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material metal + plastic  
Polishing matt  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE, RoHS, SAA  
Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

## Spotlight Prolumen DL269A-3 white round 230V 10W 940lm 60° IP65 TRIAC 940

**Product code 18114 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Maximum output 10W/1m

Luminous flux 940lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 90

Ugr 19

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 107.0mm

Diameter 90.0mm

In package 1pc

In box 18pcs

Casing colour white

Casing material aluminium

Shape round

Impact resistance IK06

Work environment indoor / outdoor use

Certificates CE, RoHS

Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

## Spotlight Prolumen DL269B 3 black round 230V 15W 1300lm 70° IP65 830

**Product code 16432**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm  
white 3000K  
Lens angle 70  
Cri 80  
Ugr 22  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 107.0mm  
Diameter 90.0mm  
Weight 600 g  
Package weight 646 g  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminium  
Shape round  
Impact resistance IK08  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

## Spotlight Prolumen DL269B 3 black round 230V 35W 2700lm 70° IP65 940

**Product code 17171**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 35W

Maximum output 35W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 77W

Correlated colour temperature pure white 4000K

Lens angle 70

Cri 90

Ugr 22

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 119.0mm

Diameter 214.0mm

Weight 600 g

Package weight 646 g

In package 1pc

In box 6pcs

Casing colour black

Casing material aluminium

Shape round

Impact resistance IK08

Work environment indoor / outdoor use

Certificates CE, RoHS

Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

## Spotlight Prolumen DL269B 3 UGR19 white round 230V 10W 850lm 75° IP65 930

## Product code 16157

---

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 10W  
Maximum output 10W/1m  
Luminous flux 850lumens  
Luminaire's efficiency lm79 85W  
Correlated colour temperature warm white 3000K  
Lens angle 75  
Cri 90  
Ugr 19  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 107.0mm  
Diameter 90.0mm  
Weight 600 g  
Package weight 646 g  
In package 1pc  
In box 18pcs  
Casing colour white  
Casing material aluminium  
Shape round  
Impact resistance IK08  
Work environment indoor / outdoor use  
Certificates CE, RoHS  
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 930

**Product code 16156**

Brand [Prolumen](#)

Supply voltage 230V

Output 18W

Maximum output 18W/1m

Luminous flux 1600lumens

Luminaire's efficiency lm79 89W

Correlated colour temperature warm  
white 3000K

Lens angle 75

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920 g

Package weight 1.01 kg

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminium

Shape round

Impact resistance IK08

Work environment indoor / outdoor  
use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 DALI 930

**Product code 16155 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Dimmable DALI  
Output 18W  
Maximum output 18W/1m  
Luminous flux 1600lumens  
Luminaire's efficiency lm79 89W  
Correlated colour temperature warm  
white 3000K  
Lens angle 75  
Cri 90  
Ugr 19  
Protection class IP65  
Lifespan 50000h  
Height 115.0mm  
Diameter 130.0mm  
Weight 920 g  
Package weight 1.01 kg  
In package 1pc  
In box 12pcs  
Casing colour white  
Casing material aluminium  
Shape round  
Impact resistance IK08  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL269B 8 UGR19 white round 230V 25W 2400lm 75° IP65 DALI 930

**Product code 15925 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Dimmable DALI  
Output 25W  
Maximum output 25W/1m  
Luminous flux 2400lumens  
Luminaire's efficiency lm79 96W  
Correlated colour temperature warm  
white 3000K  
Lens angle 75  
Cri 90  
Ugr 19  
Protection class IP65  
Lifespan 50000h  
Height 119.0mm  
Diameter 214.0mm  
Weight 2.2 kg  
Package weight 2.48 kg  
In package 1pc  
In box 6pcs  
Casing colour white  
Casing material aluminium  
Shape round  
Impact resistance IK08  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL269B 8 UGR19 white round 230V 35W 3000lm 60° IP65 DALI 930

**Product code 19083 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Dimmable DALI  
Output 35W  
Maximum output 35W/1m  
Luminous flux 3000lumens  
Luminaire's efficiency lm79 86W  
Correlated colour temperature warm  
white 3000K  
Lens angle 60  
Cri 90  
Ugr 19  
Protection class IP65  
Lifespan 50000h  
Height 119.0mm  
Diameter 214.0mm  
Weight 2.2 kg  
Package weight 2.48 kg  
In package 1pc  
In box 6pcs  
Casing colour white  
Casing material aluminium  
Shape round  
Impact resistance IK08  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Spotlight Prolumen DL322A black round 230V 14W 1300lm 36° IP20 830

**Product code 16313**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 14W  
Maximum output 14W/1m  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 93W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Height 96.0mm  
Diameter 120.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Shape round  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Stylish round LED ceiling light, matte black. The direction of the light fixture can be adjusted by rotating the light beam around its axis within a range of 340 degrees. We recommend this warm white (3000K) light fixture for both living spaces and work environments. This LED ceiling lamp is designed as ambient lighting - suitable for use in hotels, homes, offices, shops, and many other spaces. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## Spotlight Prolumen DL338 black round 230V 15W 1300lm 36° IP20 DALI 930

**Product code 22297 DALI dimmable**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 15W  
 Maximum output 15W/1m  
 Luminous flux 1300lumens  
 Luminaire's efficiency lm79 87W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 36  
 Cri 90  
 Ugr 19  
 Sdcm - macadam ellipses 5  
 Protection class IP20  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 180.0mm  
 Diameter 65.0mm  
 Package weight 500 g  
 In box 24pcs  
 Casing colour black  
 Casing material aluminium  
 Polishing matt  
 Shape round  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE, RoHS  
 Warranty 5 years



## Spotlight Prolumen DL340A black 230V 10W 650lm 36° IP40 TRIAC 927

**Product code 22166 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 10W  
Maximum output 10W/1m  
Rated current 250mA  
Luminous flux 650lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature warm  
white 2700K  
Lens angle 36  
Cri 90  
Ugr 19  
Sdcm - macadam ellipses 3  
Protection class IP40  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 108.0mm  
Diameter 100.0mm  
Weight 540 g  
Package weight 600 g  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE  
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

# Spotlight Prolumen DL340A white 230V 10W 650lm 36° IP40 TRIAC 927

**Product code 22164 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 10W  
Maximum output 10W/1m  
Rated current 250mA  
Luminous flux 650lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature warm white 2700K  
Lens angle 36  
Cri 90  
Ugr 19  
Sdcm - macadam ellipses 3  
Protection class IP40  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 108.0mm  
Diameter 100.0mm  
Weight 540 g  
Package weight 600 g  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE  
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

# Spotlight Prolumen DL340A white 230V 15W 1469lm 36° IP40 930

## Product code 17244

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output voltage 40V  
 Output 15W  
 Maximum output 15W/1m  
 Rated current 250mA  
 Luminous flux 1469lumens  
 Luminaire's efficiency lm79 98W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Cri 90  
 Ugr 19  
 Sdcm - macadam ellipses 3  
 Protection class IP40  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 108.0mm  
 Diameter 100.0mm  
 Weight 540 g  
 Package weight 600 g  
 In package 1pc  
 In box 24pcs  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 45°C  
 Certificates CE  
 Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

# Spotlight Prolumen DL340A white 230V 15W 1563lm 36° IP40 940

## Product code 18151

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output voltage 40V  
Output 15W  
Maximum output 15W/1m  
Rated current 250mA  
Luminous flux 1563lumens  
Luminaire's efficiency lm79 104W  
Correlated colour temperature pure white 4000K  
Lens angle 36  
Cri 90  
Ugr 19  
Sdcm - macadam ellipses 3  
Protection class IP40  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 108.0mm  
Diameter 100.0mm  
Weight 540 g  
Package weight 600 g  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE  
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## Spotlight Prolumen DL38 black 230V 10W 1500lm 60° IP54 DALI 930

**Product code 22107 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 10W  
Maximum output 10W/1m  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 150W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP54  
Lifespan 50000h  
Height 120.0mm  
Diameter 110.0mm  
In package 1pc  
In box 18pcs  
Casing colour black  
Casing material aluminium  
Work environment indoor / outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 black round 230V 15W 1300lm 60° IP54 TRIAC 830

**Product code 15109 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm  
white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520 g

Package weight 630 g

In package 1pc

In box 40pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 black round 230V 15W 1300lm 60° IP54 TRIAC 840

**Product code 15309 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520 g

Package weight 630 g

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 black round 230V 25W 2700lm 45° IP54 TRIAC 830

**Product code 15543 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm  
white 3000K

Lens angle 45

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 black round 230V 35W 3400lm 36° IP54 TRIAC 940

**Product code 14586 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 black round 230V 35W 3400lm 60° IP54 TRIAC 930

**Product code 15442 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm  
white 3000K

Lens angle 60

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 10W 1000lm 60° IP54 DALI 930

**Product code 17370 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 10W  
Maximum output 10W/1m  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm  
white 3000K  
Lens angle 60  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP54  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 120.0mm  
Diameter 110.0mm  
In package 1pc  
In box 18pcs  
Casing colour white  
Casing material aluminium  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 10W 800lm 60° IP54 TRIAC 930

**Product code 15281 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 10W  
Maximum output 10W/1m  
Luminous flux 800lumens  
Luminaire's efficiency lm79 80W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP54  
Lifespan 50000h  
Height 100.0mm  
Diameter 90.0mm  
Weight 474 g  
Package weight 537 g  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 15W 1300lm 60° IP54 TRIAC 840

**Product code 14874 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 474 g

Package weight 537 g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 15W 1300lm 60° IP54 TRIAC 930

**Product code 15267 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1300lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm  
white 3000K  
Lens angle 60  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP54  
Lifespan 50000h  
Height 110.0mm  
Diameter 120.0mm  
Weight 520 g  
Package weight 630 g  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 25W 2300lm 45° IP54 DALI 940

**Product code 15328 DALI dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 25W

Maximum output 25W/1m

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature pure  
white 4000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 25W 2300lm 45° IP54 TRIAC 940

**Product code 15327 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature pure  
white 4000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 25W 2700lm 45° IP54 TRIAC 930

**Product code 14935 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm  
white 3000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750 g

Package weight 860 g

In box 18pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 930

### Product code 15564

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 35W  
Maximum output 35W/1m  
Luminous flux 3400lumens  
Luminaire's efficiency lm79 97W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP54  
Lifespan 50000h  
Height 120.0mm  
Diameter 160.0mm  
Weight 1.3 kg  
Package weight 1.46 kg  
In box 12pcs  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 940

**Product code 15563**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 DALI 930

**Product code 15567 DALI dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 DALI 940

**Product code 14929 DALI dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure  
white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL38 white 230V 35W 3400lm 36° IP54 TRIAC 940

**Product code 14508 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Maximum output 35W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure  
white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1.3 kg

Package weight 1.46 kg

In box 12pcs

Casing colour white

Casing material aluminium

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## Spotlight Prolumen DL387 - UGR19 black round 230V 8W 810lm 75° IP20 930

**Product code 22326**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 8W  
Maximum output 8W/1m  
Luminous flux 810lumens  
Luminaire's efficiency lm79 101W  
Correlated colour temperature warm  
white 3000K  
Lens angle 75  
Cri 90  
Ugr 19  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 100.0mm  
Diameter 90.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Shape round  
Impact resistance IK06  
Work environment indoor use  
Operation temperature -20°C~45°C°C  
Certificates CE, RoHS  
Warranty 5 years



## Spotlight Prolumen DL38B black 230V 15W 1255lm 60° IP54 TRIAC 930

---

**Product code 22065 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1255lumens

Luminaire's efficiency lm79 84W

Correlated colour temperature warm  
white 3000K

Lens angle 60

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 90.0mm

Diameter 100.0mm

In package 1pc

In box 40pcs

Casing colour black

Casing material aluminium

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

## **Spotlight Prolumen Jesmond D91 with 1m cable black 230V 15W 1600lm 24° IP20 TRIAC 930**

---

**Product code 18050 TRIAC dimmable**

---

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Maximum output 15W/1m

Luminous flux 1600lumens

Luminaire's efficiency lm79 107W

Correlated colour temperature warm  
white 3000K

Lens angle 24

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 112.0mm

Diameter 91.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminium

Polishing matt

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

## Spotlight Prolumen Jesmond D91 with 1m cable black 230V 15W 1600lm 50° IP20 TRIAC 930

**Product code 18049 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1600lumens  
Luminaire's efficiency lm79 107W  
Correlated colour temperature warm  
white 3000K  
Lens angle 50  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 112.0mm  
Diameter 91.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

## Spotlight Prolumen Jesmond with 1m cable black 230V 25W 2600lm 24° IP20 TRIAC 830

**Product code 17973 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 25W  
Maximum output 25W/1m  
Luminous flux 2600lumens  
Luminaire's efficiency lm79 104W  
Correlated colour temperature warm  
white 3000K  
Lens angle 24  
Source of light CITIZEN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 137.0mm  
Diameter 128.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

## Spotlight Prolumen Jesmond with 1m cable black 230V 25W 2600lm 50° IP20 TRIAC 830

**Product code 17972 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 25W  
Maximum output 25W/1m  
Luminous flux 2600lumens  
Luminaire's efficiency lm79 104W  
Correlated colour temperature warm  
white 3000K  
Lens angle 50  
Source of light CITIZEN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 137.0mm  
Diameter 128.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



The LED pendant light Jesmond is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

## Spotlight Prolumen Lunel black 230V GU10 IP20

**Product code 16403**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Maximum output 5W/1m  
 Socket GU10  
 Protection class IP20  
 Height 95.0mm  
 Diameter 54.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a [ceiling light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Come and take a look around our showroom in Tallinn!



## Spotlight Prolumen Lunel white 230V GU10 IP20

**Product code 16830**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Maximum output 5W/1m  
 Socket GU10  
 Protection class IP20  
 Height 95.0mm  
 Diameter 54.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a [ceiling light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!

## Spotlight Prolumen Newcastle with nickel ring surface mounted black 230V 15W 1500lm 40° IP20 940

## Product code 16207

---

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature pure white 4000K  
Lens angle 40  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 152.0mm  
Diameter 75.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminium  
Polishing matt  
Power supply [LIFUD](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

## Spotlight Prolumen Newcastle with silver ring surface mounted black round 230V 20W 2000lm 40° IP20 DALI 940

**Product code 16288 DALI dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Maximum output 20W/1m

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 115.0mm

In box 18pcs

Casing colour black

Casing material aluminium

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

# Spotlight Prolumen PD02A white 230V 18W 1520lm 24° IP20 TRIAC 940

**Product code 15467 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 18W

Maximum output 18W/1m

Luminous flux 1520lumens

Luminaire's efficiency lm79 84W

Correlated colour temperature pure white 4000K

Lens angle 24

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 160.0mm

Length 1000.0mm

Diameter 80.0mm

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminium + plastic

Polishing matt

Work environment indoor use

Operation temperature -20o C~65o C

Certificates CE, RoHS

Warranty 5 years




The dimmable PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. With TRIAC technology, the LED light can be easily adjusted for different lighting scenes, creating cozy lighting for a relaxing dinner or brighter light for working. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn

## Spotlight Sisyr black round GU10 IP20

**Product code 16309**

Maximum output 35W/1m  
 Socket GU10  
 Protection class IP20  
 Height 140.0mm  
 Diameter 90.0mm  
 In box 20pcs  
 Casing colour black  
 Casing material aluminium  
 Polishing matt  
 Shape round  
 Work environment indoor use



Cylindrical housing for GU10 light bulb.

## Spotlight Trio Lighting Cookie white round GU10

**Product code 21009**

Brand [Trio Lighting](#)  
 Socket GU10  
 Height 12.5mm  
 Width 17.8mm  
 Length 17.8mm  
 Diameter 85.0mm  
 Casing colour white  
 Casing material aluminium  
 Shape round  
 Work environment indoor use  
 Warranty 2 years



## Spotlight Trio Lighting Guayana black / silver GU10

**Product code 20706**

Brand [Trio Lighting](#)  
 Socket GU10  
 Height 120.0mm  
 Width 180.0mm  
 Length 87.0mm  
 Weight 800 g  
 Casing colour black / silver  
 Casing material aluminium



## Spotlight Trio Lighting Guayana white GU10

**Product code 22011**

Brand [Trio Lighting](#)

Socket GU10

Height 120.0mm

Diameter 87.0mm

Casing colour white

Casing material metal

Work environment indoor use

Spot it! The modern spotlights in the GUAYANA range are not only perfect for highlighting accessories and furniture, but also as individual lighting in the hallway, bedroom or living area. The flexible spotlight heads contribute to the pleasant and light illumination of your desired area and cut a great figure on their own or in combination. Draw the focus to various eye-catchers in your living space! Thanks to the modern design in matt white, the luminaire can be perfectly integrated into many concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Spotlight Trio Lighting Marley 2 white GU10 IP20

**Product code 21858**

Brand [Trio Lighting](#)

Socket GU10

Protection class IP20

Height 150.0mm


Width 120.0mm

Diameter 120.0mm

Casing colour white

Casing material metal

Work environment indoor use



## Spotlight Trio Lighting Taurus 2 x 5 W black 230V 10W 900lm IP20 830

**Product code 22147**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 10W

Maximum output 10W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP20

Lifespan 20000h

Height 100.0mm

Width 80.0mm

Length 180.0mm

Weight 90 g

Casing colour black

Casing material metal

Work environment indoor use



The spotlights in the TAURUS range offer a wide range of applications and skilfully set the scene in living spaces. The spotlights can be installed as recessed or surface-mounted luminaires as required and consist of two light sources, a main light and an outer light ring, which can be switched separately. When used as a recessed light, a ceiling cut-out of 170 mm is required. Whether in the hallway, living room or bedroom, the modern luminaire ensures optimum lighting conditions and individual lighting accents. The spotlight can also be swivelled and individually aligned. The simple matt black colour scheme makes it easy to integrate into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Spotlight Trio Lighting Taurus black 230V 5W 450lm IP20 830

**Product code 19382**

---

Brand [Trio Lighting](#)

Supply voltage 230V

Output 5W

Maximum output 5W/1m

Luminous flux 450lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP20

Lifespan 20000h

Height 100.0mm

Diameter 80.0mm

Weight 400 g

Casing colour black

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



## Spotlight Trio Lighting Taurus white 230V 5W 450lm IP20 830

**Product code 19383**

---

Brand [Trio Lighting](#)

Supply voltage 230V

Output 5W

Maximum output 5W/1m

Luminous flux 450lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP20

Lifespan 20000h

Height 100.0mm

Diameter 80.0mm

Weight 400 g

Casing colour white

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS



## Spotlight Trio Lighting Taurus x 2 white 230V 10W 900lm IP20 830

**Product code 19386**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 10W

Maximum output 10W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP20

Lifespan 20000h

Height 100.0mm

Width 80.0mm

Length 180.0mm

Weight 90 g

Casing colour white

Casing material metal

Work environment indoor use

Certificates CE, RoHS



## Spotlight Trio Lighting Taurus x 3 white 230V 15W 1350lm IP20 830

**Product code 19385**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Maximum output 15W/1m

Luminous flux 1350lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP20

Lifespan 10000h

Height 100.0mm

Width 80.0mm

Length 270.0mm

Weight 1.3 kg

Casing colour white

Casing material metal

Work environment indoor use

Certificates CE, RoHS



## Spotlight Tube white round GU10 IP20

### Product code 17149

---

Socket GU10  
Protection class IP20  
Height 122.0mm  
Diameter 94.0mm  
In box 20pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Shape round  
Work environment indoor use

Round surface-mounted housing for  
GU10 bulb.

