

LED strip REVAL BULB COB 1m 24V 10W 1030lm 170° IP20 930

Product code 16772

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 10W
 Maximum output 10W/1m
 Luminous flux 1030lumens
 Luminaire's efficiency lm79 103W
 Correlated colour temperature warm white 3000K
 Lens angle 170
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 10.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 10W 1140lm 170° IP20 940

Product code 16769

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1140lumens

Luminaire's efficiency lm79 114W

Correlated colour temperature pure white 4000K

Lens angle 170

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 10W 970lm 180° IP20 927

Product code 18256

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 10W
 Maximum output 10W/1m
 Luminous flux 970lumens
 Luminaire's efficiency lm79 97W
 Correlated colour temperature warm white 2700K
 Lens angle 180
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 10.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 15W 1418lm 170° IP20 927

Product code 16785

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 15W
 Maximum output 15W/1m
 Luminous flux 1418lumens
 Luminaire's efficiency lm79 95W
 Correlated colour temperature warm white 2700K
 Lens angle 170
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 10.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 15W 1530lm 170° IP20 930

Product code 16771

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 15W
 Maximum output 15W/1m
 Luminous flux 1530lumens
 Luminaire's efficiency lm79 102W
 Correlated colour temperature warm white 3000K
 Lens angle 170
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 10.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 15W 1675lm 170° IP20 965

Product code 16831

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 15W
 Maximum output 15W/1m
 Luminous flux 1675lumens
 Luminaire's efficiency lm79 112W
 Correlated colour temperature cold white 6500K
 Lens angle 170
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 10.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 15W 1700lm 170° IP20 940

Product code 16770

Brand [REVAL BULB](#)

Supply voltage 24V

Output 15W

Maximum output 15W/1m

Luminous flux 1700lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature pure white 4000K

Lens angle 170

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 5W 520lm 170° IP20 930

Product code 17405

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 5W
 Maximum output 5W/1m
 Luminous flux 520lumens
 Luminaire's efficiency lm79 104W
 Correlated colour temperature warm white 3000K
 Lens angle 170
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 10.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 In package 1m
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 5W 540lm 170° IP20 940

Product code 22313

Brand [REVAL BULB](#)

Supply voltage 24V

Output 5W

Maximum output 5W/1m

Luminous flux 540lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature pure white 4000K

Lens angle 170

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 1m 24V 7.2W 480lm 170° IP20 927

Product code 18257

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 7.2W
 Maximum output 7.2W/1m
 Luminous flux 480lumens
 Luminaire's efficiency lm79 67W
 Correlated colour temperature warm white 2700K
 Lens angle 170
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 5.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 400LED 1m 24V 4.8W 470lm 180° IP20 930

Product code 23094

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 4.8W
 Maximum output 4.8W/1m
 Luminous flux 470lumens
 Luminaire's efficiency lm79 98W
 Correlated colour temperature warm white 3000K
 Lens angle 180
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 1.5mm
 Width 8.0mm
 Minimum length 20.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20° - +45°C
 Certificates UL, CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 400LED 1m 24V 4.8W 505lm 180° IP20 965

Product code 20968

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 4.8W
 Maximum output 4.8W/1m
 Luminous flux 505lumens
 Luminaire's efficiency lm79 105W
 Correlated colour temperature cold white 6500K
 Lens angle 180
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L70B50 @25°C 50.000h
 Height 1.5mm
 Width 8.0mm
 Minimum length 20.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20° - +45°C
 Certificates UL, CE
 Warranty 5 years



The LEDs are indistinguishable, the light is a continuous line - No direct need for a profile cover! This IP20 rated [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The LED strip has a very high color rendering quality (CRI90), ensuring the light beam does not distort the true colors in the room. Easy to install even for first-time users! The specified price is per meter of the strip. The total roll is 5 meters, which we can cut according to the customer's needs. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 400LED 1m slim 24V 4.8W 505lm 180° IP20 965

Product code 22763

Brand [REVAL BULB](#)
Supply voltage 24V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 505lumens
Luminaire's efficiency lm79 105W
Correlated colour temperature cold white 6500K
Lens angle 180
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 1.5mm
Width 3.0mm
Minimum length 20.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20° - +45°C
Certificates UL, CE
Warranty 5 years



Slim REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB 400LED Slim 1m 24V 4.8W 480lm 180° IP20 930

Product code 17652

Brand [REVAL BULB](#)
Supply voltage 24V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 480lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 180
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 1.5mm
Width 3.0mm
Minimum length 20.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20° - +45°C
Certificates UL, CE
Warranty 5 years



Slim REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB 400LED Slim 1m 24V 4.8W 480lm 180° IP20 940

Product code 18221

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 4.8W
 Maximum output 4.8W/1m
 Luminous flux 480lumens
 Luminaire's efficiency lm79 100W
 Correlated colour temperature pure white 4000K
 Lens angle 180
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 1.5mm
 Width 3.0mm
 Minimum length 20.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -20° - +45°C
 Certificates UL, CE
 Warranty 5 years



Slim REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB 480LED 20m silicone sauna 48V 10W 900lm 180° IP67 930

Product code 18316

Brand [REVAL BULB](#)
Supply voltage 48V
Output 10W
Maximum output 10W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm
white 3000K
Lens angle 180
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 5.2mm
Width 10.0mm
Minimum length 100.0mm
Length 20000.0mm
Work environment indoor / outdoor
use
Operation temperature -20° - +103°C
Certificates CE
Warranty 5 years



Waterproof [LED strip](#), which can also be used in high sauna temperatures! The LED strip withstands temperatures up to 103 degrees Celsius. The LED strip is encased in silicone, which protects it from external conditions. We sell this product in 5-meter rolls. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 480LED 5m silicone sauna 24V 10W 900lm 180° IP67 930

Product code 17651

Brand [REVAL BULB](#)
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm
white 3000K
Lens angle 180
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Height 5.2mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor
use
Operation temperature -20° - +103°C
Certificates CE
Warranty 5 years



Waterproof [LED strip](#), which can also be used in high sauna temperatures! The LED strip withstands temperatures up to 103 degrees Celsius. The LED strip is encased in silicone, which protects it from external conditions. We sell this product in 5-meter rolls. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 480LED 5m silicone sauna 24V 10W 930lm 180° IP67 940

Product code 23153

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 930lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature pure
white 4000K

Lens angle 180

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor
use

Operation temperature -20° - +103°C

Certificates CE

Warranty 5 years




Waterproof [LED strip](#), which can also be used in high sauna temperatures! The LED strip withstands temperatures up to 103 degrees Celsius. The LED strip is encased in silicone, which protects it from external conditions. We sell this product in 5-meter rolls. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB COB 528LED/m 1m 24V 13W 1100lm 180° IP65 930

Product code 17517

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 13W
 Maximum output 13W/1m
 Luminous flux 1100lumens
 Luminaire's efficiency lm79 85W
 Correlated colour temperature warm white 3000K
 Lens angle 180
 Source of light SANAN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP65
 Lifespan 50000h
 Height 2.2mm
 Width 8.0mm
 Length 1000.0mm
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 5 years




COB LED strip for different indoor spaces. The LEDs on the strip are not distinguishable, light appears as a uniform line. Therefore there is no direct need for profile covers! This COB strip can be cut at any interval and is easy to install even for first-time users! For quick installation, the strip has an adhesive 3M tape on the back. The color rendering index (CRI90) of the LED strip is very high, ensuring highly accurate color rendering in the room. The specified price is for 1 meter of the strip. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB COB 528LED/m 1m 24V 13W 1100lm 180° IP65 940

Product code 17518

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 13W
 Maximum output 13W/1m
 Luminous flux 1100lumens
 Luminaire's efficiency lm79 85W
 Correlated colour temperature pure white 4000K
 Lens angle 180
 Source of light SANAN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP65
 Lifespan 50000h
 Height 2.2mm
 Width 8.0mm
 Length 1000.0mm
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 5 years




COB LED strip for different indoor spaces. The LEDs on the strip are not distinguishable, light appears as a uniform line. Therefore there is no direct need for profile covers! This COB strip can be cut at any interval and is easy to install even for first-time users! For quick installation, the strip has an adhesive 3M tape on the back. The color rendering index (CRI90) of the LED strip is very high, ensuring highly accurate color rendering in the room. The specified price is for 1 meter of the strip. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB COB 528LED/m 5m roll 24V 13W 1150lm 180° IP65 960

Product code 23066

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 13W
 Maximum output 13W/1m
 Luminous flux 1150lumens
 Luminaire's efficiency lm79 88W
 Correlated colour temperature cold white 6000K
 Lens angle 180
 Source of light SANAN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP65
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.2mm
 Width 8.0mm
 Length 1000.0mm
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 5 years



COB LED strip for different indoor spaces. The LEDs on the strip are not distinguishable, light appears as a uniform line. Therefore there is no direct need for profile covers! This COB strip can be cut at any interval and is easy to install even for first-time users! For quick installation, the strip has an adhesive 3M tape on the back. The color rendering index (CRI90) of the LED strip is very high, ensuring highly accurate color rendering in the room. The specified price is for 1 meter of the strip. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB COB 5m in silicone 24V 10W 1125lm 180° IP67 965

Product code 17613

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1125lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature cold white 6500K

Lens angle 180

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 50.0mm


Length 5000.0mm

Work environment indoor use

Operation temperature -20 - +70°C

Certificates CE

Warranty 5 years




The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 5m in silicone 24V 10W 1140lm 170° IP67 940

Product code 16773

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 10W
 Maximum output 10W/1m
 Luminous flux 1140lumens
 Luminaire's efficiency lm79 114W
 Correlated colour temperature pure white 4000K
 Lens angle 170
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP67
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 12.0mm
 Minimum length 50.0mm
 Length 5000.0mm
 Work environment indoor use
 Operation temperature -20 - +70°C
 Certificates CE
 Warranty 5 years



The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 5m in silicone 24V 10W 900lm 180° IP67 927

Product code 17764

Brand [REVAL BULB](#)
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 900lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm white 2700K
Lens angle 180
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 5.2mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor use
Operation temperature -20 - +70°C
Certificates CE
Warranty 5 years



The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 5m in silicone 24V 15W 1350lm 180° IP67 930

Product code 17773

Brand [REVAL BULB](#)

Supply voltage 24V

Output 15W

Maximum output 15W/1m

Luminous flux 1350lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm
white 3000K

Lens angle 180

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 12.0mm

Minimum length 41.4mm

Length 5000.0mm

Work environment indoor / outdoor
use

Operation temperature -20 - +70°C

Certificates CE

Warranty 5 years



The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 5m in silicone 24V 15W 1500lm 180° IP67 940

Product code 17879

Brand [REVAL BULB](#)

Supply voltage 24V

Output 15W

Maximum output 15W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 180

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 12.0mm

Minimum length 41.4mm

Length 5000.0mm

Work environment indoor / outdoor use

Operation temperature -20 - +70°C

Certificates CE

Warranty 5 years



The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 5m in silicone 24V 4.8W 470lm 180° IP67 927

Product code 17745

Brand [REVAL BULB](#)

Supply voltage 24V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 470lumens

Luminaire's efficiency 1m79 98W

Correlated colour temperature warm white 2700K

Lens angle 180

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 10.0mm

Minimum length 20.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Operation temperature -20 - +70°C

Certificates CE

Warranty 5 years



The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 5m in silicone 24V 5W 490lm 180° IP67 930

Product code 22085

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 5W
 Maximum output 5W/1m
 Luminous flux 490lumens
 Luminaire's efficiency lm79 98W
 Correlated colour temperature warm white 3000K
 Lens angle 180
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP67
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 5.2mm
 Width 10.0mm
 Minimum length 20.0mm
 Length 5000.0mm
 Work environment indoor / outdoor use
 Operation temperature -25°C to 60°C
 Certificates CE
 Warranty 5 years



The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 5m silicone 24V 10W 1000lm 180° IP67 930

Product code 17749

Brand [REVAL BULB](#)
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 1000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 180
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 5.2mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -20° - +70°C
Certificates CE
Warranty 5 years



The LEDs are not separable, the light spreads as a uniform line - no need for profile cover! This IP67-rated LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice, for example, as bedroom or studio lighting decoration. The color rendering index (CRI) of the LED strip is very high (CRI90), ensuring that the light beam does not distort the color fidelity in the room. Easy to install even for first-time users! The specified price is for a 5-meter strip (1 roll). You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB COB 608LED 1m 24V 16W 2100lm CRI90 180° IP20 2700K-6000K warm + cold white

Product code 17650

Brand [REVAL BULB](#)

Supply voltage 24V

Output 16W

Maximum output 16W/1m

Luminous flux 2100lumens

Luminaire's efficiency lm79 131W

Correlated colour temperature warm + cold white 2700K-6000K

Lens angle 180

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 2.2mm

Width 10.0mm

Minimum length 26.3mm


Length 1000.0mm

Work environment indoor use

Operation temperature -20° - +45°C

Certificates UL, CE

Warranty 5 years



REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice in various lighting projects, including home and business environments, stages, performances, and other events. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB RGB 840LED 1m 24V 16W 700lm 120° IP20 RGB

Product code 17342

Brand [REVAL BULB](#)
Supply voltage 24V
Output 16W
Maximum output 16W/1m
Luminous flux 700lumens
Luminaire's efficiency lm79 44W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 2.5mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE
Warranty 5 years



REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice in various lighting projects, including home and business environments, stages, performances, and other events. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB RGBW 840LED 1m 24V 18W 696lm CRI90 120° IP20 RGB + 2700K RGBW warm

Product code 23096

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 18W
 Maximum output 18W/1m
 Luminous flux 696lumens
 Luminaire's efficiency lm79 39W
 Correlated colour temperature RGBW
 warm RGB + 2700K
 Lens angle 120
 Source of light SANAN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 2.5mm
 Width 10.0mm
 Minimum length 33.3mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -25°C to
 60°C°C
 Certificates UL, CE
 Warranty 5 years



REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice in various lighting projects, including home and business environments, stages, performances, and other events. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB RGBW 840LED 1m 24V 18W 960lm 120° IP20 RGB + 6500K RGBW cold

Product code 17871

Brand [REVAL BULB](#)
Supply voltage 24V
Output 18W
Maximum output 18W/1m
Luminous flux 960lumens
Luminaire's efficiency lm79 53W
Correlated colour temperature RGBW
cold RGB + 6500K
Lens angle 120
Source of light SANAN LED
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 2.5mm
Width 12.0mm
Minimum length 33.3mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE
Warranty 5 years



REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice in various lighting projects, including home and business environments, stages, performances, and other events. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB RGBW 840LED 1m 24V 18W 960lm CRI90 120° IP20 RGB + 3000K RGBW warm

Product code 17343

Brand [REVAL BULB](#)
Supply voltage 24V
Output 18W
Maximum output 18W/1m
Luminous flux 960lumens
Luminaire's efficiency lm79 53W
Correlated colour temperature RGBW
warm RGB + 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 2.5mm
Width 10.0mm
Minimum length 33.3mm
Length 1000.0mm
Work environment indoor use
Operation temperature -25°C to
60°C°C
Certificates UL, CE
Warranty 5 years



REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice in various lighting projects, including home and business environments, stages, performances, and other events. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB RGBW 840LED 1m 24V 18W 960lm CRI90 120° IP20 RGB+4000K RGBW pure white

Product code 17344

Brand [REVAL BULB](#)
Supply voltage 24V
Output 18W
Maximum output 18W/1m
Luminous flux 960lumens
Luminaire's efficiency lm79 53W
Correlated colour temperature RGBW
pure white RGB+4000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 2.5mm
Width 10.0mm
Minimum length 33.3mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE
Warranty 5 years



REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice in various lighting projects, including home and business environments, stages, performances, and other events. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED strip REVAL BULB COB RGBW 840LED 5m in silicone 24V 16W 960lm CRI90 120° IP67 RGB + 3000K RGBW warm

Product code 17882

Brand [REVAL BULB](#)
Supply voltage 24V
Output 16W
Maximum output 16W/1m
Luminous flux 960lumens
Luminaire's efficiency lm79 60W
Correlated colour temperature RGBW
warm RGB + 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 5.0mm
Width 14.0mm
Minimum length 33.3mm
Length 5000.0mm
Work environment indoor use
Operation temperature -25°C to
60°C°C
Certificates UL, CE
Warranty 5 years



REVAL BULB LED strip, which is easy to install even for first-time users! The strip has a self-adhesive back, which makes installation particularly convenient. This LED strip, with an IP20 protection class, is suitable for creating a cozy atmosphere in dry indoor spaces. A popular choice in various lighting projects, including home and business environments, stages, performances, and other events. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)