

Power cable 5m toitepistikuga 2x2,5mm²

Product code 14964

Price 7,00+VAT

Length 5000.0mm

Cable A for linking, 20cm

Product code 14962

Price 2,40+VAT

Length 200.0mm



Cable A power cable, 20cm

Product code 15406

Price 1,76+VAT

Length 200.0mm



Mounting clip A series, fixed, with magnet

Product code 14960

Price 1,26+VAT



Cable B for linking, 30cm

Product code 15023

Price 1,54+VAT



Cable B series power, 15cm

Product code 15043

Price 0,52+VAT



Mounting clip FCS-PB9-PAC-1

Product code 15091

Mounting clip FCS-PB9-PAC-2

Product code 15092

Mounting clip movable, with magnet

Product code 14959

Price 3,27+VAT



LED luminaire REVAL BULB A seeria 560 24V 9W 720lm CRI90 120° IP40 4000K pure white

Product code 15163

Price 12,42+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9W

Luminous flux 720lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 90

Protection class IP40

Lifespan 50000h

Height 15.5mm

Width 20.0mm

Length 560.0mm

Work environment indoor use

Operation temperature -40 ~ +50°C

Certificates CE, RoHS

Warranty 2 years



LED luminaire REVAL BULB A series 1160 24V 18W 1440lm CRI80 120° IP40 4000K pure white

Product code 14958

Price 20,54+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 18W

Luminous flux 1440lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP40

Lifespan 35000h

Height 16.0mm

Width 20.0mm

Length 1160.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 2 years



LED luminaire REVAL BULB A series 1160 24V 18W CRI80 IP40 3000K warm white

Product code 14987

Price 20,54+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 18W

Correlated colour temperature (cct)
warm white 3000K

Cri 80

Protection class IP40

Lifespan 35000h

Height 16.0mm

Width 20.0mm

Length 1160.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 2 years



LED luminaire REVAL BULB A series 860 24V 13W 1040lm CRI80 120° IP40 4000K pure white

Product code 14961

Price 16,54+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 13W

Luminous flux 1040lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)
pure white 4000K

Lens angle 120

Cri 80

Protection class IP40

Lifespan 35000h

Height 16.0mm

Width 20.0mm

Length 860.0mm

Work environment indoor use

Certificates CE, RoHS



LED luminaire REVAL BULB B series 1200 230V 15W 1200lm CRI80 120° IP44 4000K pure white

Product code 15022

Price 14,04+VAT

Brand [REVAL BULB](#)

Supply voltage 230V

Output 15W

Luminous flux 1200lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP44

Lifespan 25000h

Length 1200.0mm

Work environment indoor use

Warranty 2 years



LED luminaire REVAL BULB B series 900 230V 12W 960lm CRI80 120° IP44 4000K pure white

Product code 15024

Price 12,06+VAT

Brand [REVAL BULB](#)

Supply voltage 230V

Output 12W

Luminous flux 960lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP44

Lifespan 25000h

Length 900.0mm

Work environment indoor use

Warranty 2 years

