## Power cable 5m toitepistikuga 2x2,5mm2

**Product code 14964**

Length 5000.0mm

## Cable A for linking, 20cm 4pin

**Product code 16981**

Length 200.0mm



## Cable A power cable, 20cm

**Product code 15406**

Length 200.0mm



## Cable A power cable, 20cm 4pin

**Product code 16979**

Length 200.0mm



## Mounting clip A series, fixed, with magnet

**Product code 14960**

Height 8.0mm
Width 18.0mm
Length 20.0mm



## Cable B for linking, 30cm

**Product code 15023**



# Cable B series power, 15cm

**Product code 15043**



# LED luminaire REVAL BULB A seeria 560 24V 7W 250lm CRI80 120° IP40 RGB

**Product code 16978**

Brand REVAL BULB
Supply voltage 24V
Output 7W
Maximum output 7W/1m
Luminous flux 250lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Cri 80
Protection class IP40
Lifespan 50000h
Height 15.5mm
Width 20.0mm
Length 560.0mm
Work environment indoor use
Operation temperature -40 ~ +50°C
Certificates CE, RoHS
Warranty 2 years



# LED luminaire REVAL BULB A series 1160 24V 18W 1440lm 120° IP40 840

**Product code 14958**

Brand REVAL BULB
Supply voltage 24V
Output 18W
Maximum output 18W/1m
Luminous flux 1440lumens
Luminaire’s efficiency 80W
Correlated colour temperature pure white 4000K
Lens angle 120
Cri 80
Protection class IP40
Lifespan 35000h
Height 16.0mm
Width 20.0mm
Length 1160.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



# LED luminaire REVAL BULB A series 860 24V 13W 1040lm 120° IP40 840

**Product code 14961**

Brand REVAL BULB
Supply voltage 24V
Output 13W
Maximum output 13W/1m
Luminous flux 1040lumens
Luminaire’s efficiency 80W
Correlated colour temperature pure white 4000K
Lens angle 120
Cri 80
Protection class IP40
Lifespan 35000h
Height 16.0mm
Width 20.0mm
Length 860.0mm
Work environment indoor use
Certificates CE, RoHS



***© LED House OÜ, (+372) 56 202 303***
***Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee***