Floor lamp Deko-Light Office One Motion Up and Down silver 80W 7400lm CRI80 IP20 Sensor Dim

Product code 20345 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 7400lumens
Luminaire’s efficiency 93W
CRI 80
Protection class IP20
Height 1950.0mm
Width 310.0mm
Length 610.0mm
Weight 12.82 kg
Package weight 15.86 kg
Casing colour silver
Casing material aluminium
Operation temperature -20 ~ 45°C

Very low glare value Service life 50,000 h L80B10 Dimmable using touch sensor Motion sensor Ready to use



Floor lamp Deko-Light Office One Transparent silver 55W 6245lm CRI80 IP20 Sensor Dim


Product code 20350 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 55W
Luminous flux 6245lumens
Luminaire’s efficiency 114W
CRI 80
Protection class IP20
Height 1950.0mm
Width 310.0mm
Length 610.0mm
Weight 11.9 kg
Package weight 11.64 kg
Casing colour silver
Casing material aluminium
Operation temperature -20 ~ 45°C

cope of Application Reception / Communication Office / conference Home office / study Education / school / lecture theatre








Floor lamp Deko-Light Office One Up and Down silver 80W 7400lm CRI80 IP20 Sensor Dim

Product code 20339 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 7400lumens
Luminaire’s efficiency 93W
CRI 80
Protection class IP20
Height 1950.0mm
Width 310.0mm
Length 610.0mm
Weight 12.82 kg
Package weight 15.86 kg
Casing colour silver
Casing material aluminium
Operation temperature -20 ~ 45°C



Floor lamp Deko-Light Office Three Pro Motion black 80W 9800lm CRI95 IP20 Sensor Dim

Product code 20344 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 9800lumens
Luminaire’s efficiency 123W
CRI 95
SDCM - MacAdam Ellipses 6
Protection class IP20
Height 1950.0mm
Width 64.0mm
Length 1240.0mm
Weight 11.74 kg
Package weight 14.09 kg
Casing colour black
Casing material aluminium
Operation temperature -20 ~ 45°C



Floor lamp Deko-Light Office Three Pro Motion gray 80W 9800lm CRI95 IP20 Sensor Dim

Product code 20343 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 9800lumens
Luminaire’s efficiency 123W
CRI 95
SDCM - MacAdam Ellipses 6
Protection class IP20
Height 1950.0mm
Width 64.0mm
Length 1240.0mm
Weight 11.74 kg
Package weight 14.09 kg
Casing colour gray
Casing material aluminium
Operation temperature -20 ~ 45°C



Floor lamp Deko-Light Office Three Pro Motion white 80W 9800lm CRI95 IP20 Sensor Dim

Product code 20342 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 9800lumens
Luminaire’s efficiency 123W
CRI 95
SDCM - MacAdam Ellipses 6
Protection class IP20
Height 1950.0mm
Width 64.0mm
Length 1240.0mm
Weight 11.74 kg
Package weight 14.09 kg
Casing colour white
Casing material aluminium + acrylic
Operation temperature -20 ~ 45°C





Floor lamp Deko-Light Office Three Standard Motion black 80W 10100lm CRI95 IP20 Sensor Dim

Product code 20349 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 10100lumens
Luminaire’s efficiency 126W
CRI 95
SDCM - MacAdam Ellipses 6
Protection class IP20
Height 1950.0mm
Width 64.0mm
Length 1240.0mm
Weight 11.66 kg
Package weight 14.08 kg
Casing colour black
Casing material aluminium
Operation temperature -20 ~ 45°C




Floor lamp Deko-Light Office Three Standard Motion gray 80W 10100lm CRI95 IP20 Sensor Dim

Product code 20348 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 10100lumens
Luminaire’s efficiency 126W
CRI 95
SDCM - MacAdam Ellipses 6
Protection class IP20
Height 1950.0mm
Width 64.0mm
Length 1240.0mm
Weight 11.66 kg
Package weight 14.08 kg
Casing colour gray
Casing material metal + glass
Operation temperature -20 ~ 45°C





Floor lamp Deko-Light Office Three Standard Motion white 80W 10100lm CRI95 IP20 Sensor Dim

Product code 20347 **Sensor Dim dimmable**

Brand Deko-Light
Dimmable Sensor Dim
Output 80W
Luminous flux 10100lumens
Luminaire’s efficiency 126W
CRI 95
SDCM - MacAdam Ellipses 6
Protection class IP20
Height 1950.0mm
Width 64.0mm
Length 1240.0mm
Weight 11.66 kg
Package weight 14.08 kg
Casing colour white
Casing material metal + glass
Operation temperature -20 ~ 45°C



Table lamp Prolumen OL07 white 230V 100W 12000lm 120° IP20 0-10V 930

Product code 17388 0-10V dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.93
Dimmable 0-10V
Output 100W
Maximum output 100W/1m
Luminous flux 12000lumens
Luminaire’s efficiency 120W
Correlated colour temperature warm white 3000K
Lens angle 120
CRI 90
UGR 16
SDCM - MacAdam Ellipses 6
Protection class IP20
Lifespan 50000h
Height 1900.0mm
In package 1pc
In box 6pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -10 ~30°C
Certificates CE
Warranty 5 years



LED floor lamp that is perfect for illuminating your workspace! OL07A provides warm white (3000K) light to the room, with a high CRI90 keeping the colors true and natural under the light. In addition, the dimming function allows you to adjust the light intensity according to your preference. This way, you can work without straining your eyes!

Floor lamp Prolumen SmartGlow gray 230V 100W 13000lm CRI90 50° IP20 DIMMABLE 2700K-5000K

Product code 17707 dimmerdatav
dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable dimmerdatav
Output 100W
Maximum output 100W/1m
Luminous flux 13000lumens
Luminaire’s efficiency 130W
Correlated colour temperature warm - cold white 2700K - 5000K
Lens angle 50
CRI 90
UGR 6
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2028.0mm
Width 64.0mm
Length 1269.0mm
In package 1pc
Casing colour gray
Casing material aluminium
Power supply BOKE
Work environment indoor use
Operation temperature -10 - +30°C
Certificates CE
Warranty 5 years







An ergonomic workstation light with adjustable colour temperature and a minimalist design that fits any modern office. The light can be adjusted via a touch screen located on the lamp's body, which also features a digital clock. The screen is positioned at a height that allows use without standing up from the table. The SmartGlow light illuminates both the desk and the room - the beam is directed both downwards and upwards. Both light directions can be adjusted individually. SmartGlow's UGR value of 6 is exceptionally good. This means that the light beam is not uncomfortable for the eyes and has minimal glare effect. Our Tallinn showroom also has a SmartGlow sample in use, which you can come see for yourself to confirm the top-level quality of this workstation light!

Table lamp Prolumen SmartGlow Table black 230V 80W 13000lm CRI90 140x80° IP20 DIMMABLE 3000K-6000K

Product code 17889 **dimmerdatav**
dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable dimmerdatav
Output 80W
Maximum output 80W/1m
Luminous flux 13000lumens
Luminaire’s efficiency 163W
Correlated colour temperature warm - cold white 3000K - 6000K
Lens angle 140x80
CRI 90
UGR 13
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1205.0mm
Width 50.0mm
Length 1340.0mm
In package 1pc
Casing colour black
Casing material aluminium
Power supply BOKE
Work environment indoor use
Operation temperature -10 - +30°C
Certificates CE
Warranty 5 years





An ergonomic workstation light with adjustable colour temperature and a minimalist design that fits any modern office. The light can be adjusted via a touch screen located on the lamp's body, which also features a digital clock. The screen is positioned at a height that allows use without standing up from the table. The SmartGlow light illuminates both the desk and the room - the beam is directed both downwards and upwards. Both light directions can be adjusted individually. SmartGlow's UGR value of 6 is exceptionally good. This means that the light beam is not uncomfortable for the eyes and has minimal glare effect. Our Tallinn showroom also has a SmartGlow sample in use, which you can come see for yourself to confirm the top-level quality of this workstation light!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee