

Table lamp LED ORBI 2,5W 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

Product code 17928 DIMMABLE
dimnable

Supply voltage 5V
Dimmable DIMMABLE
Output 2,5W
Maximum output 2,5W/1m
Luminous flux 150lumens
Correlated colour temperature WARM
TO COLD 3000-6500K
Lens angle 90
Cri 80
Protection class IP20
Lifespan 10000h
Height 53.0mm
Diameter 80.0mm
Weight 790g
In package 1pc
In box 12pcs
Casing material aluminum
Work environment indoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 3 years



A wireless, rechargeable, and magnetic LED lamp with four installation options. The lamp can be placed on a base and used as a desk lamp or mounted on a wall using screws. The package includes a USB-C cable (approximately 1 meter) for charging the lamp. The lamp can be adjusted 360 degrees in any direction and offers three light colors: warm, neutral, and cool. The light color can be changed using the lamp's button, and the brightness can be adjusted by pressing the button longer. The lamp can also be turned on while charging. It features a built-in, non-replaceable 1200mAh battery, which is rechargeable using the USB-C cable by connecting it to a computer, power bank, or another power source.




Table lamp LED ORBI 2,5W black 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

Product code 17923 DIMMABLE
dimnable

Supply voltage 5V
Dimmable DIMMABLE
Output 2,5W
Maximum output 2,5W/1m
Luminous flux 150lumens
Correlated colour temperature WARM
TO COLD 3000-6500K
Lens angle 90
Cri 80
Protection class IP20
Lifespan 10000h
Height 53.0mm
Diameter 80.0mm
Weight 790g
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 3 years

A wireless, rechargeable, and magnetic LED lamp with four installation options. The lamp can be placed on a base and used as a desk lamp or mounted on a wall using screws. The package includes a USB-C cable (approximately 1 meter) for charging the lamp. The lamp can be adjusted 360 degrees in any direction and offers three light colors: warm, neutral, and cool. The light color can be changed using the lamp's button, and the brightness can be adjusted by pressing the button longer. The lamp can also be turned on while charging. It features a built-in, non-replaceable 1200mAh battery, which is rechargeable using the USB-C cable by connecting it to a computer, power bank, or another power source.



Table lamp LED ORBI 2,5W blue 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

Product code 17927 DIMMABLE
dimnable

Supply voltage 5V
Dimmable DIMMABLE
Output 2,5W
Maximum output 2,5W/1m
Luminous flux 150lumens
Correlated colour temperature WARM
TO COLD 3000-6500K
Lens angle 90
Cri 80
Protection class IP20
Lifespan 10000h
Height 53.0mm
Diameter 80.0mm
Weight 790g
In package 1pc
In box 12pcs
Casing colour blue
Casing material aluminum
Work environment indoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 3 years

A wireless, rechargeable, and magnetic LED lamp with four installation options. The lamp can be placed on a base and used as a desk lamp or mounted on a wall using screws. The package includes a USB-C cable (approximately 1 meter) for charging the lamp. The lamp can be adjusted 360 degrees in any direction and offers three light colors: warm, neutral, and cool. The light color can be changed using the lamp's button, and the brightness can be adjusted by pressing the button longer. The lamp can also be turned on while charging. It features a built-in, non-replaceable 1200mAh battery, which is rechargeable using the USB-C cable by connecting it to a computer, power bank, or another power source.



Table lamp LED ORBI 2,5W gray 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

Product code 17926 DIMMABLE
dimnable

Supply voltage 5V
Dimmable DIMMABLE
Output 2,5W
Maximum output 2,5W/1m
Luminous flux 150lumens
Correlated colour temperature WARM
TO COLD 3000-6500K
Lens angle 90
Cri 80
Protection class IP20
Lifespan 10000h
Height 53.0mm
Diameter 80.0mm
Weight 790g
In package 1pc
In box 12pcs
Casing colour gray
Casing material aluminum
Work environment indoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 3 years

A wireless, rechargeable, and magnetic LED lamp with four installation options. The lamp can be placed on a base and used as a desk lamp or mounted on a wall using screws. The package includes a USB-C cable (approximately 1 meter) for charging the lamp. The lamp can be adjusted 360 degrees in any direction and offers three light colors: warm, neutral, and cool. The light color can be changed using the lamp's button, and the brightness can be adjusted by pressing the button longer. The lamp can also be turned on while charging. It features a built-in, non-replaceable 1200mAh battery, which is rechargeable using the USB-C cable by connecting it to a computer, power bank, or another power source.



Table lamp LED ORBI 2,5W white 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

Product code 17925 DIMMABLE
dimnable

Supply voltage 5V
Dimmable DIMMABLE
Output 2,5W
Maximum output 2,5W/1m
Luminous flux 150lumens
Correlated colour temperature WARM
TO COLD 3000-6500K
Lens angle 90°
Cri 80
Protection class IP20
Lifespan 10000h
Height 53.0mm
Diameter 80.0mm
Weight 790g
In package 1pc
In box 12pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 3 years

A wireless, rechargeable, and magnetic LED lamp with four installation options. The lamp can be placed on a base and used as a desk lamp or mounted on a wall using screws. The package includes a USB-C cable (approximately 1 meter) for charging the lamp. The lamp can be adjusted 360 degrees in any direction and offers three light colors: warm, neutral, and cool. The light color can be changed using the lamp's button, and the brightness can be adjusted by pressing the button longer. The lamp can also be turned on while charging. It features a built-in, non-replaceable 1200mAh battery, which is rechargeable using the USB-C cable by connecting it to a computer, power bank, or another power source.



Table lamp PROLUMEN OL07 white 230V 100W 12000lm 120° IP20 0-10V 930

Product code 17388 0-10V dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.93

Dimmable 0-10V

Output 100W

Maximum output 100W/1m

Luminous flux 12000lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature warm white 3000K

Lens angle 120

Cri 90

Ugr 16

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 1900.0mm

In package 1pc

In box 6pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -10 ~30°C

Certificates CE

Warranty 5 years

LED floor lamp that is perfect for illuminating your workspace! OL07A provides warm white (3000K) light to the room, with a high CRI90 keeping the colors true and natural under the light. In addition, the dimming function allows you to adjust the light intensity according to your preference. This way, you can work without straining your eyes!



Table lamp PROLUMEN SmartGlow gray 230V 100W 13000lm CRI90 50° IP20 DIMMABLE 2700-5000K WARM TO COLD

**Product code 17707 DIMMABLE
dimmable**

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable DIMMABLE
Output 100W
Maximum output 100W/1m
Luminous flux 13000lumens
Luminaire's efficiency lm79 130W
Correlated colour temperature WARM
TO COLD 2700-5000K
Lens angle 50
Cri 90
Ugr 6
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 2028.0mm
Width 64.0mm
Length 1269.0mm
In package 1pc
Casing colour gray
Casing material aluminum
Power supply [BOKE](#)
Work environment indoor use
Operation temperature -10 - +30°C
Certificates CE
Warranty 5 years



An ergonomic workstation light with adjustable colour temperature and a minimalist design that fits any modern office. The light can be adjusted via a touch screen located on the lamp's body, which also features a digital clock. The screen is positioned at a height that allows use without standing up from the table. The SmartGlow light illuminates both the desk and the room - the beam is directed both downwards and upwards. Both light directions can be adjusted individually. SmartGlow's UGR value of 6 is exceptionally good. This means that the light beam is not uncomfortable for the eyes and has minimal glare effect. Our Tallinn showroom also has a SmartGlow sample in use, which you can come see for yourself to confirm the top-level quality of this workstation light!

Table lamp PROLUMEN SmartGlow Table black 230V 80W 13000lm CRI90 140x80° IP20 DIMMABLE 3000-6000K WARM TO COLD

**Product code 17889 DIMMABLE
dimmable**

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable DIMMABLE
Output 80W
Maximum output 80W/1m
Luminous flux 13000lumens
Luminaire's efficiency lm79 163W
Correlated colour temperature WARM
TO COLD 3000-6000K
Lens angle 140x80
Cri 90
Ugr 13
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 1205.0mm
Width 50.0mm
Length 1340.0mm
In package 1pc
Casing colour black
Casing material aluminum
Power supply [BOKE](#)
Work environment indoor use
Operation temperature -10 - +30°C
Certificates CE
Warranty 5 years



An ergonomic workstation light with adjustable colour temperature and a minimalist design that fits any modern office. The light can be adjusted via a touch screen located on the lamp's body, which also features a digital clock. The screen is positioned at a height that allows use without standing up from the table. The SmartGlow light illuminates both the desk and the room - the beam is directed both downwards and upwards. Both light directions can be adjusted individually. SmartGlow's UGR value of 6 is exceptionally good. This means that the light beam is not uncomfortable for the eyes and has minimal glare effect. Our Tallinn showroom also has a SmartGlow sample in use, which you can come see for yourself to confirm the top-level quality of this workstation light!

