

### Table lamp LED ORBI 2,5W 5V 2,5W 150lm CRI80 90° IP20DIMMABLE 3000-6500K WARM TO COLD

### Product code 17928 DIMMABLE dimmable

Supply voltage 5V Dimmable DIMMABLE Output 2,5W Maximum output 2,5W/1m Luminous flux 150lumens Correlated colour temperature WARM TO COLD 3000K-6500K Lens angle 90 Cri 80 Protection class IP20 Lifespan 10000h Height 53.0mm Diameter 80.0mm Weight 790g In package 1pc In box 12pcs Casing material aluminum Work environment indoor use Operation temperature -20 - +40°C Certificates CE Warranty 3 years





# Table lamp LED ORBI 2,5W black 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

### Product code 17923 DIMMABLE dimmable

Supply voltage 5V Dimmable DIMMABLE Output 2,5W Maximum output 2,5W/1m Luminous flux 150lumens Correlated colour temperature WARM TO COLD 3000K-6500K Lens angle 90 Cri 80 Protection class IP20 Lifespan 10000h Height 53.0mm Diameter 80.0mm Weight 790g In package 1pc In box 12pcs Casing colour black Casing material aluminum Work environment indoor use Operation temperature -20 - +40°C Certificates CE Warranty 3 years





# Table lamp LED ORBI 2,5W blue 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

### Product code 17927 DIMMABLE dimmable

Supply voltage 5V Dimmable DIMMABLE Output 2,5W Maximum output 2,5W/1m Luminous flux 150lumens Correlated colour temperature WARM TO COLD 3000K-6500K Lens angle 90 Cri 80 Protection class IP20 Lifespan 10000h Height 53.0mm Diameter 80.0mm Weight 790g In package 1pc In box 12pcs Casing colour blue Casing material aluminum Work environment indoor use Operation temperature -20 - +40°C Certificates CE Warranty 3 years





### Table lamp LED ORBI 2,5W gray 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

### Product code 17926 DIMMABLE dimmable

Supply voltage 5V Dimmable DIMMABLE Output 2,5W Maximum output 2,5W/1m Luminous flux 150lumens Correlated colour temperature WARM TO COLD 3000K-6500K Lens angle 90 Cri 80 Protection class IP20 Lifespan 10000h Height 53.0mm Diameter 80.0mm Weight 790g In package 1pc In box 12pcs Casing colour gray Casing material aluminum Work environment indoor use Operation temperature -20 - +40°C Certificates CE Warranty 3 years





### Table lamp LED ORBI 2,5W white 5V 2,5W 150lm CRI80 90° IP20 DIMMABLE 3000-6500K WARM TO COLD

### Product code 17925 DIMMABLE dimmable

Supply voltage 5V Dimmable DIMMABLE Output 2,5W Maximum output 2,5W/1m Luminous flux 150lumens Correlated colour temperature WARM TO COLD 3000K-6500K Lens angle 90 Cri 80 Protection class IP20 Lifespan 10000h Height 53.0mm Diameter 80.0mm Weight 790g In package 1pc In box 12pcs Casing colour white Casing material aluminum Work environment indoor use Operation temperature -20 - +40°C Certificates CE Warranty 3 years





# Table lamp PROLUMEN OL07 white 230V 100W 12000lm 120° IP20 0-10V 930

#### Product code 17388 0-10V dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.93 Dimmable 0-10V Output 100W Maximum output 100W/1m Luminous flux 12000lumens Luminaire's efficiency Im79 120W Correlated colour temperature warm white 3000K Lens angle 120 Cri 90 Ugr 16 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 1900.0mm In package 1pc In box 6pcs Casing colour white Casing material aluminum Work environment indoor use Operation temperature -10 ~30°C Certificates CE Warranty 5 years

LED floor lamp that is perfect for illuminating your workspace! OL07A provides warm white (3000K) light to the room, with a high CRI90 keeping the colors true and natural under the light. In addition, the dimming function allows you to adjust the light intensity according to your preference. This way, you can work without straining your eyes!



### Table lamp PROLUMEN SmartGlow gray 230V 100W 13000lmCRI90 50° IP20 DIMMABLE 2700-5000K WARM TO COLD



#### Product code 17707 DIMMABLE dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable DIMMABLE Output 100W Maximum output 100W/1m Luminous flux 13000lumens Luminaire's efficiency Im79 130W Correlated colour temperature WARM TO COLD 2700K-5000K Lens angle 50 Cri 90 Uar 6 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 2028.0mm Width 64.0mm Length 1269.0mm In package 1pc Casing colour gray Casing material aluminum Power supply **BOKE** Work environment indoor use Operation temperature -10 - +30°C Certificates CE Warranty 5 years

An ergonomic workstation light with adjustable colour temperature and a minimalist design that fits any modern office. The light can be adjusted via a touch screen located on the lamp's body, which also features a digital clock. The screen is positioned at a height that allows use without standing up from the table. The SmartGlow light illuminates both the desk and the room - the beam is directed both downwards and upwards. Both light directions can be adjusted individually. SmartGlow's UGR value of 6 is exceptionally good. This means that the light beam is not uncomfortable for the eyes and has minimal glare effect. Our Tallinn showroom also has a SmartGlow sample in use, which you can come see for yourself to confirm the toplevel quality of this workstation light!







#### Table lamp PROLUMEN SmartGlow Table black 230V 80W 13000lm CRI90 140x80° IP20 DIMMABLE 3000-6000K WARM TO COLD

#### Product code 17889 DIMMABLE dimmable

Brand **PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable DIMMABLE Output 80W Maximum output 80W/1m Luminous flux 13000lumens Luminaire's efficiency Im79 163W Correlated colour temperature WARM TO COLD 3000K-6000K Lens angle 140x80 Cri 90 Ugr 13 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 1205.0mm Width 50.0mm Length 1340.0mm In package 1pc Casing colour black Casing material aluminum Power supply **BOKE** Work environment indoor use Operation temperature -10 - +30°C Certificates CE Warranty 5 years

An ergonomic workstation light with adjustable colour temperature and a minimalist design that fits any modern office. The light can be adjusted via a touch screen located on the lamp's body, which also features a digital clock. The screen is positioned at a height that allows use without standing up from the table. The SmartGlow light illuminates both the desk and the room - the beam is directed both downwards and upwards. Both light directions can be adjusted individually. SmartGlow's UGR value of 6 is exceptionally good. This means that the light beam is not uncomfortable for the eyes and has minimal glare effect. Our Tallinn showroom also has a SmartGlow sample in use, which you can come see for yourself to confirm the toplevel quality of this workstation light!



