

## Honeycomb filter Bakewell

**Product code 17858**

Casing material aluminum




## LED track light OPRAWA NEXTRACK S-LINE white 230V GU10 IP20

**Product code 17953**

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Height 115.0mm  
Diameter 62.0mm  
Weight 250g  
In box 50pcs  
Casing colour white  
Casing material aluminum  
Work environment indoor use  
Warranty 3 years

Three-phase track system adapter for GU10 bulbs An adapter designed for a three-phase track system, operating on a 230V power supply. It is compatible exclusively with GU10 bulbs, providing a simple and efficient lighting solution. Light sources are not included, allowing you to select the bulb that best suits your needs. A reliable and practical choice for creating high-quality lighting!



## LED track light PROLUMEN Arles 3F black 230V 10W 850lm 36° IP20 TRIAC 930

**Product code 17201 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Luminous flux 850lumens

Luminaire's efficiency lm79 85W

Correlated colour temperature warm  
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 110.0mm

Diameter 50.0mm

In box 30pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20° - +40°C

Certificates CE

Warranty 5 years



LED track light with an elegant matte black design! We combine exactly the features you need in the light! The Arles track light can be ordered with the following specifications: Color: black, white. Beam angle: 15°/24°/36°/50° Color temperature: 2700/3000/3500/4000/5000K Dimming: ON/OFF, TRIAC, DALI When used properly, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with the help of LED House professionals - [check out our project portfolio here!!](#)

## LED track light PROLUMEN Bakewell black 230V 30W 3000lm 36° IP20 930

**Product code 16925**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light [LEDTEEN](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 105.0mm  
 Diameter 95.0mm  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



PROLUMEN Bakewell is a spotlight with a five-year warranty and a beautiful design. We combine exactly the features you need in the light! The Bakewell track light can be ordered with the following specifications:  
 Color: black, white. Beam angle: 15°/24°/36°/60° Color temperature: 3000/4000/5000K

## LED track light PROLUMEN Bakewell black 230V 30W 3000lm 60° IP20 930

**Product code 17143**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 60  
 Source of light [LEDTEEN](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 105.0mm  
 Diameter 95.0mm  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



PROLUMEN Bakewell is a spotlight with a five-year warranty and a beautiful design. We combine exactly the features you need in the light! The Bakewell track light can be ordered with the following specifications:  
 Color: black, white. Beam angle: 15°/24°/36°/60° Color temperature: 3000/4000/5000K

## LED track light PROLUMEN Bakewell black 230V 30W 3100lm 36° IP20 940

**Product code 17141**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3100lumens  
 Luminaire's efficiency lm79 103W  
 Correlated colour temperature pure white 4000K  
 Lens angle 36  
 Source of light [LEDTEEN](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 105.0mm  
 Diameter 95.0mm  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



PROLUMEN Bakewell is a spotlight with a five-year warranty and a beautiful design. We combine exactly the features you need in the light! The Bakewell track light can be ordered with the following specifications:  
 Color: black, white. Beam angle: 15°/24°/36°/60° Color temperature: 3000/4000/5000K

## LED track light PROLUMEN Bakewell black 230V 30W 3100lm 60° IP20 940

**Product code 17142**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3100lumens  
 Luminaire's efficiency lm79 103W  
 Correlated colour temperature pure white 4000K  
 Lens angle 60  
 Source of light [LEDTEEN](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 105.0mm  
 Diameter 95.0mm  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



PROLUMEN Bakewell is a spotlight with a five-year warranty and a beautiful design. We combine exactly the features you need in the light! The Bakewell track light can be ordered with the following specifications:  
 Color: black, white. Beam angle: 15°/24°/36°/60° Color temperature: 3000/4000/5000K

## LED track light PROLUMEN Bakewell black 230V 30W 3800lm 15° IP20 930

**Product code 17976**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3800lumens  
 Luminaire's efficiency lm79 127W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 15  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 118.0mm  
 Diameter 95.0mm  
 Weight 1290g  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [VS \(Vossloh-Schwabe\)](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



PROLUMEN Bakewell is a spotlight with a five-year warranty and a beautiful design. We combine exactly the features you need in the light! The Bakewell track light can be ordered with the following specifications:  
 Color: black, white. Beam angle: 15°/24°/36°/60° Color temperature: 3000/4000/5000K

## LED track light PROLUMEN Bakewell white 230V 30W 3000lm 36° IP20 930

**Product code 17768**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 30W  
Luminous flux 3000lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm  
white 3000K  
Lens angle 36  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 105.0mm  
Diameter 95.0mm  
In box 12pcs  
Casing colour white  
Casing material aluminum  
Power supply [KGP](#)  
Work environment indoor use  
Operation temperature -20° - +40°C  
Certificates CE  
Warranty 5 years



PROLUMEN Bakewell is a spotlight with a five-year warranty and a beautiful design. We combine exactly the features you need in the light! The Bakewell track light can be ordered with the following specifications:  
Color: black, white. Beam angle: 15°/24°/36°/60° Color temperature: 3000/4000/5000K



## LED track light PROLUMEN Bakewell white 230V 30W 3100lm 36° IP20 940

**Product code 17140**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 30W  
Luminous flux 3100lumens  
Luminaire's efficiency lm79 103W  
Correlated colour temperature pure white 4000K  
Lens angle 36  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 105.0mm  
Diameter 95.0mm  
In box 12pcs  
Casing colour white  
Casing material aluminum  
Power supply [KGP](#)  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



PROLUMEN Bakewell is a spotlight with a five-year warranty and a beautiful design. We combine exactly the features you need in the light! The Bakewell track light can be ordered with the following specifications:  
Color: black, white. Beam angle: 15°/24°/36°/60° Color temperature: 3000/4000/5000K

## LED track light PROLUMEN Bath + Honeycomb filter black 230V 8W 650lm 50° IP20 930

**Product code 15464**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 8W  
 Luminous flux 650lumens  
 Luminaire's efficiency lm79 81W  
 Correlated colour temperature warm white 3000K  
 Lens angle 50  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 80.0mm  
 Diameter 62.0mm  
 Weight 430g  
 In package 1pc  
 In box 30pcs  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

An elegantly simple design LED track light. Black in color, compact in size, this LED light is perfect for home use. The light is designed for indoor use (IP20). The light beam does not distort the true colors of the room (CRI90), and the light temperature of 4000K maintains daylight white light in the room. The light also features a honeycomb filter, which prevents the characteristic glare of bright light. This LED track light attaches to a 3F track, which is also available in the LED house product range!



## LED track light PROLUMEN Bath + Honeycomb filter black 230V 8W 650lm 50° IP20 940

**Product code 15283**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Luminous flux 650lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature pure white 4000K

Lens angle 50

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 80.0mm

Diameter 62.0mm

In box 30pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly simple design LED track light. Black in color, compact in size, this LED light is perfect for home use. The light is designed for indoor use (IP20). The light beam does not distort the true colors of the room (CRI90), and the light temperature of 4000K maintains daylight white light in the room. The light also features a honeycomb filter, which prevents the characteristic glare of bright light. This LED track light attaches to a 3F track, which is also available in the LED house product range!



## LED track light PROLUMEN Bath + Honeycomb filter white 230V 8W 650lm 50° IP20 940

**Product code 16274**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Luminous flux 650lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature pure  
white 4000K

Lens angle 50

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 80.0mm

Diameter 62.0mm

In box 30pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



An elegantly simple design LED track light. White in color, compact in size, this LED light is perfect for home use. This LED track light attaches to a 3F track, which is also available in the LED house product range!

## LED track light PROLUMEN Bolton with honeycomb filter white 230V 10W 1000lm 24° IP20 TRIAC 940

**Product code 16458 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.80  
 Dimmable TRIAC  
 Output 10W  
 Luminous flux 1000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature pure white 4000K  
 Lens angle 24  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 110.0mm  
 Diameter 50.0mm  
 Weight 460g  
 In box 30pcs  
 Casing colour white  
 Casing material aluminum  
 Polishing matt  
 Power supply [AIDIMMING](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE, RoHS  
 Warranty 3 years



An elegantly simple design LED track light. White in color, compact in size, this LED light is perfect for home use. The light is designed for indoor use (IP20). The light beam does not distort the true colors of the room (CRI90), and the light temperature of 3000K maintains warm white light in the room. The light also features a honeycomb filter, which prevents the characteristic glare of bright light. This LED track light attaches to a 3F track, which is also available in the LED house product range!

## LED track light PROLUMEN Bolton black 230V 10W 1000lm 24° IP20 TRIAC 940

**Product code 15306 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.80  
 Dimmable TRIAC  
 Output 10W  
 Luminous flux 1000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature pure white 4000K  
 Lens angle 24  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 110.0mm  
 Diameter 50.0mm  
 In box 30pcs  
 Casing colour black  
 Casing material aluminum  
 Polishing matt  
 Power supply [AIDIMMING](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE, RoHS  
 Warranty 3 years




An elegantly designed, medium-sized LED track light, perfect for both home use and work environments. The luminaire adds quality light to the room while maintaining true colors under the light beam (CRI90). This track light is intended for indoor use only (IP20). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). This track light attaches to a 3F track. You can find all the necessary installation equipment in the LED house product range!

## LED track light PROLUMEN Bolton Pendant 300 black 230V 6W 600lm 36° IP20 TRIAC 930

**Product code 15775 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.80  
 Dimmable TRIAC  
 Output 6W  
 Luminous flux 600lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Height 300.0mm  
 Diameter 50.0mm  
 In package 1pc  
 In box 20pcs  
 Casing colour black  
 Certificates CE  
 Warranty 5 years

Stylish black LED pendant light. Suitable for indoor use. Cable length is 1m (dimensions shown in the picture). Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. We recommend this warm white light (3000K) fixture for both living spaces and work environments. With a color rendering index (CRI) of 90, this luminaire enhances color accuracy and details, making it an ideal choice for highlighting art, design elements, and interior spaces. This Bolton luminaire is suitable for indoor use only, with an IP20 protection rating. With TRIAC dimmers, the LED light can easily be adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for work sessions. This LED track light attaches to a 3F track, which you can also find in the LED house product range. Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED house product range!



## LED track light PROLUMEN Bolton white 230V 10W 900lm 24° IP20 TRIAC 927

**Product code 15181 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.80  
 Dimmable TRIAC  
 Output 10W  
 Luminous flux 900lumens  
 Luminaire's efficiency lm79 90W  
 Correlated colour temperature warm white 2700K  
 Lens angle 24  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 110.0mm  
 Diameter 50.0mm  
 Weight 460g  
 In package 1pc  
 In box 18pcs  
 Casing colour white  
 Casing material aluminum  
 Polishing matt  
 Power supply [AIDIMMING](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE, RoHS  
 Warranty 3 years



An elegantly simple design LED track light. White in color, compact in size, this LED light is perfect for home use. The light is designed for indoor use (IP20). The light beam does not distort the true colors of the room (CRI90), and the light temperature of 3000K maintains warm white light in the room. The light also features a honeycomb filter, which prevents the characteristic glare of bright light. This LED track light attaches to a 3F track, which is also available in the LED house product range!



## LED track light PROLUMEN Bradford white 230V 32W 3000lm 38° IP20 930

**Product code 15204**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 32W

Luminous flux 3000lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature warm  
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Protection class IP20

Lifespan 40000h

In box 12pcs

Casing colour white

Casing material aluminum

Polishing matt

Power supply [PHILIPS](#)

Work environment indoor use

Certificates CE

Warranty 5 years



PROLUMEN Bradford white LED track light is a practical and stylish choice that enhances any interior. Whether it is a home, office, or commercial space. CRI90 ensures light in which the room's colors appear true and clear. The 38° beam angle allows directing light precisely where needed, creating a suitable lighting solution according to the requirement.

## LED track light PROLUMEN Bristol + Honeycomb filter black 230V 32W 3200lm 36° IP20 940

**Product code 15466**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure

white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Height 115.0mm

Diameter 95.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [PHILIPS](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



The elegantly simple design of the PROLUMEN LED track light makes it perfect for both home use and work environments. The light adds high-quality illumination to the room while keeping the colors under the beam true to life (CRI90). This track light is intended for indoor use only (protection class IP20). When used properly, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Additionally, the lens is covered by a honeycomb filter, which reduces the glare intensity of the light.

## LED track light PROLUMEN Bristol + Honeycomb filter white 230V 32W 3200lm 36° IP20 930

**Product code 15284**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 32W  
 Luminous flux 3200lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 115.0mm  
 Diameter 95.0mm  
 Weight 1050g  
 In box 12pcs  
 Casing colour white  
 Casing material aluminum  
 Power supply [PHILIPS](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



The elegantly simple design of the PROLUMEN LED track light makes it perfect for both home use and work environments. The light adds high-quality illumination to the room while keeping the colors under the beam true to life (CRI90). This track light is intended for indoor use only (protection class IP20). When used properly, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Additionally, the lens is covered by a honeycomb filter, which reduces the glare intensity of the light.

## LED track light PROLUMEN Bristol + Honeycomb filter white 230V 32W 3200lm 36° IP20 940

**Product code 15469**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 32W  
Luminous flux 3200lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature pure white 4000K  
Lens angle 36  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 115.0mm  
Diameter 95.0mm  
In box 12pcs  
Casing colour white  
Casing material aluminum  
Power supply [PHILIPS](#)  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



The elegantly simple design of the PROLUMEN LED track light makes it perfect for both home use and work environments. The light adds high-quality illumination to the room while keeping the colors under the beam true to life (CRI90). This track light is intended for indoor use only (protection class IP20). When used properly, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Additionally, the lens is covered by a honeycomb filter, which reduces the glare intensity of the light.

## **LED track light PROLUMEN Canva black 230V 36W 4680lm 36° IP20 940**

**Product code 17678**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 36W  
Luminous flux 4680lumens  
Luminaire's efficiency lm79 130W  
Correlated colour temperature pure  
white 4000K  
Lens angle 36  
Source of light [PHILIPS LED](#)  
Cri 90  
Protection class IP20  
Lifespan 50000h  
Height 115.0mm  
Diameter 85.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Power supply [PHILIPS](#)  
Work environment indoor use  
Certificates CE  
Warranty 5 years



## **LED track light PROLUMEN Cornwall black 230V 70W 11200lm 90° IP20 840**

## Product code 17228

---

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 70W  
Luminous flux 11200lumens  
Luminaire's efficiency lm79 160W  
Correlated colour temperature pure white 4000K  
Lens angle 90  
Cri 80  
Ugr 24  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 77.0mm  
Width 189.0mm  
Length 577.0mm  
Weight 2920g  
In box 8pcs  
Casing colour black  
Casing material aluminum  
No. of switches 50000pcs  
Power supply [TRIDONIC](#)  
Work environment indoor use  
Operation temperature -20 - +45°C  
Certificates CE  
Warranty 5 years



LED linear light fixture designed for large commercial spaces, which can be mounted on a track. Intended for indoor use only (IP20). The LED light fixture beam is adjustable. We combine exactly the features you need in the light! The Cornwall track light can be ordered with the following specifications: Color: black, white. Beam angle: 60°/90° Color temperature: 4000/5000/6000K Power: 57/60/64/70W Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Durham honeycomb black 230V 20W 2000lm 20° IP20 TRIAC 930

**Product code 16344 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm  
white 3000K

Lens angle 20

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham 95 black 230V 30W 3100lm IP20 TRIAC 3000K warm white

**Product code 17690 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 30W  
Luminous flux 3100lumens  
Luminaire's efficiency lm79 103W  
Correlated colour temperature warm  
white 3000K  
Source of light CITIZEN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Height 173.0mm  
Diameter 95.0mm  
Weight 1836g  
Casing colour black  
Warranty 5 years



## LED track light PROLUMEN Durham 95 black 230V 30W 3100lm IP20 TRIAC 4000K pure white

**Product code 18104 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 30W  
Luminous flux 3100lumens  
Luminaire's efficiency lm79 103W  
Correlated colour temperature pure  
white 4000K  
Source of light CITIZEN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Height 173.0mm  
Diameter 95.0mm  
Weight 1836g  
Casing colour black  
Warranty 5 years





# LED track light PROLUMEN Durham black 230V 15W 1300lm 38° IP20 930

**Product code 14913**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 15W  
 Luminous flux 1300lumens  
 Luminaire's efficiency lm79 87W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 Weight 700g  
 Package weight 800g  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham black 230V 20W 2000lm 38° IP20 930

**Product code 15773**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 20W  
 Luminous flux 2000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham black 230V 20W 2000lm 38° IP20 940

**Product code 16179**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

Package weight 1000g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham black 230V 20W 2000lm 60° IP20 930

**Product code 17818**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 20W  
 Luminous flux 2000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 60  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 Package weight 1000g  
 In package 1pc  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20° - +40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham black 230V 25W 2500lm 38° IP20 930

**Product code 15774**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 25W  
 Luminous flux 2500lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 Weight 750g  
 Package weight 850g  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham black 230V 25W 2500lm 38° IP20 DALI 940

**Product code 17716 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 25W

Luminous flux 2500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In package 1pc

In box 16pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham black 230V 30W 3000lm 38° IP20 930

**Product code 15724**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 190.0mm  
 Diameter 95.0mm  
 Weight 1290g  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham honeycomb black 230V 20W 1898lm 60° IP20 940

**Product code 17117**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 20W  
 Luminous flux 1898lumens  
 Luminaire's efficiency lm79 95W  
 Correlated colour temperature pure white 4000K  
 Lens angle 60  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 Package weight 1000g  
 In package 1pc  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.





## LED track light PROLUMEN Durham white 230V 15W 1300lm 38° IP20 930

**Product code 15948**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 15W  
 Luminous flux 1300lumens  
 Luminaire's efficiency lm79 87W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 Casing colour white  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.



## LED track light PROLUMEN Durham white 230V 20W 2000lm 38° IP20 TRIAC 930

**Product code 16293 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm  
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.



# LED track light PROLUMEN Durham white 230V 25W 2500lm 38° IP20 930

**Product code 15947**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 25W  
 Luminous flux 2500lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 Casing colour white  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.



## LED track light PROLUMEN Durham white 230V 25W 2500lm 38° IP20 940

**Product code 15946**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 25W  
 Luminous flux 2500lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature pure white 4000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 In box 12pcs  
 Casing colour white  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.



## LED track light PROLUMEN Durham white 230V 30W 3000lm 38° IP20 930

**Product code 15949**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 185.0mm  
 Diameter 95.0mm  
 In box 12pcs  
 Casing colour white  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.



## LED track light PROLUMEN Durham white 230V 30W 3000lm 38° IP20 TRIAC 930

**Product code 17266 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 30W

Luminous flux 3000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 185.0mm

Diameter 95.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.



## LED track light PROLUMEN Durham white 230V 50W 4700lm 38° IP20 930

**Product code 17200**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 50W  
 Luminous flux 4700lumens  
 Luminaire's efficiency lm79 94W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 185.0mm  
 Diameter 95.0mm  
 Weight 1311g  
 Package weight 130g  
 In box 12pcs  
 Casing colour white  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.



## LED track light PROLUMEN Durham white 230V 50W 4800lm 38° IP20 DALI 940

**Product code 15931 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 50W  
 Luminous flux 4800lumens  
 Luminaire's efficiency lm79 96W  
 Correlated colour temperature pure white 4000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 185.0mm  
 Diameter 95.0mm  
 Weight 1311g  
 Package weight 130g  
 In box 12pcs  
 Casing colour white  
 Casing material aluminum  
 Power supply [BOKE](#)  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham models have high-quality color rendering LED chips (CRI90), ensuring the true color accuracy of the light beam. When ordering a suitable LED track light, the Durham model offers the following options: Power ratings: 15W, 20W, 25W, 30W, 42W. All models: 150-200lm/W. Color temperatures: 2700/3000/3500/4000/5000K. Beam angle: 15°/20°/38°/60°. Dimming options: TRIAC, DALI. The body color can be chosen in either black or white. You also have the option to order a honeycomb filter separately! Adding a honeycomb filter to the light reduces the glare of the light.





## LED track light PROLUMEN Durham with honeycomb black 230V 15W 1300lm 38° IP20 930

**Product code 16174**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 15W  
 Luminous flux 1300lumens  
 Luminaire's efficiency lm79 87W  
 Correlated colour temperature warm white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 Weight 700g  
 Package weight 800g  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham with honeycomb black 230V 15W 1350lm 38° IP20 940

**Product code 16206**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 15W  
 Luminous flux 1350lumens  
 Luminaire's efficiency lm79 90W  
 Correlated colour temperature pure white 4000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 170.0mm  
 Diameter 85.0mm  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Power supply [TRIDONIC](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Durham with honeycomb black 230V 20W 2000lm 38° IP20 930

**Product code 16362**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

Elegant LED track light. All Durham model LED chips have high-quality color rendering (CRI90), ensuring the light beam does not distort the true colors. When ordering a suitable LED track light, the Durham model offers the following options: Power: 15W, 20W, 25W, 30W. All models: 90-110lm/W. Color temperatures: 2700K (warm white), 3000K (warm white), 4000K (daylight). The option to choose either a black or white housing. There's also the option to order a honeycomb filter separately! Equipping the light with a honeycomb filter reduces the glare effect of the light.



## LED track light PROLUMEN Firenze black 230V 12W 350lm 37° IP20 DIMMABLE 930

**Product code 16285 DIMMABLE  
dimnable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DIMMABLE  
Output 12W  
Luminous flux 350lumens  
Luminaire's efficiency lm79 29W  
Correlated colour temperature warm  
white 3000K  
Lens angle 37  
Source of light CITIZEN LED  
Cri 92  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 193.0mm  
Length 193.0mm  
Diameter 60.0mm  
Package weight 1100g  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



The revolutionary PROLUMEN Firenze LED track light enhances every design element even more strikingly. A LED luminaire with adjustable light beam is used, for example, to illuminate artworks in museums and galleries. However, the luminaire is also perfect for highlighting interior elements at home! The luminaire has a dimmer button that allows you to adjust the light intensity from 1-100%. In addition, the luminaire has cutting edges that allow you to adjust the light beams precisely to the size of the picture frame. A higher-than-usual indicator, CRI92, ensures excellent color rendition and reflection of light.

## LED track light PROLUMEN Lizard 1200 black 230V 48W 7200lm 90° IP20 840

**Product code 17391**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 48W

Luminous flux 7200lumens

Luminaire's efficiency lm79 150W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 73.0mm

Width 65.0mm

Length 1150.0mm

Weight 1700g

In box 8pcs

Casing colour black

Casing material aluminum + plastic

Power supply [PHILIPS](#)

Impact resistance IK02

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE

Warranty 5 years



LED ceiling light designed for large commercial spaces, which can be mounted on a rail. When ordering a suitable LED track light, the Lizard model offers the following options: Length: 1200/1500mm Power: 22 to 68W, including models with adjustable power. Color temperatures: 3000/4000/5000/6000K, as well as CCT options specifically for illuminating meat, fruits and vegetables, fish, and bakery products. The body color can be chosen in either black or white. Illuminate your world with the help of LED House professionals - [check out our project portfolio here!!](#)

# LED track light PROLUMEN Lizard 1500 black 230V 68W 10880lm 90° IP20 840

**Product code 17389**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Output 68W  
 Luminous flux 10880lumens  
 Luminaire's efficiency lm79 160W  
 Correlated colour temperature pure white 4000K  
 Lens angle 90  
 Cri 80  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 73.0mm  
 Width 65.0mm  
 Length 1438.0mm  
 Weight 1700g  
 In box 8pcs  
 Casing colour black  
 Casing material aluminum + plastic  
 Power supply [PHILIPS](#)  
 Impact resistance IK02  
 Work environment indoor use  
 Operation temperature -20 - +45°C  
 Certificates CE  
 Warranty 5 years



LED ceiling light designed for large commercial spaces, which can be mounted on a rail. When ordering a suitable LED track light, the Lizard model offers the following options:  
 Length: 1200/1500mm Power: 22 to 68W, including models with adjustable power. Color temperatures: 3000/4000/5000/6000K, as well as CCT options specifically for illuminating meat, fruits and vegetables, fish, and bakery products. The body color can be chosen in either black or white. Illuminate your world with the help of LED House professionals - [check out our project portfolio here!!](#)

## LED track light PROLUMEN Lunel black 230V GU10 IP20

### Product code 16402

Brand [PROLUMEN](#)  
Supply voltage 230V  
Maximum output 5W/1m  
Socket GU10  
Protection class IP20  
Height 95.0mm  
Diameter 54.0mm  
In package 1pc  
In box 30pcs  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



With its elegant design, the compact GU10 track light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated track light is an ideal choice for home or office environments. You can choose this Lunel series light as a [track light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a track light, it attaches to the 3F track. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!

## LED track light PROLUMEN Lunel white 230V GU10 IP20

**Product code 16564**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Maximum output 5W/1m  
Socket GU10  
Protection class IP20  
Height 95.0mm  
Diameter 54.0mm  
In package 1pc  
In box 30pcs  
Casing colour white  
Casing material aluminum  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



With its elegant design, the compact GU10 track light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated track light is an ideal choice for home or office environments. You can choose this Lunel series light as a [track light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a track light, it attaches to the 3F track. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!



## LED track light PROLUMEN Luxembourg black 230V 20W 2000lm 36° 930

Product code 17251

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 20W  
Luminous flux 2000lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature warm  
white 3000K  
Lens angle 36  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Lifespan 50000h  
Height 179.0mm  
Diameter 75.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Power supply [VS \(Vossloh-Schwabe\)](#)  
Work environment indoor use  
Certificates CE  
Warranty 5 years



## LED track light PROLUMEN Mateo Zoom white 230V 20W 1800lm 15 - 60° IP20 TRIAC 930

---

**Product code 17810 TRIAC dimmable**

---

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 1800lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm white 3000K

Lens angle 15 - 60

Source of light CITIZEN LED

Cri 97

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 194.0mm

Diameter 90.0mm

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



PROLUMEN Mateo is the perfect choice for those seeking a high-quality and modern track light with adjustable beam angle and directional lighting. Mateo is designed to be as minimalist as possible to seamlessly blend into contemporary interiors. With the Zoom feature, the beam angle can be adjusted within 15°-60° range, and the light fixture is equipped with TRIAC dimming technology for convenient light intensity control. The light temperature of this fixture is 3000K, providing a pleasant warm light to the room. Additionally, the light beam does not distort the true colors beneath it, as we are committed to offering quality and have selected lights with a high color rendering index for our track lights. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 24° IP20 DALI 930**

**Product code 18077 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm  
white 3000K

Lens angle 24

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Certificates CE

Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 24° IP20 DALI 940**

**Product code 18089 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 20W  
Luminous flux 2200lumens  
Luminaire's efficiency lm79 110W  
Correlated colour temperature pure  
white 4000K  
Lens angle 24  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 179.0mm  
Diameter 75.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Power supply [VS \(Vossloh-Schwabe\)](#)  
Work environment indoor use  
Certificates CE  
Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 36° IP20 930**

**Product code 18091**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm  
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Certificates CE

Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 36° IP20 940**

**Product code 18090**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature pure  
white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Certificates CE

Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 36° IP20 DALI 930**

**Product code 18056 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm  
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 36° IP20 DALI 940**

**Product code 18060 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature pure  
white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Certificates CE

Warranty 5 years





## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 60° IP20 DALI 930**

**Product code 18057 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm  
white 3000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 1F black 230V 20W 2200lm 60° IP20 DALI 940**

**Product code 18061 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature pure  
white 4000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 black 230V 20W 2200lm 36° IP20 TRIAC 930**

**Product code 17975 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm  
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Certificates CE

Warranty 5 years



## **LED track light PROLUMEN Montreuil 75 black 230V 20W 2200lm 36° IP20 TRIAC 940**

**Product code 18059 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature pure  
white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Certificates CE

Warranty 5 years



## LED track light PROLUMEN Montreuil 75 black 230V 20W 2200lm 60° IP20 TRIAC 940

**Product code 18058 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature pure  
white 4000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



## LED track light PROLUMEN Montreuil 75 Honeycomb filter black 230V 20W 2200lm 60° IP20 TRIAC 930

**Product code 17974 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature warm  
white 3000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In box 18pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



## LED track light PROLUMEN Montreuil 75 Zoom 1F black 230V 20W 1900lm 15-55° IP20 DALI 927

**Product code 17689 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 20W  
Luminous flux 1900lumens  
Luminaire's efficiency lm79 95W  
Correlated colour temperature warm white 2700K  
Lens angle 15-55  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 176.5mm  
Diameter 75.0mm  
Weight 1990g  
In package 1pc  
In box 18pcs  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Certificates CE  
Warranty 5 years

Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!



## LED track light PROLUMEN Montreuil 90 black 230V 30W 3200lm 38° 930

**Product code 18088**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 30W  
Luminous flux 3200lumens  
Luminaire's efficiency lm79 107W  
Correlated colour temperature warm  
white 3000K  
Lens angle 38  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Lifespan 50000h  
Height 186.0mm  
Diameter 90.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Certificates CE  
Warranty 5 years



## LED track light PROLUMEN Montreuil 90 black 230V 30W 3200lm 38° 940

**Product code 18087**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 30W  
Luminous flux 3200lumens  
Luminaire's efficiency lm79 107W  
Correlated colour temperature pure  
white 4000K  
Lens angle 38  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Lifespan 50000h  
Height 186.0mm  
Diameter 90.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Certificates CE  
Warranty 5 years





## LED track light PROLUMEN Montreuil 90 black 230V 30W 3200lm 38° TRIAC 930

**Product code 18051 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 30W

Luminous flux 3200lumens

Luminaire's efficiency lm79 107W

Correlated colour temperature warm  
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Lifespan 50000h

Height 186.0mm

Diameter 90.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



## LED track light PROLUMEN Montreuil 90 black 230V 30W 3200lm 38° TRIAC 940

**Product code 18052 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 30W

Luminous flux 3200lumens

Luminaire's efficiency lm79 107W

Correlated colour temperature pure  
white 4000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Lifespan 50000h

Height 186.0mm

Diameter 90.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



## LED track light PROLUMEN Montreuil 90 white 230V 30W 3200lm 38° TRIAC 930

**Product code 18053 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable TRIAC  
 Output 30W  
 Luminous flux 3200lumens  
 Luminaire's efficiency lm79 107W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Lifespan 50000h  
 Height 186.0mm  
 Diameter 90.0mm  
 In package 1pc  
 Casing colour white  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



## LED track light PROLUMEN Montreuil 90 white 230V 30W 3200lm 38° TRIAC 940

**Product code 18054 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable TRIAC  
 Output 30W  
 Luminous flux 3200lumens  
 Luminaire's efficiency lm79 107W  
 Correlated colour temperature pure  
 white 4000K  
 Lens angle 38  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Lifespan 50000h  
 Height 186.0mm  
 Diameter 90.0mm  
 In package 1pc  
 Casing colour white  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



## LED track light PROLUMEN Montreuil ZOOM 1F black 230V 20W 1900lm 15-55° IP20 DALI 930

**Product code 17848 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 20W  
 Luminous flux 1900lumens  
 Luminaire's efficiency lm79 95W  
 Correlated colour temperature warm white 3000K  
 Lens angle 15-55  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 176.5mm  
 Diameter 75.0mm  
 Weight 1990g  
 In package 1pc  
 In box 18pcs  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!



## LED track light PROLUMEN Montreuil Zoom 90 black 230V 20W 1800lm 15 - 60° IP20 TRIAC 930

**Product code 17365 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 20W  
Luminous flux 1800lumens  
Luminaire's efficiency lm79 90W  
Correlated colour temperature warm white 3000K  
Lens angle 15 - 60  
Source of light CITIZEN LED  
Cri 97  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 194.0mm  
Diameter 90.0mm  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



PROLUMEN Montreuil is the perfect choice for those seeking a high-quality and modern track light with adjustable beam angle and directional lighting. Mateo is designed to be as minimalist as possible to seamlessly blend into contemporary interiors. With the Zoom feature, the beam angle can be adjusted within 15°-60° range, and the light fixture is equipped with TRIAC dimming technology for convenient light intensity control. The light temperature of this fixture is 3000K, providing a pleasant warm light to the room. Additionally, the light beam does not distort the true colors beneath it, as we are committed to offering quality and have selected lights with a high color rendering index for our track lights. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## LED track light PROLUMEN Montreuil ZOOM Dimmer on body black 230V 10W 450lm 8-50° IP20 DIMMABLE 930

**Product code 17258 DIMMABLE dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DIMMABLE  
 Output 10W  
 Luminous flux 450lumens  
 Luminaire's efficiency lm79 45W  
 Correlated colour temperature warm white 3000K  
 Lens angle 8-50  
 Source of light CITIZEN LED  
 Cri 97  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 142.0mm  
 Diameter 55.0mm  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!



## LED track light PROLUMEN Montreuil ZOOM honeycomb black 230V 12W 1200lm 8-50° IP20 TRIAC 930

**Product code 16995 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable TRIAC  
 Output 12W  
 Luminous flux 1200lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 8-50  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 142.0mm  
 Diameter 55.0mm  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years

Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Durham model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!



## LED track light PROLUMEN Montreuil ZOOM white 230V 4W 160lm 12-43° IP20 TRIAC 930

**Product code 17256 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable TRIAC  
 Output 4W  
 Luminous flux 160lumens  
 Luminaire's efficiency lm79 40W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 12-43  
 Source of light CITIZEN LED  
 Cri 97  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 86.0mm  
 Diameter 35.0mm  
 In package 1pc  
 In box 30pcs  
 Casing colour white  
 Casing material aluminum  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years



Montreuil [track light](#) with an elegant matte white design! Its minimalist design blends perfectly into various interiors, whether at home, in an office, or in a commercial environment. When ordering the right LED track light, the Montreuil model offers the following options: Power: 10W to 20W. Beam angle: zoomable angle from 15° to 55°. Color temperature: 2700-6500K. Housing color: available in either black or white. Dimming options: TRIAC, DALI. Thanks to its high color rendering index, this light is ideal for color-critical environments such as photography, filmmaking, design, and other visual creative fields. CRI90 and 97 ensure light that renders room colors truthfully and clearly. With proper use, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED House selection!

## LED track light PROLUMEN Tamara 1500 white 230V 50W 8000lm 90° IP20 830

**Product code 17474**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 50W

Luminous flux 8000lumens

Luminaire's efficiency lm79 160W

Correlated colour temperature warm  
white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 10.0mm

Width 60.0mm

Length 1493.0mm

In package 1pc

In box 5pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -25 - +40°C

Certificates CE

Warranty 5 years

PROLUMEN Tamara linear track light for stores, reception halls, and other spaces requiring high-quality lighting solutions. When ordering a suitable LED track light, the Tamara model offers the following options: Power: 14W to 50W Color temperatures: 2700-6500K Housing color: available in black or white Length: 600mm/1200mm/1500mm With an IP20 protection class, Tamara lights are designated for use in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)





## LED track light PROLUMEN Tamara 1500 white 230V 50W 8000lm 90° IP20 DALI 830

**Product code 17475 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 50W  
 Luminous flux 8000lumens  
 Luminaire's efficiency lm79 160W  
 Correlated colour temperature warm white 3000K  
 Lens angle 90  
 Cri 80  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 10.0mm  
 Width 60.0mm  
 Length 1493.0mm  
 In package 1pc  
 Casing colour white  
 Work environment indoor use  
 Operation temperature -25 - +40°C  
 Certificates CE  
 Warranty 5 years

PROLUMEN Tamara linear track light for stores, reception halls, and other spaces requiring high-quality lighting solutions. When ordering a suitable LED track light, the Tamara model offers the following options: Power: 14W to 50W Color temperatures: 2700-6500K Housing color: available in black or white Length: 600mm/1200mm/1500mm With an IP20 protection class, Tamara lights are designated for use in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



# LED track light PROLUMEN Tamara 600 black 230V 20W 3200lm 90° IP20 840

**Product code 17479**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 20W

Luminous flux 3200lumens

Luminaire's efficiency lm79 160W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Protection class IP20

Lifespan 50000h

Height 10.0mm

Width 60.0mm

Length 600.0mm

In package 1pc

In box 10pcs

Casing colour black

Polishing matt

Work environment indoor use

Operation temperature -25 - +40°C

Certificates ENEC, SAA, CB, CE, RoHS

Warranty 5 years



PROLUMEN Tamara linear track light for stores, reception halls, and other spaces requiring high-quality lighting solutions. When ordering a suitable LED track light, the Tamara model offers the following options: Power: 14W to 50W Color temperatures: 2700-6500K Housing color: available in black or white Length: 600mm/1200mm/1500mm With an IP20 protection class, Tamara lights are designated for use in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## LED track light PROLUMEN Tamara 600 white 230V 20W 3200lm 90° IP20 830

**Product code 17472**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 20W  
 Luminous flux 3200lumens  
 Luminaire's efficiency lm79 160W  
 Correlated colour temperature warm white 3000K  
 Lens angle 90  
 Cri 80  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 10.0mm  
 Width 60.0mm  
 Length 600.0mm  
 In package 1pc  
 Casing colour white  
 Work environment indoor use  
 Operation temperature -25 - +40°C  
 Certificates CE  
 Warranty 5 years



PROLUMEN Tamara linear track light for stores, reception halls, and other spaces requiring high-quality lighting solutions. When ordering a suitable LED track light, the Tamara model offers the following options: Power: 14W to 50W Color temperatures: 2700-6500K Housing color: available in black or white Length: 600mm/1200mm/1500mm With an IP20 protection class, Tamara lights are designated for use in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## LED track light PROLUMEN Tamara 600 white 230V 20W 3200lm 90° IP20 840

**Product code 17478**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 20W

Luminous flux 3200lumens

Luminaire's efficiency lm79 160W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Protection class IP20

Lifespan 50000h

Height 10.0mm

Width 60.0mm

Length 600.0mm

In package 1pc

In box 10pcs

Casing colour white

Polishing matt

Work environment indoor use

Operation temperature -25 - +40°C

Certificates ENEC, SAA, CB, CE, RoHS

Warranty 5 years

PROLUMEN Tamara linear track light for stores, reception halls, and other spaces requiring high-quality lighting solutions. When ordering a suitable LED track light, the Tamara model offers the following options: Power: 14W to 50W Color temperatures: 2700-6500K Housing color: available in black or white Length: 600mm/1200mm/1500mm With an IP20 protection class, Tamara lights are designated for use in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



## LED track light PROLUMEN Tamara 600 white 230V 20W 3200lm 90° IP20 DALI 830

**Product code 17473 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 3200lumens

Luminaire's efficiency lm79 160W

Correlated colour temperature warm  
white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 10.0mm

Width 60.0mm

Length 600.0mm

In package 1pc

Casing colour white

Work environment indoor use

Operation temperature -25 - +40°C

Certificates CE

Warranty 5 years

PROLUMEN Tamara linear track light for stores, reception halls, and other spaces requiring high-quality lighting solutions. When ordering a suitable LED track light, the Tamara model offers the following options: Power: 14W to 50W Color temperatures: 2700-6500K Housing color: available in black or white Length: 600mm/1200mm/1500mm With an IP20 protection class, Tamara lights are designated for use in dry indoor spaces. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



## LED track light PROLUMEN Tokyo + honeycomb filter 1F black

## 230V 10W 960lm 36° IP20 DALI 940

**Product code 17510 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 10W

Luminous flux 960lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 130.0mm

Diameter 50.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [KGP](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## LED track light PROLUMEN Tokyo + honeycomb filter 1F white 230V 10W 960lm 36° IP20 DALI 930

**Product code 17511 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 10W  
 Luminous flux 960lumens  
 Luminaire's efficiency lm79 96W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 130.0mm  
 Diameter 50.0mm  
 In package 1pc  
 Casing colour white  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## LED track light PROLUMEN Tokyo + honeycomb filter 1F white 230V 10W 960lm 36° IP20 DALI 940

**Product code 17512 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 10W  
 Luminous flux 960lumens  
 Luminaire's efficiency lm79 96W  
 Correlated colour temperature pure white 4000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 130.0mm  
 Diameter 50.0mm  
 In package 1pc  
 Casing colour white  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)





## LED track light PROLUMEN Tokyo + honeycomb filter black 230V 10W 800lm 36° IP20 TRIAC 930

**Product code 17503 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable TRIAC  
 Output 10W  
 Luminous flux 800lumens  
 Luminaire's efficiency lm79 80W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 130.0mm  
 Diameter 50.0mm  
 In package 1pc  
 In box 20pcs  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Tokyo + honeycomb filter black 230V 10W 800lm 36° IP20 TRIAC 940

**Product code 17504 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Luminous flux 800lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 130.0mm

Diameter 50.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## LED track light PROLUMEN Tokyo + honeycomb filter black 230V 10W 800lm 50° IP20 930

### Product code 17507

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 10W  
 Luminous flux 800lumens  
 Luminaire's efficiency lm79 80W  
 Correlated colour temperature warm white 3000K  
 Lens angle 50  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 130.0mm  
 Diameter 50.0mm  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20° - +40°C  
 Certificates CE  
 Warranty 5 years



An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Tokyo + honeycomb filter black 230V 10W 960lm 36° IP20 DALI 930

**Product code 17509 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 10W  
 Luminous flux 960lumens  
 Luminaire's efficiency lm79 96W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 130.0mm  
 Diameter 50.0mm  
 In package 1pc  
 Casing colour black  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years



An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED track light PROLUMEN Tokyo + honeycomb filter white 230V 10W 800lm 36° IP20 TRIAC 930

**Product code 17506 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable TRIAC  
 Output 10W  
 Luminous flux 800lumens  
 Luminaire's efficiency lm79 80W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light CITIZEN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Height 130.0mm  
 Diameter 50.0mm  
 In package 1pc  
 In box 20pcs  
 Casing colour white  
 Casing material aluminum  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## LED track light PROLUMEN Tokyo + honeycomb filter white 230V 10W 800lm 36° IP20 TRIAC 940

**Product code 17505 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Luminous flux 800lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 130.0mm

Diameter 50.0mm

In package 1pc

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. When ordering a suitable LED track light, the Tokyo model offers the following options: Color temperatures: 2700-5000K, with the option to adjust the light temperature Housing color: available in black or white Beam angle: 15° to 50° Dimming: DALI, TRIAC From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Accessory PROLUMEN Tokyo front ring black

**Product code 17515**

Brand [PROLUMEN](#)  
In package 1pc  
Casing colour black  
Casing material aluminum

Black front ring for Tokyo track lights.



## Accessory PROLUMEN Tokyo front ring golden

**Product code 17513**

Brand [PROLUMEN](#)  
In package 1pc  
Casing colour golden  
Casing material aluminum

Gold front ring for Tokyo track lights.




## Accessory PROLUMEN Tokyo front ring white

**Product code 17514**

Brand [PROLUMEN](#)  
In package 1pc  
Casing colour white  
Casing material aluminum

White front ring for Tokyo track lights.



## LED track light PROLUMEN Valencette 700 black 230V 20W 2100lm 90° IP20 TRIAC 830

**Product code 17999 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable TRIAC  
Output 20W  
Luminous flux 2100lumens  
Luminaire's efficiency lm79 105W  
Correlated colour temperature warm  
white 3000K  
Lens angle 90  
Cri 80  
Sdcm - macadam ellipses 4  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 48.0mm  
Width 30.0mm  
Length 705.0mm  
In box 20pcs  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 5 years



Stylish PROLUMEN LED track light for indoor lighting!



## LED track light PROLUMEN Warwick 1F black 230V 30W 3400lm 36° IP20 DALI 930

**Product code 17174 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 30W

Luminous flux 3400lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature warm  
white 3000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [KGP](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

PROLUMEN Warwick luminaire with  
reflector, featuring a five-year  
warranty and a stylish design. Also

available are special light tones:

Bakery products (warm white 2400K).

Meat products (warm white 3200K).

Meat products (reddish warm white  
1900K). Fish products (very cool white  
7000K). Selectable beam angles:

15°/24°/36°/60°. Inquire about special  
tones separately!



## LED track light PROLUMEN Warwick 1F black 230V 30W 3400lm 36° IP20 DALI 940

**Product code 17738 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 30W

Luminous flux 3400lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [KGP](#)

Work environment indoor use

Operation temperature -20° - +40°C

Certificates CE

Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and a stylish design. Also available are special light tones:

Bakery products (warm white 2400K).

Meat products (warm white 3200K).

Meat products (reddish warm white 1900K). Fish products (very cool white 7000K). Selectable beam angles:

15°/24°/36°/60°. Inquire about special tones separately!



## LED track light PROLUMEN Warwick 1F white 230V 30W 3400lm 15° IP20 DALI 930

**Product code 17170 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 30W  
 Luminous flux 3400lumens  
 Luminaire's efficiency lm79 113W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 15  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 In box 12pcs  
 Casing colour white  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and attractive design. Also available are special light tones:  
 Bakery products (warm white 2400K).  
 Meat products (warm white 3200K).  
 Meat products (reddish warm white 1900K). Fish products (very cold white 7000K). Inquire about special tones separately. Available beam angles: 15°/24°/36°/60°.



## LED track light PROLUMEN Warwick 1F white 230V 30W 3400lm 36° IP20 DALI 930

**Product code 17145 DALI dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable DALI  
 Output 30W  
 Luminous flux 3400lumens  
 Luminaire's efficiency lm79 113W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 36  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 In box 12pcs  
 Casing colour white  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and attractive design. Also available are special light tones:  
 Bakery products (warm white 2400K).  
 Meat products (warm white 3200K).  
 Meat products (reddish warm white 1900K). Fish products (very cold white 7000K). Inquire about special tones separately. Available beam angles: 15°/24°/36°/60°.



## LED track light PROLUMEN Warwick black 230V 30W 3400lm 36° IP20 930

**Product code 17176**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Luminous flux 3400lumens  
 Luminaire's efficiency lm79 113W  
 Correlated colour temperature warm white 3000K  
 Lens angle 36  
 Source of light [PHILIPS LED](#)  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Power supply [KGP](#)  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and a stylish design. Also available are special light tones:  
 Bakery products (warm white 2400K).  
 Meat products (warm white 3200K).  
 Meat products (reddish warm white 1900K). Fish products (very cool white 7000K). Selectable beam angles: 15°/24°/36°/60°. Inquire about special tones separately!

