



LED track light New York white 230V 30W 2738lm 24° 840

Product code 14127

Supply voltage 230V
Output 30W
Electric current 700mA
Luminous flux 2738lumens
Luminaire's efficiency lm79 91W
Correlated colour temperature pure white 4000K
Lens angle 24
Cri 80
Lifespan 40000h
Height 1050.0mm
Diameter 1680.0mm
Weight 1750g
Package weight 2050g
In package 1pc
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -40°C - +50°C
Certificates CE, SAA, UL



LED track light PROLUMEN Arles (TRIAC) black 230V 10W 830lm 36° IP20 930

Product code 17201 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Luminous flux 830lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 110.0mm

Diameter 50.0mm

In box 30pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



Elegantly designed, compact LED blue light fixture, perfectly suited for home use. The light beam temperature is 3000K, adding coziness to the space with warm white light. This blue light fixture attaches to a 3F rail. You can find all the necessary items in the LED house product range!

LED track light PROLUMEN Bakewell black 230V 30W 2800lm 60° IP20 930

Product code 17143

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 30W

Luminous flux 2800lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature warm
white 3000K

Lens angle 60

Source of light [LEDTEEN](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 105.0mm

Diameter 95.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [KGP](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Bakewell black 230V 30W 3000lm 60° IP20 940

Product code 17142

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 30W
Luminous flux 3000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure white 4000K
Lens angle 60
Source of light [LEDTEEN](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 105.0mm
Diameter 95.0mm
In box 12pcs
Casing colour black
Casing material aluminum
Power supply [KGP](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light PROLUMEN Bakewell black 230V 32W 3000lm 36° IP20 930

Product code 16925

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 32W
Luminous flux 3000lumens
Luminaire's efficiency lm79 94W
Correlated colour temperature warm
white 3000K
Lens angle 36
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 105.0mm
Diameter 95.0mm
In box 12pcs
Casing colour black
Casing material aluminum
Power supply [VS \(Vossloh-Schwabe\)](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light PROLUMEN Bakewell black 230V 32W 3000lm 36° IP20 940

Product code 17141

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3000lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature pure
white 4000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 105.0mm

Diameter 95.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Bakewell white 230V 32W 3000lm 36° IP20 930

Product code 16924

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3000lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature warm

white 3000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 105.0mm

Diameter 95.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Bakewell white 230V 32W 3000lm 36° IP20 940

Product code 17140

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3000lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature pure
white 4000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 105.0mm

Diameter 95.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Bath + Honeycomb filter black 230V 8W 650lm 50° IP20 930

Product code 15464

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Luminous flux 650lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature warm white 3000K

Lens angle 50

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 80.0mm

Diameter 62.0mm

Weight 430g

In package 1pc

In box 30pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly simple design LED track light. Black in color, the compact LED lamp is ideal for home use. The luminaire is for indoor use (IP20). The light beam does not distort color fidelity in the room (CRI90), and the light temperature of 3000K maintains warm white light in the room. The luminaire also has a honeycomb filter to prevent dazzling with bright light. This LED track light attaches to a 3F track, also available in the LED house product range!



LED track light PROLUMEN Bath + Honeycomb filter black 230V 8W 650lm 50° IP20 940

Product code 15283

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Luminous flux 650lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature pure white 4000K

Lens angle 50

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 80.0mm

Diameter 62.0mm

In box 30pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly simple design LED track light. Black in color, compact in size, this LED light is perfect for home use. The light is designed for indoor use (IP20). The light beam does not distort the true colors of the room (CRI90), and the light temperature of 4000K maintains daylight white light in the room. The light also features a honeycomb filter, which prevents the characteristic glare of bright light. This LED track light attaches to a 3F track, which is also available in the LED house product range!



LED track light PROLUMEN Bath + Honeycomb filter white 230V 8W 650lm 50° IP20 930

Product code 15583

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 8W
Luminous flux 650lumens
Luminaire's efficiency lm79 81W
Correlated colour temperature warm white 3000K
Lens angle 50
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 80.0mm
Diameter 62.0mm
In box 30pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 5 years

An elegantly simple design LED track light. White in color, compact in size, this LED light is perfect for home use. The light is designed for indoor use (IP20). The light beam does not distort the true colors of the room (CRI90), and the light temperature of 3000K maintains warm white light in the room. The light also features a honeycomb filter, which prevents the characteristic glare of bright light. This LED track light attaches to a 3F track, which is also available in the LED house product range!



LED track light PROLUMEN Bath + Honeycomb filter white 230V 8W 650lm 50° IP20 940

Product code 16274

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Luminous flux 650lumens

Luminaire's efficiency lm79 81W

Correlated colour temperature pure white 4000K

Lens angle 50

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 80.0mm

Diameter 62.0mm

In box 30pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years

Elegantly simple design LED track light. White in color, the compact LED lamp is perfect for home use. The luminaire is for indoor use (IP20). The light beam does not distort the color fidelity in the room (CRI90), and the light temperature of 4000K maintains daylight in the room. The luminaire also has a honeycomb filter to prevent dazzling with bright light. This LED track light attaches to a 3F track, also available in the LED house product range!



LED track light PROLUMEN Bolton with honeycomb filter TRIAC black 230V 10W 900lm 24° IP20 930

Product code 16359 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.80

Dimmable TRIAC

Output 10W

Luminous flux 900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm
white 3000K

Lens angle 24

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 110.0mm

Diameter 50.0mm

Weight 460g

In box 30pcs

Casing colour black

Casing material aluminum

Polishing matt

Power supply [AIDIMMING](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS

Warranty 3 years



An elegantly designed, medium-sized LED track light, perfect for both home use and work environments. The luminaire adds quality light to the room while maintaining true colors under the light beam (CRI90). This track light is intended for indoor use only (IP20). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). This track light attaches to a 3F track. You can find all the necessary installation equipment in the LED house product range!

LED track light PROLUMEN Bolton with honeycomb filter TRIAC white 230V 10W 1000lm 24° IP20 940

Product code 16458 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.80
Dimmable TRIAC
Output 10W
Luminous flux 1000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure white 4000K
Lens angle 24
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 110.0mm
Diameter 50.0mm
Weight 460g
In box 30pcs
Casing colour white
Casing material aluminum
Polishing matt
Power supply [AIDIMMING](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS
Warranty 3 years



LED track light PROLUMEN Bolton with honeycomb filter TRIAC white 230V 10W 900lm 24° IP20 930

Product code 16416 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.80
Dimmable TRIAC
Output 10W
Luminous flux 900lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm white 3000K
Lens angle 24
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 110.0mm
Diameter 50.0mm
Weight 460g
In box 30pcs
Casing colour white
Casing material aluminum
Polishing matt
Power supply [AIDIMMING](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS
Warranty 3 years



LED track light PROLUMEN Bolton Pendant 300 TRIAC black 230V 6W 600lm 36° IP20 930

Product code 15775 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.80

Dimmable TRIAC

Output 6W

Luminous flux 600lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Height 300.0mm

Diameter 50.0mm

In package 1pc

In box 20pcs

Casing colour black

Certificates CE

Warranty 3 years

Stylish black LED pendant light. Suitable for indoor use. Cable length is 1m (dimensions shown in the picture). Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. We recommend this warm white light (3000K) fixture for both living spaces and work environments. With a color rendering index (CRI) of 90, this luminaire enhances color accuracy and details, making it an ideal choice for highlighting art, design elements, and interior spaces. This Bolton luminaire is suitable for indoor use only, with an IP20 protection rating. With TRIAC dimmers, the LED light can easily be adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for work sessions. This LED track light attaches to a 3F track, which you can also find in the LED house product range. Enhance your everyday lighting quality and choose a top-notch lighting solution from the LED house product range!



LED track light PROLUMEN Bolton TRIAC black 230V 10W 1000lm 24° IP20 940

Product code 15306 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.80
Dimmable TRIAC
Output 10W
Luminous flux 1000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure white 4000K
Lens angle 24
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 110.0mm
Diameter 50.0mm
In box 30pcs
Casing colour black
Casing material aluminum
Polishing matt
Power supply [AIDIMMING](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS
Warranty 3 years

An elegantly designed, medium-sized LED track light, perfect for both home use and work environments. The luminaire adds quality light to the room while maintaining true colors under the light beam (CRI90). This track light is intended for indoor use only (IP20). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). This track light attaches to a 3F track. You can find all the necessary installation equipment in the LED house product range!



LED track light PROLUMEN Bolton TRIAC with honeycomb black 230V 10W 900lm 24° IP20 927

Product code 15180 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.80

Dimmable TRIAC

Output 10W

Luminous flux 900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm white 2700K

Lens angle 24

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 110.0mm

Diameter 50.0mm

Weight 460g

In box 30pcs

Casing colour black

Casing material aluminum

Polishing matt

Power supply [AIDIMMING](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS

Warranty 3 years



An elegantly designed, medium-sized LED track light, perfect for both home use and work environments. The luminaire adds quality light to the room while maintaining true colors under the light beam (CRI90). This track light is intended for indoor use only (IP20). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). This track light attaches to a 3F track. You can find all the necessary installation equipment in the LED house product range!

LED track light PROLUMEN Bradford white 230V 32W 3000lm 38° IP20 930

Product code 15204

Brand [PROLUMEN](#)
Supply voltage 230V
Output 32W
Luminous flux 3000lumens
Luminaire's efficiency lm79 94W
Correlated colour temperature warm
white 3000K
Lens angle 38
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 40000h
In box 12pcs
Casing colour white
Casing material aluminum
Polishing matt
Power supply [PHILIPS](#)
Work environment indoor use
Certificates CE



LED track light PROLUMEN Bristol + Honeycomb filter black 230V 32W 3200lm 36° IP20 930

Product code 15275

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Height 115.0mm

Diameter 95.0mm

Weight 1050g

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [PHILIPS](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Bristol + Honeycomb filter black 230V 32W 3200lm 36° IP20 940

Product code 15466

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Height 115.0mm

Diameter 95.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [PHILIPS](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Bristol + Honeycomb filter white 230V 32W 3200lm 36° IP20 930

Product code 15284

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 115.0mm

Diameter 95.0mm

Weight 1050g

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [PHILIPS](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Bristol + Honeycomb filter white 230V 32W 3200lm 36° IP20 940

Product code 15469

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 32W

Luminous flux 3200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure
white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 115.0mm

Diameter 95.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [PHILIPS](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Cornwall black 230V 70W 11200lm 90° IP20 840

Product code 17228

Brand [PROLUMEN](#)

Supply voltage 230V

Output 70W

Luminous flux 11200lumens

Luminaire's efficiency lm79 160W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Ugr 24

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 77.0mm

Width 189.0mm

Length 577.0mm

Weight 2920g

In box 8pcs

Casing colour black

Casing material aluminum

No. of switches 50000pcs

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE

Warranty 5 years



LED linear light fixture designed for large commercial spaces, which can be mounted on a track. Intended for indoor use only (IP20). The LED light fixture beam is adjustable. Switchable power levels: 57W, 60W, 70W.

Selectable light color temperatures: 3000K warm white 4000K daylight 5000K, 6000K cool white Illuminate your world with LED House

professionals - [check out our project portfolio here!](#)

LED track light PROLUMEN Durham (DALI) white 230V 50W 4800lm 38° IP20 940

Product code 15931 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 50W

Luminous flux 4800lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature pure
white 4000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 185.0mm

Diameter 95.0mm

Weight 1311g

Package weight 130g

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [BOKE](#)

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham (TRIAC) white 230V 30W 3000lm 38° IP20 930

Product code 17266 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 30W

Luminous flux 3000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 185.0mm

Diameter 95.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham black 230V 15W 1300lm 38° IP20 930

Product code 14913

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm white 3000K

Lens angle 38°

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

Weight 700g

Package weight 800g

In package 1pc

Casing colour black

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham black 230V 20W 2000lm 38° IP20 930

Product code 15773

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 20W
Luminous flux 2000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 38
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 170.0mm
Diameter 85.0mm
In box 12pcs
Casing colour black
Casing material aluminum
Power supply [TRIDONIC](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light PROLUMEN Durham black 230V 20W 2000lm 38° IP20 940

Product code 16179

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 38°

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

Package weight 1000g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham black 230V 25W 2500lm 38° IP20 930

Product code 15774

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 25W
Luminous flux 2500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 38°
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 170.0mm
Diameter 85.0mm
Weight 750g
Package weight 850g
In package 1pc
Casing colour black
Casing material aluminum
Power supply [TRIDONIC](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light PROLUMEN Durham black 230V 30W 3000lm 38° IP20 930

Product code 15724

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 30W
Luminous flux 3000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 38
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 190.0mm
Diameter 95.0mm
Weight 1290g
In box 12pcs
Casing colour black
Casing material aluminum
Power supply [TRIDONIC](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light PROLUMEN Durham honeycomb black 230V 20W 2000lm 60° IP20 940

Product code 17117

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 20W
Luminous flux 2000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure white 4000K
Lens angle 60
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 170.0mm
Diameter 85.0mm
Package weight 1000g
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminum
Power supply [TRIDONIC](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light PROLUMEN Durham TRIAC honeycomb black 230V 20W 2000lm 20° IP20 930

Product code 16344 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 20

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham TRIAC white 230V 20W 2000lm 38° IP20 930

Product code 16293 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham white 230V 15W 1300lm 38° IP20 930

Product code 15948

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 38
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 170.0mm
Diameter 85.0mm
Casing colour white
Casing material aluminum
Power supply [TRIDONIC](#)
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light PROLUMEN Durham white 230V 25W 2500lm 38° IP20 930

Product code 15947

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 25W
Luminous flux 2500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 38
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 170.0mm
Diameter 85.0mm
Casing colour white
Casing material aluminum
Power supply [TRIDONIC](#)
Work environment indoor use
Certificates CE
Warranty 5 years



LED track light PROLUMEN Durham white 230V 25W 2500lm 38° IP20 940

Product code 15946

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 25W

Luminous flux 2500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure
white 4000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham white 230V 30W 3000lm 38° IP20 930

Product code 15949

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 30W

Luminous flux 3000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 185.0mm

Diameter 95.0mm

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham white 230V 50W 4700lm 38° IP20 930

Product code 17200

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 50W

Luminous flux 4700lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature warm
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 185.0mm

Diameter 95.0mm

Weight 1311g

Package weight 130g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham with honeycomb black 230V 15W 1300lm 38° IP20 930

Product code 16174

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm
white 3000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

Weight 700g

Package weight 800g

In package 1pc

Casing colour black

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham with honeycomb black 230V 15W 1350lm 38° IP20 940

Product code 16206

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Luminous flux 1350lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature pure white 4000K

Lens angle 38

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 170.0mm

Diameter 85.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Durham with honeycomb black 230V 20W 2000lm 38° IP20 930

Product code 16362

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 20W
Luminous flux 2000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 38
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 170.0mm
Diameter 85.0mm
In box 12pcs
Casing colour black
Casing material aluminum
Power supply [TRIDONIC](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



LED track light PROLUMEN Durham ZOOM 3F (DALI) black 230V 20W 2000lm 15-55° IP20 930

Product code 17277 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 15-55

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 56.5mm

Diameter 34.0mm

Weight 1990g

In package 1pc

In box 18pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



Elegant LED ceiling light. All Durham models' LED chip colour rendering is of high quality (CRI90), ensuring the fidelity of colours in the light beam. This IP20-rated ceiling light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. DALI Dim technology allows for adjusting the brightness of the light according to needs, and the luminaire is equipped with a Zoom function! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

LED track light PROLUMEN Firenze black 230V 12W 350lm 37° IP20 930

Product code 16285 DIMMABLE
dimnable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable DIMMABLE
Output 12W
Luminous flux 350lumens
Luminaire's efficiency lm79 29W
Correlated colour temperature warm white 3000K
Lens angle 37°
Source of light CITIZEN LED
Cri 92
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 193.0mm
Length 193.0mm
Diameter 60.0mm
Package weight 1100g
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



LED track light PROLUMEN Linear Westminster 1200 white 230V 40W 3600lm 100° IP20 930

Product code 16102

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 40W

Luminous flux 3600lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm
white 3000K

Lens angle 100

Source of light OSRAM LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 70.0mm

Width 50.0mm

Length 1200.0mm

In box 6pcs

Casing colour white

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Linear Westminster 600 black 230V 25W 2050lm 100° IP20 930

Product code 16101

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 25W

Luminous flux 2050lumens

Luminaire's efficiency lm79 82W

Correlated colour temperature warm
white 3000K

Lens angle 100

Source of light OSRAM LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 70.0mm

Width 50.0mm

Length 600.0mm

In box 8pcs

Casing colour black

Casing material aluminum

Power supply [TRIDONIC](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Liverpool black 230V 30W 3000lm 36° IP20 930

Product code 16228

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 30W
Luminous flux 3000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 36
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 90.0mm
Diameter 95.0mm
In box 12pcs
Casing colour black
Casing material aluminum
Polishing matt
Power supply [PHILIPS](#)
Work environment indoor use
Certificates CE



LED track light PROLUMEN Lizard 1200 black 230V 48W 7200lm 90° IP20 840

Product code 17391

Brand [PROLUMEN](#)

Supply voltage 230V

Output 48W

Luminous flux 7200lumens

Luminaire's efficiency lm79 150W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 73.0mm

Width 65.0mm

Length 1150.0mm

Weight 1700g

In box 8pcs

Casing colour black

Casing material aluminum + plastic

Power supply [PHILIPS](#)

Impact resistance IK02

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE

Warranty 5 years



LED ceiling light designed for large commercial spaces, which can be mounted on a rail. Selectable light color temperatures: 3000K warm white 4000K daylight 5000K, 6000K cool white Illuminate your world with the help of LED House professionals - [check out our project portfolio here!!](#)

LED track light PROLUMEN Lizard 1500 black 230V 68W 10880lm 90° IP20 840

Product code 17389

Brand [PROLUMEN](#)

Supply voltage 230V

Output 68W

Luminous flux 10880lumens

Luminaire's efficiency lm79 160W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 73.0mm

Width 65.0mm

Length 1438.0mm

Weight 1700g

In box 8pcs

Casing colour black

Casing material aluminum + plastic

Power supply [PHILIPS](#)

Impact resistance IK02

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE

Warranty 5 years



LED ceiling light designed for large commercial spaces, which can be mounted on a rail. Selectable light color temperatures: 3000K warm white 4000K daylight 5000K, 6000K cool white Illuminate your world with the help of LED House professionals - [check out our project portfolio here!!](#)

LED track light PROLUMEN Lunel black 230V GU10 IP20

Product code 16402

Brand [PROLUMEN](#)

Supply voltage 230V

Maximum output 5W/1m

Socket GU10

Protection class IP20

Height 95.0mm

Diameter 54.0mm

In package 1pc

In box 30pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE



With its elegant design, the compact GU10 track light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated track light is an ideal choice for home or office environments. You can choose this Lunel series light as a [track light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a track light, it attaches to the 3F track. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!

LED track light PROLUMEN Lunel white 230V GU10 IP20

Product code 16564

Brand [PROLUMEN](#)
Supply voltage 230V
Maximum output 5W/1m
Socket GU10
Protection class IP20
Height 95.0mm
Diameter 54.0mm
In package 1pc
In box 30pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE



With its elegant design, the compact GU10 track light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated track light is an ideal choice for home or office environments. You can choose this Lunel series light as a [track light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a track light, it attaches to the 3F track. The maximum height of the bulb is 75mm. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Come and take a look around our showroom in Tallinn!

LED track light PROLUMEN Luxembourg black 230V 20W 2000lm 36° 930

Product code 17251

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Lifespan 50000h

Height 179.0mm

Diameter 75.0mm

In package 1pc

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Certificates CE

Warranty 5 years



Luxembourg underwater lights with
elegant black design! Adjustable lens
angle.

LED track light PROLUMEN Luxembourg ZOOM DIM black 230V 12W 900lm 10-50° IP20 927

**Product code 13951 DIMMABLE
dimmable**

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable DIMMABLE
Output 12W
Luminous flux 900lumens
Luminaire's efficiency lm79 75W
Correlated colour temperature warm
white 2700K
Lens angle 10-50
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 120.0mm
Diameter 60.0mm
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use
Operation temperature -20 - +40°C
Certificates CE, RoHS
Warranty 5 years



LED track light PROLUMEN Montreuil ZOOM (TRIAC) white 230V 4W 160lm 12-43° IP20 930

Product code 17256 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 4W

Luminous flux 160lumens

Luminaire's efficiency lm79 40W

Correlated colour temperature warm

white 3000K

Lens angle 12-43

Source of light CITIZEN LED

Cri 97

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 86.0mm

Diameter 35.0mm

In package 1pc

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE

Warranty 5 years



Montreuil track lights with elegant white design! Adjustable lens angle.

LED track light PROLUMEN Montreuil ZOOM Dimmer on body black 230V 10W 450lm 8-50° IP20 930

Product code 17258 DIMMABLE dimmable

Brand [PROLUMEN](#)
 Supply voltage 230V
 Power factor 0.90
 Dimmable DIMMABLE
 Output 10W
 Luminous flux 450lumens
 Luminaire's efficiency lm79 45W
 Correlated colour temperature warm white 3000K
 Lens angle 8-50
 Source of light CITIZEN LED
 Cri 97
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 142.0mm
 Diameter 55.0mm
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE
 Warranty 5 years



Montreuil track lights with an elegant matte black design! Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This LED light has an adjustable lens angle (8-50 degrees) and also features a Zoom function.

Additionally, the light fixture has a dimming function. This track light, with an IP20 protection class, is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to its high color rendering index, this light fixture is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. With CRI90 and 97, the light renders colors accurately and clearly in the room. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality by choosing a top-notch lighting solution from the LED house product range!

LED track light PROLUMEN Montreuil ZOOM honeycomb (TRIAC) black 230V 12W 1200lm 8-50° IP20 930

Product code 16995 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 12W
Luminous flux 1200lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm white 3000K
Lens angle 8-50
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 142.0mm
Diameter 55.0mm
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE
Warranty 5 years



Montreuil track lights with an elegant matte black design! Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This LED light has an adjustable lens angle (8-50 degrees) and also features a Zoom function. Additionally, the light fixture has a dimming function. This track light, with an IP20 protection class, is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to its high color rendering index, this light fixture is perfect for color-critical environments such as photography, filmmaking, design, and other visual creative fields. With CRI90 and 97, the light renders colors accurately and clearly in the room. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Enhance your everyday lighting quality by choosing a top-notch lighting solution from the LED house product range!

LED track light PROLUMEN Terhill Honeycomb filter black 230V 30W 3000lm 36° IP20 930

Product code 16436

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 30W

Luminous flux 3000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Height 70.0mm

Diameter 95.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Power supply OSRAM

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Tokyo (DALI) black 230V 10W 960lm 36° IP20 930

Product code 17509 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 10W

Luminous flux 960lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature warm white 3000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 130.0mm

Diameter 50.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. The colour temperature of this ceiling light is 3000K, ideal for areas such as bedrooms and living rooms, creating a calm atmosphere. The luminaire has dimming function thanks to DALI technology. The DALI version has a KGB driver and a larger adapter than shown in the pictures. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Tokyo (TRIAC) black 230V 10W 800lm 36° IP20 930

Product code 17503 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 130.0mm
Diameter 50.0mm
In package 1pc
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. The colour temperature of this ceiling light is 3000K, ideal for areas such as bedrooms and living rooms, creating a calm atmosphere. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Tokyo (TRIAC) black 230V 10W 800lm 36° IP20 940

Product code 17504 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 10W

Luminous flux 800lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 130.0mm

Diameter 50.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. The colour temperature of this ceiling light, 4000K, is ideal for areas such as kitchens and office rooms. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Tokyo black 230V 10W 800lm 36° IP20 930

Product code 17499

Brand [PROLUMEN](#)
 Supply voltage 230V
 Power factor 0.90
 Output 10W
 Luminous flux 800lumens
 Luminaire's efficiency lm79 80W
 Correlated colour temperature warm white 3000K
 Lens angle 36°
 Source of light CITIZEN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 130.0mm
 Diameter 50.0mm
 In package 1pc
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. The colour temperature of this ceiling light is 3000K, ideal for areas such as bedrooms and living rooms, creating a calm atmosphere. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Tokyo black 230V 10W 800lm 36° IP20 940

Product code 17500

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Luminous flux 800lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 130.0mm

Diameter 50.0mm

In package 1pc

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. The colour temperature of this ceiling light, 4000K, is ideal for areas such as kitchens and office rooms. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Tokyo white 230V 10W 800lm 36° IP20 930

Product code 17501

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 10W
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 130.0mm
Diameter 50.0mm
In package 1pc
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. The colour temperature of this ceiling light is 3000K, ideal for areas such as bedrooms and living rooms, creating a calm atmosphere. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Tokyo white 230V 10W 800lm 36° IP20 940

Product code 17502

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 10W
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature pure white 4000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 130.0mm
Diameter 50.0mm
In package 1pc
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

An elegantly designed LED ceiling light with a honeycomb filter, suitable for both commercial and residential spaces. The colour temperature of this ceiling light, 4000K, is ideal for areas such as kitchens and office rooms. Tokyo ceiling lights have adjustable light direction, and unlike many other ceiling lights, the Tokyo model series allows lights to be directed upwards as well. From LED House's selection, you can also find decorative golden, black, and white rings for Tokyo ceiling lights to enhance their appearance even further. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED track light PROLUMEN Verdun black 230V 14W 1446lm 36° IP20 930

Product code 16514

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 14W

Luminous flux 1446lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 96.0mm

Diameter 120.0mm

Weight 900g

Package weight 1040g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



LED track light PROLUMEN Warwick black 230V 25W 3200lm 36° IP20 930

Product code 17144

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 25W

Luminous flux 3200lumens

Luminaire's efficiency lm79 128W

Correlated colour temperature warm white 3000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [VS \(Vossloh-Schwabe\)](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and a stylish design. Also available are special light tones: Bakery products (warm white 2400K). Meat products (warm white 3200K). Meat products (reddish warm white 1900K). Fish products (very cool white 7000K). Selectable beam angles: 15°/24°/36°/60°. Light tones and luminous flux: 36W 930: 3700lm 36W 940: 4000lm 36W 950: 4100lm 25W 930: 3000lm 25W 940: 3200lm Inquire about special tones separately!



LED track light PROLUMEN Warwick black 230V 30W 3400lm 36° IP20 930

Product code 17176

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 30W
Luminous flux 3400lumens
Luminaire's efficiency lm79 113W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
In box 12pcs
Casing colour black
Casing material aluminum
Power supply [KGP](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and a stylish design. Also available are special light tones:
Bakery products (warm white 2400K).
Meat products (warm white 3200K).
Meat products (reddish warm white 1900K). Fish products (very cool white 7000K). Selectable beam angles: 15°/24°/36°/60°. Light tones and luminous flux: 36W 930: 3700lm 36W 940: 4000lm 36W 950: 4100lm 25W 930: 3000lm 25W 940: 3200lm Inquire about special tones separately!



LED track light PROLUMEN Warwick DALI black 230V 30W 3400lm 36° IP20 930

Product code 17174 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 30W

Luminous flux 3400lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature warm
white 3000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

In box 12pcs

Casing colour black

Casing material aluminum

Power supply [KGP](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and a stylish design. Also available are special light tones: Bakery products (warm white 2400K). Meat products (warm white 3200K). Meat products (reddish warm white 1900K). Fish products (very cool white 7000K). Selectable beam angles: 15°/24°/36°/60°. Light tones and luminous flux: 36W 930: 3700lm 36W 940: 4000lm 36W 950: 4100lm 25W 930: 3000lm 25W 940: 3200lm Inquire about special tones separately!



LED track light PROLUMEN Warwick DALI white 230V 36W 3700lm 15° IP20 930

Product code 17170 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 36W

Luminous flux 3700lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm
white 3000K

Lens angle 15

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [KGP](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and attractive design. Also available are special light tones: Bakery products (warm white 2400K). Meat products (warm white 3200K). Meat products (reddish warm white 1900K). Fish products (very cold white 7000K). Inquire about special tones separately. Available beam angles: 15°/24°/36°/60°. Light tones and lumens: 36W 930: 3700lm 36W 940: 4000lm 36W 950: 4100lm 25W 930: 3000lm 25W 940: 3200lm.



LED track light PROLUMEN Warwick DALI white 230V 36W 3700lm 36° IP20 930

Product code 17145 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 36W

Luminous flux 3700lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm
white 3000K

Lens angle 36

Source of light [PHILIPS LED](#)

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

In box 12pcs

Casing colour white

Casing material aluminum

Power supply [KGP](#)

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and attractive design. Also available are special light tones: Bakery products (warm white 2400K). Meat products (warm white 3200K). Meat products (reddish warm white 1900K). Fish products (very cold white 7000K). Inquire about special tones separately. Available beam angles: 15°/24°/36°/60°. Light tones and lumens: 36W 930: 3700lm 36W 940: 4000lm 36W 950: 4100lm 25W 930: 3000lm 25W 940: 3200lm.



LED track light PROLUMEN Warwick white 230V 36W 3700lm 36° IP20 930

Product code 17095

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 36W
Luminous flux 3700lumens
Luminaire's efficiency lm79 103W
Correlated colour temperature warm white 3000K
Lens angle 36
Source of light [PHILIPS LED](#)
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
In box 12pcs
Casing colour white
Casing material aluminum
Power supply [VS \(Vossloh-Schwabe\)](#)
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

PROLUMEN Warwick luminaire with reflector, featuring a five-year warranty and attractive design. Also available are special light tones: Bakery products (warm white 2400K). Meat products (warm white 3200K). Meat products (reddish warm white 1900K). Fish products (very cold white 7000K). Inquire about special tones separately. Available beam angles: 15°/24°/36°/60°. Light tones and lumens: 36W 930: 3700lm 36W 940: 4000lm 36W 950: 4100lm 25W 930: 3000lm 25W 940: 3200lm.



LED track light TL white 230V 10W 1000lm 60° 830

Product code 13829

Supply voltage 230V
Output 10W
Luminous flux 1000lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature warm
white 3000K
Lens angle 60
Source of light [CREE LED](#)
Cri 80
Lifespan 50000h
Height 1180.0mm
Diameter 1000.0mm
Weight 850g
Package weight 1000g
Casing colour white
Casing material aluminum
Polishing semimatt
Power supply [LIFUD](#)
Work environment indoor use
Certificates CE, RoHS

