
Power supply Deko-Light Power supply BASIC, DIM, CC, D50020UF/20 W black 20W IP20 DIMMABLE

Product code 22302 **dimmerdatav**
dimmable

Brand Deko-Light
Dimmable dimmerdatav
Output 20W
Maximum output 20W/1m
Protection class IP20
Lifespan 30000h
Height 28.0mm
Width 127.0mm
Length 44.0mm
In package 1pc
Casing colour black
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -20 - +50°C
Certificates CE
Warranty 5 years



Power supply GLP POWER 24V DC GPV-12-24 230V 12W IP67

Product code 14494

Brand GLP POWER
Supply voltage 230V
Output voltage 24V
Output 12W
Maximum output 12W/1m
Rated current 500mA
Protection class IP67
Height 20.0mm
Width 25.0mm
Length 129.5mm
Weight 130 g
In package 1pc
In box 100pcs
Casing material plastic
Work environment outdoor use
Operation temperature -10°C - +70°C
Certificates CE, RoHS



Power supply GLP POWER 24V DC GPV-200-24 230V 200W IP67

Product code 16061

Brand GLP POWER
Supply voltage 230V
Output voltage 24V
Output 200W
Maximum output 200W/1m
Rated current 8300mA
Protection class IP67
Height 45.0mm
Width 70.0mm
Length 205.0mm
Weight 1.2 kg
In box 15pcs
Casing material plastic
Operation temperature -30~+70°C
Certificates CE, SELV



Power supply GLP POWER 24VDC 2,5 A white 230V 60W IP20 No dim

Product code 22034

Brand GLP POWER
Supply voltage 230V
Output 60W
Maximum output 60W/1m
Protection class IP20
Lifespan 40000h
Height 17.0mm
Width 305.0mm
Length 30.0mm
In package 1pc
Casing colour white
Casing material plastic
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, ENEC, SAA, UKCA



Power supply GLP POWER 24VDC 4,17 A white 100W IP20 No dim

Product code 22035

Brand GLP POWER
Output voltage 230V
Output 100W
Maximum output 100W/1m
Protection class IP20
Lifespan 40000h
Height 18.2mm
Width 320.0mm
Length 30.0mm
In package 1pc
Casing colour white
Casing material plastic
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, ENEC, SAA, UKCA
Warranty 3 years



Power supply GLP POWER 24VDC 6,24A 230V 150W IP67

Product code 22052

Brand GLP POWER
Supply voltage 230V
Output voltage 24V
Output 150W
Maximum output 150W/1m
Protection class IP67
Weight 1.1 kg
In package 1pc
Casing material metal
Operation temperature --40°C ÷ +50°C°C
Certificates CE,RoHS
Warranty 5 years



Power supply GLP POWER GLP PSU 100W: 24V/4.2A white 230V 100W IP67

Product code 22045

Brand GLP POWER
Supply voltage 230V
Output voltage 24V
Output 100W
Protection class IP67
Height 37.0mm
Width 147.5mm
Length 67.2mm
Casing colour white
Casing material metal
Work environment indoor use
Operation temperature -20 ~ +45 °C°C
Certificates CE



Power supply GLP POWER GLP PSU 200W: 24V/8.4A 230V 200W IP67

Product code 22047

Brand GLP POWER
Supply voltage 230V
Output voltage 24V
Output 200W
Protection class IP67
Height 37.0mm
Width 175.5mm
Length 67.2mm
Casing material metal
Work environment indoor use
Operation temperature -20 ~ +45 °C°C
Certificates CE



Power supply KGP 12V DC RV-24-12 230V 24W IP20 No dim

Product code 17414

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 12V
Output 24W
Maximum output 24W/1m
Rated current 1200mA
Protection class IP20
Lifespan 50000h
Height 25.0mm
Diameter 55.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -20 - +50°C
Certificates CE
Warranty 5 years



The 12V/24V/48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Power supply KGP 24V DC CV-100-24 230V 100W IP20 TRIAC

Product code 17428 TRIAC dimmable

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable TRIAC
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4200mA
Protection class IP20
Lifespan 50000h
Height 34.0mm
Width 67.0mm
Length 210.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC CV-150-24 230V 150W IP20 TRIAC

Product code 17429 TRIAC dimmable

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable TRIAC
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 4200mA
Protection class IP20
Lifespan 50000h
Height 34.0mm
Width 67.0mm
Length 210.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC CV-25-24 230V 25W IP20 TRIAC

Product code 17426 TRIAC dimmable

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable TRIAC
Output voltage 24V
Output 25W
Maximum output 25W/1m
Rated current 1040mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 52.0mm
Length 128.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC CV-50-24 230V 50W IP20 TRIAC

Product code 17427 TRIAC dimmable

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable TRIAC
Output voltage 24V
Output 50W
Maximum output 50W/1m
Rated current 2080mA
Protection class IP20
Lifespan 50000h
Height 32.0mm
Width 61.0mm
Length 184.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Power supply KGP 24V DC FV-100-24 /PUSH 230V 100W IP20 DALI / PUSH

Product code 17412 DALI / PUSH dimmable

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4200mA
Protection class IP20
Lifespan 50000h
Height 22.0mm
Width 65.0mm
Length 190.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-12-24 230V 12W IP20

Product code 17407

Brand KGP
Supply voltage 230V
Power factor 0.92
Output voltage 24V
Output 12W
Maximum output 12W/1m
Rated current 500mA
Protection class IP20
Lifespan 50000h
Height 15.5mm
Width 46.0mm
Length 112.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -30 - +75°C
Certificates ENEC, CE, EAC, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-120-24 230V 120W IP20 No dim

Product code 17413

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 120W
Maximum output 120W/1m
Rated current 5000mA
Protection class IP20
Lifespan 50000h
Height 22.0mm
Width 65.0mm
Length 190.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-24-24 230V 24W IP20

Product code 17406

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 24W
Maximum output 24W/1m
Rated current 1000mA
Protection class IP20
Lifespan 50000h
Height 15.5mm
Width 50.0mm
Length 137.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates ENEC, CE, EAC, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-36-24 230V 36W IP20

Product code 17408

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 36W
Maximum output 36W/1m
Rated current 1500mA
Protection class IP20
Lifespan 50000h
Height 18.0mm
Width 57.0mm
Length 170.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates ENEC, CE, EAC, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-60-24 /PUSH 230V 60W IP20 DALI / PUSH

Product code 17410 DALI / PUSH dimmable

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP20
Lifespan 50000h
Height 18.0mm
Width 57.0mm
Length 170.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-60-24 230V 60W IP20

Product code 17409

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP20
Lifespan 50000h
Height 18.0mm
Width 57.0mm
Length 170.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates ENEC, CE, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-90-24 230V 90W IP20 No dim

Product code 17411

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 90W
Maximum output 90W/1m
Rated current 3750mA
Protection class IP20
Lifespan 50000h
Height 22.0mm
Width 65.0mm
Length 190.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates ENEC, CE, EAC, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC LV-100-24 /PUSH-DIM 230V 100W IP20 DALI / PUSH

Product code 17207 **DALI / PUSH dimmable**

Brand KGP
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4170mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Weight 210 g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-100-24 230V 100W IP20

Product code 17421

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4170mA
Protection class IP20
Lifespan 50000h
Height 18.0mm
Width 30.0mm
Length 350.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE, ENEC, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Power supply KGP 24V DC LV-150-24 /PUSH-DIM 230V 150W IP20 DALI / PUSH

Product code 17206 DALI / PUSH dimmable

Brand KGP
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Weight 310 g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-150-24 230V 150W IP20

Product code 17423

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Lifespan 50000h
Height 18.0mm
Width 30.0mm
Length 350.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE, ENEC, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC LV-250-24 /PUSH-DIM 230V 250W IP20 DALI / PUSH

Product code 17205 DALI / PUSH dimmable

Brand KGP
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 250W
Maximum output 250W/1m
Rated current 10420mA
Protection class IP20
Height 22.0mm
Width 40.0mm
Length 400.0mm
Weight 530 g
In box 25pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-250-24 230V 250W IP20

Product code 17231

Brand KGP
Supply voltage 230V
Output voltage 24V
Output 250W
Maximum output 250W/1m
Rated current 10420mA
Protection class IP20
Lifespan 50000h
Height 22.0mm
Width 40.0mm
Length 400.0mm
Weight 530 g
Casing material plastic
Operation temperature -25 ~ 45°C
Certificates CE, ENEC
Warranty 5 years



High-quality and reliable 24V power supply unit. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-30-24 /PUSH-DIM 230V 30W IP20 DALI / PUSH

Product code 17209 DALI / PUSH dimmable

Brand KGP
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 30W
Maximum output 30W/1m
Rated current 1250mA
Protection class IP20
Height 16.0mm
Width 30.0mm
Length 300.0mm
Weight 143 g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-30-24 230V 30W IP20

Product code 17232

Brand KGP
Supply voltage 230V
Output voltage 24V
Output 30W
Maximum output 30W/1m
Rated current 1250mA
Protection class IP20
Height 16.0mm
Width 30.0mm
Length 300.0mm
Weight 143 g
In box 50pcs
Casing material plastic
Certificates CE, ENEC
Warranty 5 years



High-quality and reliable 24V power supply unit. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-60-24 /PUSH-DIM 230V 60W IP20 DALI / PUSH

Product code 17208 DALI / PUSH dimmable

Brand KGP
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Weight 230 g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-60-24 230V 60W IP20

Product code 17419

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP20
Lifespan 50000h
Height 16.0mm
Width 30.0mm
Length 300.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE, ENEC, SAA
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC RV-25-24 230V 25W IP20 No dim

Product code 17415

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 25W
Maximum output 25W/1m
Rated current 1040mA
Protection class IP20
Lifespan 50000h
Height 25.0mm
Diameter 55.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -20 - +50°C
Certificates CE
Warranty 5 years



The 12V/24V/48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-100-24 /PUSH 230V 100W IP67 DALI / PUSH

Product code 17435 DALI / PUSH dimmable

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4170mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 320.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-100-24 230V 100W IP67

Product code 17434

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4170mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 320.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-160-24 /PUSH 230V 160W IP67 DALI / PUSH

Product code 17437 **DALI / PUSH dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 160W
Maximum output 160W/1m
Rated current 6670mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 350.0mm
In package 1pc
In box 28pcs
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-160-24 230V 160W IP67

Product code 17436

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 160W
Maximum output 160W/1m
Rated current 6670mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 350.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-240-24 /PUSH 230V 240W IP67 DALI / PUSH

Product code 17439 **DALI / PUSH dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 240W
Maximum output 240W/1m
Rated current 10000mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
In box 24pcs
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-240-24 230V 240W IP67

Product code 17438

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 240W
Maximum output 240W/1m
Rated current 10000mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-30-24 /PUSH 230V 30W IP67 DALI / PUSH

Product code 17431 **DALI / PUSH dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 30W
Maximum output 30W/1m
Rated current 1250mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 250.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-30-24 230V 30W IP67

Product code 17430

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 30W
Maximum output 30W/1m
Rated current 1250mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 250.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-400-24 /PUSH 230V 400W IP67 DALI / PUSH

Product code 17441 **DALI / PUSH dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 400W
Maximum output 400W/1m
Rated current 16670mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
In box 24pcs
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-400-24 230V 400W IP67

Product code 17440

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 400W
Maximum output 400W/1m
Rated current 16670mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-60-24 /PUSH 230V 60W IP67 DALI / PUSH

Product code 17433 **DALI / PUSH dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 290.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-60-24 230V 60W IP67

Product code 17432

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 290.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 48V DC LV-100-48 230V 100W IP20

Product code 17279

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 48V
Output 100W
Maximum output 100W/1m
Rated current 3125mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
In package 1pc
Casing material plastic
Warranty 3 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 48V DC LV-150-48 230V 150W IP20

Product code 16954

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 48V
Output 150W
Maximum output 150W/1m
Rated current 3125mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Casing material plastic
Warranty 3 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 48V DC LV-250-48 230V 250W IP20

Product code 17278

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 48V
Output 250W
Maximum output 250W/1m
Rated current 3125mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Casing material plastic
Warranty 3 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 48V DC RV-25-48 white 230V 25W IP20 No dim

Product code 17416

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 48V
Output 25W
Maximum output 25W/1m
Rated current 5200mA
Protection class IP20
Lifespan 50000h
Height 25.0mm
Diameter 55.0mm
In package 1pc
Casing colour white
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -20 - +50°C
Certificates CE
Warranty 5 years



The 12V/24V/48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Power supply KGP 48V XSV-400-48 230V 400W IP67

Product code 18345

Brand KGP
Supply voltage 230V
Power factor 0.95
Output voltage 48V
Output 400W
Maximum output 400W/1m
Rated current 8340mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 48V XSV-400-48 230V 400W IP67 DALI

Product code 18554 **DALI dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI
Output voltage 48V
Output 400W
Maximum output 400W/1m
Rated current 8340mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP XSV100W48 DALI 230V 100W IP67 DALI

Product code 18415 **DALI dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI
Output voltage 48V
Output 100W
Maximum output 100W/1m
Rated current 2080mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 320.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP XSV160W48 DALI 230V 160W IP67 DALI

Product code 18532 **DALI dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI
Output voltage 48V
Output 160W
Maximum output 160W/1m
Rated current 3333mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 350.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Power supply KGP XSV240W48 DALI 230V 240W IP67 DALI

Product code 18533 **DALI dimmable**

Brand KGP
Supply voltage 230V
Power factor 0.95
Dimmable DALI
Output voltage 48V
Output 240W
Maximum output 240W/1m
Rated current 5000mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply LTECH 12V DC -150-12- G1D2 / PUSH DIM 230V 150W IP20 DALI / PUSH

Product code 16144 **DALI / PUSH dimmable**

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 150W
Maximum output 150W/1m
Rated current 12500mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430 g
In package 1pc
Work environment indoor use
Operation temperature -20℃~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 12V DC -60-12-U1D2 230V 60W DALI / PUSH

Product code 18141 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 60W
Maximum output 60W/1m
Rated current 5000mA
Height 30.0mm
Width 42.5mm
Length 293.0mm
Weight 285 g
In box 30pcs
Work environment indoor use
Operation temperature -20~50°C°C
Certificates CE, ROHS
Warranty 5 years



LED power supply that provides reliable and stable output voltage. The device is compatible with multiple dimming interfaces, allowing smooth light adjustment without flickering. Its wide input voltage design ensures universal compatibility with various electrical systems, while high energy efficiency helps reduce power consumption. The unit is equipped with multiple protection mechanisms, including overheating, overvoltage, overload, and short-circuit protection, ensuring safe and long-lasting operation. Additionally, it features soft start and dimming functions, enhancing visual comfort. A compact and lightweight design with removable connection terminals allows flexible installation in different lighting systems. The device meets international safety and quality standards and comes with a long-term warranty.

Power supply LTECH 12V DC LM-150-12-G1T2 / PUSH DIM 230V 150W TRIAC / PUSH

Product code 16276 **TRIAC / PUSH dimmable**



Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 150W
Maximum output 150W/1m
Rated current 12500mA
Operation temperature -20℃~45℃°C
Certificates CE,RoHS
Warranty 3 years

Power supply LTECH 12V DC LM-36-12-G1D2 / PUSH DIM 230V 36W DALI / PUSH

Product code 14985 **DALI / PUSH dimmable**



Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 36W
Maximum output 36W/1m
Rated current 3000mA
Work environment indoor use
Warranty 3 years

Power supply LTECH 12V DC LM-36-12-G1T2 / PUSH DIM 230V 36W TRIAC / PUSH

Product code 16272 **TRIAC / PUSH dimmable**



Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 36W
Maximum output 36W/1m
Rated current 3000mA
Weight 185 g
Operation temperature -30 ~ 55°C°C

Power supply LTECH 12V DC LM-75-12-G1T2 / PUSH DIM 230V 75W IP20 TRIAC / PUSH

Product code 16088 **TRIAC / PUSH dimmable**

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 75W
Maximum output 75W/1m
Rated current 6250mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300 g
Work environment indoor use
Operation temperature -20℃~50℃°C
Certificates CE,RoHS
Warranty 5 years



Power supply LTECH 24V DC -150-24-G2D2 /PUSH DIM/DT 8 230V 150W IP20 DALI / PUSH

Product code 19522 **DALI / PUSH dimmable**

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 62500mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 352.0mm
Weight 430 g
In package 1pc
Work environment indoor use
Operation temperature -20℃~60°C
Certificates CE, RoHS
Warranty 3 years

intended for CCT strip



Power supply LTECH 24V DC DMX-150-24-F4M1 DMX/ PUSH DIM 230V 150W IP20 DMX / PUSH

Product code 15909 **DMX / PUSH dimmable**

Brand LTECH
Supply voltage 230V
Dimmable DMX / PUSH
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Height 37.0mm
Width 57.0mm
Length 273.0mm
Weight 750 g
Work environment indoor use
Operation temperature -30~60°C
Certificates CE,RoHS
Warranty 3 years



Power supply LTECH 24V DC DMX-150-24-G4K3 DMX/DT6/DT8 RGBW 230V 150W IP20 DALI / PUSH

Product code 22121 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Power factor 0.98
Dimmable DALI / PUSH
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 43.0mm
Length 352.0mm
In package 1pc
In box 20pcs
Work environment indoor use
Operation temperature -20~50°C°C
Certificates CE,RoHS
Warranty 5 years



An LED power supply and controller designed for colored LED strips (RGB or RGBW). It converts standard 230V mains power into 24V suitable for LED strips and at the same time allows you to control the light color and brightness. With this device, you can choose different colors, create cozy ambient lighting, adjust the brightness higher or lower, and set various lighting scenes as desired. It is well suited for homes, beauty salons, hair salons, offices, or restaurants where a modern and adjustable lighting solution is needed.

Power supply LTECH 24V DC LM-150-24-G1D2 / PUSH DIM 230V 150W IP20 DALI / PUSH

Product code 15926 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430 g
In package 1pc
Work environment indoor use
Operation temperature -20℃~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-150-24-G1T2 / PUSH DIM 230V 150W IP20 TRIAC / PUSH

Product code 16168 TRIAC / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430 g
In package 1pc
Work environment indoor use
Operation temperature -20℃~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-36-24-G1T2 / PUSH DIM 230V 36W TRIAC / PUSH

Product code 16271 TRIAC / PUSH dimmable



Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 24V
Output 36W
Maximum output 36W/1m
Rated current 1500mA
Weight 185 g
Work environment indoor use
Certificates CE
Warranty 3 years

Power supply LTECH 24V DC LM-75-24-G1D2 / PUSH DIM 230V 75W DALI / PUSH

Product code 13858 DALI / PUSH dimmable





Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 75W
Maximum output 75W/1m
Rated current 3125mA
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300 g
Casing material plastic
Work environment indoor use
Operation temperature -30° ~ +50°C
Certificates CE, RoHS
Warranty 3 years

Power supply LTECH 24V DC LM-75-24-G1T2 / PUSH DIM 230V 75W IP20 TRIAC / PUSH

Product code 15403 TRIAC / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 24V
Output 75W
Maximum output 75W/1m
Rated current 3100mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300 g
Work environment indoor use
Operation temperature -20℃~50℃°C
Certificates CE,RoHS
Warranty 5 years



Power supply LTECH 24V DC tunable white LM-100-24-G2D2 / PUSH DIM 230V 100W IP20 DALI / PUSH

Product code 15404 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4170mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300 g
Work environment indoor use
Certificates CE, SELV
Warranty 3 years



Power supply LTECH 24V DC tunable white LM-75-24-G2D2 / PUSH DIM 230V 75W IP20 DALI / PUSH

Product code 15479 **DALI / PUSH dimmable**

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 75W
Maximum output 75W/1m
Rated current 3125mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300 g
Work environment indoor use
Certificates CE, SELV
Warranty 3 years



Power supply LTECH LM-36-24-G1D2 / PUSH DIM 230V 36W DALI / PUSH

Product code 16342 **DALI / PUSH dimmable**

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 36W
Maximum output 36W/1m
Rated current 1500mA
Height 30.0mm
Width 44.0mm
Length 175.0mm
Weight 190 g
Work environment indoor use
Warranty 3 years



Power supply MEAN WELL ELG-200-24DA-3Y 230V 200W IP67 DALI

Product code 22092 DALI dimmable

Brand MEAN WELL
Supply voltage 230V
Dimmable DALI
Output voltage 24V
Output 200W
Protection class IP67
Height 37.5mm
Width 244.0mm
Length 71.0mm
Casing material plastic
Work environment indoor use
Operation temperature -40 ~ +90 °C°C
Certificates CE



Power supply MEAN WELL ELG-240-24DA-3Y white 230V 240W IP67 DALI

Product code 22049 DALI dimmable

Brand MEAN WELL
Supply voltage 230V
Dimmable DALI
Output voltage 24V
Output 240W
Protection class IP67
Casing colour white
Casing material plastic
Work environment indoor use
Operation temperature -20 ~ +45 °C°C
Certificates CE



Power supply MPL POWER 24V 2,5A 200-240VAC 50/60Hz white 230V 60W IP20

Product code 22037

Brand MPL POWER
Supply voltage 230V
Output voltage 24V
Output 60W
Maximum output 60W/1m
Protection class IP20
Height 18.0mm
Width 339.0mm
Length 30.0mm
Casing colour white
Casing material plastic
Work environment indoor use
Operation temperature -20 ~ +45 °C°C
Certificates CE



Power supply MPL POWER 24V 6,25A 200-240VAC 50/60Hz white 230V 150W IP20

Product code 22038

Brand MPL POWER
Supply voltage 230V
Output voltage 24V
Output 150W
Maximum output 150W/1m
Protection class IP20
Height 23.0mm
Width 356.0mm
Length 30.0mm
Casing colour white
Casing material plastic
Work environment indoor use
Operation temperature -20 ~ +45 °C°C
Certificates CE



Power supply MPL POWER 24V/1.46A 35W IP67 No dim

Product code 22036



Brand MPL POWER
Output voltage 230V
Output 35W
Maximum output 35W/1m
Protection class IP67
Lifespan 40000h
Height 18.2mm
Width 320.0mm
Length 30.0mm
In package 1pc
Casing material metal
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, ENEC, SAA, UKCA
Warranty 3 years

Power supply MPL POWER 24VDC 12,5A gray 100-240V 300W IP67

Product code 22050



Brand MPL POWER
Supply voltage 100-240V
Output 300W
Maximum output 300W/1m
Protection class IP67
Height 32.0mm
Width 228.0mm
Length 72.0mm
Casing colour gray
Casing material metal

Power supply MPL POWER 24VDC 33A white 80W IP67 DMX / PUSH

Product code 22051 DMX / PUSH dimmable

Brand MPL POWER
Dimmable DMX / PUSH
Output voltage 230V
Output 80W
Maximum output 80W/1m
Protection class IP67
Height 30.5mm
Width 290.0mm
Length 45.0mm
In package 1pc
Casing colour white
Casing material plastic
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, ENEC, SAA, UKCA
Warranty 3 years



Power supply MPL POWER 350mA 0.5~10V 230V 3W IP65

Product code 22055


Brand MPL POWER
Supply voltage 230V
Output voltage 12V
Output 3W
Maximum output 3W/1m
Protection class IP65
Height 23.0mm
Width 47.0mm
Length 21.0mm
In box 20pcs
Casing material plastic
Work environment indoor use
Operation temperature -40 ~ +45°C
Certificates CE
Warranty 5 years



Power supply OSRAM Flarity 24V 30W IP20

Product code 20955

Brand OSRAM
Supply voltage 24V
Power factor 0.95
Output 30W
Protection class IP20
Lifespan 100000h
Height 27.0mm
Width 145.0mm
Length 40.0mm
Casing material plastic
Work environment indoor use
Operation temperature -20 - 60°C
Warranty 5 years



Power supply OSRAM Flarity 24V 60W IP20

Product code 20956

Brand OSRAM
Supply voltage 24V
Power factor 0.95
Output 60W
Protection class IP20
Height 31.0mm
Width 200.0mm
Length 40.0mm
Weight 270 g
Package weight 300 g
Casing material plastic
Work environment indoor use
Warranty 3 years



Power supply POS POWER 12V DC Slim FTPC8V12LC 230V 8W IP20

Product code 14306

Brand POS POWER
Supply voltage 230V
Output voltage 12V
Output 8W
Maximum output 8W/1m
Rated current 670mA
Protection class IP20
Height 19.5mm
Width 46.2mm
Length 94.5mm
Weight 64 g
Operation temperature -20℃-45°C
Certificates CE
Warranty 3 years



Power supply POS POWER 24V DC DIN-100-24 230V 100W IP20

Product code 19938

Brand POS POWER
Supply voltage 230V
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4150mA
Protection class IP20
Casing material plastic
Work environment indoor use
Certificates CE,RoHS
Warranty 2 years



Power supply POS POWER 24V DC DIN-60-24 230V 60W IP20

Product code 19937

Brand POS POWER
Supply voltage 230V
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP20
Casing material plastic
Work environment indoor use
Certificates CE,RoHS
Warranty 2 years



Power supply Scharfer 12V DC SCH-100-12 230V 100W IP67

Product code 16597

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 100W
Maximum output 100W/1m
Rated current 8333mA
Protection class IP67
Height 22.0mm
Width 40.0mm
Length 218.0mm
Weight 390 g
In package 1pc
In box 40pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-150-12 230V 150W IP67

Product code 16594

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 150W
Maximum output 150W/1m
Rated current 12500mA
Protection class IP67
Height 25.0mm
Width 57.0mm
Length 279.0mm
Weight 680 g
In package 1pc
In box 25pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-200-12 230V 200W IP67

Product code 16593

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 200W
Maximum output 200W/1m
Rated current 16000mA
Protection class IP67
Height 35.0mm
Width 65.0mm
Length 225.0mm
Weight 860 g
In package 1pc
In box 20pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-30-12 230V 30W IP67

Product code 16625

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 30W
Maximum output 30W/1m
Rated current 2500mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170 g
In package 1pc
In box 100pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-300-12 230V 300W IP67

Product code 16590

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 300W
Maximum output 300W/1m
Rated current 25000mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 257.0mm
Weight 1.57 kg
In package 1pc
In box 10pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-60-12 230V 60W IP67

Product code 16621

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 60W
Maximum output 60W/1m
Rated current 5000mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 222.0mm
Weight 240 g
In package 1pc
In box 50pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-100-24 230V 100W IP67

Product code 16596

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4170mA
Protection class IP67
Height 22.0mm
Width 40.0mm
Length 218.0mm
Weight 390 g
In package 1pc
In box 40pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-150-24 230V 150W IP67

Product code 16595

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP67
Height 25.0mm
Width 57.0mm
Length 279.0mm
Weight 680 g
In package 1pc
In box 25pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-20-24 230V 20W IP67

Product code 16627

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 20W
Maximum output 20W/1m
Rated current 830mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170 g
In package 1pc
In box 100pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-200-24 230V 200W IP67

Product code 16592

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 200W
Maximum output 200W/1m
Rated current 8300mA
Protection class IP67
Height 35.0mm
Width 65.0mm
Length 225.0mm
Weight 860 g
In package 1pc
In box 20pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-30-24 230V 30W IP67

Product code 16626

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 30W
Maximum output 30W/1m
Rated current 1250mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170 g
In package 1pc
In box 100pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-300-24 230V 300W IP67

Product code 16591

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 300W
Maximum output 300W/1m
Rated current 12500mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 257.0mm
Weight 1.57 kg
In package 1pc
In box 10pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-400-24 230V 400W IP67

Product code 17816

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 400W
Maximum output 400W/1m
Rated current 16700mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 300.0mm
Weight 1.8 kg
In package 1pc
In box 8pcs
Casing material metal
Operation temperature -30° - +50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-45-24 230V 45W IP67

Product code 16623

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 45W
Maximum output 45W/1m
Rated current 1870mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 190.0mm
Weight 235 g
In package 1pc
In box 50pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-60-24 230V 60W IP67

Product code 16622

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 222.0mm
Weight 240 g
In package 1pc
In box 50pcs
Casing material aluminium
Operation temperature -30~50°C
Warranty 7 years



Power supply SKYDANCE 12V DC TE-40-12 /PUSH 230V 40W IP20 TRIAC / PUSH

Product code 17614 TRIAC / PUSH dimmable

Brand SKYDANCE
Supply voltage 230V
Power factor 0.82
Dimmable TRIAC / PUSH
Output voltage 12V
Output 40W
Maximum output 40W/1m
Rated current 3300mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 44.0mm
Length 168.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE, RoHS
Warranty 5 years



Power supply SKYDANCE 12V DC TE-75-12 /PUSH 230V 75W IP20 TRIAC / PUSH

Product code 17615 TRIAC / PUSH dimmable

Brand SKYDANCE
Supply voltage 230V
Power factor 0.85
Dimmable TRIAC / PUSH
Output voltage 12V
Output 75W
Maximum output 75W/1m
Rated current 6250mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 56.0mm
Length 179.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +50°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE 12V DC TF-150-12 /PUSH 230V 150W IP20 TRIAC / PUSH

Product code 17616 TRIAC / PUSH dimmable

Brand SKYDANCE
Supply voltage 230V
Power factor 0.95
Dimmable TRIAC / PUSH
Output voltage 12V
Output 150W
Maximum output 150W/1m
Rated current 12500mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 45.0mm
Length 310.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +45°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE 24V DC LPV-150-24 100-240V 150W IP20 0-10V

Product code 18231 0-10V dimmable

Brand SKYDANCE
Supply voltage 100-240V
Dimmable 0-10V
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Height 30.0mm
Width 45.0mm
Length 310.0mm
Weight 420 g
Package weight 450 g
In package 1pc
Work environment indoor use
Operation temperature -30~50°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE 24V DC PBL-60-24 100-240V 60W IP20

Product code 17719

Brand SKYDANCE
Supply voltage 100-240V
Power factor 0.50
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP20
Lifespan 50000h
Height 18.0mm
Width 55.5mm
Length 164.0mm
Weight 150 g
In package 1pc
Work environment indoor use
Operation temperature -20° - +45°C
Certificates CE
Warranty 5 years



60W CV LED driver, suitable for LED strips, to optimize furniture lighting. A very slim and lightweight, yet highly efficient power supply. Connectable with CV0, CV1, and CV2 blocks. Capable of controlling multiple LED strips with an RF remote. Dimmable from 0-100%, with smooth and flicker-free adjustment.

Power supply SKYDANCE 24V DC TE-75-24/PUSH 230V 75W IP20 TRIAC / PUSH

Product code 18253 TRIAC / PUSH dimmable

Brand SKYDANCE
Supply voltage 230V
Power factor 0.85
Dimmable TRIAC / PUSH
Output voltage 24V
Output 75W
Maximum output 75W/1m
Rated current 3125mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 56.0mm
Length 179.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +50°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE 24V DC TF-150-24 /PUSH 230V 150W IP20 TRIAC / PUSH

Product code 18255 TRIAC / PUSH dimmable

Brand SKYDANCE
Supply voltage 230V
Power factor 0.95
Dimmable TRIAC / PUSH
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 45.0mm
Length 310.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +45°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE PB-40-12 100-240V 40W IP20 PUSH / RF

Product code 15765 PUSH / RF dimmable

Brand SKYDANCE
Supply voltage 100-240V
Dimmable PUSH / RF
Output voltage 12V
Output 40W
Maximum output 40W/1m
Rated current 3340mA
Protection class IP20
Height 30.0mm
Width 44.0mm
Length 168.5mm
In package 1pc
Work environment indoor use
Operation temperature -30~55°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE PB-40-24 100-240V 40W IP20 PUSH / RF

Product code 15766 PUSH / RF dimmable

Brand SKYDANCE
Supply voltage 100-240V
Dimmable PUSH / RF
Output 40W
Maximum output 40W/1m
Rated current 1670mA
Protection class IP20
Height 30.0mm
Width 44.0mm
Length 168.5mm
In package 1pc
Work environment indoor use
Operation temperature -30~50°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE PB-75-12 230V 75W IP20 PUSH / RF

Product code 15767 PUSH / RF dimmable

Brand SKYDANCE
Supply voltage 230V
Dimmable PUSH / RF
Output voltage 12V
Output 75W
Maximum output 75W/1m
Rated current 6250mA
Protection class IP20
Height 30.0mm
Width 56.0mm
Length 179.0mm
In package 1pc
Work environment indoor use
Operation temperature -30~50°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE PB-75-24 75W IP20 PUSH / RF

Product code 15768 PUSH / RF dimmable

Brand SKYDANCE
Dimmable PUSH / RF
Output voltage 24V
Output 75W
Maximum output 75W/1m
Rated current 3125mA
Protection class IP20
Height 30.0mm
Width 56.0mm
Length 179.0mm
In package 1pc
Operation temperature -30~50°C
Certificates CE
Warranty 5 years

