


Power supply 24V DC PFV-30-24 230V 30W IP20

Product code 17290

Supply voltage 230V
 Output voltage 24V
 Output 30W
 Protection class IP20
 Height 18.0mm
 Width 58.0mm
 Length 160.0mm
 In package 1pc
 Work environment indoor use
 Certificates CE
 Warranty 5 years




Power supply unit that meets both professional and domestic lighting needs. Compact size, slim structure, lightweight. High efficiency, low temperature rise. Cooling with free air circulation. Complies with international lighting standards. PFV power supply units comply with international lighting standards and have short-circuit, overcurrent, overvoltage, and thermal protection.

Power supply 24V DC PFV-75-24 230V 75W IP20

Product code 17294

Supply voltage 230V
 Output voltage 24V
 Output 75W
 Protection class IP20
 Height 18.1mm
 Width 58.0mm
 Length 160.0mm
 In package 1pc
 Work environment indoor use
 Certificates CE
 Warranty 5 years




Power supply unit that meets both professional and domestic lighting needs. Compact size, slim structure, lightweight. High efficiency, low temperature rise. Cooling with free air circulation. Complies with international lighting standards. PFV power supply units comply with international lighting standards and have short-circuit, overcurrent, overvoltage, and thermal protection.

Power supply 24V DC PFV-8-24 230V 8W IP20

Product code 17285

Supply voltage 230V
Output voltage 24V
Output 8W
Protection class IP20
Height 24.0mm
Width 50.0mm
Length 90.0mm
In package 1pc
Certificates CE
Warranty 5 years

Power supply unit that meets both professional and domestic lighting needs. Compact size, slim structure, lightweight. High efficiency, low temperature rise. Cooling with free air circulation. Complies with international lighting standards. PFV power supply units comply with international lighting standards and have short-circuit, overcurrent, overvoltage, and thermal protection.



Power supply GLP POWER 24V DC GLG-150-24 230V 150W IP65

Product code 16046

Brand [GLP POWER](#)
Supply voltage 230V
Output voltage 24V
Output 150W
Maximum output 144W/1m
Rated current 6000mA
Protection class IP65
Height 45.0mm
Width 70.0mm
Length 221.0mm
Weight 1150g
In box 15pcs
Work environment outdoor use
Operation temperature -30 ~ +70 °C
Certificates CE, RoHS,



Power supply GLP POWER GTPC-100-12-D 230V 100W

Product code 15657 TRIAC dimmable

Brand [GLP POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 100W

Rated current 8300mA

Height 34.0mm

Width 67.0mm

Length 210.0mm

Weight 360g

In box 50pcs

Work environment indoor use

Operation temperature -20 ~ +50°C

Certificates CE

Warranty 2 years



Power supply KGP 24V DC CV-25-24 (TRIAC) 230V 25W IP20

Product code 17426 TRIAC dimmable

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Dimmable TRIAC

Output voltage 24V

Output 25W

Rated current 1040mA

Protection class IP20

Lifespan 50000h

Height 30.0mm

Width 52.0mm

Length 128.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-100-24 (DALI/PUSH) 230V 100W IP20

Product code 17412 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Rated current 4200mA
Protection class IP20
Lifespan 50000h
Height 22.0mm
Width 65.0mm
Length 190.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-12-24 230V 12W IP20

Product code 17407

Brand [KGP](#)

Supply voltage 230V

Power factor 0.92

Output voltage 24V

Output 12W

Rated current 500mA

Protection class IP20

Lifespan 50000h

Height 15.5mm

Width 46.0mm

Length 112.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -30 - +75°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-120-24 230V 120W IP20

Product code 17413

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 120W

Rated current 5000mA

Protection class IP20

Lifespan 50000h

Height 22.0mm

Width 65.0mm

Length 190.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-24-24 230V 24W IP20

Product code 17406

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 24W

Rated current 1000mA

Protection class IP20

Lifespan 50000h

Height 15.5mm

Width 50.0mm

Length 137.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-36-24 230V 36W IP20

Product code 17408

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 36W

Rated current 1500mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 57.0mm

Length 170.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-60-24 (DALI/PUSH) 230V 60W IP20

Product code 17410 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 60W
Rated current 2500mA
Protection class IP20
Lifespan 50000h
Height 18.0mm
Width 57.0mm
Length 170.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor use
Operation temperature -25 - +45°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-60-24 230V 60W IP20

Product code 17409

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 60W

Rated current 2500mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 57.0mm

Length 170.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC FV-90-24 230V 90W IP20

Product code 17411

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 90W

Rated current 3750mA

Protection class IP20

Lifespan 50000h

Height 22.0mm

Width 65.0mm

Length 190.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC LV-100-24 (DALI/PUSH-DIM) 230V 100W IP20

Product code 17207 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Rated current 4170mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Weight 210g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-100-24 230V 100W IP20

Product code 17421

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 100W

Rated current 4170mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE, ENEC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC LV-150-24 (DALI/PUSH-DIM) 230V 150W IP20

Product code 17206 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 150W
Rated current 6250mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Weight 310g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-150-24 230V 150W IP20

Product code 17423

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 150W

Rated current 6250mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE, ENEC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC LV-250-24 (DALI/PUSH-DIM) 230V 250W IP20

Product code 17205 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 250W
Rated current 10420mA
Protection class IP20
Height 22.0mm
Width 40.0mm
Length 400.0mm
Weight 530g
In box 25pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-250-24 230V 250W IP20

Product code 17231

Brand [KGP](#)

Supply voltage 230V

Output voltage 24V

Output 250W

Rated current 10420mA

Protection class IP20

Lifespan 50000h

Height 22.0mm

Width 40.0mm

Length 400.0mm

Weight 530g

Casing material plastic

Operation temperature -25 ~ 45°C

Certificates CE, ENEC

Warranty 5 years



High-quality and reliable 24V power supply unit. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-30-24 (DALI/PUSH-DIM) 230V 30W IP20

Product code 17209 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 30W
Rated current 1250mA
Protection class IP20
Height 16.0mm
Width 30.0mm
Length 300.0mm
Weight 143g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-30-24 230V 30W IP20

Product code 17232

Brand [KGP](#)
Supply voltage 230V
Output voltage 24V
Output 30W
Rated current 1250mA
Protection class IP20
Height 16.0mm
Width 30.0mm
Length 300.0mm
Weight 143g
In box 50pcs
Casing material plastic
Certificates CE, ENEC
Warranty 5 years



High-quality and reliable 24V power supply unit. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-60-24 (DALI/PUSH-DIM) 230V 60W IP20

Product code 17208 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 60W
Rated current 2500mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Weight 230g
In box 50pcs
Casing material plastic
Certificates CE
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

Power supply KGP 24V DC LV-60-24 230V 60W IP20

Product code 17419

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 60W

Rated current 2500mA

Protection class IP20

Lifespan 50000h

Height 16.0mm

Width 30.0mm

Length 300.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE, ENEC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V DC RV-25-24 230V 25W IP20

Product code 17415

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 25W

Rated current 1040mA

Protection class IP20

Lifespan 50000h

Height 25.0mm

Diameter 55.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -20 - +50°C

Certificates CE

Warranty 5 years

The 12V/24V/48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



Power supply KGP 24V XSV-100-24 (DALI/PUSH) 230V 100W IP67

**Product code 17435 DALI / PUSH
dimnable**

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Rated current 4170mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 320.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor
use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-100-24 230V 100W IP67

Product code 17434

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 100W

Rated current 4170mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 320.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-160-24 (DALI/PUSH) 230V 160W IP67

Product code 17437 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 160W
Rated current 6670mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 350.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-160-24 230V 160W IP67

Product code 17436

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 160W

Rated current 6670mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-240-24 (DALI/PUSH) 230V 240W IP67

Product code 17439 DALI / PUSH dimmable

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 240W
Rated current 10000mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
In box 24pcs
Casing material plastic
Polishing matt
Work environment indoor / outdoor use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-240-24 230V 240W IP67

Product code 17438

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 240W

Rated current 10000mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 400.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-30-24 (DALI/PUSH) 230V 30W IP67

**Product code 17431 DALI / PUSH
dimnable**

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 30W
Rated current 1250mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 250.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor
use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-30-24 230V 30W IP67

Product code 17430

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 30W

Rated current 1250mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 250.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-400-24 (DALI/PUSH) 230V 400W IP67

**Product code 17441 DALI / PUSH
dimnable**

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 400W
Rated current 16670mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 400.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor
use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-400-24 230V 400W IP67

Product code 17440

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 400W

Rated current 16670mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 400.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-60-24 (DALI/PUSH) 230V 60W IP67

**Product code 17433 DALI / PUSH
dimnable**

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Dimmable DALI / PUSH
Output voltage 24V
Output 60W
Rated current 2500mA
Protection class IP67
Lifespan 50000h
Height 21.0mm
Width 30.0mm
Length 290.0mm
In package 1pc
Casing material plastic
Polishing matt
Work environment indoor / outdoor
use
Operation temperature -25 - +50°C
Certificates CE
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 24V XSV-60-24 230V 60W IP67

Product code 17432

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 60W

Rated current 2500mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 290.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

Power supply KGP 48V DC LV-100-48 230V 100W IP20

Product code 17279

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 48V

Output 100W

Rated current 3125mA

Protection class IP20

Height 18.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Warranty 3 years

The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



Power supply KGP 48V DC LV-150-48 230V 150W IP20

Product code 16954

Brand [KGP](#)
Supply voltage 230V
Power factor 0.95
Output voltage 48V
Output 150W
Rated current 3125mA
Protection class IP20
Height 18.0mm
Width 30.0mm
Length 350.0mm
Casing material plastic
Warranty 3 years

The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



Power supply KGP 48V DC LV-250-48 230V 250W IP20

Product code 17278

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 48V

Output 250W

Rated current 3125mA

Protection class IP20

Height 18.0mm

Width 30.0mm

Length 350.0mm

Casing material plastic

Warranty 3 years

The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



Power supply KGP 48V DC RV-25-48 white 230V 25W IP20

Product code 17416

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 48V

Output 25W

Rated current 5200mA

Protection class IP20

Lifespan 50000h

Height 25.0mm

Diameter 55.0mm

In package 1pc

Casing colour white

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -20 - +50°C

Certificates CE

Warranty 5 years

The 12V/24V/48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



Power supply LTECH 12V DC DALI-150-12- G1D2 (DALI / PUSH DIM) 230V 150W IP20

Product code 16144 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 150W
Rated current 12500mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430g
In package 1pc
Work environment indoor use
Operation temperature -20°C~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 12V DC DALI-150-12-F1M1 (DALI / PUSH DIM) 230V 150W

Product code 13861 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 150W
Rated current 12500mA
Height 37.0mm
Width 57.0mm
Length 273.0mm
Weight 760g
Operation temperature -30°C-60°C
Certificates CE, RoHS



Power supply LTECH 12V DC DALI-75-12-G1D2 (DALI / PUSH DIM) 230V 75W

Product code 13825 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 75W
Rated current 6250mA
Height 33.0mm
Width 44.0mm
Length 296.0mm
Weight 278g
Package weight 17g
Work environment indoor use
Operation temperature -30 ~ +65°C
Certificates CE, ROHS
Warranty 3 years



Power supply LTECH 12V DC LM-150-12-G1T2 (TRIAC/ PUSH DIM) 230V 150W

Product code 16276 TRIAC / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 150W
Rated current 12500mA
Operation temperature -20°C~45°C
Certificates CE,RoHS
Warranty 3 years



Power supply LTECH 12V DC LM-36-12-G1D2 (DALI / PUSH DIM) 230V 36W

**Product code 14985 DALI / PUSH
dimnable**

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 36W
Maximum output 36W/1m
Rated current 3000mA
Work environment indoor use
Warranty 3 years



Power supply LTECH 12V DC LM-36-12-G1T2 (TRIAC/ PUSH DIM) 230V 36W

**Product code 16272 TRIAC / PUSH
dimnable**

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 36W
Maximum output 36W/1m
Rated current 3000mA
Weight 185g
Operation temperature -30 ~ 55°C



Power supply LTECH 12V DC LM-75-12-G1T2 (TRIAC/ PUSH DIM) 230V 75W IP20

**Product code 16088 TRIAC / PUSH
dimnable**

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 75W
Rated current 6250mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300g
Work environment indoor use
Operation temperature -20°C~50°C°C
Certificates CE,RoHS
Warranty 5 years



Power supply LTECH 12V DC TD-50-12-E1D1 (TRIAC/ PUSH DIM) 230V 50W

**Product code 14930 TRIAC / PUSH
dimnable**

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 50W
Maximum output 50W/1m
Rated current 4200mA
Height 58.0mm
Width 89.0mm
Length 107.0mm
Weight 260g
Work environment indoor use
Operation temperature -30°C ~
55°C°C
Certificates CE



Power supply LTECH 24V DC DMX-150-24-F4M1 (DMX/ PUSH DIM) 230V 150W IP20

Product code 15909 DMX / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DMX / PUSH
Output voltage 24V
Output 150W
Rated current 6250mA
Protection class IP20
Height 37.0mm
Width 57.0mm
Length 273.0mm
Weight 750g
Work environment indoor use
Operation temperature -30~60°C
Certificates CE,RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-150-24-G1D2 (DALI / PUSH DIM) 230V 150W IP20

Product code 15926 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 150W
Rated current 6250mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430g
In package 1pc
Work environment indoor use
Operation temperature -20°C~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-150-24-G1T2 (TRIAC / PUSH DIM) 230V 150W IP20

Product code 16168 TRIAC / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 24V
Output 150W
Rated current 6250mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430g
In package 1pc
Work environment indoor use
Operation temperature -20°C~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-36-24-G1T2 (TRIAC/ PUSH DIM) 230V 36W

Product code 16271 TRIAC / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 24V
Output 36W
Maximum output 36W/1m
Rated current 1500mA
Weight 185g
Work environment indoor use
Certificates CE
Warranty 3 years



Power supply LTECH 24V DC LM-75-24-G1D2 (DALI / PUSH DIM) 230V 75W

Product code 13858 DALI / PUSH dimmable

Brand LTECH
 Supply voltage 230V
 Dimmable DALI / PUSH
 Output voltage 24V
 Output 75W
 Rated current 3125mA
 Height 30.0mm
 Width 43.0mm
 Length 293.0mm
 Weight 300g
 Casing material plastic
 Work environment indoor use
 Operation temperature -30° ~ +50°C
 Certificates CE, RoHS
 Warranty 3 years



Power supply LTECH 24V DC LM-75-24-G1T2 (TRIAC/ PUSH DIM) 230V 75W IP20

Product code 15403 TRIAC / PUSH dimmable

Brand LTECH
 Supply voltage 230V
 Dimmable TRIAC / PUSH
 Output voltage 24V
 Output 75W
 Rated current 3100mA
 Protection class IP20
 Height 30.0mm
 Width 43.0mm
 Length 293.0mm
 Weight 300g
 Work environment indoor use
 Operation temperature -20°C~50°C
 Certificates CE,RoHS
 Warranty 5 years



Power supply LTECH 24V DC tunable white LM-100-24-G2D2 (DALI/ PUSH DIM) 230V 100W IP20

Product code 15404 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Rated current 4170mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300g
Work environment indoor use
Certificates CE, SELV
Warranty 3 years



Power supply LTECH 24V DC tunable white LM-75-24-G2D2 (DALI/ PUSH DIM) 230V 75W IP20

Product code 15479 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 75W
Rated current 3125mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300g
Work environment indoor use
Certificates CE, SELV
Warranty 3 years



Power supply LTECH LM-36-24-G1D2 (DALI / PUSH DIM) 230V 36W

Product code 16342 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 36W
Maximum output 36W/1m
Rated current 1500mA
Height 30.0mm
Width 44.0mm
Length 175.0mm
Weight 190g
Work environment indoor use
Warranty 3 years



Power supply POS POWER 12V DC POS-60-12 230V 60W IP20

Product code 14103

Brand [POS POWER](#)
Supply voltage 230V
Output 60W
Rated current 5000mA
Protection class IP20
Height 37.0mm
Width 97.0mm
Length 159.0mm
Weight 460g
Casing material metal
Operation temperature -5 ~ +45°C
Certificates CE



Power supply POS POWER 12V DC Slim FTPC50V12-C2 230V 50W IP20

Product code 16810

Brand [POS POWER](#)
Supply voltage 230V
Output voltage 12V
Output 50W
Rated current 4160mA
Protection class IP20
Height 18.0mm
Width 57.8mm
Length 159.9mm
Work environment indoor use
Operation temperature -20 ~ +45°C
Warranty 3 years

Power supply POS POWER 24V DC FTPC240V24-DA6 (DALI/PUSH-DIM) 230V 240W IP20

Product code 17042 DALI / PUSH dimmable

Brand [POS POWER](#)
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 240W
Rated current 10000mA
Protection class IP20
Height 27.5mm
Width 41.5mm
Length 334.8mm
Weight 500g
Package weight 600g
In package 20pcs
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Power supply POS POWER 24V DC Slim FTPC20V24-C2 230V 20W IP20

Product code 16807

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 24V

Output 20W

Rated current 830mA

Protection class IP20

Height 14.0mm

Width 50.0mm

Length 154.0mm

Work environment indoor use



Power supply POS POWER FTPC150V12-D 230V 132W IP20

Product code 15653 TRIAC dimmable

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 132W

Maximum output 132W/1m

Rated current 11000mA

Protection class IP20

Height 31.0mm

Width 56.5mm

Length 170.0mm

Weight 600g

In box 15pcs

Work environment indoor use

Operation temperature -20°C ~ 45°C

Warranty 2 years



Power supply POS POWER FTPC50V12-D 230V 50W IP20

Product code 15631 TRIAC dimmable

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 50W

Maximum output 50W/1m

Rated current 4160mA

Protection class IP20

Height 21.8mm

Width 57.0mm

Length 177.0mm

Weight 200g

In box 50pcs

Work environment indoor use

Operation temperature -20°C ~
40°C

Warranty 2 years



Power supply Scharfer 12V DC SCH-100-12 230V 100W IP67

Product code 16597

Brand Scharfer

Supply voltage 230V

Output voltage 12V

Output 100W

Maximum output 100W/1m

Rated current 8333mA

Protection class IP67

Height 22.0mm

Width 40.0mm

Length 218.0mm

Weight 390g

In package 1pc

In box 40pcs

Casing material aluminum

Operation temperature -30~50°C

Warranty 7 years



Power supply Scharfer 12V DC SCH-200-12 230V 200W IP67

Product code 16593

Brand Scharfer
 Supply voltage 230V
 Output voltage 12V
 Output 200W
 Maximum output 200W/1m
 Rated current 16000mA
 Protection class IP67
 Height 35.0mm
 Width 65.0mm
 Length 225.0mm
 Weight 860g
 In package 1pc
 In box 20pcs
 Casing material aluminum
 Operation temperature -30~50°C
 Warranty 7 years



Power supply Scharfer 12V DC SCH-30-12 230V 30W IP67

Product code 16625

Brand Scharfer
 Supply voltage 230V
 Output voltage 12V
 Output 30W
 Maximum output 30W/1m
 Rated current 2500mA
 Protection class IP67
 Height 21.0mm
 Width 29.0mm
 Length 162.0mm
 Weight 170g
 In package 1pc
 In box 100pcs
 Casing material aluminum
 Operation temperature -30~50°C
 Warranty 7 years



Power supply Scharfer 12V DC SCH-300-12 230V 300W IP67

Product code 16590

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 300W
Maximum output 300W/1m
Rated current 25000mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 257.0mm
Weight 1570g
In package 1pc
In box 10pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-60-12 230V 60W IP67

Product code 16621

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 60W
Maximum output 60W/1m
Rated current 5000mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 222.0mm
Weight 240g
In package 1pc
In box 50pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-100-24 230V 100W IP67

Product code 16596

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 100W
Maximum output 100W/1m
Rated current 4170mA
Protection class IP67
Height 22.0mm
Width 40.0mm
Length 218.0mm
Weight 390g
In package 1pc
In box 40pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-150-24 230V 150W IP67

Product code 16595

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 150W
Maximum output 150W/1m
Rated current 6250mA
Protection class IP67
Height 25.0mm
Width 57.0mm
Length 279.0mm
Weight 680g
In package 1pc
In box 25pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-20-24 230V 20W IP67

Product code 16627

Brand Scharfer
 Supply voltage 230V
 Output voltage 24V
 Output 20W
 Maximum output 20W/1m
 Rated current 830mA
 Protection class IP67
 Height 21.0mm
 Width 29.0mm
 Length 162.0mm
 Weight 170g
 In package 1pc
 In box 100pcs
 Casing material aluminum
 Operation temperature -30~50°C
 Warranty 7 years



Power supply Scharfer 24V DC SCH-200-24 230V 200W IP67

Product code 16592

Brand Scharfer
 Supply voltage 230V
 Output voltage 24V
 Output 200W
 Maximum output 200W/1m
 Rated current 8300mA
 Protection class IP67
 Height 35.0mm
 Width 65.0mm
 Length 225.0mm
 Weight 860g
 In package 1pc
 In box 20pcs
 Casing material aluminum
 Operation temperature -30~50°C
 Warranty 7 years



Power supply Scharfer 24V DC SCH-30-24 230V 30W IP67

Product code 16626

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 30W
Maximum output 30W/1m
Rated current 1250mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170g
In package 1pc
In box 100pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-300-24 230V 300W IP67

Product code 16591

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 300W
Maximum output 300W/1m
Rated current 12500mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 257.0mm
Weight 1570g
In package 1pc
In box 10pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-400-24 230V 400W IP67

Product code 17816

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 400W
Maximum output 400W/1m
Rated current 16700mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 300.0mm
Weight 1800g
In package 1pc
In box 8pcs
Casing material metal
Operation temperature -30° - +50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-45-24 230V 45W IP67

Product code 16623

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 45W
Maximum output 45W/1m
Rated current 1870mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 190.0mm
Weight 235g
In package 1pc
In box 50pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-60-24 230V 60W IP67

Product code 16622

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 60W
Maximum output 60W/1m
Rated current 2500mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 222.0mm
Weight 240g
In package 1pc
In box 50pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply SKYDANCE 12V DC PH-150-12 100-240V 150W IP20

**Product code 15801 PUSH / RF
dimmable**

Brand [SKYDANCE](#)
Supply voltage 100-240V
Dimmable PUSH / RF
Output voltage 12V
Output 150W
Maximum output 150W/1m
Rated current 12500mA
Protection class IP20
Height 36.0mm
Width 66.5mm
Length 244.0mm
In package 1pc
Work environment indoor use
Operation temperature -30~50°C
Certificates CE



Power supply SKYDANCE 12V DC TE-40-12 (TRIAC/PUSH) 230V 40W IP20

**Product code 17614 TRIAC / PUSH
dimnable**

Brand [SKYDANCE](#)
Supply voltage 230V
Power factor 0.82
Dimmable TRIAC / PUSH
Output voltage 12V
Output 40W
Maximum output 40W/1m
Rated current 3300mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 44.0mm
Length 168.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE, RoHS
Warranty 5 years



Power supply SKYDANCE 12V DC TE-75-12 (TRIAC/PUSH) 230V 75W IP20

**Product code 17615 TRIAC / PUSH
dimnable**

Brand [SKYDANCE](#)
Supply voltage 230V
Power factor 0.85
Dimmable TRIAC / PUSH
Output voltage 12V
Output 75W
Maximum output 75W/1m
Rated current 6250mA
Protection class IP20
Lifespan 50000h
Height 30.0mm
Width 56.0mm
Length 179.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +50°C
Certificates CE
Warranty 5 years



Power supply SKYDANCE 12V DC TF-150-12 (TRIAC/PUSH) 230V 150W IP20

Product code 17616 TRIAC / PUSH dimmable

Brand [SKYDANCE](#)
 Supply voltage 230V
 Power factor 0.95
 Dimmable TRIAC / PUSH
 Output voltage 12V
 Output 150W
 Maximum output 150W/1m
 Rated current 12500mA
 Protection class IP20
 Lifespan 50000h
 Height 30.0mm
 Width 45.0mm
 Length 310.0mm
 In package 1pc
 Casing material plastic
 Work environment indoor use
 Operation temperature -30° - +45°C
 Certificates CE
 Warranty 5 years



Power supply SKYDANCE 24V DC PBL-60-24 100-240V 60W IP20

Product code 17719

Brand [SKYDANCE](#)
 Supply voltage 100-240V
 Power factor 0.50
 Output voltage 24V
 Output 60W
 Maximum output 60W/1m
 Rated current 2500mA
 Protection class IP20
 Lifespan 50000h
 Height 18.0mm
 Width 55.5mm
 Length 164.0mm
 Weight 150g
 In package 1pc
 Work environment indoor use
 Operation temperature -20° - +45°C
 Certificates CE
 Warranty 5 years



60W CV LED driver, suitable for LED strips, to optimize furniture lighting. A very slim and lightweight, yet highly efficient power supply. Connectable with CV0, CV1, and CV2 blocks. Capable of controlling multiple LED strips with an RF remote. Dimmable from 0-100%, with smooth and flicker-free adjustment.

Power supply SKYDANCE PB-40-12 100-240V 40W IP20

**Product code 15765 PUSH / RF
dimnable**

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 12V

Output 40W

Rated current 3340mA

Protection class IP20

Height 30.0mm

Width 44.0mm

Length 168.5mm

In package 1pc

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE PB-40-24 100-240V 40W IP20

**Product code 15766 PUSH / RF
dimnable**

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output 40W

Rated current 1670mA

Protection class IP20

Height 30.0mm

Width 44.0mm

Length 168.5mm

In package 1pc

Work environment indoor use

Operation temperature -30~50°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE PB-75-12 230V 75W IP20

Product code 15767 PUSH / RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable PUSH / RF

Output voltage 12V

Output 75W

Rated current 6250mA

Protection class IP20

Height 30.0mm

Width 56.0mm

Length 179.0mm

In package 1pc

Work environment indoor use

Operation temperature -30~50°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE PB-75-24 100-240V 75W IP20

Product code 15768 PUSH / RF dimmable

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 24V

Output 75W

Rated current 3125mA

Protection class IP20

Height 30.0mm

Width 56.0mm

Length 179.0mm

In package 1pc

Operation temperature -30~50°C

Certificates CE

Warranty 5 years

