

Power supply GLP POWER 12V DC GLG-150-12 230V 150W IP65

Product code 14757

Price 60,94+VAT

Promotional price 48,48+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 150W

Electric current 12500mA

Protection class IP65

Height 45.0mm

Width 70.0mm

Length 221.0mm

Weight 1150g

In box 15pcs

Work environment outdoor use

Operation temperature -30 ~ +70 °C

Certificates CE, RoHS,

Warranty 3 years



Power supply GLP POWER 12V DC GLSV-300-12 230V 320W IP67

Product code 16224

Price 88,84+VAT

Promotional price 70,67+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 320W

Maximum output 264W/1m

Electric current 22000mA

Protection class IP67

Height 40.0mm

Width 98.0mm

Length 234.0mm

Weight 1575g

Casing material aluminum

Operation temperature -40~60°C

Warranty 5 years



Power supply GLP POWER 12V DC GPV-100-12 230V 100W IP67

Product code 14111

Price 29,83+VAT

Promotional price 23,73+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 100W

Electric current 8,3AmA

Protection class IP67

Height 37.0mm

Width 52.0mm

Length 187.0mm

In box 20pcs

Casing material plastic

Work environment outdoor use

Operation temperature -30 ~ +70°C

Certificates CE,RoHS

Warranty 3 years



Power supply GLP POWER 12V DC GPV-200-12 230V 200W IP67

Product code 16132

Price 58,26+VAT

Promotional price 46,34+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 200W

Electric current 16000mA

Protection class IP67

Height 45.0mm

Width 70.0mm

Length 205.0mm

Weight 1200g

In box 15pcs

Casing material plastic

Operation temperature -30~+70°C

Certificates CE, SELV

Warranty 3 years



Power supply GLP POWER 12V DC GPV-60-12 230V 60W IP67

Product code 14844

Price 17,62+VAT

Promotional price 14,02+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 60W

Electric current 5AmA

Protection class IP67

Height 33.0mm

Width 42.0mm

Length 162.0mm

Weight 390g

In package 1pc

In box 50pcs

Casing material plastic

Work environment outdoor use

Operation temperature -30 ~ +70 °C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 12V DC GPV-75-12 230V 72W IP67

Product code 14110

Price 21,21+VAT

Promotional price 16,87+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 72W

Electric current 6AmA

Protection class IP67

Height 33.0mm

Width 42.0mm

Length 162.0mm

Weight 380g

In box 50pcs

Casing material plastic

Work environment outdoor use

Operation temperature -30 ~ +70°C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 12V GLG-200-12 230V 200W IP67

Product code 15156

Price 74,49+VAT

Promotional price 59,26+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 200W

Electric current 16.6AmA

Protection class IP67

Height 50.0mm

Width 96.0mm

Length 242.0mm

In box 10pcs

Casing material aluminum

Work environment outdoor use

Operation temperature -30 ~ +70°C

Warranty 3 years



Power supply GLP POWER 12V GLG-300-12 230V 300W IP67

Product code 15157

Price 105,78+VAT

Promotional price 84,14+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 300W

Electric current 25AmA

Protection class IP67

Height 50.0mm

Width 96.0mm

Length 285.0mm

In box 8pcs

Casing material aluminum

Work environment outdoor use

Operation temperature -30 ~ +70°C

Warranty 3 years



Power supply GLP POWER 24V DC GLG-150-24 230V 150W IP65

Product code 16046

Price 60,83+VAT

Promotional price 48,39+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 150W

Maximum output 144W/1m

Electric current 6000mA

Protection class IP65

Height 45.0mm

Width 70.0mm

Length 221.0mm

Weight 1150g

In box 15pcs

Work environment outdoor use

Operation temperature -30 ~ +70 °C

Certificates CE, RoHS,

Warranty 3 years



Power supply GLP POWER 24V DC GLSV-200-12 230V 200W IP67

Product code 15940

Price 50,60+VAT

Promotional price 40,25+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 12V

Output 200W

Electric current 16670mA

Protection class IP67

Height 45.3mm

Width 68.0mm

Length 232.0mm

Weight 900g

Casing material aluminum

Operation temperature -40~60°C

Warranty 5 years



Power supply GLP POWER 24V DC GLSV-300-24 230V 320W IP67

Product code 15137

Price 104,28+VAT

Promotional price 82,95+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 320W

Electric current 13330mA

Protection class IP67

Height 40.0mm

Width 98.0mm

Length 234.0mm

Weight 1575g

Casing material aluminum

Operation temperature -40~60°C

Warranty 5 years



Power supply GLP POWER 24V DC GPV-100-24 230V 100W IP67

Product code 14141Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 100W

Electric current 4,2mA

Protection class IP67

Height 37.0mm

Width 52.0mm

Length 187.0mm

Weight 620g

In box 20pcs

Casing material plastic

Work environment outdoor use

Operation temperature -30~+70°C

Certificates CE, SELV

Warranty 3 years



Power supply GLP POWER 24V DC GPV-12-24 230V 12W IP67

Product code 14494

Price 7,33+VAT

Promotional price 5,83+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 12W

Electric current 500mA

Protection class IP67

Height 20.0mm

Width 25.0mm

Length 129.5mm

Weight 130g

In package 1pc

In box 100pcs

Casing material plastic

Work environment outdoor use

Operation temperature -10°C - +70°C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 24V DC GPV-20-24 230V 20W IP67

Product code 14495

Price 11,00+VAT

Promotional price 8,75+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 20W

Electric current 1A

Protection class IP67

Height 25.0mm

Width 32.0mm

Length 130.0mm

In package 1pc

In box 100pcs

Casing material plastic

Operation temperature -30°C - +70°C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 24V DC GPV-200-24 230V 200W IP67

Product code 16061

Price 62,30+VAT

Promotional price 49,56+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 200W

Electric current 8300mA

Protection class IP67

Height 45.0mm

Width 70.0mm

Length 205.0mm

Weight 1200g

In box 15pcs

Casing material plastic

Operation temperature -30~+70°C

Certificates CE, SELV

Warranty 3 years



Power supply GLP POWER 24V DC GPV-60-24 230V 60W IP67

Product code 15130

Price 17,60+VAT

Promotional price 14,00+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 60W

Electric current 2500mA

Protection class IP67

Height 33.0mm

Width 42.0mm

Length 162.0mm

Weight 390g

In box 50pcs

Casing material plastic

Work environment outdoor use

Operation temperature -30 ~ +70
°C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 24V DC GPV-75-24 230V 75W IP67

Product code 14546

Price 22,18+VAT

Promotional price 17,64+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 75W

Protection class IP67

Height 33.0mm

Width 42.0mm

Length 162.0mm

Weight 380g

In box 50pcs

Operation temperature -30 ~ +70 °C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 24V DC GLG-200-24 230V 200W IP67

Product code 14792

Price 77,75+VAT

Promotional price 61,85+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 200W

Electric current 8,33A

Protection class IP67

Height 50.0mm

Width 96.0mm

Length 242.0mm

Weight 1800g

In box 10pcs

Operation temperature -30 ~ +70°C

Certificates CE, RoHS

Warranty 5 years



Power supply GLP POWER 24V GLG-300-24 230V 300W IP67

Product code 14791

Price 116,16+VAT

Promotional price 92,40+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 24V

Output 300W

Electric current 12,5AmA

Protection class IP67

Height 50.0mm

Width 96.0mm

Length 285.0mm

Weight 2200g

In box 8pcs

Operation temperature -30 ~ +70°C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 5V DC GPV-35-5 230V 25W IP67

Product code 15299

Price 12,78+VAT

Promotional price 10,17+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 5V

Output 25W

Electric current 5AmA

Protection class IP67

Height 26.0mm

Width 32.0mm

Length 148.0mm

Weight 200g

In package 1pc

In box 80pcs

Operation temperature -20°C ÷
70°C

Certificates CE, RoHS

Warranty 3 years



Power supply GLP POWER 5V DC GPV-60-5 230V 40W IP67

Product code 15300

Price 15,44+VAT

Promotional price 12,29+VAT

Brand [GLP POWER](#)

Supply voltage 230V

Output voltage 5V

Output 40W

Electric current 8AmA

Protection class IP67

Height 33.0mm

Width 42.0mm

Length 162.0mm

Weight 390g

In package 1pc

In box 50pcs

Work environment outdoor use

Operation temperature -20°C ÷
70°C

Certificates CE,RoHS

Warranty 3 years



Power supply LTECH 12V DC DALI-150-12- G1D2 (DALI / PUSH DIM) 230V 150W IP20

Product code 16144 DALI / PUSH**dimmable**

Price 106,85+VAT

Brand LTECH

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 12V

Output 150W

Electric current 12500mA

Protection class IP20

Height 33.0mm

Width 44.0mm

Length 355.0mm

Weight 430g

In package 1pc

Work environment indoor use

Operation temperature -20°C~60°C

Certificates CE, RoHS

Warranty 3 years



Power supply LTECH 12V DC DALI-75-12-G1D2 (DALI / PUSH DIM) 230V 75W

Product code 13825 DALI / PUSH dimmable

Price 64,16+VAT

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 75W
Electric current 6,25AmA
Height 33.0mm
Width 44.0mm
Length 296.0mm
Weight 278g
Package weight 17g
Work environment indoor use
Operation temperature -30 ~ +65°C
Certificates CE, ROHS
Warranty 3 years



Power supply LTECH 12V DC LM-150-12-G1T2 (TRIAC/ PUSH DIM) 230V 150W

Product code 16276 TRIAC / PUSH dimmable

Price 72,54+VAT

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 150W
Electric current 12,5AmA
Operation temperature -20°C~45°C
Certificates CE,RoHS
Warranty 3 years



Power supply LTECH 12V DC LM-36-12-G1D2 (DALI / PUSH DIM) 230V 36W

**Product code 14985 DALI / PUSH
dimmable**

Price 41,97+VAT

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 12V
Output 36W
Maximum output 36W/1m
Electric current 3000mA
Work environment indoor use
Warranty 3 years



Power supply LTECH 12V DC LM-36-12-G1T2 (TRIAC/ PUSH DIM) 230V 36W

**Product code 16272 TRIAC / PUSH
dimmable**

Price 38,11+VAT

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 36W
Maximum output 36W/1m
Electric current 3A
Weight 185g
Operation temperature -30 ~ 55°C



Power supply LTECH 12V DC LM-75-12-G1T2 (TRIAC/ PUSH DIM) 230V 75W IP20

Product code 16088 TRIAC / PUSH dimmable

Price 64,37+VAT

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 75W
Electric current 6250mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300g
Work environment indoor use
Operation temperature -20°C~50°C°C
Certificates CE,RoHS
Warranty 5 years



Power supply LTECH 12V DC TD-150-12-E1M1 (TRIAC/ PUSH DIM) 230V 150W

Product code 14725 TRIAC / PUSH dimmable

Price 72,10+VAT

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 150W
Electric current 12,5AmA
Height 37.0mm
Width 57.0mm
Length 273.0mm
Weight 605g
Operation temperature -20°C~45°C°C
Certificates CE,RoHS
Warranty 3 years



Power supply LTECH 12V DC TD-50-12-E1D1 (TRIAC/ PUSH DIM) 230V 50W

**Product code 14930 TRIAC / PUSH
dimmable**

Price 16,80+VAT

Promotional price 13,00+VAT

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 12V
Output 50W
Maximum output 50W/1m
Electric current 4.2mA
Height 58.0mm
Width 89.0mm
Length 107.0mm
Weight 260g
Work environment indoor use
Operation temperature -30°C ~
55°C°C
Certificates CE
Warranty 3 years



Power supply LTECH 24V DC DMX-150-24-F4M1 (DMX/ PUSH DIM) 230V 150W IP20

**Product code 15909 DMX / PUSH
dimmable**

Brand LTECH
Supply voltage 230V
Dimmable DMX / PUSH
Output voltage 24V
Output 150W
Electric current 6250mA
Protection class IP20
Height 37.0mm
Width 57.0mm
Length 273.0mm
Weight 750g
Work environment indoor use
Operation temperature -30~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-150-24-G1D2 (DALI / PUSH DIM) 230V 150W IP20

Product code 15926 DALI / PUSH dimmable

Price 102,20+VAT

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 150W
Electric current 6250mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430g
In package 1pc
Work environment indoor use
Operation temperature -20°C~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-150-24-G1T2 (TRIAC / PUSH DIM) 230V 150W IP20

Product code 16168 TRIAC / PUSH dimmable

Price 84,96+VAT

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 24V
Output 150W
Electric current 6250mA
Protection class IP20
Height 33.0mm
Width 44.0mm
Length 355.0mm
Weight 430g
In package 1pc
Work environment indoor use
Operation temperature -20°C~60°C
Certificates CE, RoHS
Warranty 3 years



Power supply LTECH 24V DC LM-36-24-G1T2 (TRIAC/ PUSH DIM) 230V 36W

Product code 16271 TRIAC / PUSH dimmable

Price 38,11+VAT

Brand LTECH
 Supply voltage 230V
 Dimmable TRIAC / PUSH
 Output voltage 24V
 Output 36W
 Maximum output 36W/1m
 Electric current 1,5mA
 Weight 185g
 Work environment indoor use
 Certificates CE
 Warranty 3 years



Power supply LTECH 24V DC LM-75-24-G1D2 (DALI / PUSH DIM) 230V 75W

Product code 13858 DALI / PUSH dimmable

Price 70,57+VAT

Brand LTECH
 Supply voltage 230V
 Dimmable DALI / PUSH
 Output voltage 24V
 Output 75W
 Electric current 3,125AmA
 Height 30.0mm
 Width 43.0mm
 Length 293.0mm
 Weight 300g
 Casing material plastic
 Work environment indoor use
 Operation temperature -30° ~ +50°C
 Certificates CE, RoHS
 Warranty 3 years



Power supply LTECH 24V DC LM-75-24-G1T2 (TRIAC/ PUSH DIM) 230V 75W IP20

**Product code 15403 TRIAC / PUSH
dimmable**

Price 61,57+VAT

Brand LTECH
Supply voltage 230V
Dimmable TRIAC / PUSH
Output voltage 24V
Output 75W
Electric current 3100mA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300g
Work environment indoor use
Operation temperature -20°C~50°C°C
Certificates CE,RoHS
Warranty 5 years



Power supply LTECH 24V DC tunable white LM-100-24-G2D2 (DALI/ PUSH DIM) 230V 100W IP20

**Product code 15404 DALI / PUSH
dimmable**

Price 90,11+VAT

Promotional price 61,85+VAT

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 100W
Electric current 4.17AmA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300g
Work environment indoor use
Certificates CE, SELV
Warranty 3 years



Power supply LTECH 24V DC tunable white LM-75-24-G2D2 (DALI/ PUSH DIM) 230V 75W IP20

Product code 15479 DALI / PUSH dimmable

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 75W
Electric current 3,125AmA
Protection class IP20
Height 30.0mm
Width 43.0mm
Length 293.0mm
Weight 300g
Work environment indoor use
Certificates CE, SELV
Warranty 3 years



Power supply LTECH LM-36-24-G1D2 (DALI / PUSH DIM) 230V 36W

Product code 16342 DALI / PUSH dimmable

Price 41,97+VAT

Brand LTECH
Supply voltage 230V
Dimmable DALI / PUSH
Output voltage 24V
Output 36W
Maximum output 36W/1m
Electric current 1.5mA
Height 30.0mm
Width 44.0mm
Length 175.0mm
Weight 190g
Work environment indoor use
Warranty 3 years



Power supply MEAN WELL 24V DC LPV-20-24 230V 20W IP67

Product code 13960

Price 11,29+VAT

Brand [MEAN WELL](#)

Supply voltage 230V

Output voltage 24V

Output 20W

Electric current 0,83AmA

Protection class IP67

Height 26.0mm

Width 35.0mm

Length 118.0mm

Weight 220g

Casing material plastic

Work environment outdoor use

Warranty 3 years



Power supply POS POWER 12V DC Slim FTPC8V12-C 230V 8W IP20

Product code 14307

Price 6,78+VAT

Promotional price 5,39+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 8W

Electric current 0,67mA

Protection class IP20

Height 20.0mm

Width 33.0mm

Length 67.0mm

Weight 45g

Operation temperature -20°C-45°C

Certificates CE

Warranty 5 years



Power supply POS POWER 12V DC Slim FTPC15V12-E 230V 15W IP20

Product code 16694

Price 9,99+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 15W

Electric current 1250mA

Protection class IP20

Height 16.0mm

Width 35.5mm

Length 103.0mm

Work environment indoor use

Operation temperature -20 ~ +45°C

Certificates CE

Warranty 3 years



Power supply POS POWER 12V DC Slim FTPC20V12-C 230V 20W IP20

Product code 15185

Price 10,74+VAT

Promotional price 8,54+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 20W

Protection class IP20

Height 16.5mm

Width 35.5mm

Length 103.0mm

Weight 58g

In box 40pcs

Work environment indoor use



Power supply POS POWER 12V DC Slim FTPC12V12-C 230V 12W IP20

Product code 14011

Price 9,99+VAT

Promotional price 7,95+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 12W

Electric current 1A mA

Protection class IP20

Height 11.0mm

Width 50.0mm

Length 127.0mm

Weight 56g

Package weight 70g

In box 200pcs

Work environment indoor use

Operation temperature -20 ~ +45°C

Certificates CE

Warranty 2 years



Power supply POS POWER 12V DC Slim FTFC20V12-C2 20W IP20

Product code 16614

Price 10,91+VAT

Brand [POS POWER](#)

Output 20W

Electric current 1670mA

Protection class IP20

Height 14.5mm

Width 50.0mm

Length 154.0mm

Work environment indoor use



Power supply POS POWER 12V DC Slim FTPC20V12-E 230V 20W IP20

Product code 16613

Price 10,60+VAT

Promotional price 8,44+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 20W

Electric current 1670mA

Protection class IP20

Height 16.5mm

Width 35.5mm

Length 103.0mm

Weight 60g

In box 40pcs

Work environment indoor use



Power supply POS POWER 12V DC Slim FTPC30V12-C 230V 30W IP20

Product code 14010

Price 19,93+VAT

Promotional price 15,86+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 30W

Protection class IP20

Height 17.0mm

Width 50.0mm

Length 156.0mm

Weight 155g

Package weight 170g

Work environment indoor use

Warranty 2 years



Power supply POS POWER 12V DC Slim FTPC30V24-C 230V 30W IP20

Product code 15978

Price 18,61+VAT

Promotional price 14,81+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 24V

Output 30W

Electric current 1250mA

Protection class IP20

Height 17.0mm

Width 50.0mm

Length 156.0mm

Weight 155g

Package weight 170g

Work environment indoor use

Operation temperature -20 ~ 45°C

Warranty 2 years



Power supply POS POWER 12V DC Slim FTFC50V12-C 230V 50W IP20

Product code 14009

Price 25,54+VAT

Promotional price 20,32+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 50W

Electric current 4200mA

Protection class IP20

Height 19.0mm

Width 64.0mm

Length 185.0mm

Weight 151g

Package weight 167g

In box 50pcs

Work environment indoor use

Operation temperature -20 ~ +45°C

Warranty 2 years



Power supply POS POWER 12V DC Slim FTPC6V12 230V 6W IP20

Product code 14305

Price 8,71+VAT

Promotional price 6,93+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 6W

Electric current 0,5AmA

Protection class IP20

Height 11.0mm

Width 48.0mm

Length 99.0mm

Weight 44g

Work environment indoor use

Operation temperature -20°C-45°C

Certificates CE

Warranty 3 years



Power supply POS POWER 24V DC FTPC100V24-D (TRIAC) 230V 100W IP20

Product code 15650 TRIAC dimmable

Price 67,94+VAT

Promotional price 54,04+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 24V

Output 100W

Maximum output 100W/1m

Electric current 41700mA

Protection class IP20

Height 30.0mm

Width 63.0mm

Length 200.0mm

Weight 450g

In box 25pcs

Work environment indoor use

Operation temperature -20°C ~ 40°C

Warranty 2 years



Power supply POS POWER 24V DC FTPC100V24-DA-WP (DALI) 230V 100W IP67

**Product code 15666 DALI / PUSH
dimmable**

Price 75,53+VAT

Promotional price 60,08+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 24V

Output 100W

Electric current 4160mA

Protection class IP67

Height 21.0mm

Width 37.0mm

Length 408.0mm

Weight 400g

In box 20pcs

Work environment indoor use

Operation temperature -40 ~ +60°C

Certificates CE

Warranty 2 years



Power supply POS POWER 24V DC FTPC200V24-S 230V 200W IP20

Product code 15983

Price 72,16+VAT

Promotional price 57,40+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 24V

Output 200W

Maximum output 200W/1m

Electric current 8330mA

Protection class IP20

Height 23.0mm

Width 33.0mm

Length 357.0mm

Work environment indoor use

Operation temperature -20°C ~ 40°C

Warranty 2 years



Power supply POS POWER 24V DC Slim FTPC12V24-C 230V 12W IP20

Product code 15976

Price 10,54+VAT

Promotional price 8,38+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 24V

Output 12W

Electric current 500mA

Protection class IP20

Height 11.5mm

Width 46.0mm

Length 98.5mm

Weight 60g

Package weight 70g

In box 200pcs

Work environment indoor use

Operation temperature -20 ~ +45°C

Certificates CE

Warranty 2 years



Power supply POS POWER 24V DC Slim FTPC50V24-C 230V 50W IP20

Product code 15979

Price 23,14+VAT

Promotional price 18,41+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 24V

Output 50W

Electric current 2080mA

Protection class IP20

Height 19.0mm

Width 58.0mm

Length 160.0mm

Weight 160g

Package weight 167g

In box 50pcs

Work environment indoor use

Operation temperature -20 ~ +45°C

Warranty 2 years



Power supply POS POWER 24V DC Slim FTPC8V24-C 230V 8W IP20

Product code 15975

Price 9,15+VAT

Promotional price 7,28+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 24V

Output 8W

Electric current 330mA

Protection class IP20

Height 20.0mm

Width 33.0mm

Length 67.0mm

Weight 45g

Operation temperature -20°C-45°C

Certificates CE

Warranty 5 years



Power supply POS POWER FTMC100V12-DA 230V 100W

Product code 15661 DALI / PUSH**dimmable**

Price 68,20+VAT

Promotional price 54,25+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 12V

Output 100W

Electric current 8330mA

Height 21.0mm

Width 30.0mm

Length 365.0mm

Weight 290g

In box 50pcs

Work environment indoor use

Operation temperature -40 ~ +50°C

Certificates CE

Warranty 2 years

Power supply POS POWER FTMC100V24-DA 230V 100W

Product code 15662 DALI / PUSH dimmable

Price 68,20+VAT

Promotional price 54,25+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 24V

Output 100W

Electric current 4.15AmA

Height 21.0mm

Width 30.0mm

Length 365.0mm

Weight 290g

In box 50pcs

Work environment indoor use

Operation temperature -40 ~ +50°C

Certificates CE

Warranty 2 years

Power supply POS POWER FTPC100V12-D 230V 100W IP20

Product code 15632 TRIAC dimmable

Price 68,20+VAT

Promotional price 54,25+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 100W

Maximum output 100W/1m

Electric current 8.33AmA

Protection class IP20

Height 30.0mm

Width 63.0mm

Length 200.0mm

Weight 450g

In box 25pcs

Work environment indoor use

Operation temperature -20°C ~ 40°C

Warranty 2 years

Power supply POS POWER FTPC100V12-DA 230V 100W

Product code 15663 DALI / PUSH
dimmable

Price 70,40+VAT

Promotional price 56,00+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 12V

Output 100W

Electric current 8330mA

Height 21.0mm

Width 30.0mm

Length 362.0mm

Weight 200g

In box 20pcs

Work environment indoor use

Operation temperature -40 ~ +45°C

Certificates CE

Warranty 2 years

Power supply POS POWER FTPC100V12-DA-WP 230V 100W IP67

Product code 15665 DALI / PUSH
dimmable

Price 79,71+VAT

Promotional price 63,40+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 12V

Output 100W

Electric current 8330mA

Protection class IP67

Height 21.0mm

Width 37.0mm

Length 408.0mm

Weight 400g

In box 20pcs

Work environment indoor use

Operation temperature -40 ~ +60°C

Certificates CE

Warranty 2 years

Power supply POS POWER FTPC100V24-DA 230V 100W

Product code 15664 DALI / PUSH dimmable

Price 70,40+VAT

Promotional price 56,00+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 24V

Output 100W

Electric current 4170mA

Height 21.0mm

Width 30.0mm

Length 362.0mm

Weight 200g

In box 20pcs

Work environment indoor use

Operation temperature -40 ~ +45°C

Certificates CE

Warranty 2 years



Power supply POS POWER FTPC150V12-D 230V 132W IP20

Product code 15653 TRIAC dimmable

Price 73,70+VAT

Promotional price 58,63+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 132W

Maximum output 132W/1m

Electric current 11000mA

Protection class IP20

Height 31.0mm

Width 56.5mm

Length 170.0mm

Weight 600g

In box 15pcs

Work environment indoor use

Operation temperature -20°C ~ 45°C

Warranty 2 years



Power supply POS POWER FTPC150V24-D 230V 150W IP20

Product code 15654 TRIAC dimmable

Price 78,10+VAT

Promotional price 62,13+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 24V

Output 150W

Maximum output 150W/1m

Electric current 6250mA

Protection class IP20

Height 31.0mm

Width 56.5mm

Length 170.0mm

Weight 600g

In box 15pcs

Work environment indoor use

Operation temperature -20°C ~ 45°C

Warranty 2 years

Power supply POS POWER FTPC30V12-D TRIAC 230V 30W

Product code 15629 TRIAC dimmable

Price 19,58+VAT

Promotional price 15,58+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 30W

Maximum output 30W/1m

Electric current 2.5AmA

Height 18.0mm

Width 46.0mm

Length 159.0mm

Weight 200g

In box 50pcs

Work environment indoor use

Operation temperature -20°C ~
40°C

Warranty 2 years



Power supply POS POWER FTPC30V24-D 230V 30W

Product code 15630 TRIAC dimmable

Price 22,00+VAT

Promotional price 17,50+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 24V

Output 30W

Maximum output 30W/1m

Electric current 1.25AmA

Height 18.0mm

Width 46.0mm

Length 159.0mm

Weight 200g

In box 50pcs

Work environment indoor use

Operation temperature -20°C ~
40°C

Warranty 2 years



Power supply POS POWER FTPC50V12-D 230V 50W IP20

Product code 15631 TRIAC dimmable

Price 30,38+VAT

Promotional price 24,17+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 50W

Maximum output 50W/1m

Electric current 4.16AAmA

Protection class IP20

Height 21.8mm

Width 57.0mm

Length 177.0mm

Weight 200g

In box 50pcs

Work environment indoor use

Operation temperature -20°C ~
40°C

Warranty 2 years



Power supply POS POWER FTPC50V24-D TRIAC 230V 50W IP20

Product code 15649 TRIAC dimmable

Price 30,38+VAT

Promotional price 24,17+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 24V

Output 50W

Maximum output 50W/1m

Electric current 2080mA

Protection class IP20

Height 21.8mm

Width 57.0mm

Length 177.0mm

Weight 200g

In box 50pcs

Work environment indoor use

Operation temperature -20°C ~
40°C

Warranty 2 years



Power supply POS POWER FTPC75V12-D 230V 75W IP20

Product code 15651 TRIAC dimmable

Price 47,96+VAT

Promotional price 38,15+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 75W

Maximum output 75W/1m

Electric current 6250mA

Protection class IP20

Height 31.0mm

Width 56.8mm

Length 170.0mm

Weight 250g

In box 25pcs

Work environment indoor use

Operation temperature -20°C ~ 40°C

Warranty 2 years



Power supply POS POWER FTPC75V24-D TRIAC 230V 75W IP20

Product code 15652 TRIAC dimmable

Price 53,59+VAT

Promotional price 42,63+VAT

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 24V

Output 75W

Maximum output 75W/1m

Electric current 3.125AmA

Protection class IP20

Height 31.0mm

Width 56.8mm

Length 170.0mm

Weight 250g

In box 25pcs

Work environment indoor use

Operation temperature -20°C ~ 40°C

Warranty 2 years



Power supply POS POWER FTFC8V12-E 230V 8W IP20

Product code 16693

Price 6,78+VAT

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 8W

Electric current 670mA

Protection class IP20

Height 19.0mm

Width 46.2mm

Length 94.5mm

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



Power supply Scharfer 12V DC SCH-100-12 230V 100W IP67

Product code 16597

Price 21,78+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 100W
Maximum output 100W/1m
Electric current 8333mA
Protection class IP67
Height 22.0mm
Width 40.0mm
Length 218.0mm
Weight 390g
In package 1pc
In box 40pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-150-12 230V 150W IP67

Product code 16594

Price 39,09+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 150W
Maximum output 150W/1m
Electric current 12500mA
Protection class IP67
Height 25.0mm
Width 57.0mm
Length 279.0mm
Weight 680g
In package 1pc
In box 25pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-20-12 230V 20W IP67

Product code 16628

Price 9,46+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 20W
Maximum output 20W/1m
Electric current 1670mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170g
In package 1pc
In box 100pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-200-12 230V 200W IP67

Product code 16593

Price 43,78+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 200W
Maximum output 200W/1m
Electric current 16000mA
Protection class IP67
Height 35.0mm
Width 65.0mm
Length 225.0mm
Weight 860g
In package 1pc
In box 20pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-30-12 230V 30W IP67

Product code 16625

Price 10,14+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 30W
Maximum output 30W/1m
Electric current 2500mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170g
In package 1pc
In box 100pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-300-12 230V 300W IP67

Product code 16590

Price 69,16+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 300W
Maximum output 300W/1m
Electric current 25000mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 257.0mm
Weight 1570g
In package 1pc
In box 10pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-45-12 230V 45W IP67

Product code 16624

Price 11,66+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 45W
Maximum output 45W/1m
Electric current 3750mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 190.0mm
Weight 235g
In package 1pc
In box 50pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 12V DC SCH-60-12 230V 60W IP67

Product code 16621

Price 12,98+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 12V
Output 60W
Maximum output 60W/1m
Electric current 5000mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 222.0mm
Weight 240g
In package 1pc
In box 50pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-100-24 230V 100W IP67

Product code 16596

Price 22,90+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 100W
Maximum output 100W/1m
Electric current 4170mA
Protection class IP67
Height 22.0mm
Width 40.0mm
Length 218.0mm
Weight 390g
In package 1pc
In box 40pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-150-24 230V 150W IP67

Product code 16595

Price 39,09+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 150W
Maximum output 150W/1m
Electric current 6250mA
Protection class IP67
Height 25.0mm
Width 57.0mm
Length 279.0mm
Weight 680g
In package 1pc
In box 25pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-20-24 230V 20W IP67

Product code 16627

Price 9,91+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 20W
Maximum output 20W/1m
Electric current 830mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170g
In package 1pc
In box 100pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-200-24 230V 200W IP67

Product code 16592

Price 46,03+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 200W
Maximum output 200W/1m
Electric current 8300mA
Protection class IP67
Height 35.0mm
Width 65.0mm
Length 225.0mm
Weight 860g
In package 1pc
In box 20pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-30-24 230V 30W IP67

Product code 16626

Price 9,68+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 30W
Maximum output 30W/1m
Electric current 1250mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 162.0mm
Weight 170g
In package 1pc
In box 100pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-300-24 230V 300W IP67

Product code 16591

Price 69,16+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 300W
Maximum output 300W/1m
Electric current 12500mA
Protection class IP67
Height 40.0mm
Width 90.0mm
Length 257.0mm
Weight 1570g
In package 1pc
In box 10pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-45-24 230V 45W IP67

Product code 16623

Price 12,22+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 45W
Maximum output 45W/1m
Electric current 1870mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 190.0mm
Weight 235g
In package 1pc
In box 50pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply Scharfer 24V DC SCH-60-24 230V 60W IP67

Product code 16622

Price 13,60+VAT

Brand Scharfer
Supply voltage 230V
Output voltage 24V
Output 60W
Maximum output 60W/1m
Electric current 2500mA
Protection class IP67
Height 21.0mm
Width 29.0mm
Length 222.0mm
Weight 240g
In package 1pc
In box 50pcs
Casing material aluminum
Operation temperature -30~50°C
Warranty 7 years



Power supply SKYDANCE 12V DC PH-150-12 100-240V 150W IP20

Product code 15801 PUSH / RF
dimnable

Price 87,53+VAT

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 12V

Output 150W

Maximum output 150W/1m

Electric current 12500mA

Protection class IP20

Height 36.0mm

Width 66.5mm

Length 244.0mm

Work environment indoor use

Operation temperature -30~50°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE 24V DC PH-150-24 100-240V 150W IP20

Product code 15716 PUSH / RF
dimnable

Price 79,09+VAT

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 24V

Output 150W

Maximum output 150W/1m

Electric current 6250mA

Protection class IP20

Height 36.0mm

Width 67.0mm

Length 280.0mm

Work environment indoor use

Operation temperature -30~50°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE PB-40-12 100-240V 40W IP20

Product code 15765 PUSH / RF
dimnable

Price 24,97+VAT

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 12V

Output 40W

Electric current 3340mA

Protection class IP20

Height 30.0mm

Width 44.0mm

Length 168.5mm

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE PB-40-24 100-240V 40W IP20

Product code 15766 PUSH / RF
dimnable

Price 25,65+VAT

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output 40W

Electric current 1670mA

Protection class IP20

Height 30.0mm

Width 44.0mm

Length 168.5mm

Work environment indoor use

Operation temperature -30~50°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE PB-75-12 100-240V 75W IP20

Product code 15767 PUSH / RF
dimnable

Price 39,70+VAT

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 12V

Output 75W

Electric current 6250mA

Protection class IP20

Height 30.0mm

Width 56.0mm

Length 179.0mm

Work environment indoor use

Operation temperature -30~50°C

Certificates CE

Warranty 5 years



Power supply SKYDANCE PB-75-24 100-240V 75W IP20

Product code 15768 PUSH / RF
dimnable

Price 33,61+VAT

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 24V

Output 75W

Electric current 3125mA

Protection class IP20

Height 30.0mm

Width 56.0mm

Length 179.0mm

Operation temperature -30~50°C

Certificates CE

Warranty 5 years

