


## Power supply 24V DC PFV-30-24 230V 30W IP20

**Product code 17290**

Supply voltage 230V  
 Output voltage 24V  
 Output 30W  
 Protection class IP20  
 Height 18.0mm  
 Width 58.0mm  
 Length 160.0mm  
 In package 1pc  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years




Power supply unit that meets both professional and domestic lighting needs. Compact size, slim structure, lightweight. High efficiency, low temperature rise. Cooling with free air circulation. Complies with international lighting standards. PFV power supply units comply with international lighting standards and have short-circuit, overcurrent, overvoltage, and thermal protection.

## Power supply 24V DC PFV-75-24 230V 75W IP20

**Product code 17294**

Supply voltage 230V  
 Output voltage 24V  
 Output 75W  
 Protection class IP20  
 Height 18.1mm  
 Width 58.0mm  
 Length 160.0mm  
 In package 1pc  
 Work environment indoor use  
 Certificates CE  
 Warranty 5 years




Power supply unit that meets both professional and domestic lighting needs. Compact size, slim structure, lightweight. High efficiency, low temperature rise. Cooling with free air circulation. Complies with international lighting standards. PFV power supply units comply with international lighting standards and have short-circuit, overcurrent, overvoltage, and thermal protection.

## Power supply 24V DC PFV-8-24 230V 8W IP20

**Product code 17285**

Supply voltage 230V  
Output voltage 24V  
Output 8W  
Protection class IP20  
Height 24.0mm  
Width 50.0mm  
Length 90.0mm  
In package 1pc  
Certificates CE  
Warranty 5 years

Power supply unit that meets both professional and domestic lighting needs. Compact size, slim structure, lightweight. High efficiency, low temperature rise. Cooling with free air circulation. Complies with international lighting standards. PFV power supply units comply with international lighting standards and have short-circuit, overcurrent, overvoltage, and thermal protection.



## Power supply GLP POWER 24V DC GLG-150-24 230V 150W IP65

**Product code 16046**

Brand [GLP POWER](#)  
Supply voltage 230V  
Output voltage 24V  
Output 150W  
Maximum output 144W/1m  
Rated current 6000mA  
Protection class IP65  
Height 45.0mm  
Width 70.0mm  
Length 221.0mm  
Weight 1150g  
In box 15pcs  
Work environment outdoor use  
Operation temperature -30 ~ +70 °C  
Certificates CE, RoHS,



## Power supply GLP POWER GTPC-100-12-D 230V 100W TRIAC

**Product code 15657 TRIAC dimmable**

---

Brand [GLP POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 100W

Rated current 8300mA

Height 34.0mm

Width 67.0mm

Length 210.0mm

Weight 360g

In box 50pcs

Work environment indoor use

Operation temperature -20 ~ +50°C

Certificates CE

Warranty 2 years



## Power supply KGP 24V DC CV-25-24 230V 25W IP20 TRIAC

**Product code 17426 TRIAC dimmable**

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Dimmable TRIAC

Output voltage 24V

Output 25W

Rated current 1040mA

Protection class IP20

Lifespan 50000h

Height 30.0mm

Width 52.0mm

Length 128.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC FV-100-24 /PUSH 230V 100W IP20 DALI / PUSH

**Product code 17412 DALI / PUSH dimmable**

Brand [KGP](#)  
 Supply voltage 230V  
 Power factor 0.95  
 Dimmable DALI / PUSH  
 Output voltage 24V  
 Output 100W  
 Rated current 4200mA  
 Protection class IP20  
 Lifespan 50000h  
 Height 22.0mm  
 Width 65.0mm  
 Length 190.0mm  
 In package 1pc  
 Casing material plastic  
 Polishing matt  
 Work environment indoor use  
 Operation temperature -25 - +45°C  
 Certificates CE  
 Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC FV-12-24 230V 12W IP20

### Product code 17407

Brand [KGP](#)

Supply voltage 230V

Power factor 0.92

Output voltage 24V

Output 12W

Rated current 500mA

Protection class IP20

Lifespan 50000h

Height 15.5mm

Width 46.0mm

Length 112.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -30 - +75°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC FV-120-24 230V 120W IP20

### Product code 17413

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 120W

Rated current 5000mA

Protection class IP20

Lifespan 50000h

Height 22.0mm

Width 65.0mm

Length 190.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC FV-24-24 230V 24W IP20

**Product code 17406**

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 24W

Rated current 1000mA

Protection class IP20

Lifespan 50000h

Height 15.5mm

Width 50.0mm

Length 137.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 24V DC FV-36-24 230V 36W IP20

### Product code 17408

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 36W

Rated current 1500mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 57.0mm

Length 170.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC FV-60-24 /PUSH 230V 60W IP20 DALI / PUSH

**Product code 17410 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 60W  
Rated current 2500mA  
Protection class IP20  
Lifespan 50000h  
Height 18.0mm  
Width 57.0mm  
Length 170.0mm  
In package 1pc  
Casing material plastic  
Polishing matt  
Work environment indoor use  
Operation temperature -25 - +45°C  
Certificates CE  
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC FV-60-24 230V 60W IP20

### Product code 17409

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 60W

Rated current 2500mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 57.0mm

Length 170.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC FV-90-24 230V 90W IP20

### Product code 17411

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 90W

Rated current 3750mA

Protection class IP20

Lifespan 50000h

Height 22.0mm

Width 65.0mm

Length 190.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates ENEC, CE, EAC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC LV-100-24 /PUSH-DIM 230V 100W IP20 DALI / PUSH

**Product code 17207 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 100W  
Rated current 4170mA  
Protection class IP20  
Height 18.0mm  
Width 30.0mm  
Length 350.0mm  
Weight 210g  
In box 50pcs  
Casing material plastic  
Certificates CE  
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

## Power supply KGP 24V DC LV-100-24 230V 100W IP20

## Product code 17421

---

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 100W

Rated current 4170mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE, ENEC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC LV-150-24 /PUSH-DIM 230V 150W IP20 DALI / PUSH

**Product code 17206 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 150W  
Rated current 6250mA  
Protection class IP20  
Height 18.0mm  
Width 30.0mm  
Length 350.0mm  
Weight 310g  
In box 50pcs  
Casing material plastic  
Certificates CE  
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

## Power supply KGP 24V DC LV-150-24 230V 150W IP20

**Product code 17423**

---

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 150W

Rated current 6250mA

Protection class IP20

Lifespan 50000h

Height 18.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE, ENEC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 24V DC LV-250-24 /PUSH-DIM 230V 250W IP20 DALI / PUSH

**Product code 17205 DALI / PUSH  
dimnable**

Brand [KGP](#)  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 250W  
Rated current 10420mA  
Protection class IP20  
Height 22.0mm  
Width 40.0mm  
Length 400.0mm  
Weight 530g  
In box 25pcs  
Casing material plastic  
Certificates CE  
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

## Power supply KGP 24V DC LV-250-24 230V 250W IP20

### Product code 17231

---

Brand [KGP](#)

Supply voltage 230V

Output voltage 24V

Output 250W

Rated current 10420mA

Protection class IP20

Lifespan 50000h

Height 22.0mm

Width 40.0mm

Length 400.0mm

Weight 530g

Casing material plastic

Operation temperature -25 ~ 45°C

Certificates CE, ENEC

Warranty 5 years



High-quality and reliable 24V power supply unit. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

## Power supply KGP 24V DC LV-30-24 /PUSH-DIM 230V 30W IP20 DALI / PUSH

**Product code 17209 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 30W  
Rated current 1250mA  
Protection class IP20  
Height 16.0mm  
Width 30.0mm  
Length 300.0mm  
Weight 143g  
In box 50pcs  
Casing material plastic  
Certificates CE  
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

## Power supply KGP 24V DC LV-30-24 230V 30W IP20

**Product code 17232**

---

Brand [KGP](#)

Supply voltage 230V

Output voltage 24V

Output 30W

Rated current 1250mA

Protection class IP20

Height 16.0mm

Width 30.0mm

Length 300.0mm

Weight 143g

In box 50pcs

Casing material plastic

Certificates CE, ENEC

Warranty 5 years



High-quality and reliable 24V power supply unit. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

## Power supply KGP 24V DC LV-60-24 /PUSH-DIM 230V 60W IP20 DALI / PUSH

**Product code 17208 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 60W  
Rated current 2500mA  
Protection class IP20  
Height 18.0mm  
Width 30.0mm  
Length 350.0mm  
Weight 230g  
In box 50pcs  
Casing material plastic  
Certificates CE  
Warranty 5 years



High-quality and reliable 24V power supply unit, which allows powering and controlling DALI or PUSH-DIM lighting systems. This device provides stable and efficient power to 24V lighting elements, such as LED strips. The power supply unit is compact and durable, suitable for indoor use. Additionally, it has easy installation and connection! We are committed to providing high-quality lighting solutions that meet your needs and expectations. Come and take a look, and also ask for advice at our showroom in Tallinn!

## Power supply KGP 24V DC LV-60-24 230V 60W IP20

## Product code 17419

---

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 60W

Rated current 2500mA

Protection class IP20

Lifespan 50000h

Height 16.0mm

Width 30.0mm

Length 300.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -25 - +45°C

Certificates CE, ENEC, SAA

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V DC RV-25-24 230V 25W IP20

**Product code 17415**

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 25W

Rated current 1040mA

Protection class IP20

Lifespan 50000h

Height 25.0mm

Diameter 55.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -20 - +50°C

Certificates CE

Warranty 5 years

The 12V/24V/48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 24V XSV-100-24 /PUSH 230V 100W IP67 DALI / PUSH

**Product code 17435 DALI / PUSH  
dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 100W  
Rated current 4170mA  
Protection class IP67  
Lifespan 50000h  
Height 21.0mm  
Width 30.0mm  
Length 320.0mm  
In package 1pc  
Casing material plastic  
Polishing matt  
Work environment indoor / outdoor  
use  
Operation temperature -25 - +50°C  
Certificates CE  
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 24V XSV-100-24 230V 100W IP67

### Product code 17434

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 100W

Rated current 4170mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 320.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor  
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-160-24 /PUSH 230V 160W IP67 DALI / PUSH

**Product code 17437 DALI / PUSH  
dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 160W  
Rated current 6670mA  
Protection class IP67  
Lifespan 50000h  
Height 21.0mm  
Width 30.0mm  
Length 350.0mm  
In package 1pc  
Casing material plastic  
Polishing matt  
Work environment indoor / outdoor  
use  
Operation temperature -25 - +50°C  
Certificates CE  
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-160-24 230V 160W IP67

**Product code 17436**

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 160W

Rated current 6670mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor  
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-240-24 /PUSH 230V 240W IP67 DALI / PUSH

**Product code 17439 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 240W  
Rated current 10000mA  
Protection class IP67  
Lifespan 50000h  
Height 21.0mm  
Width 30.0mm  
Length 400.0mm  
In package 1pc  
In box 24pcs  
Casing material plastic  
Polishing matt  
Work environment indoor / outdoor use  
Operation temperature -25 - +50°C  
Certificates CE  
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-240-24 230V 240W IP67

### Product code 17438

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 240W

Rated current 10000mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 400.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-30-24 /PUSH 230V 30W IP67 DALI / PUSH

**Product code 17431 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 30W  
Rated current 1250mA  
Protection class IP67  
Lifespan 50000h  
Height 21.0mm  
Width 30.0mm  
Length 250.0mm  
In package 1pc  
Casing material plastic  
Polishing matt  
Work environment indoor / outdoor use  
Operation temperature -25 - +50°C  
Certificates CE  
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-30-24 230V 30W IP67

### Product code 17430

---

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 30W

Rated current 1250mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 250.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor  
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-400-24 /PUSH 230V 400W IP67 DALI / PUSH

**Product code 17441 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 400W  
Rated current 16670mA  
Protection class IP67  
Lifespan 50000h  
Height 21.0mm  
Width 30.0mm  
Length 400.0mm  
In package 1pc  
Casing material plastic  
Polishing matt  
Work environment indoor / outdoor use  
Operation temperature -25 - +50°C  
Certificates CE  
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 24V XSV-400-24 230V 400W IP67

### Product code 17440

---

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 400W

Rated current 16670mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 400.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor  
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-60-24 /PUSH 230V 60W IP67 DALI / PUSH

**Product code 17433 DALI / PUSH dimmable**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 60W  
Rated current 2500mA  
Protection class IP67  
Lifespan 50000h  
Height 21.0mm  
Width 30.0mm  
Length 290.0mm  
In package 1pc  
Casing material plastic  
Polishing matt  
Work environment indoor / outdoor use  
Operation temperature -25 - +50°C  
Certificates CE  
Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 24V XSV-60-24 230V 60W IP67

### Product code 17432

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 24V

Output 60W

Rated current 2500mA

Protection class IP67

Lifespan 50000h

Height 21.0mm

Width 30.0mm

Length 290.0mm

In package 1pc

Casing material plastic

Polishing matt

Work environment indoor / outdoor  
use

Operation temperature -25 - +50°C

Certificates CE

Warranty 5 years



The 24V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor and outdoor use, IP67. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.

## Power supply KGP 48V DC LV-100-48 230V 100W IP20

### Product code 17279

---

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 48V

Output 100W

Rated current 3125mA

Protection class IP20

Height 18.0mm

Width 30.0mm

Length 350.0mm

In package 1pc

Casing material plastic

Warranty 3 years

The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 48V DC LV-150-48 230V 150W IP20

### Product code 16954

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 48V

Output 150W

Rated current 3125mA

Protection class IP20

Height 18.0mm

Width 30.0mm

Length 350.0mm

Casing material plastic

Warranty 3 years

The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 48V DC LV-250-48 230V 250W IP20

**Product code 17278**

Brand [KGP](#)  
Supply voltage 230V  
Power factor 0.95  
Output voltage 48V  
Output 250W  
Rated current 3125mA  
Protection class IP20  
Height 18.0mm  
Width 30.0mm  
Length 350.0mm  
Casing material plastic  
Warranty 3 years

The 48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply KGP 48V DC RV-25-48 white 230V 25W IP20

## Product code 17416

Brand [KGP](#)

Supply voltage 230V

Power factor 0.95

Output voltage 48V

Output 25W

Rated current 5200mA

Protection class IP20

Lifespan 50000h

Height 25.0mm

Diameter 55.0mm

In package 1pc

Casing colour white

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature -20 - +50°C

Certificates CE

Warranty 5 years

The 12V/24V/48V power supply unit provides a stable and safe power source for various electrical devices and lights. The rated power of this power supply unit ensures sufficient power for powering multiple electrical devices. The power supply unit is designed for indoor use, and its IP20 protection class provides adequate protection against dust and small objects. It is an ideal choice for home and office spaces where a reliable and stable power source for various electronic devices is needed. By choosing a quality power supply unit from the LED house selection, you can be sure that your electronic devices are reliably and safely powered, ensuring their smooth operation and longer lifespan.



## Power supply LTECH 12V DC -150-12- G1D2 / PUSH DIM 230V 150W IP20 DALI / PUSH

**Product code 16144 DALI / PUSH  
dimnable**

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 12V  
Output 150W  
Rated current 12500mA  
Protection class IP20  
Height 33.0mm  
Width 44.0mm  
Length 355.0mm  
Weight 430g  
In package 1pc  
Work environment indoor use  
Operation temperature -20°C~60°C  
Certificates CE, RoHS  
Warranty 3 years



## Power supply LTECH 12V DC -150-12-F1M1 / PUSH DIM 230V 150W DALI / PUSH

**Product code 13861 DALI / PUSH  
dimnable**

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 12V  
Output 150W  
Rated current 12500mA  
Height 37.0mm  
Width 57.0mm  
Length 273.0mm  
Weight 760g  
Operation temperature -30°C-60°C  
Certificates CE,RoHS





## Power supply LTECH 12V DC -75-12-G1D2 / PUSH DIM 230V 75W DALI / PUSH

**Product code 13825 DALI / PUSH  
dimnable**

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 12V  
Output 75W  
Rated current 6250mA  
Height 33.0mm  
Width 44.0mm  
Length 296.0mm  
Weight 278g  
Package weight 17g  
Work environment indoor use  
Operation temperature -30 ~ +65°C  
Certificates CE, ROHS  
Warranty 3 years



## Power supply LTECH 12V DC LM-150-12-G1T2 / PUSH DIM 230V 150W TRIAC / PUSH

**Product code 16276 TRIAC / PUSH  
dimnable**

Brand LTECH  
Supply voltage 230V  
Dimmable TRIAC / PUSH  
Output voltage 12V  
Output 150W  
Rated current 12500mA  
Operation temperature -20°C~45°C  
Certificates CE,RoHS  
Warranty 3 years



## **Power supply LTECH 12V DC LM-36-12-G1D2 / PUSH DIM 230V 36W DALI / PUSH**

**Product code 14985 DALI / PUSH  
dimnable**

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 12V  
Output 36W  
Maximum output 36W/1m  
Rated current 3000mA  
Work environment indoor use  
Warranty 3 years



## **Power supply LTECH 12V DC LM-36-12-G1T2 / PUSH DIM 230V 36W TRIAC / PUSH**

**Product code 16272 TRIAC / PUSH  
dimnable**

Brand LTECH  
Supply voltage 230V  
Dimmable TRIAC / PUSH  
Output voltage 12V  
Output 36W  
Maximum output 36W/1m  
Rated current 3000mA  
Weight 185g  
Operation temperature -30 ~ 55°C



## Power supply LTECH 12V DC LM-75-12-G1T2 / PUSH DIM 230V 75W IP20 TRIAC / PUSH

**Product code 16088 TRIAC / PUSH  
dimmable**

Brand LTECH  
Supply voltage 230V  
Dimmable TRIAC / PUSH  
Output voltage 12V  
Output 75W  
Rated current 6250mA  
Protection class IP20  
Height 30.0mm  
Width 43.0mm  
Length 293.0mm  
Weight 300g  
Work environment indoor use  
Operation temperature -20°C~50°C  
Certificates CE,RoHS  
Warranty 5 years



## Power supply LTECH 12V DC TD-50-12-E1D1 / PUSH DIM 230V 50W TRIAC / PUSH

**Product code 14930 TRIAC / PUSH  
dimmable**

Brand LTECH  
Supply voltage 230V  
Dimmable TRIAC / PUSH  
Output voltage 12V  
Output 50W  
Maximum output 50W/1m  
Rated current 4200mA  
Height 58.0mm  
Width 89.0mm  
Length 107.0mm  
Weight 260g  
Work environment indoor use  
Operation temperature -30°C ~  
55°C  
Certificates CE



## Power supply LTECH 24V DC DMX-150-24-F4M1 DMX/ PUSH DIM 230V 150W IP20 DMX / PUSH

**Product code 15909 DMX / PUSH dimmable**

Brand LTECH  
Supply voltage 230V  
Dimmable DMX / PUSH  
Output voltage 24V  
Output 150W  
Rated current 6250mA  
Protection class IP20  
Height 37.0mm  
Width 57.0mm  
Length 273.0mm  
Weight 750g  
Work environment indoor use  
Operation temperature -30~60°C  
Certificates CE,RoHS  
Warranty 3 years



## Power supply LTECH 24V DC LM-150-24-G1D2 / PUSH DIM 230V 150W IP20 DALI / PUSH

**Product code 15926 DALI / PUSH dimmable**

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 150W  
Rated current 6250mA  
Protection class IP20  
Height 33.0mm  
Width 44.0mm  
Length 355.0mm  
Weight 430g  
In package 1pc  
Work environment indoor use  
Operation temperature -20°C~60°C  
Certificates CE, RoHS  
Warranty 3 years



## Power supply LTECH 24V DC LM-150-24-G1T2 / PUSH DIM 230V 150W IP20 TRIAC / PUSH

**Product code 16168 TRIAC / PUSH dimmable**

Brand LTECH  
Supply voltage 230V  
Dimmable TRIAC / PUSH  
Output voltage 24V  
Output 150W  
Rated current 6250mA  
Protection class IP20  
Height 33.0mm  
Width 44.0mm  
Length 355.0mm  
Weight 430g  
In package 1pc  
Work environment indoor use  
Operation temperature -20°C~60°C  
Certificates CE, RoHS  
Warranty 3 years



## Power supply LTECH 24V DC LM-36-24-G1T2 / PUSH DIM 230V 36W TRIAC / PUSH

**Product code 16271 TRIAC / PUSH dimmable**

Brand LTECH  
Supply voltage 230V  
Dimmable TRIAC / PUSH  
Output voltage 24V  
Output 36W  
Maximum output 36W/1m  
Rated current 1500mA  
Weight 185g  
Work environment indoor use  
Certificates CE  
Warranty 3 years



## Power supply LTECH 24V DC LM-75-24-G1D2 / PUSH DIM 230V 75W DALI / PUSH

**Product code 13858 DALI / PUSH dimmable**

Brand LTECH  
 Supply voltage 230V  
 Dimmable DALI / PUSH  
 Output voltage 24V  
 Output 75W  
 Rated current 3125mA  
 Height 30.0mm  
 Width 43.0mm  
 Length 293.0mm  
 Weight 300g  
 Casing material plastic  
 Work environment indoor use  
 Operation temperature -30° ~ +50°C  
 Certificates CE, RoHS  
 Warranty 3 years



## Power supply LTECH 24V DC LM-75-24-G1T2 / PUSH DIM 230V 75W IP20 TRIAC / PUSH

**Product code 15403 TRIAC / PUSH dimmable**

Brand LTECH  
 Supply voltage 230V  
 Dimmable TRIAC / PUSH  
 Output voltage 24V  
 Output 75W  
 Rated current 3100mA  
 Protection class IP20  
 Height 30.0mm  
 Width 43.0mm  
 Length 293.0mm  
 Weight 300g  
 Work environment indoor use  
 Operation temperature -20°C~50°C  
 Certificates CE,RoHS  
 Warranty 5 years



## Power supply LTECH 24V DC tunable white LM-100-24-G2D2 / PUSH DIM 230V 100W IP20 DALI / PUSH

**Product code 15404 DALI / PUSH dimmable**

---

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 100W  
Rated current 4170mA  
Protection class IP20  
Height 30.0mm  
Width 43.0mm  
Length 293.0mm  
Weight 300g  
Work environment indoor use  
Certificates CE, SELV  
Warranty 3 years



## Power supply LTECH 24V DC tunable white LM-75-24-G2D2 / PUSH DIM 230V 75W IP20 DALI / PUSH

**Product code 15479 DALI / PUSH dimmable**

---

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 75W  
Rated current 3125mA  
Protection class IP20  
Height 30.0mm  
Width 43.0mm  
Length 293.0mm  
Weight 300g  
Work environment indoor use  
Certificates CE, SELV  
Warranty 3 years



## Power supply LTECH LM-36-24-G1D2 / PUSH DIM 230V 36W DALI / PUSH

**Product code 16342 DALI / PUSH dimmable**

Brand LTECH  
Supply voltage 230V  
Dimmable DALI / PUSH  
Output voltage 24V  
Output 36W  
Maximum output 36W/1m  
Rated current 1500mA  
Height 30.0mm  
Width 44.0mm  
Length 175.0mm  
Weight 190g  
Work environment indoor use  
Warranty 3 years



## Power supply POS POWER 12V DC POS-60-12 230V 60W IP20

**Product code 14103**

Brand [POS POWER](#)  
Supply voltage 230V  
Output 60W  
Rated current 5000mA  
Protection class IP20  
Height 37.0mm  
Width 97.0mm  
Length 159.0mm  
Weight 460g  
Casing material metal  
Operation temperature -5 ~ +45°C  
Certificates CE





## Power supply POS POWER 12V DC Slim FTPC15V12-E 230V 15W IP20

**Product code 16694**

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 15W

Rated current 1250mA

Protection class IP20

Height 16.0mm

Width 35.5mm

Length 103.0mm

Work environment indoor use

Operation temperature -20 ~ +45°C

Certificates CE



## Power supply POS POWER 12V DC Slim FTPC50V12-C2 230V 50W IP20

**Product code 16810**

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 50W

Rated current 4160mA

Protection class IP20

Height 18.0mm

Width 57.8mm

Length 159.9mm

Work environment indoor use

Operation temperature -20 ~ +45°C

Warranty 3 years

## Power supply POS POWER 12V DC Slim FTPC8V12LC 230V 8W IP20

**Product code 14306**

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 12V

Output 8W

Rated current 670mA

Protection class IP20

Height 19.5mm

Width 46.2mm

Length 94.5mm

Weight 64g

Operation temperature -20°C-45°C

Certificates CE

Warranty 3 years



## Power supply POS POWER 24V DC FTPC240V24-DA6 /PUSH-DIM 230V 240W IP20 DALI / PUSH

**Product code 17042 DALI / PUSH  
dimnable**

Brand [POS POWER](#)

Supply voltage 230V

Dimmable DALI / PUSH

Output voltage 24V

Output 240W

Rated current 10000mA

Protection class IP20

Height 27.5mm

Width 41.5mm

Length 334.8mm

Weight 500g

Package weight 600g

In package 20pcs

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



## Power supply POS POWER 24V DC Slim FTPC20V24-C2 230V 20W IP20

**Product code 16807**

Brand [POS POWER](#)

Supply voltage 230V

Output voltage 24V

Output 20W

Rated current 830mA

Protection class IP20

Height 14.0mm

Width 50.0mm

Length 154.0mm

Work environment indoor use



## Power supply POS POWER FTPC150V12-D 230V 132W IP20 TRIAC

**Product code 15653 TRIAC dimmable**

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 132W

Maximum output 132W/1m

Rated current 11000mA

Protection class IP20

Height 31.0mm

Width 56.5mm

Length 170.0mm

Weight 600g

In box 15pcs

Work environment indoor use

Operation temperature -20°C ~ 45°C

Warranty 2 years



## Power supply POS POWER FTPC50V12-D 230V 50W IP20 TRIAC

**Product code 15631 TRIAC dimmable**

Brand [POS POWER](#)

Supply voltage 230V

Dimmable TRIAC

Output voltage 12V

Output 50W

Maximum output 50W/1m

Rated current 4160mA

Protection class IP20

Height 21.8mm

Width 57.0mm

Length 177.0mm

Weight 200g

In box 50pcs

Work environment indoor use

Operation temperature -20°C ~  
40°C

Warranty 2 years



## Power supply Scharfer 12V DC SCH-100-12 230V 100W IP67

**Product code 16597**

Brand Scharfer

Supply voltage 230V

Output voltage 12V

Output 100W

Maximum output 100W/1m

Rated current 8333mA

Protection class IP67

Height 22.0mm

Width 40.0mm

Length 218.0mm

Weight 390g

In package 1pc

In box 40pcs

Casing material aluminum

Operation temperature -30~50°C

Warranty 7 years



## Power supply Scharfer 12V DC SCH-200-12 230V 200W IP67

**Product code 16593**

Brand Scharfer  
 Supply voltage 230V  
 Output voltage 12V  
 Output 200W  
 Maximum output 200W/1m  
 Rated current 16000mA  
 Protection class IP67  
 Height 35.0mm  
 Width 65.0mm  
 Length 225.0mm  
 Weight 860g  
 In package 1pc  
 In box 20pcs  
 Casing material aluminum  
 Operation temperature -30~50°C  
 Warranty 7 years



## Power supply Scharfer 12V DC SCH-30-12 230V 30W IP67

**Product code 16625**

Brand Scharfer  
 Supply voltage 230V  
 Output voltage 12V  
 Output 30W  
 Maximum output 30W/1m  
 Rated current 2500mA  
 Protection class IP67  
 Height 21.0mm  
 Width 29.0mm  
 Length 162.0mm  
 Weight 170g  
 In package 1pc  
 In box 100pcs  
 Casing material aluminum  
 Operation temperature -30~50°C  
 Warranty 7 years



## Power supply Scharfer 12V DC SCH-300-12 230V 300W IP67

**Product code 16590**

Brand Scharfer  
Supply voltage 230V  
Output voltage 12V  
Output 300W  
Maximum output 300W/1m  
Rated current 25000mA  
Protection class IP67  
Height 40.0mm  
Width 90.0mm  
Length 257.0mm  
Weight 1570g  
In package 1pc  
In box 10pcs  
Casing material aluminum  
Operation temperature -30~50°C  
Warranty 7 years



## Power supply Scharfer 12V DC SCH-60-12 230V 60W IP67

**Product code 16621**

Brand Scharfer  
Supply voltage 230V  
Output voltage 12V  
Output 60W  
Maximum output 60W/1m  
Rated current 5000mA  
Protection class IP67  
Height 21.0mm  
Width 29.0mm  
Length 222.0mm  
Weight 240g  
In package 1pc  
In box 50pcs  
Casing material aluminum  
Operation temperature -30~50°C  
Warranty 7 years



## Power supply Scharfer 24V DC SCH-100-24 230V 100W IP67

**Product code 16596**

Brand Scharfer  
Supply voltage 230V  
Output voltage 24V  
Output 100W  
Maximum output 100W/1m  
Rated current 4170mA  
Protection class IP67  
Height 22.0mm  
Width 40.0mm  
Length 218.0mm  
Weight 390g  
In package 1pc  
In box 40pcs  
Casing material aluminum  
Operation temperature -30~50°C  
Warranty 7 years



## Power supply Scharfer 24V DC SCH-150-24 230V 150W IP67

**Product code 16595**

Brand Scharfer  
Supply voltage 230V  
Output voltage 24V  
Output 150W  
Maximum output 150W/1m  
Rated current 6250mA  
Protection class IP67  
Height 25.0mm  
Width 57.0mm  
Length 279.0mm  
Weight 680g  
In package 1pc  
In box 25pcs  
Casing material aluminum  
Operation temperature -30~50°C  
Warranty 7 years



## Power supply Scharfer 24V DC SCH-20-24 230V 20W IP67

**Product code 16627**

Brand Scharfer  
 Supply voltage 230V  
 Output voltage 24V  
 Output 20W  
 Maximum output 20W/1m  
 Rated current 830mA  
 Protection class IP67  
 Height 21.0mm  
 Width 29.0mm  
 Length 162.0mm  
 Weight 170g  
 In package 1pc  
 In box 100pcs  
 Casing material aluminum  
 Operation temperature -30~50°C  
 Warranty 7 years



## Power supply Scharfer 24V DC SCH-200-24 230V 200W IP67

**Product code 16592**

Brand Scharfer  
 Supply voltage 230V  
 Output voltage 24V  
 Output 200W  
 Maximum output 200W/1m  
 Rated current 8300mA  
 Protection class IP67  
 Height 35.0mm  
 Width 65.0mm  
 Length 225.0mm  
 Weight 860g  
 In package 1pc  
 In box 20pcs  
 Casing material aluminum  
 Operation temperature -30~50°C  
 Warranty 7 years





## Power supply Scharfer 24V DC SCH-30-24 230V 30W IP67

**Product code 16626**

Brand Scharfer  
Supply voltage 230V  
Output voltage 24V  
Output 30W  
Maximum output 30W/1m  
Rated current 1250mA  
Protection class IP67  
Height 21.0mm  
Width 29.0mm  
Length 162.0mm  
Weight 170g  
In package 1pc  
In box 100pcs  
Casing material aluminum  
Operation temperature -30~50°C  
Warranty 7 years



## Power supply Scharfer 24V DC SCH-300-24 230V 300W IP67

**Product code 16591**

Brand Scharfer  
Supply voltage 230V  
Output voltage 24V  
Output 300W  
Maximum output 300W/1m  
Rated current 12500mA  
Protection class IP67  
Height 40.0mm  
Width 90.0mm  
Length 257.0mm  
Weight 1570g  
In package 1pc  
In box 10pcs  
Casing material aluminum  
Operation temperature -30~50°C  
Warranty 7 years



## Power supply Scharfer 24V DC SCH-400-24 230V 400W IP67

**Product code 17816**

Brand Scharfer  
Supply voltage 230V  
Output voltage 24V  
Output 400W  
Maximum output 400W/1m  
Rated current 16700mA  
Protection class IP67  
Height 40.0mm  
Width 90.0mm  
Length 300.0mm  
Weight 1800g  
In package 1pc  
In box 8pcs  
Casing material metal  
Operation temperature -30° - +50°C  
Warranty 7 years



## Power supply Scharfer 24V DC SCH-45-24 230V 45W IP67

**Product code 16623**

Brand Scharfer  
Supply voltage 230V  
Output voltage 24V  
Output 45W  
Maximum output 45W/1m  
Rated current 1870mA  
Protection class IP67  
Height 21.0mm  
Width 29.0mm  
Length 190.0mm  
Weight 235g  
In package 1pc  
In box 50pcs  
Casing material aluminum  
Operation temperature -30~50°C  
Warranty 7 years



## Power supply Scharfer 24V DC SCH-60-24 230V 60W IP67

**Product code 16622**

Brand Scharfer  
 Supply voltage 230V  
 Output voltage 24V  
 Output 60W  
 Maximum output 60W/1m  
 Rated current 2500mA  
 Protection class IP67  
 Height 21.0mm  
 Width 29.0mm  
 Length 222.0mm  
 Weight 240g  
 In package 1pc  
 In box 50pcs  
 Casing material aluminum  
 Operation temperature -30~50°C  
 Warranty 7 years



## Power supply SKYDANCE 12V DC PH-150-12 100-240V 150W IP20 PUSH / RF

**Product code 15801 PUSH / RF**  
**dimnable**

Brand [SKYDANCE](#)  
 Supply voltage 100-240V  
 Dimmable PUSH / RF  
 Output voltage 12V  
 Output 150W  
 Maximum output 150W/1m  
 Rated current 12500mA  
 Protection class IP20  
 Height 36.0mm  
 Width 66.5mm  
 Length 244.0mm  
 In package 1pc  
 Work environment indoor use  
 Operation temperature -30~50°C  
 Certificates CE



## Power supply SKYDANCE 12V DC TE-40-12 /PUSH 230V 40W IP20 TRIAC / PUSH

**Product code 17614 TRIAC / PUSH  
dimnable**

Brand [SKYDANCE](#)  
Supply voltage 230V  
Power factor 0.82  
Dimmable TRIAC / PUSH  
Output voltage 12V  
Output 40W  
Maximum output 40W/1m  
Rated current 3300mA  
Protection class IP20  
Lifespan 50000h  
Height 30.0mm  
Width 44.0mm  
Length 168.0mm  
In package 1pc  
Casing material plastic  
Work environment indoor use  
Operation temperature -30 - +50°C  
Certificates CE, RoHS  
Warranty 5 years



## Power supply SKYDANCE 12V DC TE-75-12 /PUSH 230V 75W IP20 TRIAC / PUSH

**Product code 17615 TRIAC / PUSH  
dimnable**

Brand [SKYDANCE](#)  
Supply voltage 230V  
Power factor 0.85  
Dimmable TRIAC / PUSH  
Output voltage 12V  
Output 75W  
Maximum output 75W/1m  
Rated current 6250mA  
Protection class IP20  
Lifespan 50000h  
Height 30.0mm  
Width 56.0mm  
Length 179.0mm  
In package 1pc  
Casing material plastic  
Work environment indoor use  
Operation temperature -30° - +50°C  
Certificates CE  
Warranty 5 years



## Power supply SKYDANCE 12V DC TF-150-12 /PUSH 230V 150W IP20 TRIAC / PUSH

**Product code 17616 TRIAC / PUSH dimmable**

Brand [SKYDANCE](#)  
 Supply voltage 230V  
 Power factor 0.95  
 Dimmable TRIAC / PUSH  
 Output voltage 12V  
 Output 150W  
 Maximum output 150W/1m  
 Rated current 12500mA  
 Protection class IP20  
 Lifespan 50000h  
 Height 30.0mm  
 Width 45.0mm  
 Length 310.0mm  
 In package 1pc  
 Casing material plastic  
 Work environment indoor use  
 Operation temperature -30° - +45°C  
 Certificates CE  
 Warranty 5 years



## Power supply SKYDANCE 24V DC PBL-60-24 100-240V 60W IP20

**Product code 17719**

Brand [SKYDANCE](#)  
 Supply voltage 100-240V  
 Power factor 0.50  
 Output voltage 24V  
 Output 60W  
 Maximum output 60W/1m  
 Rated current 2500mA  
 Protection class IP20  
 Lifespan 50000h  
 Height 18.0mm  
 Width 55.5mm  
 Length 164.0mm  
 Weight 150g  
 In package 1pc  
 Work environment indoor use  
 Operation temperature -20° - +45°C  
 Certificates CE  
 Warranty 5 years



60W CV LED driver, suitable for LED strips, to optimize furniture lighting. A very slim and lightweight, yet highly efficient power supply. Connectable with CV0, CV1, and CV2 blocks. Capable of controlling multiple LED strips with an RF remote. Dimmable from 0-100%, with smooth and flicker-free adjustment.

## Power supply SKYDANCE PB-40-12 100-240V 40W IP20 PUSH / RF

**Product code 15765 PUSH / RF dimmable**

Brand [SKYDANCE](#)  
Supply voltage 100-240V  
Dimmable PUSH / RF  
Output voltage 12V  
Output 40W  
Rated current 3340mA  
Protection class IP20  
Height 30.0mm  
Width 44.0mm  
Length 168.5mm  
In package 1pc  
Work environment indoor use  
Operation temperature -30~55°C  
Certificates CE  
Warranty 5 years



## Power supply SKYDANCE PB-40-24 100-240V 40W IP20 PUSH / RF

**Product code 15766 PUSH / RF dimmable**

Brand [SKYDANCE](#)  
Supply voltage 100-240V  
Dimmable PUSH / RF  
Output 40W  
Rated current 1670mA  
Protection class IP20  
Height 30.0mm  
Width 44.0mm  
Length 168.5mm  
In package 1pc  
Work environment indoor use  
Operation temperature -30~50°C  
Certificates CE  
Warranty 5 years



## Power supply SKYDANCE PB-75-12 230V 75W IP20 PUSH / RF

**Product code 15767 PUSH / RF**  
**dimmable**

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable PUSH / RF

Output voltage 12V

Output 75W

Rated current 6250mA

Protection class IP20

Height 30.0mm

Width 56.0mm

Length 179.0mm

In package 1pc

Work environment indoor use

Operation temperature -30~50°C

Certificates CE

Warranty 5 years



## Power supply SKYDANCE PB-75-24 100-240V 75W IP20 PUSH / RF

**Product code 15768 PUSH / RF**  
**dimmable**

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable PUSH / RF

Output voltage 24V

Output 75W

Rated current 3125mA

Protection class IP20

Height 30.0mm

Width 56.0mm

Length 179.0mm

In package 1pc

Operation temperature -30~50°C

Certificates CE

Warranty 5 years

