

LED Terrace lighting REVAL BULB Brest silvery round 12V 1W 95lm 45° IP67 830

Product code 15684

Brand [REVAL BULB](#)

Supply voltage 12V

Output 1W

Luminous flux 95lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature warm
white 3000K

Lens angle 45

Source of light OSRAM LED

Cri 80

Protection class IP67

Lifespan 25000h

Height 38.0mm

Diameter 35.0mm

Installation opening diameter 28mm

In package 1pc

Casing colour silvery



Casing material aluminum

Shape round

Work environment indoor / outdoor
use

Operation temperature -25 ~ +45°C

Warranty 3 years



LED Terrace lighting REVAL BULB Lille silvery round 12V 1W 95lm 180° IP67 830

Product code 15690

Brand [REVAL BULB](#)

Supply voltage 12V

Output 1W

Luminous flux 95lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature warm
white 3000K

Lens angle 180

Source of light [EPISTAR LED](#)

Cri 80

Protection class IP67

Height 39.0mm

Diameter 36.0mm

Installation opening diameter 27mm

In package 1pc

Casing colour silvery


Casing material aluminum + plastic

Shape round

Work environment outdoor use

Operation temperature -25 ~ +45°C

Warranty 3 years



LED Terrace lighting REVAL BULB Metz silvery round 12V 3W 280lm 180° IP67 830

Product code 15697

Brand [REVAL BULB](#)

Supply voltage 12V

Output 3W

Luminous flux 280lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature warm
white 3000K

Lens angle 180

Source of light OSRAM LED

Cri 80

Protection class IP67

Lifespan 25000h

Height 38.0mm

Diameter 50.0mm

Installation opening diameter 33mm

In package 1pc

Casing colour silvery


Casing material aluminum

Shape round

Work environment outdoor use

Operation temperature -25 ~ +45°C

Warranty 3 years



LED Terrace lighting REVAL BULB Rouen silvery round 12V 1W 95lm IP67 830

Product code 15688

Brand [REVAL BULB](#)

Supply voltage 12V

Output 1W

Luminous flux 95lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature warm
white 3000K

Source of light OSRAM LED

Cri 80

Protection class IP67

Lifespan 25000h

Height 36.0mm

Diameter 35.0mm

Installation opening diameter 27mm

In package 1pc

Casing colour silvery

Casing material aluminum

Shape round

Work environment outdoor use

Operation temperature -25 ~ +45°C

Warranty 3 years



LED Terrace lighting REVAL BULB Sizun PWM dim silvery 24V 3W 180lm 45° IP68 RGB

Product code 16296

Brand [REVAL BULB](#)

Supply voltage 24V

Output 3W

Luminous flux 180lumens

Luminaire's efficiency lm79 60W

Correlated colour temperature RGB
RGB

Lens angle 45

Source of light [EPILEDs](#)

Protection class IP68

Lifespan 25000h

Height 67.0mm

Diameter 52.0mm

In package 1pc

In box 12pcs

Casing colour silvery

Casing material aluminum

Work environment indoor / outdoor
use

Operation temperature -25 ~ +45°C

Warranty 3 years



LED Terrace lighting REVAL BULB Vichy silvery round 12V 3W 220lm 30° IP67 830

Product code 15686

Brand [REVAL BULB](#)

Supply voltage 12V

Output 3W

Luminous flux 220lumens

Luminaire's efficiency lm79 73W

Correlated colour temperature warm
white 3000K

Lens angle 30

Source of light OSRAM LED

Cri 80

Sdcm - macadam ellipses 6

Protection class IP67

Lifespan 25000h

Height 42.0mm

Diameter 50.0mm

Installation opening diameter 36mm

In package 1pc

Casing colour silvery

Casing material aluminum

Shape round

Work environment outdoor use

Operation temperature -25 ~ +45°C

Certificates CE

Warranty 3 years

