Ground light Deko-Light Asymmetrical silver 230V 11.9W 700lm 35-45° IP67 830

Product code 20314

Brand Deko-Light
Supply voltage 230V
Output 11.9W
Luminous flux 700lumens
Luminaire’s efficiency 59W
Correlated colour temperature warm white 3000K
Lens angle 35-45
CRI 80
Protection class IP67
Lifespan 25000h
Height 111.0mm
Diameter 173.0mm
Installation opening diameter 157mm
Weight 1.91 kg
Package weight 2.09 kg
Casing colour silver
Casing material metal + glass
No. of switches 100000pcs
Impact resistance IK09
Operation temperature -20 ~ 40°C
Warranty 5 years



Ground light Deko-Light Aton DIM silver 230V GU10 IP67

Product code 20335

Brand Deko-Light
Supply voltage 230V
Socket GU10
SDCM - MacAdam Ellipses 8
Protection class IP67
Height 111.0mm
Width 97.0mm
Length 97.0mm
Diameter 103.0mm
Installation opening diameter 75mm
Weight 657 g
Package weight 773 g
Casing colour silver
Casing material metal + glass
Operation temperature -10 ~ 50°C

Simple yet brilliant - with its robust construction, the ATON series delivers elegant recessed floor lighting for less. The exchangeable lamps facilitate an individual lighting solution with vision.



Ground light Deko-Light Aton DIM silver 230V GU10 IP67

Product code 20336

Brand Deko-Light
Supply voltage 230V
Socket GU10
Protection class IP67
Height 111.0mm
Width 97.0mm
Length 97.0mm
Weight 657 g
Casing colour silver
Casing material aluminium + acrylic
Operation temperature -10 ~ 50°C

Simple yet brilliant - with its robust construction, the ATON series delivers elegant recessed floor lighting for less. The exchangeable lamps facilitate an individual lighting solution with vision.





Ground light Deko-Light Flat I silver 230V 12W 860lm 20° IP67 830

Product code 20310

Brand Deko-Light
Supply voltage 230V
Output 12W
Luminous flux 860lumens
Luminaire’s efficiency 72W
Correlated colour temperature warm white 3000K
Lens angle 20
CRI 80
Protection class IP67
Lifespan 25000h
Height 42.0mm
Diameter 173.0mm
Weight 1.61 kg
Package weight 1.77 kg
Casing colour silver
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 40°C
Warranty 5 years

Including 0.5 m connecting cable.







Ground light Deko-Light Flat II silver 230V 5.8W 400lm 20° IP67 830

Product code 20309

Brand Deko-Light
Supply voltage 230V
Output voltage 220-240V
Output 5.8W
Luminous flux 400lumens
Luminaire’s efficiency 69W
Correlated colour temperature warm white 3000K
Lens angle 20
CRI 80
Protection class IP67
Lifespan 25000h
Height 44.0mm
Diameter 116.0mm
Weight 694 g
Package weight 755 g
Casing colour silver
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 40°C
Warranty 5 years

Including 0.5 m connecting cable.



Ground light Deko-Light Flat III silver round 230V 1.3W 40lm 120° IP67 630

Product code 20083

Brand Deko-Light
Supply voltage 230V
Output 1.3W
Luminous flux 40lumens
Luminaire’s efficiency 31W
Correlated colour temperature warm white 3000K
Lens angle 120
CRI 65
Protection class IP67
Lifespan 25000h
Height 42.0mm
Width 58.0mm
Length 176.0mm
Diameter 116.0mm
Installation opening diameter 100mm
Weight 854 g
In package 1pc
Casing colour silver
Casing material stainless steel + glass
Polishing semigloss
Shape round
Impact resistance IK05
Work environment indoor / outdoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 5 years



Ground light Deko-Light Floor-mounted lamp I silver 24V 5.8W 370lm 45° IP67 830

Product code 20319

Brand Deko-Light
Supply voltage 24V
Output 5.8W
Luminous flux 370lumens
Luminaire’s efficiency 64W
Correlated colour temperature warm white 3000K
Lens angle 45
CRI 80
Protection class IP67
Lifespan 25000h
Height 102.0mm
Diameter 116.0mm
Weight 940 g
Package weight 1.02 kg
Casing colour silver
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 40°C



Ground light Deko-Light HP IV silver 24V 14W 800lm 35-45° IP67 830

Product code 20085

Brand Deko-Light
Supply voltage 24V
Output 14W
Luminous flux 800lumens
Luminaire’s efficiency 57W
Correlated colour temperature warm white 3000K
Lens angle 35-45
CRI 80
Protection class IP67
Lifespan 25000h
Height 111.0mm
Diameter 173.0mm
Installation opening diameter 157mm
Weight 1.4 kg
Package weight 1.56 kg
In package 1pc
Casing colour silver
Casing material stainless steel + glass
Polishing semigloss
Impact resistance IK10
Work environment indoor / outdoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 5 years



Ground light Deko-Light Lamp II silver 230V 4.1W 280lm 30° IP67 830

Product code 20308

Brand Deko-Light
Supply voltage 230V
Output 4.1W
Luminous flux 280lumens
Luminaire’s efficiency 68W
Correlated colour temperature warm white 3000K
Lens angle 30
CRI 80
Protection class IP67
Lifespan 25000h
Height 102.0mm
Diameter 116.0mm
Weight 1.02 kg
Package weight 1.09 kg
Casing colour silver
Casing material aluminium + glass
No. of switches 100000pcs
Operation temperature -20 ~ 40°C

Including connecting cable



Ground light Deko-Light Line I silver 230V 5.5W 340lm 35-45° IP67 830

Product code 20318

Brand Deko-Light
Supply voltage 230V
Output 5.5W
Luminous flux 340lumens
Luminaire’s efficiency 62W
Correlated colour temperature warm white 3000K
Lens angle 35-45
CRI 80
Protection class IP67
Lifespan 25000h
Height 65.0mm
Width 63.0mm
Length 195.0mm
Weight 940 g
Package weight 1.09 kg
Casing colour silver
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 40°C





Ground light Deko-Light Line II silver 230V 11.9W 730lm 35-45° IP67 830



Product code 20317

Brand Deko-Light
Supply voltage 230V
Output 11.9W
Luminous flux 730lumens
Luminaire’s efficiency 61W
Correlated colour temperature warm white 3000K
Lens angle 35-45
CRI 80
Protection class IP67
Lifespan 25000h
Height 65.0mm
Width 63.0mm
Length 328.0mm
Weight 1.53 kg
Package weight 1.64 kg
Casing colour silver
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 40°C





Ground light Deko-Light Pavo silver 230V GU10 IP67

Product code 20337

Brand Deko-Light
Supply voltage 230V
Socket GU10
Protection class IP67
Height 156.0mm
Diameter 139.0mm
Weight 1.55 kg
Package weight 1.58 kg
Casing colour silver
Casing material aluminium + acrylic
Work environment outdoor use
Operation temperature -10 ~ 50°C

Simple yet brilliant - with its robust construction, the PAVO series delivers elegant recessed floor lighting for less. The exchangeable lamps facilitate an individual lighting solution with vision.



Ground light Deko-Light Pavo silver 230V GU10 IP67

Product code 20338

Brand Deko-Light
Supply voltage 230V
Socket GU10
Protection class IP67
Height 156.0mm
Width 160.0mm
Length 160.0mm
Weight 1.55 kg
Casing colour silver
Casing material aluminium + acrylic
Operation temperature -10 ~ 50°C



Ground light Deko-Light Peacock silver round 230V 2W 150lm 30° IP67 830

Product code 20159

Brand Deko-Light
Supply voltage 230V
Output voltage 220-240V
Output 2W
Luminous flux 150lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 30
CRI 80
Protection class IP67
Lifespan 25000h
Height 43.0mm
Diameter 58.0mm
Installation opening diameter 44mm
Casing colour silver
Casing material stainless steel + glass
Polishing semigloss
Shape round
Impact resistance IK08
Work environment indoor / outdoor use
Operation temperature -20 - +40°C

Including 0.5 m connecting cable with protected connection socket



Ground light Deko-Light Quick RD silver GU10 IP67

Product code 21003

Brand Deko-Light
Output voltage 220-240V
Socket GU10
Protection class IP67
Lifespan 25000h
Height 150.0mm
Diameter 116.0mm
Installation opening diameter 105mm
Casing colour silver
Casing material metal + glass
Work environment outdoor use
Operation temperature -20 ~ 40°C



Ground light Deko-Light Soft Flex silver 230V 9.3W 480lm 60° IP67 830






Product code 20311

Brand Deko-Light
Supply voltage 230V
Output 9.3W
Luminous flux 480lumens
Luminaire’s efficiency 52W
Correlated colour temperature warm white 3000K
Lens angle 60
CRI 80
Protection class IP67
Lifespan 35000h
Height 128.0mm
Weight 2.51 kg
Package weight 2.77 kg
Casing colour silver
Casing material metal + glass
No. of switches 20000pcs
Operation temperature -20 ~ 40°C

Adjustable light emission angle
Including 1 m connecting cable
Including honeycomb filter





Ground light Deko-Light Wall Washer Caph dark gray 230V 38W 2580lm 15-40° IP65 830

Product code 20303

Brand Deko-Light
Supply voltage 230V
Output 38W
Luminous flux 2580lumens
Luminaire’s efficiency 68W
Correlated colour temperature warm white 3000K
Lens angle 15-40
CRI 80
Protection class IP65
Lifespan 30000h
Height 36.7mm
Width 1000.0mm
Length 53.4mm
Weight 3.12 kg
Package weight 3.63 kg
Casing colour dark gray
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 60°C
Warranty 5 years



Including 2 m connecting cable with IP44 shaped plug Despite the linear design, the Wallwasher - CAPH series assortment is well-rounded. Wallwashers offer a variety of options for accentuating different objects, whether that's a rustic stone wall in warm 3,000 K or a modern new build in RGBW. The different visual designs with symmetrical or asymmetrical diffusion angles help with positioning. With the 230 V variants, no further accessories are required. Thanks to the 24 V versions, the CAPH Wallwashers can be connected to all variants of the control unit on the market.

Ground light Deko-Light Wall Washer Caph dark gray 230V 38W 3000lm 25° IP65 830

Product code 20302

Brand Deko-Light
Supply voltage 230V
Output 38W
Luminous flux 3000lumens
Luminaire’s efficiency 79W
Correlated colour temperature warm white 3000K
Lens angle 25
CRI 80
Protection class IP65
Lifespan 30000h
Height 36.7mm
Width 1000.0mm
Length 53.4mm
Weight 3.12 kg
Package weight 3.63 kg
Casing colour dark gray
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 60°C
Warranty 5 years





Including 2 m connecting cable with IP44 shaped plug Despite the linear design, the Wallwasher - CAPH series assortment is well-rounded. Wallwashers offer a variety of options for accentuating different objects, whether that's a rustic stone wall in warm 3,000 K or a modern new build in RGBW. The different visual designs with symmetrical or asymmetrical diffusion angles help with positioning. With the 230 V variants, no further accessories are required. Thanks to the 24 V versions, the CAPH Wallwashers can be connected to all variants of the control unit on the market.

Ground light Deko-Light Wall Washer Caph dark gray 24V 60W 2480lm CRI80 15-40° IP65 RGB + 3000K RGBW warm

Product code 20301

Brand Deko-Light
Supply voltage 24V
Output 60W
Luminous flux 2480lumens
Luminaire’s efficiency 41W
Correlated colour temperature RGBW warm RGB + 3000K
Lens angle 15-40
CRI 80
Protection class IP65
Lifespan 30000h
Height 81.1mm
Width 53.4mm
Length 1000.0mm
Weight 3.12 kg
Package weight 3.82 kg
Casing colour dark gray
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 60°C
Warranty 5 years





Despite the linear design, the Wallwasher - CAPH series assortment is well-rounded. Wallwashers offer a variety of options for accentuating different objects, whether that's a rustic stone wall in warm 3,000 K or a modern new build in RGBW. The different visual designs with symmetrical or asymmetrical diffusion angles help with positioning. With the 230 V variants, no further accessories are required. Thanks to the 24 V versions, the CAPH Wallwashers can be connected to all variants of the control unit on the market.

Ground light Deko-Light Wall Washer Caph Dim dark gray 24V 60W 2800lm CRI80 25° IP65 RGB + 3000K RGBW warm

Product code 20300

Brand Deko-Light
Supply voltage 24V
Output 60W
Luminous flux 2800lumens
Luminaire’s efficiency 47W
Correlated colour temperature RGBW warm RGB + 3000K
Lens angle 25
CRI 80
Protection class IP65
Lifespan 30000h
Height 81.1mm
Width 53.4mm
Length 1000.0mm
Weight 3.12 kg
Package weight 3.63 kg
Casing colour dark gray
Casing material metal + glass
No. of switches 100000pcs
Operation temperature -20 ~ 60°C
Warranty 5 years





Including 2 m connecting cable with IP44 shaped plug Despite the linear design, the Wallwasher - CAPH series assortment is well-rounded. Wallwashers offer a variety of options for accentuating different objects, whether that's a rustic stone wall in warm 3,000 K or a modern new build in RGBW. The different visual designs with symmetrical or asymmetrical diffusion angles help with positioning.

Recessed light Liralighting DL 200 gray round 36W 3192lm 60° IP67 RGB+4000K RGBW pure white

Product code 19113


Brand Liralighting
Power factor 0.90
Output 36W
Maximum output 36W/1m
Luminous flux 3192lumens
Luminaire’s efficiency 89W
Correlated colour temperature RGBW pure white RGB+4000K
Lens angle 60
SDCM - MacAdam Ellipses 6
Protection class IP67
Lifespan 100000h
Height 80.0mm
Diameter 240.0mm
Installation opening diameter 200mm
In box 30pcs
Casing colour gray
Casing material aluminium
Shape round
Impact resistance IK10
Work environment indoor / outdoor use
Certificates CE, RoHS



Ground light Maytoni Wallwasher Edge black 15W 1000lm 110° IP65 830

Product code 19775

Brand Maytoni
Output 15W
Luminous flux 1000lumens
Luminaire’s efficiency 67W
Correlated colour temperature warm white 3000K
Lens angle 110
CRI 80
Protection class IP65
Height 59.0mm
Width 65.0mm
Length 1000.0mm
Weight 800 g
Package weight 940 g
Casing colour black
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C




Ground light Maytoni Wallwasher Edge gray 15W 1000lm 110° IP65 830

Product code 19776

Brand Maytoni
Output 15W
Luminous flux 1000lumens
Luminaire’s efficiency 67W
Correlated colour temperature warm white 3000K
Lens angle 110
CRI 80
Protection class IP65
Height 59.0mm
Width 65.0mm
Length 1000.0mm
Weight 800 g
Package weight 940 g
Casing colour gray
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C






Ground light Nova Luce Wall Washer Sandy black 24V 36W 3284lm 30° IP67 3000K warm white

Product code 22848

Brand Nova Luce
Supply voltage 24V
Output 36W
Maximum output 36W/1m
Luminous flux 3284lumens
Luminaire’s efficiency 91W
Correlated colour temperature warm white 3000K
Lens angle 30
Protection class IP67
Height 120.0mm
Width 1000.0mm
Length 65.0mm
Casing colour black
Casing material aluminum + glass
Work environment outdoor use
Warranty 3 years







The WALL WASHER LED wall spotlight from Nova Luce is a top-notch solution for outdoor lighting that combines functionality and aesthetics. With a maximum power of 36 watts and warm white light, this spotlight creates a pleasant atmosphere and highlights architectural details. Its robust construction and IP67 protection rating ensure that the product is protected against water and dust, making it ideal for outdoor use. With a length of 100 cm and a height of 12 cm, this wall spotlight is perfect for accentuating facades, gardens, or other outdoor areas. The elegant black color harmoniously blends into modern environments and provides a stylish lighting display. IP67 protection rating for optimal weather resistance Energy-efficient LED technology with 36 watts Ideal for accentuating facades and outdoor areas.


Ground light Nova Luce Wallwasher Sandy black 24V 44W 4223lm 30° IP67 3000K warm white

Product code 22855

Brand Nova Luce
Supply voltage 24V
Output 44W
Maximum output 44W/1m
Luminous flux 4223lumens
Luminaire’s efficiency 96W
Correlated colour temperature warm white 3000K
Lens angle 30
Protection class IP67
Height 120.0mm
Width 1000.0mm
Length 65.0mm
Casing colour black
Casing material aluminum + glass
Work environment outdoor use
Warranty 3 years







The Wall Washer LED wall spotlight from Nova Luce is a high-quality lighting solution specifically designed for outdoor use. With a power of 48 watts and a warm white light color, this facade-mounted spotlight provides effective and appealing illumination for various applications. Measuring 100 cm in length, 6.5 cm in width, and 12 cm in height, it is an ideal choice for highlighting facades, gardens, or other outdoor areas. The spotlight is equipped with an IP67 protection rating, meaning it is dust-tight and protected against temporary immersion in water. This ensures high durability and reliability, even under demanding weather conditions. The elegant black finish harmoniously integrates into modern architecture and creates a stylish lighting display. The Wall Washer LED wall spotlight is thus a practical and aesthetic solution for those who value quality and design.

Ground light Optonica Spot white GU10 IP65

Product code 22016

Brand Optonica
Socket GU10
Protection class IP65
Height 125.0mm
Diameter 83.0mm
Installation opening diameter 73mm
Casing colour white
Casing material metal
Work environment outdoor use



Terrace light REVAL BULB Agen silver round 12V 0.4W 10lm 90° IP65 830

Product code 18259

Brand REVAL BULB
Supply voltage 12V
Power factor 0.90
Output 0.4W
Maximum output 0.4W/1m
Luminous flux 10lumens
Luminaire’s efficiency 25W
Correlated colour temperature warm white 3000K
Lens angle 90
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP65
Lifespan 25000h
LLMF TM21 L70B50 @25°C 50.000h
Height 36.5mm
Diameter 35.0mm
Installation opening diameter 20mm
In package 1pc
In box 100pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years



Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB ALBI silver round 12V 0.3W 10lm 90° IP65 730

Product code 18261

Brand REVAL BULB
Supply voltage 12V
Power factor 0.90
Output 0.3W
Maximum output 0.3W/1m
Luminous flux 10lumens
Luminaire’s efficiency 33W
Correlated colour temperature warm white 3000K
Lens angle 90
Source of light SANAN LED
CRI 70
SDCM - MacAdam Ellipses 6
Protection class IP65
Lifespan 25000h
LLMF TM21 L70B50 @25°C 50.000h
Height 41.0mm
Diameter 26.0mm
Installation opening diameter 18mm
In package 1pc
In box 100pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years




Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Brest black round 12V 1W 85lm 45° IP67 827

Product code 23855

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 85lumens
Luminaire’s efficiency 85W
Correlated colour temperature warm white 2700K
Lens angle 45
Source of light OSRAM LED
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP67
Lifespan 25000h
Height 38.0mm
Diameter 35.0mm
Installation opening diameter 28mm
In package 1pc
In box 216pcs
Casing colour black
Casing material aluminium
Shape round
Work environment indoor / outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years








Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Brest black round 12V 1W 95lm 45° IP67 830

Product code 22659

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 95lumens
Luminaire’s efficiency 95W
Correlated colour temperature warm white 3000K
Lens angle 45
Source of light OSRAM LED
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP67
Lifespan 25000h
Height 38.0mm
Diameter 35.0mm
Installation opening diameter 28mm
In package 1pc
In box 216pcs
Casing colour black
Casing material aluminium
Shape round
Work environment indoor / outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years







Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Brest silver round 12V 1W 95lm 45° IP67 830

Product code 15684

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 95lumens
Luminaire’s efficiency 95W
Correlated colour temperature warm white 3000K
Lens angle 45
Source of light OSRAM LED
CRI 80
Protection class IP67
Lifespan 25000h
Height 38.0mm
Diameter 35.0mm
Installation opening diameter 28mm
In package 1pc
In box 216pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment indoor / outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years



Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Brest silver round 12V 3W 195lm 15° IP67 830

Product code 22970

Brand REVAL BULB
Supply voltage 12V
Output 3W
Maximum output 3W/1m
Luminous flux 195lumens
Luminaire’s efficiency 65W
Correlated colour temperature warm white 3000K
Lens angle 15
Source of light OSRAM LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 25000h
LLMF TM21 L70B50 @25°C 50.000h
Height 48.0mm
Diameter 35.0mm
Installation opening diameter 28mm
In package 1pc
In box 216pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment indoor / outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years



Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Lille silver round 12V 1W 95lm 180° IP67 830

Product code 15690

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 95lumens
Luminaire’s efficiency 95W
Correlated colour temperature warm white 3000K
Lens angle 180
Source of light EPISTAR LED
CRI 80
Protection class IP67
Height 39.0mm
Diameter 36.0mm
Installation opening diameter 27mm
In package 1pc
In box 180pcs
Casing colour silver
Casing material aluminium + plastic
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years



Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Metz silver round 12V 3W 280lm 180° IP67 830

Product code 15697

Brand REVAL BULB
Supply voltage 12V
Output 3W
Maximum output 3W/1m
Luminous flux 280lumens
Luminaire’s efficiency 93W
Correlated colour temperature warm white 3000K
Lens angle 180
Source of light OSRAM LED
CRI 80
Protection class IP67
Lifespan 25000h
Height 38.0mm
Diameter 50.0mm
Installation opening diameter 33mm
In package 1pc
In box 180pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years




Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Nocta silver / grey round 12-24V 3W 180lm 30° IP67 830

Product code 23372

Brand REVAL BULB
Supply voltage 12-24V
Power factor 0.90
Output 3W
Maximum output 3W/1m
Luminous flux 180lumens
Luminaire’s efficiency 60W
Correlated colour temperature warm white 3000K
Lens angle 30
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP67
Lifespan 25000h
LLMF TM21 L70B50 @25°C 50.000h
Height 68.0mm
Diameter 50.0mm
Installation opening diameter 33mm
In package 1pc
In box 180pcs
Casing colour silver / grey
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years




Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB petite silver round 12V 1W 87lm 120° IP67 830

Product code 22669

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 87lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light OSRAM LED
CRI 80
Protection class IP67
Lifespan 25000h
Height 38.0mm
Diameter 20.0mm
Installation opening diameter 15.5mm
In package 1pc
In box 288pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment indoor / outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years







Terrace light REVAL BULB petite+ silver round 12V 1W 95lm 15° IP67 830

Product code 22958

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 95lumens
Luminaire’s efficiency 95W
Correlated colour temperature warm white 3000K
Lens angle 15
Source of light OSRAM LED
CRI 80
Protection class IP67
Lifespan 35000h
Height 47.5mm
Diameter 24.0mm
In package 1pc
In box 288pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment indoor / outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years





Terrace light REVAL BULB Pluie silver round 12V 1W 95lm 30° IP65 830

Product code 19706

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 95lumens
Luminaire’s efficiency 95W
Correlated colour temperature warm white 3000K
Lens angle 30
Source of light EPISTAR LED
CRI 80
Protection class IP65
Height 25.0mm
Diameter 25.0mm
Installation opening diameter 22mm
In package 1pc
In box 216pcs
Casing colour silver
Casing material aluminium + plastic
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years

Also suitable for installation inside handrails



Terrace light REVAL BULB Rouen silver round 12V 1W 95lm 45° IP67 830

Product code 15688

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 95lumens
Luminaire’s efficiency 95W
Correlated colour temperature warm white 3000K
Lens angle 45
Source of light OSRAM LED
CRI 80
Protection class IP67
Lifespan 25000h
Height 36.0mm
Diameter 35.0mm
Installation opening diameter 29-32mm
In package 1pc
In box 216pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years





Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Rouen silver round 12V 1W 95lm 45° IP67 830

Product code 23738

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 95lumens
Luminaire’s efficiency 95W
Correlated colour temperature warm white 3000K
Lens angle 45
Source of light OSRAM LED
CRI 80
Protection class IP67
Lifespan 25000h
Height 36.0mm
Diameter 35.0mm
Installation opening diameter 29-32mm
In package 1pc
In box 216pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years





Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Sizun PWM dim silver 12V 3W 180lm 45° IP68 RGB

Product code 16296

Brand REVAL BULB
Supply voltage 12V
Output 3W
Maximum output 3W/1m
Luminous flux 180lumens
Luminaire’s efficiency 60W
Correlated colour temperature RGB
RGB
Lens angle 45
Source of light EPILEDS
Protection class IP68
Lifespan 25000h
Height 67.0mm
Diameter 52.0mm
In package 1pc
In box 100pcs
Casing colour silver
Casing material aluminium
Work environment indoor / outdoor use
Operation temperature -25 ~ +45°C
Warranty 3 years





Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Vichy silver round 12V 3W 220lm 30° IP67 830

Product code 15686

Brand REVAL BULB
Supply voltage 12V
Output 3W
Maximum output 3W/1m
Luminous flux 220lumens
Luminaire’s efficiency 73W
Correlated colour temperature warm white 3000K
Lens angle 30
Source of light OSRAM LED
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP67
Lifespan 25000h
Height 42.0mm
Diameter 50.0mm
Installation opening diameter 36mm
In package 1pc
In box 180pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Certificates CE
Warranty 3 years




Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB Vichy white round 12V 3W 220lm 30° IP67 830

Product code 18274

Brand REVAL BULB
Supply voltage 12V
Output 3W
Maximum output 3W/1m
Luminous flux 220lumens
Luminaire’s efficiency 73W
Correlated colour temperature warm white 3000K
Lens angle 30
Source of light OSRAM LED
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP67
Lifespan 25000h
Height 42.0mm
Diameter 50.0mm
Installation opening diameter 36mm
In package 1pc
In box 180pcs
Casing colour white
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Certificates CE
Warranty 3 years





Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Terrace light REVAL BULB VITRA silver round 12V 1W 85lm 15° IP67 830

Product code 19330

Brand REVAL BULB
Supply voltage 12V
Output 1W
Maximum output 1W/1m
Luminous flux 85lumens
Luminaire’s efficiency 85W
Correlated colour temperature warm white 3000K
Lens angle 15
Source of light OSRAM LED
CRI 80
SDCM - MacAdam Ellipses 6
Protection class IP67
Lifespan 25000h
Height 59.0mm
Diameter 42.0mm
Installation opening diameter 31mm
In package 1pc
In box 180pcs
Casing colour silver
Casing material aluminium
Shape round
Work environment outdoor use
Operation temperature -25 ~ +45°C
Certificates CE
Warranty 3 years



Recessed terrace light for outdoor use. Adds a cozy atmosphere to your home garden and is especially suitable for terraces as mood lighting. This terrace light can be installed both on the floor and on the wall. The IP67 protection class ensures that the light withstands various weather conditions, maintaining its long lifespan. You can find the necessary power supply in the LED House product range. Illuminate your world with LED House professionals - check out our project portfolio here!

Ground light Trio Lighting Belaja silver 230V 3,5W 350lm IP65 830

Product code 21112

Brand Trio Lighting
Supply voltage 230V
Output 3,5W
Luminous flux 350lumens
Correlated colour temperature warm white 3000K
CRI 80
Protection class IP65
Lifespan 35000h
Height 145.0mm
Diameter 110.0mm
Weight 600 g
Package weight 700 g
Casing colour silver
Casing material metal + glass
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years







Light accents with the BELAJA in-ground spotlight. Whether for the garage entrance, patio or garden bed, the spotlight provides effective and inviting lighting. Thanks to its IP65 protection rating, the recessed luminaire is protected against the ingress of dirt and water and is ideal for outdoor use. The spotlight has a beam angle of 40 degrees and can therefore ideally illuminate various areas. The recessed floor spotlight has a diameter of 11 cm and a height of 14.5 cm and can easily withstand a load of up to 2000 kg. The spotlight is finished in matt nickel, making it absolutely timeless and flexible to integrate. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Ground light Trio Lighting Belaja silver 230V 8W 900lm IP65 830

Product code 21111

Brand Trio Lighting
Supply voltage 230V
Output 8W
Luminous flux 900lumens
Luminaire’s efficiency 113W
Correlated colour temperature warm white 3000K
CRI 80
Protection class IP65
Lifespan 35000h
Height 120.0mm
Diameter 160.0mm
Weight 1 kg
Package weight 1.1 kg
Casing colour silver
Casing material metal + glass
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years







Light accents with the BELAJA in-ground spotlight. Whether for the garage entrance, patio or garden bed, the spotlight provides effective and inviting lighting. Thanks to its IP65 protection rating, the recessed luminaire is protected against the ingress of dirt and water and is ideal for outdoor use. The spotlight has a beam angle of 40 degrees and can therefore ideally illuminate various areas. The recessed floor spotlight has a diameter of 16 cm and a height of 12 cm and can easily withstand a load of up to 2000 kg. The spotlight is finished in matt nickel, making it absolutely timeless and flexible to integrate. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.