

## Luminaire frame 4553 silvery square

### Product code 14764

Height 27.0mm  
Width 94.0mm  
Length 94.0mm  
Installation opening diameter  
75-82mm  
Casing colour silvery  
Casing material aluminum  
Polishing matt  
Shape square  
Work environment indoor use



## Luminaire frame 4554, shiny silvery square

### Product code 14763

Height 27.0mm  
Width 94.0mm  
Length 94.0mm  
Installation opening diameter  
75-82mm  
Casing colour silvery  
Casing material aluminum  
Polishing shiny  
Shape square  
Work environment indoor use



## Luminaire frame 5230 square IP44

### Product code 14781

Protection class IP44  
Height 49.0mm  
Width 80.0mm  
Length 80.0mm  
Installation opening diameter 75mm  
Casing material aluminum  
Shape square  
Work environment indoor use

Suitable for installation in a damp room. Comes with rubber seals.



## Luminaire frame 89x89 white IP44

### Product code 15726

Protection class IP44  
Width 89.0mm  
Length 89.0mm  
Installation opening diameter 68mm  
Casing colour white



## Luminaire frame AQUARIUS black round GU10 IP20

### Product code 19211

Socket GU10  
Protection class IP20  
Height 95.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame AR111 white

### Product code 16083

Maximum output 35W/1m  
Height 25.0mm  
Diameter 180.0mm  
Installation opening diameter 140mm  
Weight 370g  
Casing colour white  
Casing material aluminum  
Work environment indoor use




## Luminaire frame BCL-03 white square IP44

### Product code 14603

Protection class IP44  
Height 49.0mm  
Width 84.0mm  
Length 84.0mm  
Installation opening diameter 70mm  
Casing colour white  
Casing material aluminum  
Polishing matt  
Shape square

Suitable for installation in a damp room. Comes with rubber seals.



## Luminaire frame black IP65

### Product code 18363

Protection class IP65  
Height 42.0mm  
Diameter 88.0mm  
Casing colour black



## Luminaire frame D68 black IP44

### Product code 16304

Protection class IP44  
Diameter 89.0mm  
Installation opening diameter 68mm  
Casing colour black




## Luminaire frame D89 white IP44



### Product code 16448

Protection class IP44  
Diameter 89.0mm  
Installation opening diameter 68mm  
Casing colour white  
Casing material aluminum + glass



## Luminaire frame D90 white IP20

### Product code 18218

Protection class IP20  
Diameter 90.0mm  
Installation opening diameter 75mm  
Casing colour white  
Casing material aluminum



## Luminaire frame DL170-75-A black round

### Product code 14940

Height 50.0mm  
Diameter 85.0mm  
Installation opening diameter 75mm  
In box 100pcs  
Casing colour black  
Casing material aluminum  
Shape round



## Luminaire frame DL170-75-A white round

### Product code 14849

Height 50.0mm  
Diameter 85.0mm  
Installation opening diameter 75mm  
In box 100pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Shape round



## Luminaire frame DL170-90-A black round

### Product code 14896

Height 50.0mm  
Diameter 100.0mm  
Installation opening diameter 90mm  
In box 100pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round



## Luminaire frame JUNO white square GU10 IP20

### Product code 17103

Socket GU10  
Protection class IP20  
Height 44.0mm  
Width 90.0mm  
Length 90.0mm  
Installation opening diameter 80x80mm  
Casing colour white  
Casing material aluminum  
Polishing matt  
Shape square  
Work environment indoor use



Directional housing for LED bulb installation.

## Luminaire frame KIVI black / golden round 230V GU10 IP20

### Product code 14134

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Height 140.0mm  
Diameter 97.0mm  
In box 20pcs  
Casing colour black / golden  
Casing material aluminum  
Polishing matt  
Shape round  
Work environment indoor use



Striking surface-mounted [ceiling light](#).  
Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame KIVI black round 230V GU10 IP20

### Product code 16209

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Height 140.0mm  
Diameter 97.0mm  
In box 20pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round  
Work environment indoor use



Striking surface-mounted [ceiling light](#).  
Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame KIVI white / golden round 230V GU10 IP20

### Product code 15846

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Height 140.0mm  
Diameter 97.0mm  
Weight 560g  
In box 20pcs  
Casing colour white / golden  
Casing material aluminum  
Polishing matt  
Shape round  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame KIVI white round 230V GU10 IP20

### Product code 17107

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP20  
Height 140.0mm  
Diameter 97.0mm  
Weight 560g  
In box 20pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Shape round  
Work environment indoor use




Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame LVSRMR16AB D90 inox IP20

### Product code 16306


Protection class IP20  
Diameter 89.0mm  
Installation opening diameter 68mm  
Casing colour inox  
Casing material aluminum  
Work environment indoor use



## Luminaire frame Napoli white / golden round IP20

### Product code 15339

Protection class IP20  
Diameter 100.0mm  
Installation opening diameter 75mm  
In package 1pc  
In box 100pcs  
Casing colour white / golden  
Casing material aluminum  
Polishing shiny  
Shape round  
Work environment indoor / outdoor use



## Luminaire frame OH36 black 230V GU10 IP20

### Product code 15234

Supply voltage 230V  
Socket GU10  
Protection class IP20  
Height 84.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour black  
Casing material aluminum  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36 chrome GU10 IP20

### Product code 18329

Socket GU10  
Protection class IP20  
Height 84.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour chrome  
Casing material aluminum  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36 white GU10 IP20

**Product code 16409**

Socket GU10  
Protection class IP20  
Height 84.0mm  
Diameter 80.0mm  
Weight 270g  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36L white GU10 IP20

**Product code 15828**

Socket GU10  
Protection class IP20  
Height 115.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36LK chrome GU10 IP20

### Product code 18325

Socket GU10  
Protection class IP20  
Height 115.0mm  
Diameter 80.0mm  
In box 20pcs  
Casing colour chrome  
Casing material aluminum  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH36S white IP20

### Product code 16858

Maximum output 35W/1m  
Protection class IP20  
Height 50.0mm  
Diameter 80.0mm  
Weight 200g  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame OH37 white GU10 IP20

### Product code 18328

Socket GU10  
Protection class IP20  
Height 84.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 540g  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH37K chrome GU10 IP20

### Product code 18327

Socket GU10  
Protection class IP20  
Height 84.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 540g  
In package 1pc  
In box 20pcs  
Casing colour chrome  
Casing material aluminum  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH37LK chrome GU10 IP20

### Product code 18324

Socket GU10  
Protection class IP20  
Height 115.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 730g  
In package 1pc  
In box 20pcs  
Casing colour chrome  
Casing material aluminum  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Luminaire frame OH37M black GU10 IP20

### Product code 18326

Socket GU10  
Protection class IP20  
Height 84.0mm  
Width 80.0mm  
Length 80.0mm  
Weight 540g  
In package 1pc  
In box 20pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Luminaire frame ORLI white round GU10 IP20

### Product code 16459


Socket GU10  
Protection class IP20  
Height 44.0mm  
Diameter 92.0mm  
Installation opening diameter 83mm  
Casing colour white  
Casing material aluminum  
Polishing matt  
Shape round  
Work environment indoor use



## Luminaire frame PLVR55GU10 D90 white GU10 IP20

### Product code 16305

Socket GU10  
Protection class IP20  
Height 80.0mm  
Diameter 90.0mm  
Installation opening diameter 75mm  
Casing colour white



## Luminaire frame TORN black IP20

### Product code 18224

Protection class IP20  
Height 26.0mm  
Width 90.0mm  
Length 90.0mm  
Installation opening diameter 65mm  
Casing colour black  
Casing material aluminum





## Luminaire frame white IP65

### Product code 18364

---

Protection class IP65

Height 42.0mm

Diameter 88.0mm

Casing colour white

