

Luminaire frame 4553 silvery square

Product code 14764

Height 27.0mm
Width 94.0mm
Length 94.0mm
Installation opening diameter
75-82mm
Casing colour silvery
Casing material aluminum
Polishing matt
Shape square
Work environment indoor use



Luminaire frame 4554, shiny silvery square

Product code 14763

Height 27.0mm
Width 94.0mm
Length 94.0mm
Installation opening diameter
75-82mm
Casing colour silvery
Casing material aluminum
Polishing shiny
Shape square
Work environment indoor use



Luminaire frame 5230 square IP44

Product code 14781

Protection class IP44
Height 49.0mm
Width 80.0mm
Length 80.0mm
Installation opening diameter 75mm
Casing material aluminum
Shape square
Work environment indoor use

Suitable for installation in a damp room. Comes with rubber seals.



Luminaire frame 89x89 white IP44

Product code 15726

Protection class IP44
Width 89.0mm
Length 89.0mm
Installation opening diameter 68mm
Casing colour white



Luminaire frame AQUARIUS black round GU10 IP20

Product code 19211

Socket GU10
Protection class IP20
Height 95.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame AR111 white

Product code 16083

Maximum output 35W/1m
Height 25.0mm
Diameter 180.0mm
Installation opening diameter 140mm
Weight 370g
Casing colour white
Casing material aluminum
Work environment indoor use





Luminaire frame BCL-03 white square IP44

Product code 14603

Protection class IP44
Height 49.0mm
Width 84.0mm
Length 84.0mm
Installation opening diameter 70mm
Casing colour white
Casing material aluminum
Polishing matt
Shape square

Suitable for installation in a damp room. Comes with rubber seals.



Luminaire frame black IP65

Product code 18363

Protection class IP65
Height 42.0mm
Diameter 88.0mm
Casing colour black

Luminaire frame D68 black IP44

Product code 16304

Protection class IP44
Diameter 89.0mm
Installation opening diameter 68mm
Casing colour black




Luminaire frame D89 white IP44



Product code 16448

Protection class IP44
Diameter 89.0mm
Installation opening diameter 68mm
Casing colour white
Casing material aluminum + glass



Luminaire frame D90 white IP20

Product code 18218

Protection class IP20
Diameter 90.0mm
Installation opening diameter 75mm
Casing colour white
Casing material aluminum



Luminaire frame DL170-75-A black round

Product code 14940

Height 50.0mm
Diameter 85.0mm
Installation opening diameter 75mm
In box 100pcs
Casing colour black
Casing material aluminum
Shape round



Luminaire frame DL170-75-A white round

Product code 14849

Height 50.0mm
Diameter 85.0mm
Installation opening diameter 75mm
In box 100pcs
Casing colour white
Casing material aluminum
Polishing matt
Shape round



Luminaire frame DL170-90-A black round

Product code 14896

Height 50.0mm
Diameter 100.0mm
Installation opening diameter 90mm
In box 100pcs
Casing colour black
Casing material aluminum
Polishing matt
Shape round



Luminaire frame JUNO white square GU10 IP20

Product code 17103

Socket GU10
Protection class IP20
Height 44.0mm
Width 90.0mm
Length 90.0mm
Installation opening diameter 80x80mm
Casing colour white
Casing material aluminum
Polishing matt
Shape square
Work environment indoor use



Directional housing for LED bulb installation.

Luminaire frame KIVI black / golden round 230V GU10 IP20

Product code 14134

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
In box 20pcs
Casing colour black / golden
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use



Striking surface-mounted [ceiling light](#).
Suitable for illuminating various indoor
spaces. LED bulb is not included in the
package! Can be installed on both
walls and ceilings. Illuminate your
world with LED House professionals -
[check out our project portfolio here!](#)

Luminaire frame KIVI black round 230V GU10 IP20

Product code 16209

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
In box 20pcs
Casing colour black
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use



Striking surface-mounted [ceiling light](#).
Suitable for illuminating various indoor
spaces. LED bulb is not included in the
package! Can be installed on both
walls and ceilings. Illuminate your
world with LED House professionals -
[check out our project portfolio here!](#)

Luminaire frame KIVI white / golden round 230V GU10 IP20

Product code 15846

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
Weight 560g
In box 20pcs
Casing colour white / golden
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame KIVI white round 230V GU10 IP20

Product code 17107

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
Weight 560g
In box 20pcs
Casing colour white
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use




Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame LVSRMR16AB D90 inox IP20

Product code 16306


Protection class IP20
Diameter 89.0mm
Installation opening diameter 68mm
Casing colour inox
Casing material aluminum
Work environment indoor use



Luminaire frame Napoli white / golden round IP20

Product code 15339

Protection class IP20
Diameter 100.0mm
Installation opening diameter 75mm
In package 1pc
In box 100pcs
Casing colour white / golden
Casing material aluminum
Polishing shiny
Shape round
Work environment indoor / outdoor use




Luminaire frame OH36 black 230V GU10 IP20

Product code 15234

Supply voltage 230V
Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminum
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36 chrome GU10 IP20

Product code 18329

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminum
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36 white GU10 IP20

Product code 16409

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
Weight 270g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36L white GU10 IP20

Product code 15828

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour white
Casing material aluminum
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36LK chrome GU10 IP20

Product code 18325

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminum
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH36S white IP20

Product code 16858

Maximum output 35W/1m
Protection class IP20
Height 50.0mm
Diameter 80.0mm
Weight 200g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum
Polishing matt
Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium white body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



Luminaire frame OH37 white GU10 IP20

Product code 18328

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH37K chrome GU10 IP20

Product code 18327

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540g
In package 1pc
In box 20pcs
Casing colour chrome
Casing material aluminum
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH37LK chrome GU10 IP20

Product code 18324

Socket GU10
Protection class IP20
Height 115.0mm
Width 80.0mm
Length 80.0mm
Weight 730g
In package 1pc
In box 20pcs
Casing colour chrome
Casing material aluminum
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame OH37M black GU10 IP20

Product code 18326

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540g
In package 1pc
In box 20pcs
Casing colour black
Casing material aluminum
Polishing matt
Work environment indoor use



Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Luminaire frame ORLI white round GU10 IP20

Product code 16459


Socket GU10
Protection class IP20
Height 44.0mm
Diameter 92.0mm
Installation opening diameter 83mm
Casing colour white
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use



Luminaire frame PLVR55GU10 D90 white GU10 IP20

Product code 16305

Socket GU10
Protection class IP20
Height 80.0mm
Diameter 90.0mm
Installation opening diameter 75mm
Casing colour white



Luminaire frame TORN black IP20

Product code 18224

Protection class IP20
Height 26.0mm
Width 90.0mm
Length 90.0mm
Installation opening diameter 65mm
Casing colour black
Casing material aluminum



Luminaire frame white IP65

Product code 18364

Protection class IP65

Height 42.0mm

Diameter 88.0mm

Casing colour white