



Luminaire frame 4553 silvery square

Product code 14764

Height 27.0mm
Width 94.0mm
Length 94.0mm
Installation opening diameter
75-82mm
Casing colour silver
Casing material aluminium
Polishing matt
Shape square
Work environment indoor use



Luminaire frame 5230 square IP44

Product code 14781

Protection class IP44
Height 49.0mm
Width 80.0mm
Length 80.0mm
Installation opening diameter 75mm
Casing material aluminium
Shape square
Work environment indoor use

Suitable for installation in a damp room. Comes with rubber seals.









Luminaire frame 89x89 white IP44

Product code 15726

Protection class IP44 Width 89.0mm Length 89.0mm Installation opening diameter 68mm Casing colour white





Luminaire frame AQUARIUS 1xGU10 white GU10 IP44

Product code 19672

Socket GU10
Protection class IP44
Height 84.0mm
Diameter 80.0mm
Weight 270g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use









Luminaire frame AQUARIUS black round GU10 IP20

Product code 19211

Socket GU10
Protection class IP20
Height 95.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame AR111 white

Product code 16083

Maximum output 35W/1m
Height 25.0mm
Diameter 180.0mm
Installation opening diameter 140mm
Weight 370g
Casing colour white
Casing material aluminium
Work environment indoor use





Luminaire frame BCL-03 white square IP44


Product code 14603

Protection class IP44
Height 49.0mm
Width 84.0mm
Length 84.0mm
Installation opening diameter 70mm
Casing colour white
Casing material aluminium
Polishing matt
Shape square

Suitable for installation in a damp room. Comes with rubber seals.









Luminaire frame black IP65

Product code 18363

Protection class IP65 Height 42.0mm Diameter 88.0mm Casing colour black



Luminaire frame D68 black IP44

Product code 16304

Protection class IP44 Diameter 89.0mm Installation opening diameter 68mm Casing colour black








Luminaire frame D89 white IP44



Product code 16448

Protection class IP44
Diameter 89.0mm
Installation opening diameter 68mm
Casing colour white
Casing material aluminum + glass



Luminaire frame D90 white IP20

Product code 18218

Protection class IP20 Diameter 90.0mm Installation opening diameter 75mm Casing colour white Casing material aluminium





Luminaire frame Deko-Light Auva white round

Product code 20175

Brand Deko-Light
Height 43.0mm
Diameter 93.0mm
Installation opening diameter 85mm
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use



Luminaire frame Deko-Light Tilt black round

Product code 20191

Brand Deko-Light
Diameter 89.0mm
Installation opening diameter 68mm
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use



Luminaire frame Deko-Light Tilt white round

Product code 20176

Brand Deko-Light
Height 22.0mm
Diameter 94.0mm
Installation opening diameter 73mm
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use







Luminaire frame DL170-75-A black round

Product code 14940

Height 50.0mm
Diameter 85.0mm
Installation opening diameter 75mm
In box 100pcs
Casing colour black
Casing material aluminium
Shape round



Luminaire frame DL170-75-A white round

Product code 14849

Height 50.0mm
Diameter 85.0mm
Installation opening diameter 75mm
In box 100pcs
Casing colour white
Casing material aluminium
Polishing matt
Shape round







Luminaire frame DL170-90-A black round

Product code 14896


Height 50.0mm
Diameter 100.0mm
Installation opening diameter 90mm
In box 100pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round



Luminaire frame JUNO white square GU10 IP20

Product code 17103

Socket GU10
Protection class IP20
Height 44.0mm
Width 90.0mm
Length 90.0mm
Installation opening diameter 80x80mm
Casing colour white
Casing material aluminium
Polishing matt
Shape square
Work environment indoor use









Luminaire frame KIVI black / golden round 230V GU10 IP20

Product code 14134

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
In box 20pcs
Casing colour black / golden
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!



Luminaire frame KIVI black round 230V GU10 IP20

Product code 16209

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!






10/20 8.12.2025

Luminaire frame KIVI white / golden round 230V GU10 IP20

Product code 15846

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
Weight 560g
In box 20pcs
Casing colour white / golden
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use






Luminaire frame KIVI white round 230V GU10 IP20

Product code 17107

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 140.0mm
Diameter 97.0mm
Weight 560g
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!








Luminaire frame LVSRMR16AB D90 inox IP20





Product code 16306

Protection class IP20
Diameter 89.0mm
Installation opening diameter 68mm
Casing colour inox
Casing material aluminium
Work environment indoor use



Luminaire frame Maytoni Modern white IP44

Product code 20423

Brand Maytoni Protection class IP44 Height 95.0mm Diameter 84.0mm Casing colour white Warranty 2 years







Luminaire frame Maytoni Zoom 2 white

Product code 20410

Brand Maytoni Lens angle 0 Height 36.0mm Width 170.0mm Length 90.0mm Weight 300g Package weight 340g Casing colour white Casing material plastic Warranty 2 years



Luminaire frame Maytoni Zoom black IP65

Product code 20422

Brand Maytoni
Protection class IP65
Height 45.0mm
Diameter 85.0mm
Installation opening diameter 75mm
Weight 160g
Package weight 200g
Casing colour black
Warranty 2 years





13/20 8.12.2025

Luminaire frame Napoli white / golden round IP20

Product code 15339


Protection class IP20
Diameter 100.0mm
Installation opening diameter 75mm
In package 1pc
In box 100pcs
Casing colour white / golden
Casing material aluminium
Polishing shiny
Shape round
Work environment indoor / outdoor use




Luminaire frame OH36 black 230V GU10 IP20

Product code 15234

Supply voltage 230V
Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use







Luminaire frame OH36 chrome GU10 IP20

Product code 18329

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!





Luminaire frame OH36 white GU10 IP20

Product code 16409

Socket GU10
Protection class IP20
Height 84.0mm
Diameter 80.0mm
Weight 270g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use









Luminaire frame OH36L white GU10 IP20

Product code 15828

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - check out our project portfolio here!






Luminaire frame OH36LK chrome GU10 IP20

Product code 18325

Socket GU10
Protection class IP20
Height 115.0mm
Diameter 80.0mm
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use










Luminaire frame OH36S black IP20

Product code 19671

Maximum output 35W/1m
Protection class IP20
Height 50.0mm
Diameter 80.0mm
Weight 200g
In package 1pc
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use






Luminaire frame OH36S white IP20

Product code 16858

Maximum output 35W/1m
Protection class IP20
Height 50.0mm
Diameter 80.0mm
Weight 200g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use










Luminaire frame OH37 white GU10 IP20

Product code 18328

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use





Luminaire frame OH37K chrome GU10 IP20

Product code 18327

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540g
In package 1pc
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use







Luminaire frame OH37LK chrome GU10 IP20

Product code 18324

Socket GU10
Protection class IP20
Height 115.0mm
Width 80.0mm
Length 80.0mm
Weight 730g
In package 1pc
In box 20pcs
Casing colour chrome
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted <u>ceiling light</u>. Suitable for illuminating various indoor spaces. The luminaire has a brushed aluminium black body. Light is directional in two directions up to 15 degrees. GU10 socket. Light bulb is not included in the package. Illuminate your world with LED House professionals - <u>check out our project portfolio here!</u>



Luminaire frame OH37M black GU10 IP20

Product code 18326

Socket GU10
Protection class IP20
Height 84.0mm
Width 80.0mm
Length 80.0mm
Weight 540g
In package 1pc
In box 20pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use







Luminaire frame ORLI white round GU10 IP20

Product code 16459


Socket GU10
Protection class IP20
Height 44.0mm
Diameter 92.0mm
Installation opening diameter 83mm
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use



Luminaire frame PLVR55GU10 D90 white GU10 IP20

Product code 16305

Socket GU10 Protection class IP20 Height 80.0mm Diameter 90.0mm Installation opening diameter 75mm Casing colour white



Luminaire frame TORN black IP20

Product code 18224

Protection class IP20
Height 26.0mm
Width 90.0mm
Length 90.0mm
Installation opening diameter 65mm
Casing colour black
Casing material aluminium









Luminaire frame Trio Lighting Jura golden round IP20

Product code 19688

Brand Trio Lighting
Protection class IP20
Height 70.0mm
Diameter 83.0mm
Casing colour gold
Casing material metal
Shape round
Work environment indoor use



Luminaire frame white IP65

Product code 18364

Protection class IP65 Height 42.0mm Diameter 88.0mm Casing colour white

