

LED strip panel + control 230V RF RGB

Product code 16100

Price 25,00+VAT

Maximum output 720W/1m

Electric current 4000mA



LED strip panel + control HL1606 Wireless Intelligent controller 12V IP20

Product code 12655

Price 35,00+VAT

Promotional price 10,00+VAT

Supply voltage 12V

Protection class IP20

Weight 130g

Casing material plastic

Work environment indoor use

Certificates CE



LED strip panel + control LTECH Mini 6 RGB 20A white 12-24V

Product code 15924

Price 43,02+VAT

Brand LTECH

Supply voltage 12-24V

Electric current 20000mA

Weight 89g

Package weight 120g

Casing colour white

Casing material plastic

Operation temperature -20°C- +55°C

Battery DC3V (CR2032)

Certificates CE, RoHS

Warranty 3 years



LED strip panel + control LTECH Mini 6 RGB 3x3A white 12-24V

Product code 14035

Price 26,38+VAT

Brand LTECH
Supply voltage 12-24V
Electric current 9000mA
Weight 89g
Package weight 120g
Casing colour white
Casing material plastic
Operation temperature -20°C- +55°C
Battery DC3V (CR2032)
Certificates CE, RoHS
Warranty 3 years



LED strip panel + control LTECH Mini 8 RGBW 20A 5-24V

Product code 13938

Price 44,06+VAT

Brand LTECH
Supply voltage 5-24V
Maximum output 480W/1m
Electric current 20000mA
Weight 125g
In package 1pc
Work environment indoor use
Operation temperature -30 ° C to
55°C
Certificates CE, RoHS
Warranty 3 years



5V 100W 12V 240W 24V 480W

LED strip panel + control LTECH SPI-16 + M16 5-24V

Product code 14036

Price 37,23+VAT

Promotional price 31,48+VAT

Brand LTECH
Supply voltage 5-24V
Package weight 120g
Operation temperature -20°C~55°C
Battery DC3V CR2032
Certificates CE, RoHS
Warranty 3 years



M16 Remote Control Working
Frequency 433.92 MHz Remote
Distance 40-50m Change mode 16
Dimension L104×W60×H9mm SPI-16
Receiving controller Input voltage
DC5V-DC24V Output SPI Working
temperature -30°C~55°C Dimension
L135×W30×H20mm Weight (G.W)
47g compatible driving Dimensions:
13.2x20cm Weight (G.W.): 120g

LED strip panel + control SKYDANCE R6-1 + V1 set (1 zone) 8A 5-36V

Product code 15721 RF dimmable

Price 30,66+VAT

Brand [SKYDANCE](#)
Supply voltage 5-36V
Dimmable RF
Output voltage 5-36V
Maximum output 288W/1m
Electric current 8000mA
Weight 89g
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30~55°C
Battery CR2032
Certificates CE
Warranty 5 years



8A x 1CH 12V - 96W 24V - 192W 1
zone

LED strip panel + control SKYDANCE R7-1 + V2 set 12-24V IP20

Product code 16358 RF dimmable

Brand [SKYDANCE](#)

Supply voltage 12-24V

Dimmable RF

Maximum output 240W/1m

Electric current 10000mA

Protection class IP20

Height 18.0mm

Width 33.0mm

Length 97.0mm

Weight 89g

In package 1pc

Work environment indoor use

Operation temperature -30°C~55°C

Battery DC3V CR2032

Certificates CE, RoHS

Warranty 5 years



2x5A

LED strip panel + control SKYDANCE R8-1+V3 set RGB 12A 12-24V

Product code 15722 RF dimmable

Price 31,88+VAT

Brand [SKYDANCE](#)

Supply voltage 12-24V

Dimmable RF

Maximum output 288W/1m

Electric current 12000mA

In package 1pc

Work environment indoor use

Battery CR2032

Certificates CE



3A x 4CH,Max 12A 12V - 144W 24V -
288W 1 zone

LED strip panel + control SKYDANCE R8-1+VP set RGBW 12A 12-24V

Product code 15723 RF dimmable

Price 37,98+VAT

Brand [SKYDANCE](#)

Supply voltage 12-24V

Dimmable RF

Maximum output 288W/1m

Electric current 12000mA

Operation temperature -30~55°C

Battery CR2032

Warranty 5 years



3A*4CH,Max 12A 144W/288W(12/24V)

1 zone

LED strip panel + control SKYDANCE RF SPI Controller SC+R9 set 5-24V

Product code 15832 RF dimmable

Price 34,63+VAT

Brand [SKYDANCE](#)

Supply voltage 5-24V

Dimmable RF

Height 18.0mm

Width 33.0mm

Length 97.0mm

In package 1pc

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Remote SKYDANCE S1-B + R1 set 1A 100-240V IP20

**Product code 15714 TRIAC / PUSH /
RF dimmable**

Price 42,66+VAT

Brand [SKYDANCE](#)

Supply voltage 100-240V

Dimmable TRIAC / PUSH / RF

Maximum output 240W/1m

Electric current 1000mA

Protection class IP20

In package 1pc

Work environment indoor use

Battery CR2032

Certificates CE

