

Battery device EMconverter LED BASIC 204 MH/LiFePO4 50-250V + Battery LiFePO4 3,0Ah 3,2V 2B CON

Product code 15389

Price 78,00+VAT

Warranty 5 years



Battery device EMconverter LED BASIC 204 NiCd/NiMH 10-50V + Battery Ni-Cd 4A 55 (4,8V , 4,5Ah)

Product code 15480

Price 88,00+VAT

Warranty 5 years



Accessory INTELIGHT Additional board 93601

Product code 15247

Price 10,68+VAT

Brand [INTELIGHT](#)

Warranty 1 years



LED security light INTELIGHT Heater 15w ORION, VELLA 230V 15W

Product code 15308

Price 30,15+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 15W

In package 1pc

Operation temperature kuni -25°C

Certificates CE,RoHS

Warranty 1 years

The heating element is designed for use with ORION and VELLA series emergency lights, which are permanently located at temperatures between + 10° C and -25° C.

Activates when the temperature is below + 3° C and deactivates when it reaches + 10° C. Approved for use with: NiCd, NiMH and LiFePO4 batteries Standby: Uses less than 1W Operating Mode: Uses a maximum of 15W The warranty applies if the heating element is used inside an ORION or VELLA series luminaire.



LED security light INTELIGHT Kasjopeja SA 3h manual testing 230V 3,6W CRI70 IP20

Product code 16460

Price 43,27+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3,6W

Cri 70

Protection class IP20

Height 250.0mm

Width 28.0mm

Length 321.0mm

Weight 1000g

In package 1pc


Casing material aluminum + plastic

Work environment indoor use

Operation temperature 10-40°C

Certificates CE

Warranty 1 years



The battery lasts 3 hours. Charging time 24 h The luminaire is two-sided. It comes with stickers (right, left) It can be installed either on the ceiling or on the wall. Two modes of operation: lights up when electricity is interrupted or permanently. Adjustable switch. Manufactured by the EU.

LED security light INTELIGHT LED Exit Orion A/TA 3h manual testing gray 230V 3W IP65

Product code 13327

Price 32,86+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Protection class IP65

Height 73.0mm

Width 118.0mm

Length 352.0mm

Weight 1000g

In package 1pc


Casing colour gray

Casing material plastic

Operation temperature 10-55°C

Certificates CE

Warranty 1 years



LED security light INTELIGHT LED Exit Orion AT 3h automatic testing 230V 4W IP65

Product code 15318

Price 47,42+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 4W

Protection class IP65

Height 73.0mm

Width 118.0mm

Length 352.0mm

Weight 1000g


In package 1pc

Casing material plastic

Operation temperature 10-55°C

Certificates CE

Warranty 1 years



LED security light INTELIGHT LED Exit Suprema A/TA 3h automatic testing white 230V 3W 424lm CRI70 IP54 5000K pure white

Product code 15108

Price 66,33+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Luminous flux 424lumens

Luminaire's efficiency 141W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP54

Height 52.0mm

Width 60.0mm

Length 335.0mm

In package 1pc

Casing colour white

Casing material plastic

Work environment indoor use

Operation temperature 10-50°C

Certificates CE

Warranty 1 years



LED security light INTELIGHT ORION LED 100 CB central battery 230V 3.5W 126lm CRI70 IP65

Product code 15621

Price 36,18+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3.5W

Luminous flux 126lumens

Luminaire's efficiency 36W

Cri 70

Protection class IP65

Height 73.0mm

Width 118.0mm

Length 352.0mm

Weight 770g


In package 1pc

Casing material plastic

Operation temperature 10-55°C

Certificates CE

Warranty 1 years



LED security light INTELIGHT ORION LED 150 CB central battery 230V 3.5W 182lm CRI70 IP65

Product code 15622

Price 40,20+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3.5W

Luminous flux 182lumens

Luminaire's efficiency 52W

Cri 70

Protection class IP65

Height 64.0mm

Width 110.0mm

Length 352.0mm

Weight 770g


In package 1pc

Casing material plastic

Operation temperature 10-55°C

Certificates CE

Warranty 1 years



LED security light INTELIGHT OXIMIA LED 3h M/NM MT manual testing silvery 230V IP20

Product code 15194

Price 34,63+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Protection class IP20

Height 255.0mm

Width 35.0mm

Length 335.0mm

Weight 1200g

Casing colour silvery

Casing material metal

Work environment indoor use

Operation temperature +10 ~ +55°C

Warranty 1 years



LED security light INTELIGHT Pictogram 93338

Product code 16617

Price 1,10+VAT

Brand [INTELIGHT](#)

Height 123.0mm

Width 246.0mm



LED security light INTELIGHT Pictogram E2

Product code 15303

Price 1,01+VAT

Brand [INTELIGHT](#)

Height 150.0mm

Width 300.0mm

Warranty 1 years



LED security light INTELIGHT Pictogram E3

Product code 15304

Price 1,01+VAT

Brand [INTELIGHT](#)

Height 150.0mm

Width 300.0mm

Warranty 1 years



LED security light INTELIGHT Pictogram E4

Product code 15237

Price 0,94+VAT

Brand [INTELIGHT](#)

Height 150.0mm

Width 300.0mm

Warranty 1 years



LED security light INTELIGHT Pictogram E7

Product code 15236

Price 0,94+VAT

Brand [INTELIGHT](#)

Height 150.0mm

Width 300.0mm

Warranty 1 years



LED security light INTELIGHT Pictogram E9

Product code 15235

Price 0,82+VAT

Brand [INTELIGHT](#)

Height 150.0mm

Width 300.0mm

Warranty 1 years



Battery device INTELIGHT PRIMUS LED D6/A 3h MT + NiCd 3xD 3,6V 4,0Ah 230V IP20

Product code 15334

Price 33,91+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Protection class IP20

Height 36.0mm

Width 42.0mm

Length 151.0mm

Work environment indoor use

Operation temperature +5 ~ +50°C

Warranty 1 years



Battery device INTELIGHT PRIMUS LED D9/A 2h MT + NiCd 3xD 3,6V 2,5Ah 230V IP20

Product code 16641

Price 32,86+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output voltage 230V

Protection class IP20

Height 36.0mm

Width 42.0mm

Length 180.0mm

Work environment indoor use

Operation temperature +5 ~ +50°C

Warranty 1 years



Battery device INTELIGHT PRIMUS LED D9/A 3h MT + NiCd 3xD 3,6V 4,0Ah 230V IP20

Product code 16193

Price 33,91+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output voltage 230V

Protection class IP20

Height 36.0mm

Width 42.0mm

Length 180.0mm

Work environment indoor use

Operation temperature +5 ~ +50°C

Warranty 1 years



LED security light INTELIGHT Starlet A/TA 3h 41647 230V 3W IP20

Product code 13592

Price 59,48+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Luminaire's efficiency 0W

Protection class IP20

Warranty 1 years



LED security light INTELIGHT Starlet External SC, M/NM, MT, 3h manual testing white round 230V 3W 143lm CRI70 IP41 5000K pure white

Product code 15178

Price 49,43+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Luminous flux 143lumens

Luminaire's efficiency 48W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP41

Height 44.0mm

Diameter 150.0mm

Casing colour white

Casing material polycarbonate

Shape round


Work environment indoor use

Operation temperature +10 ~ +55°C

Warranty 1 years

STARLET EXTERNAL SC downlight is designed for illumination of escape routes and emergency exits during the failure of mains power. Lens type designed for evacuation routes.

Operation duration with battery power - 3 hours. Power 3W. Protection Rating IP41.



LED security light INTELIGHT Starlet External SC, SA, AT, 3h automatic testing 96323 white round 230V 5W 283lm CRI70 IP41 5000K pure white

Product code 16010

Price 59,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 283lumens

Luminaire's efficiency 57W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP41

Height 44.0mm

Diameter 150.0mm

Casing colour white

Casing material polycarbonate

Polishing matt


Shape round

Work environment indoor use

Operation temperature +10 ~ +55°C

Warranty 1 years

STARLET EXTERNAL SO downlight is designed for illumination of escape routes and emergency exits during the failure of mains power. Lens type designed for open zones. Operation duration with battery power - 3 hours. Power 5W. Protection Rating IP41.



LED security light INTELIGHT Starlet External SO, A, MT, 3h manual testing white round 230V 3W 128lm CRI70 IP41 5000K pure white

Product code 13326

Price 43,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Luminous flux 128lumens

Luminaire's efficiency 43W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP41

Height 44.0mm

Diameter 150.0mm

Weight 480g

Casing colour white

Casing material plastic

Polishing matt

Shape round

Work environment indoor use


Operation temperature 10-40°C

Certificates CE

Warranty 1 years



STARLET EXTERNAL
3W i 5W



STARLET EXTERNAL downlight is designed for illumination of escape routes and emergency exits during the failure of mains power. Designed specifically for illumination of corridors, staircases, floors and illumination of small rooms in public utility buildings.

LED security light INTELIGHT Starlet External SO, SA, AT, 3h automatic testing 96316 white round 230V 5W 283lm CRI70 IP41 5000K pure white

Product code 16009

Price 67,66+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 283lumens

Luminaire's efficiency 57W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP41

Height 44.0mm

Diameter 150.0mm

Casing colour white

Casing material polycarbonate

Polishing matt

Shape round

Work environment indoor use

Operation temperature +10 ~ +55°C

Warranty 1 years

STARLET EXTERNAL SO downlight is designed for illumination of escape routes and emergency exits during the failure of mains power. Lens type designed for open zones. Operation duration with battery power - 3 hours. Power 5W. Protection Rating IP41.



LED security light INTELIGHT Starlet External SO, SA, MT, 3h manual testing white round 230V 5W 283lm CRI70 IP41 5000K pure white

Product code 15177

Price 59,46+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 283lumens

Luminaire's efficiency 57W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP41

Height 44.0mm

Diameter 150.0mm

Casing colour white

Casing material polycarbonate

Polishing matt

Shape round

Work environment indoor use

Operation temperature +10 ~ +55°C

Warranty 1 years

STARLET EXTERNAL SO downlight is designed for illumination of escape routes and emergency exits during the failure of mains power. Lens type designed for open zones. Operation duration with battery power - 3 hours. Power 5W. Protection Rating IP41.



LED security light INTELIGHT Starlet QUAD LED SCH 250 M/NM 3H AT automatic testing 92966 white square 230V 6W 240lm CRI70 IP20 5000K pure white

Product code 16644

Price 63,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 6W

Luminous flux 240lumens

Luminaire's efficiency 40W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP20

Height 35.5mm

Width 133.0mm

Length 133.0mm

Casing colour white

Casing material polycarbonate

Shape square

Work environment indoor use

Operation temperature 0 ~ +40°C

Warranty 1 years



LED security light INTELIGHT Starlet QUAD LED SOH 250 M/NM 3H AT automatic testing 92866 white square 230V 6W 260lm CRI70 IP20 5000K pure white

Product code 16643

Price 63,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 6W

Luminous flux 260lumens

Luminaire's efficiency 43W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP20

Height 35.5mm

Width 133.0mm

Length 133.0mm

Casing colour white

Casing material polycarbonate

Shape square

Work environment indoor use

Operation temperature 0 ~ +40°C

Warranty 1 years



LED security light INTELIGHT Starlet Quad SO 250, M/NM, AT, 1h automatic testing 92988 black square 230V 1,5W 260lm CRI70 IP20 5000K pure white

Product code 16616

Price 50,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 1,5W

Luminous flux 260lumens

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP20

Height 35.5mm

Width 133.0mm

Length 133.0mm

Casing colour black

Casing material polycarbonate

Shape square

Work environment indoor use

Operation temperature 0 ~ +40°C

Warranty 1 years



LED security light INTELIGHT Starlet Quad SO, NM, MT, 1h manual testing black square 230V 1,5W 260lm CRI70 IP20 5000K pure white

Product code 16406

Price 39,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 1,5W

Luminous flux 260lumens

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP20

Height 35.5mm

Width 133.0mm

Length 133.0mm

Casing colour black

Casing material polycarbonate

Shape square

Work environment indoor use

Operation temperature 0 ~ +40°C

Warranty 1 years



LED security light INTELIGHT Starlet SC, M/NM, AT, 3h, automatic testing white round 230V 2W 180lm CRI70 IP20 5000K pure white

Product code 16275

Price 53,60+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 2W

Luminous flux 180lumens

Luminaire's efficiency 90W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP20

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT Starlet SO 200, M/NM, AT, 3h, automatic testing white round 230V 2W 200lm CRI70 IP20 5000K pure white

Product code 16333

Price 51,28+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 2W

Luminous flux 200lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP20

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT Starlet SO, SA, AT, 3h, automatic testing white round 230V 3W 300lm CRI70 IP20 5000K pure white

Product code 16664

Price 61,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Luminous flux 300lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP20

Height 59.0mm

Diameter 70.0mm

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT Starlet SO, SA, MT, 3h, manual testing white round 230V 3W 300lm CRI70 IP20 5000K pure white

Product code 16456

Price 51,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Luminous flux 300lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP20

Height 59.0mm

Diameter 70.0mm

Weight 750g

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT Starlet SO, SA, MT, 3h, manual testing white round 230V 5W 236lm CRI70 IP20 5000K pure white

Product code 13325

Price 48,80+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 236lumens

Luminaire's efficiency 47W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP20

Diameter 85.0mm

Installation opening diameter 69mm

Weight 750g

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT Starlet White II LED SC 200 M/NM 3H MT, manual testing white round 230V 2W 200lm CRI70 IP20 5000K pure white

Product code 16437

Price 52,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 2W

Luminous flux 200lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP20

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT Starlet White II LED SOH 300 M/NM 3H AT, automatic testing 92166 white round 230V 3W 310lm CRI70 IP20 5000K pure whit

Product code 16560

Price 56,50+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3W

Luminous flux 310lumens

Luminaire's efficiency 103W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP20

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT Suprema D, SA, AT, NT, 3h, automatic testing white 230V 5W 350lm CRI70 IP54 5000K pure white

Product code 15127

Price 69,55+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 350lumens

Luminaire's efficiency 70W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP54

Height 217.0mm

Width 60.0mm

Length 335.0mm

In box 1pc

Casing colour white

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature 10°C ÷
50°C

Certificates CE

Warranty 1 years



- Easy installation: NT-surface •
- Various optics • batteries with a longer lifetime of lithium phosphate (LiFePO®) batteries • Compatible with Wells Wireless Monitoring System •
- Visibility: 30 m

LED security light INTELIGHT Suprema D, SA, AT, PT, 3h automatic testing white 230V 5W 350lm CRI70 IP54 5000K pure white

Product code 15128

Price 69,08+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 350lumens

Luminaire's efficiency 70W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP54

Height 217.0mm

Width 80.0mm

Length 335.0mm

In box 1pc

Casing colour white

Casing material plastic

Polishing matt

Work environment indoor use

Operation temperature 10°C ÷
50°C°C

Certificates CE

Warranty 1 years



Easy installation: PT-recessed Various optics Batteries with a longer lifetime of lithium phosphate (LiFePO®) batteries Visibility: 30 m

LED security light INTELIGHT VELLA LED ECO SO 125 CB central battery 93665 230V 2.5W 157lm CRI70 IP65 5000K pure white

Product code 15623

Price 34,17+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 2.5W

Luminous flux 157lumens

Luminaire's efficiency 63W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

In package 1pc

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 125 NM 1H MT manual testing 93660 black 230V 1,5W 157lm IP65

Product code 16559

Price 39,48+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 1,5W

Luminous flux 157lumens

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

Casing colour black

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 125 NM 1H MT manual testing 93676 230V 3.5W 125lm IP65

Product code 15459

Price 39,48+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3.5W

Luminous flux 125lumens

Luminaire's efficiency 36W

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 125 SA 1H MT M/NM manual testing 93675 230V 3.5W 157lm CRI70 IP65 5000K pure white

Product code 15749

Price 34,77+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3.5W

Luminous flux 157lumens

Luminaire's efficiency 45W

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 150 NM 1H AT automatic testing 93625 black 230V 3,5W 190lm IP65

Product code 16615

Price 44,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 3,5W

Luminous flux 190lumens

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

Casing colour black

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 250 A 1H MT manual testing 93662 230V 314lm CRI70 IP65 5000K pure white

Product code 16526

Price 38,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Luminous flux 314lumens

Correlated colour temperature (cct)

pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 250 CB central battery 93651 230V 5W 314lm CRI70 IP65 5000K pure white

Product code 15624

Price 40,20+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 314lumens

Luminaire's efficiency 63W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

In package 1pc

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 250 M/NM 3H MT manual testing 93653 230V 7W 314lm CRI70 IP65 5000K pure white

Product code 15246

Price 40,58+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 7W

Luminous flux 314lumens

Luminaire's efficiency 45W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED ECO SO 650 SA 2H AT automatic testing 93527 230V 12W 732lm CRI70 IP65 5000K pure white

Product code 16527

Price 59,00+VAT

Brand [INTELIGHT](#)
Supply voltage 230V
Output 12W
Luminous flux 732lumens
Luminaire's efficiency 61W
Correlated colour temperature (cct) pure white 5000K
Cri 70
Protection class IP65
Height 42.0mm
Width 144.0mm
Length 269.0mm
Casing material plastic
Work environment indoor use
Operation temperature 10 ~ 50°C
Warranty 1 years



LED security light INTELIGHT VELLA LED SC 150 SA 3H AT automatic testing 93702 230V 5W 331lm CRI70 IP65 5000K pure white

Product code 16014

Price 52,00+VAT

Brand [INTELIGHT](#)
Supply voltage 230V
Output 5W
Luminous flux 331lumens
Luminaire's efficiency 66W
Correlated colour temperature (cct) pure white 5000K
Cri 70
Protection class IP65
Height 42.0mm
Width 144.0mm
Length 269.0mm
Casing material plastic
Work environment indoor use
Operation temperature 10 ~ 50°C
Warranty 1 years



LED security light INTELIGHT VELLA LED SC 250 CB central battery 93700 230V 5W 331lm CRI70 IP65 5000K pure white

Product code 15625

Price 40,20+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 331lumens

Luminaire's efficiency 66W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

In package 1pc

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED SCA 250 CB central battery 93699 230V 5W 333lm CRI70 IP65 5000K pure white

Product code 15626

Price 40,20+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 333lumens

Luminaire's efficiency 67W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

In package 1pc

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT VELLA LED SO 150 A 1H AT automatic testing 93547 230V 3.5W 190lm CRI70 IP65 5000K pure white

Product code 15746

Price 38,01+VAT

Brand [INTELIGHT](#)
Supply voltage 230V
Output 3.5W
Luminous flux 190lumens
Luminaire's efficiency 54W
Correlated colour temperature (cct)
pure white 5000K
Cri 70
Protection class IP65
Height 42.0mm
Width 144.0mm
Length 269.0mm
Casing material plastic
Work environment indoor use
Operation temperature 10 ~ 50°C
Warranty 1 years



LED security light INTELIGHT VELLA LED SO 150 SA 3H AT automatic testing 93508 230V 5W 331lm CRI70 IP65 5000K pure white

Product code 15747

Price 52,55+VAT

Brand [INTELIGHT](#)
Supply voltage 230V
Output 5W
Luminous flux 331lumens
Luminaire's efficiency 66W
Correlated colour temperature (cct)
pure white 5000K
Cri 70
Protection class IP65
Height 42.0mm
Width 144.0mm
Length 269.0mm
Casing material plastic
Work environment indoor use
Operation temperature 10 ~ 50°C
Warranty 1 years



LED security light INTELIGHT VELLA LED SOH 250 CB central battery 93549 230V 5W 346lm CRI70 IP65 5000K pure white

Product code 15627

Price 40,20+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 5W

Luminous flux 346lumens

Luminaire's efficiency 69W

Correlated colour temperature (cct)
pure white 5000K

Cri 70

Protection class IP65

Height 42.0mm

Width 144.0mm

Length 269.0mm

In package 1pc

Casing material plastic

Work environment indoor use

Operation temperature 10 ~ 50°C

Warranty 1 years



LED security light INTELIGHT Vella recessed mounting kit

Product code 16528

Price 2,70+VAT

Brand [INTELIGHT](#)

In package 1pc

Certificates CE,RoHS

Warranty 1 years



LED security light INTELIGHT WARS 2x120 LED 2h SA/A gray 230V 18W CRI80 IP65 4000K pure white

Product code 15311

Price 110,55+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 18W

Correlated colour temperature (cct)
pure white 4000K

Cri 80

Protection class IP65

Height 134.0mm

Width 92.0mm

Length 1270.0mm

Weight 2800g

In package 1pc

Casing colour gray


Casing material polycarbonate

Work environment indoor / outdoor
use

Operation temperature 10°C ÷
50°C

Certificates CE,RoHS

Warranty 1 years



Includes light housing, emergency light equipment and one 120cm 18w 4000k special emergency light led tube. Second and ordinary tube must be purchased separately. In normal mode both tubes work at the same time, in emergency mode only one emergency tube will work.

LED security light INTELIGHT WARS LED PANEL 2x60 SA 3H MT manual testing gray 230V 27W 2700lm CRI80 IP65 4000K pure white

Product code 16283

Price 71,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 27W

Luminous flux 2700lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Cri 80

Protection class IP65

Height 88.0mm

Width 124.0mm

Length 661.0mm

In package 1pc

Casing colour gray

Casing material polycarbonate

Work environment indoor use

Operation temperature -25°C - 40°C

Certificates CE, RoHS

Warranty 1 years



LED security light INTELIGHT WARS LED PANEL 2x60 SA-6W 2H AT automatic testing gray 230V 27W 2700lm CRI80 IP65 4000K pure white

Product code 16284

Price 100,00+VAT

Brand [INTELIGHT](#)

Supply voltage 230V

Output 27W

Luminous flux 2700lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Cri 80

Protection class IP65

Height 88.0mm

Width 124.0mm

Length 661.0mm

In package 1pc

Casing colour gray

Casing material polycarbonate

Work environment indoor use

Operation temperature -25°C - 40°C

Certificates CE, RoHS

Warranty 1 years



Battery device LIFUD 120min LF-GSP055YC 230V 40W

Product code 14549

Price 100,00+VAT

Brand LIFUD

Supply voltage 230V

Output voltage 27-40V

Output 40W

Electric current 1100mA

Certificates CE, RoHS

Warranty 2 years

