

## Dome light Deko-Light Ascella dark gray 30W 2300lm IP54 830

**Product code 20216**

Brand [Deko-Light](#)

Output 30W

Luminous flux 2300lumens

Luminaire's efficiency lm79 77W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 50.0mm

Width 340.0mm

Length 340.0mm

Weight 2.37 kg

Package weight 2.55 kg

Casing colour dark gray

Casing material aluminium + plastic

No. of switches 100000pcs

Work environment indoor / outdoor use

Operation temperature -5 ~ 40°C



## Dome light Deko-Light Motion liikumis- ja hämaranduriga white 20W 1500lm 110° IP65 3000K warm white

**Product code 20173**

Brand [Deko-Light](#)

Output voltage 220-240V

Output 20W

Luminous flux 1500lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature warm white 3000K

Lens angle 110

Protection class IP65

Lifespan 25000h

Height 54.0mm

Diameter 200.0mm

Casing colour white

Casing material aluminium + plastic

Work environment indoor / outdoor use

Operation temperature -25 kuni 45 °C



## Dome light E6 172x172 white square 230V 16W 1130lm 160° IP20 830

### Product code 14145

---

Supply voltage 230V  
Output 16W  
Maximum output 16W/1m  
Rated current 125mA  
Luminous flux 1130lumens  
Luminaire's efficiency lm79 71W  
Correlated colour temperature warm white 3000K  
Lens angle 160  
Cri 80  
Protection class IP20  
Lifespan 20000h  
Height 34.5mm  
Width 172.0mm  
Length 172.0mm  
In package 1pc  
In box 20pcs  
Casing colour white  
Casing material aluminium  
Polishing matt  
Shape square  
No. of switches 12500pcs  
Work environment indoor use  
Operation temperature -20~+40°C  
Certificates CE, RoHS



Surface-mounted square [ceiling light](#).  
The LED light fixture fits into any interior with its minimalist design and can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Dome light EMOS NEXXO 120x120 white square 230V 7.6W 680lm 120° IP40/20 840

**Product code 17949**

Brand [EMOS](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 7.6W  
 Maximum output 7.6W/1m  
 Rated current 500mA  
 Luminous flux 680lumens  
 Luminaire's efficiency lm79 89W  
 Correlated colour temperature pure white 4000K  
 Lens angle 120  
 Cri 80  
 Protection class IP40/20  
 Lifespan 30000h  
 Height 40.0mm  
 Width 120.0mm  
 Length 120.0mm  
 Weight 427 g  
 In package 1pc  
 In box 8pcs  
 Casing colour white  
 Casing material aluminium + plastic  
 Polishing matt  
 Shape square  
 Power supply [LIFUD](#)  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 3 years



Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other [EMOS NEXXO ceiling lights!](#)

## **Dome light EMOS NEXXO 170x170 white square 230V 12.5W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT**

**Product code 16633**

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.50

Output 12.5W

Maximum output 12.5W/1m

Rated current 300mA

Luminous flux 1100lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Width 170.0mm

Length 170.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material aluminium + plastic

Polishing matt

Shape square

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other [EMOS NEXXO ceiling lights!](#)

## Dome light EMOS NEXXO 225x225 white square 230V 21W 1900lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

**Product code 16888**

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 21W

Maximum output 21W/1m

Rated current 500mA

Luminous flux 1900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Width 225.0mm

Length 225.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material aluminium + plastic

Polishing matt

Shape square

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other [EMOS NEXXO ceiling lights!](#)

## **Dome light EMOS NEXXO 300x300 white square 230V 28,5W 2700lm CRI80 120° IP40/20 3000K, 4000K, 5000K 3CCT**

**Product code 22234**

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 28,5W

Maximum output 28.5W/1m

Rated current 700mA

Luminous flux 2700lumens

Correlated colour temperature 3CCT

3000K, 4000K, 5000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Width 300.0mm

Length 300.0mm

Weight 427 g

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape square

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other [EMOS NEXXO ceiling lights!](#)

## Dome light EMOS NEXXO D120 white round 230V 7.6W 680lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

**Product code 17047**

Brand [EMOS](#)  
 Supply voltage 230V  
 Power factor 0.50  
 Output 7.6W  
 Maximum output 7.6W/1m  
 Rated current 300mA  
 Luminous flux 680lumens  
 Luminaire's efficiency lm79 89W  
 Correlated colour temperature 3CCT  
 3000K, 3500K, 4000K  
 Lens angle 120  
 Cri 80  
 Protection class IP40/20  
 Lifespan 30000h  
 Height 40.0mm  
 Diameter 120.0mm  
 In package 1pc  
 In box 8pcs  
 Casing colour white  
 Casing material metal + plastic  
 Polishing matt  
 Shape round  
 Power supply [LIFUD](#)  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## **Dome light EMOS NEXXO D170 black round 230V 12.50W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT**

**Product code 18280**

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.50

Output 12.50W

Maximum output 12.50W/1m

Rated current 300mA

Luminous flux 1100lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Diameter 170.0mm

In package 1pc

In box 8pcs

Casing colour black

Casing material metal + plastic

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## **Dome light EMOS NEXXO D170 white round 230V 12.5W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT**

**Product code 16890**

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.50

Output 12.5W

Maximum output 12.5W/1m

Rated current 300mA

Luminous flux 1100lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Diameter 170.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## **Dome light EMOS NEXXO D225 white round 230V 21W 1900lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT**

**Product code 16889**

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 21W

Maximum output 21W/1m

Rated current 500mA

Luminous flux 1900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Diameter 225.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## **Dome light EMOS NEXXO D300 white round 230V 28.5W 2700lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT**

**Product code 17048**

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 28.5W

Maximum output 28.5W/1m

Rated current 700mA

Luminous flux 2700lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Diameter 300.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

## Dome light LED-PLAF-14NW white 1120lm IP54 840

### Product code 22094

Maximum output 14W/1m  
Luminous flux 1120lumens  
Correlated colour temperature pure white 4000K  
Cri 80  
Protection class IP54  
Height 48.0mm  
Diameter 190.0mm  
Casing colour white  
Impact resistance IK10  
Work environment outdoor use  
Warranty 5 years



## LED dome light module LMM1842 230V 18W 1700lm 180° IP20 842

### Product code 16303

Supply voltage 230V  
Output 18W  
Maximum output 18W/1m  
Luminous flux 1700lumens  
Luminaire's efficiency lm79 94W  
Correlated colour temperature pure white 4200K  
Lens angle 180  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 25.0mm  
Diameter 215.0mm  
Weight 100 g  
Package weight 150 g  
In box 20pcs  
No. of switches 15000pcs  
Work environment indoor use  
Operation temperature -25 ~ +50°C



Ceiling light module. Suitable for indoor use only, protection class IP20. LED luminaire with a 4200K light temperature provides clear light. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## **Dome light Maytoni Onda white round 12W 800lm CRI90 120° IP20 TRIAC 2200K, 3000K, 4000K 3CCT**

**Product code 20185 TRIAC dimmable**

Brand Maytoni  
Dimmable TRIAC  
Output 12W  
Luminous flux 800lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature 3CCT  
2200K, 3000K, 4000K  
Lens angle 120°  
Cri 90  
Protection class IP20  
Lifespan 30000h  
Height 66.0mm  
Diameter 85.0mm  
Weight 290 g  
Package weight 320 g  
Casing colour white  
Casing material metal + plastic  
Shape round  
Warranty 5 years

The Onda luminaire embodies adaptability and versatility. Its sleek metal housing is available in white, classic black, or a sophisticated black and matte gold combination. Thanks to its adjustable swivel mechanism, the light can be directed precisely where it's needed. Onda offers a choice of wattages and color temperatures, including biodynamic models. With a wide 120° beam angle and a high color rendering index (CRI >90), it delivers comfortable, natural illumination that enhances any environment. Compatible with both DALI and Triac dimming systems, Onda is ready to integrate seamlessly into the smart homes of tomorrow - where comfort, control, and performance go hand in hand.



## Dome light Maytoni Orign black 27W 450lm 120° IP20 830

### Product code 20608

Brand Maytoni  
 Output 27W  
 Luminous flux 450lumens  
 Luminaire's efficiency lm79 17W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Protection class IP20  
 Lifespan 50000h  
 Height 70.0mm  
 Diameter 405.0mm  
 Weight 2.4 kg  
 Package weight 3.5 kg  
 Casing colour black  
 Work environment indoor use  
 Warranty 3 years

A harmonious fusion of raw natural beauty and cuttingedge lighting design, the Orign series highlights the organic essence of materials. Each fixture is centered around a natural mineral with a unique texture, making it the defining feature of the design. The interplay of light and shadow on the stone's relief surface creates a mesmerizing effect, immersing the observer in an atmosphere of natural harmony and tranquility.



## Dome light Maytoni Orign black 40W 450lm 120° IP20 830

### Product code 20609

Brand Maytoni  
 Output 40W  
 Luminous flux 450lumens  
 Luminaire's efficiency lm79 11W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Protection class IP20  
 Lifespan 50000h  
 Height 70.0mm  
 Diameter 595.0mm  
 Weight 4.4 kg  
 Package weight 6.2 kg  
 Casing colour black  
 Work environment indoor use  
 Warranty 3 years

A harmonious fusion of raw natural beauty and cuttingedge lighting design, the Orign series highlights the organic essence of materials. Each fixture is centered around a natural mineral with a unique texture, making it the defining feature of the design. The interplay of light and shadow on the stone's relief surface creates a mesmerizing effect, immersing the observer in an atmosphere of natural harmony and tranquility.



## Dome light Maytoni Zon black 12W 560lm 120° IP20 930

### Product code 21148

Brand Maytoni  
Output 12W  
Luminous flux 560lumens  
Luminaire's efficiency lm79 47W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP20  
Height 60.0mm  
Diameter 120.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## Dome light Maytoni Zon black 15W 900lm 109° IP65 830

### Product code 19877

Brand Maytoni  
Output 15W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 60W  
Correlated colour temperature warm white 3000K  
Lens angle 109  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 58.0mm  
Diameter 120.0mm  
Weight 460 g  
Package weight 500 g  
Casing colour black  
Casing material metal + plastic  
Work environment indoor / outdoor use  
Warranty 3 years



## Dome light Maytoni Zon black 24W 1240lm 120° IP20 930

### Product code 21151

Brand Maytoni  
Output 24W  
Luminous flux 1240lumens  
Luminaire's efficiency lm79 52W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP20  
Diameter 220.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## Dome light Maytoni Zon black 36W 1800lm 120° IP20 930

### Product code 21154

Brand Maytoni  
Output 36W  
Luminous flux 1800lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP20  
Height 60.0mm  
Diameter 300.0mm  
Casing colour black  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## Dome light Maytoni Zon black 45W 2520lm 120° IP20 930

### Product code 21157

Brand Maytoni  
 Output 45W  
 Maximum output 45W/1m  
 Luminous flux 2520lumens  
 Luminaire's efficiency lm79 56W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Diameter 400.0mm  
 Weight 1.6 kg  
 Package weight 1.9 kg  
 Casing colour black  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 5 years



## Dome light Maytoni Zon black 90W 5760lm 120° IP20 930

### Product code 22715

Brand Maytoni  
 Output 90W  
 Maximum output 90W/1m  
 Luminous flux 5760lumens  
 Luminaire's efficiency lm79 64W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Diameter 600.0mm  
 Weight 2.8 kg  
 Package weight 3.5 kg  
 Casing colour black  
 Casing material metal + plastic  
 Work environment indoor use  
 Warranty 5 years



## Dome light Maytoni Zon IP black 30W 2200lm 110° IP65 830

### Product code 19879

Brand Maytoni  
Output 30W  
Luminous flux 2200lumens  
Luminaire's efficiency lm79 73W  
Correlated colour temperature warm white 3000K  
Lens angle 110  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 58.0mm  
Diameter 220.0mm  
Weight 1.1 kg  
Package weight 1.18 kg  
Casing colour black  
Casing material metal + plastic  
Work environment indoor / outdoor use  
Warranty 3 years



## Dome light Maytoni Zon IP white 15W 900lm 109° IP65 830

### Product code 19878

Brand Maytoni  
Output 15W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 60W  
Correlated colour temperature warm white 3000K  
Lens angle 109  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 58.0mm  
Diameter 120.0mm  
Weight 490 g  
Package weight 550 g  
Casing colour white  
Casing material metal + plastic  
Work environment indoor / outdoor use  
Operation temperature -40...+50°C  
Warranty 3 years



## Dome light Maytoni Zon IP white 30W 2200lm 110° IP65 830

### Product code 19880


Brand Maytoni  
 Output 30W  
 Luminous flux 2200lumens  
 Luminaire's efficiency lm79 73W  
 Correlated colour temperature warm white 3000K  
 Lens angle 110  
 Cri 80  
 Protection class IP65  
 Height 58.0mm  
 Diameter 220.0mm  
 Weight 1.1 kg  
 Package weight 1.18 kg  
 Casing colour white  
 Casing material metal + plastic  
 Operation temperature -40...+50°C  
 Warranty 3 years



## Dome light Maytoni Zon white 12W 660lm 120° IP20 930

### Product code 21150

Brand Maytoni  
 Output 12W  
 Luminous flux 660lumens  
 Luminaire's efficiency lm79 55W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 90  
 Protection class IP20  
 Height 60.0mm  
 Diameter 120.0mm  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 5 years



## Dome light Maytoni Zon white 24W 1690lm 120° IP20 930

### Product code 21153

Brand Maytoni  
Output 24W  
Luminous flux 1690lumens  
Luminaire's efficiency lm79 70W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP20  
Height 60.0mm  
Diameter 220.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use  
Warranty 5 years



## Dome light Maytoni Zon white 36W 2610lm 120° IP20 930

### Product code 21156

Brand Maytoni  
Output 36W  
Maximum output 36W/1m  
Luminous flux 2610lumens  
Luminaire's efficiency lm79 73W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP20  
Height 60.0mm  
Diameter 300.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor / outdoor use  
Warranty 5 years



## Dome light Maytoni Zon white 45W 2520lm 120° IP20 930

### Product code 22713

Brand Maytoni  
 Output 45W  
 Maximum output 45W/1m  
 Luminous flux 2520lumens  
 Luminaire's efficiency lm79 56W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Diameter 400.0mm  
 Weight 1.6 kg  
 Package weight 1.9 kg  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 5 years



## Dome light Maytoni Zon white 90W 5760lm 120° IP20 930

### Product code 22717

Brand Maytoni  
 Output 90W  
 Maximum output 90W/1m  
 Luminous flux 5760lumens  
 Luminaire's efficiency lm79 64W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 90  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Diameter 600.0mm  
 Weight 2.8 kg  
 Package weight 3.5 kg  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Warranty 5 years



## Dome light Nairos G2 black 230V 12W 1140lm CRI80 90° IP65 3000K, 4000K, 6000K 3CCT

### Product code 20086

Supply voltage 230V  
 Power factor 0.70  
 Output 12W  
 Maximum output 12W/1m  
 Luminous flux 1140lumens  
 Luminaire's efficiency lm79 95W  
 Correlated colour temperature 3CCT  
 3000K, 4000K, 6000K  
 Lens angle 90  
 Cri 80  
 Protection class IP65  
 Lifespan 30000h  
 Height 50.0mm  
 Diameter 200.0mm  
 Weight 400 g  
 In box 20pcs  
 Casing colour black  
 Casing material plastic  
 No. of switches 20000pcs  
 Impact resistance IK08  
 Work environment indoor / outdoor  
 use  
 Operation temperature -20 ~ +40°C  
 Certificates CE  
 Warranty 3 years



A modern luminaire suitable for both indoor and outdoor use. This round [ceiling light fixture](#) features the option to choose between 3000K, 4000K, and 6500K light temperatures, and can be mounted on both walls and ceilings. With an IP65 protection rating, this luminaire is protected against fine dust and low-pressure jets of water. This allows the luminaire to be used in stairwells, on terraces, in corridors, as well as in office spaces. Nairos LX models are available with the following options: Power: 12W, 18W, 24W, 36W (dimensions may vary according to power) Color: black, white Color temperatures: 3000/4000/6500K. If you haven't found the perfect light fixture from our product range yet, then browse through the [PROLUMEN catalogue](#) as well!

## Dome light Nairos G2 black 230V 18W 1710lm CRI80 120° IP65 3000K, 4000K, 6000K 3CCT

### Product code 20641

Supply voltage 230V  
 Power factor 0.70  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1710lumens  
 Luminaire's efficiency lm79 95W  
 Correlated colour temperature 3CCT  
 3000K, 4000K, 6000K  
 Lens angle 120  
 Cri 80  
 Protection class IP65  
 Lifespan 30000h  
 Height 55.0mm  
 Diameter 300.0mm  
 Weight 700 g  
 In box 10pcs  
 Casing colour black  
 Casing material plastic  
 No. of switches 20000pcs  
 Impact resistance IK08  
 Work environment indoor / outdoor  
 use  
 Operation temperature -20 ~ +40°C  
 Certificates CE  
 Warranty 3 years



A modern luminaire suitable for both indoor and outdoor use. This round [ceiling light fixture](#) features the option to choose between 3000K, 4000K, and 6500K light temperatures, and can be mounted on both walls and ceilings. With an IP65 protection rating, this luminaire is protected against fine dust and low-pressure jets of water. This allows the luminaire to be used in stairwells, on terraces, in corridors, as well as in office spaces. Nairos LX models are available with the following options: Power: 12W, 18W, 24W, 36W (dimensions may vary according to power) Color: black, white Color temperatures: 3000/4000/6500K. If you haven't found the perfect light fixture from our product range yet, then browse through the [PROLUMEN catalogue](#) as well!

## **Dome light Nairos G2 black 230V 24W 2280lm CRI80 120° IP65 3000K, 4000K, 6000K 3CCT**

### **Product code 17906**

Supply voltage 230V  
Power factor 0.70  
Output 24W  
Maximum output 24W/1m  
Luminous flux 2280lumens  
Luminaire's efficiency lm79 95W  
Correlated colour temperature 3CCT  
3000K, 4000K, 6000K  
Lens angle 120  
Cri 80  
Protection class IP65  
Lifespan 30000h  
Height 55.0mm  
Diameter 300.0mm  
Weight 700 g  
In box 10pcs  
Casing colour black  
Casing material plastic  
No. of switches 20000pcs  
Impact resistance IK08  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



A modern luminaire suitable for both indoor and outdoor use. This round [ceiling light fixture](#) features the option to choose between 3000K, 4000K, and 6500K light temperatures, and can be mounted on both walls and ceilings. With an IP65 protection rating, this luminaire is protected against fine dust and low-pressure jets of water. This allows the luminaire to be used in stairwells, on terraces, in corridors, as well as in office spaces. Nairos LX models are available with the following options: Power: 12W, 18W, 24W, 36W (dimensions may vary according to power) Color: black, white Color temperatures: 3000/4000/6500K. If you haven't found the perfect light fixture from our product range yet, then browse through the [PROLUMEN catalogue](#) as well!

## Dome light Nairos G2 MW white 230V 12W 1140lm CRI80 120° IP65 3000K, 4000K, 6500K 3CCT

### Product code 20651

Supply voltage 230V  
 Power factor 0.70  
 Output 12W  
 Maximum output 12W/1m  
 Luminous flux 1140lumens  
 Luminaire's efficiency lm79 95W  
 Correlated colour temperature 3CCT  
 3000K, 4000K, 6500K  
 Lens angle 120  
 Cri 80  
 Protection class IP65  
 Lifespan 30000h  
 Height 55.0mm  
 Diameter 200.0mm  
 Weight 700 g  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 No. of switches 20000pcs  
 Impact resistance IK08  
 Work environment indoor / outdoor  
 use  
 Operation temperature -20 ~ +40°C  
 Certificates CE  
 Warranty 3 years



A practical and energy-efficient solution for both indoor and outdoor use. It provides clear and even light and is well suited for bathrooms, hallways, staircases, garages, or terraces. The built-in motion and dusk sensor automatically switches the light on when needed, making everyday use convenient and helping to save energy. The durable housing protects the luminaire from moisture and dust, while the simple design fits well into various environments.

## Dome light Nairos G2 MW white 230V 18W 1890lm CRI80 120° IP65 3000K, 4000K, 6500K 3CCT

### Product code 20750

Supply voltage 230V  
 Power factor 0.70  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1890lumens  
 Luminaire's efficiency lm79 105W  
 Correlated colour temperature 3CCT  
 3000K, 4000K, 6500K  
 Lens angle 120  
 Cri 80  
 Protection class IP65  
 Lifespan 30000h  
 Height 55.0mm  
 Diameter 300.0mm  
 Weight 700 g  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 No. of switches 20000pcs  
 Impact resistance IK08  
 Work environment indoor / outdoor  
 use  
 Operation temperature -20 ~ +40°C  
 Certificates CE  
 Warranty 3 years



A practical and energy-efficient solution for both indoor and outdoor use. It provides clear and even light and is well suited for bathrooms, hallways, staircases, garages, or terraces. The built-in motion and dusk sensor automatically switches the light on when needed, making everyday use convenient and helping to save energy. The durable housing protects the luminaire from moisture and dust, while the simple design fits well into various environments.

## Dome light Nairos G2 white 230V 12W 1260lm CRI80 120° IP65 3000K, 4000K, 6500K 3CCT

## Product code 20632

Supply voltage 230V  
 Power factor 0.70  
 Output 12W  
 Maximum output 12W/1m  
 Luminous flux 1260lumens  
 Luminaire's efficiency lm79 105W  
 Correlated colour temperature 3CCT  
 3000K, 4000K, 6500K  
 Lens angle 120  
 Cri 80  
 Protection class IP65  
 Lifespan 30000h  
 Height 50.0mm  
 Diameter 200.0mm  
 Weight 700 g  
 In box 20pcs  
 Casing colour white  
 Casing material plastic  
 No. of switches 20000pcs  
 Impact resistance IK08  
 Work environment indoor / outdoor  
 use  
 Operation temperature -20 ~ +40°C  
 Certificates CE  
 Warranty 3 years



A modern luminaire suitable for both indoor and outdoor use. This round [ceiling light fixture](#) features the option to choose between 3000K, 4000K, and 6500K light temperatures, and can be mounted on both walls and ceilings. With an IP65 protection rating, this luminaire is protected against fine dust and low-pressure jets of water. This allows the luminaire to be used in stairwells, on terraces, in corridors, as well as in office spaces. Nairos LX models are available with the following options: Power: 12W, 18W, 24W, 36W (dimensions may vary according to power) Color: black, white Color temperatures: 3000/4000/6500K. If you haven't found the perfect light fixture from our product range yet, then browse through the [PROLUMEN catalogue](#) as well!

## Dome light Nairos G2 white 230V 18W 1890lm CRI80 120° IP65 3000K, 4000K, 6500K 3CCT

### Product code 20629

Supply voltage 230V  
 Power factor 0.70  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1890lumens  
 Luminaire's efficiency lm79 105W  
 Correlated colour temperature 3CCT  
 3000K, 4000K, 6500K  
 Lens angle 120  
 Cri 80  
 Protection class IP65  
 Lifespan 30000h  
 Height 55.0mm  
 Diameter 300.0mm  
 Weight 700 g  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 No. of switches 20000pcs  
 Impact resistance IK08  
 Work environment indoor / outdoor  
 use  
 Operation temperature -20 ~ +40°C  
 Certificates CE  
 Warranty 3 years




A modern luminaire suitable for both indoor and outdoor use. This round [ceiling light fixture](#) features the option to choose between 3000K, 4000K, and 6500K light temperatures, and can be mounted on both walls and ceilings. With an IP65 protection rating, this luminaire is protected against fine dust and low-pressure jets of water. This allows the luminaire to be used in stairwells, on terraces, in corridors, as well as in office spaces. Nairos LX models are available with the following options: Power: 12W, 18W, 24W, 36W (dimensions may vary according to power) Color: black, white Color temperatures: 3000/4000/6500K. If you haven't found the perfect light fixture from our product range yet, then browse through the [PROLUMEN catalogue](#) as well!

## Dome light Nairos LX with motion sensor white round 230V 24W 2520lm CRI80 120° IP65 3000K, 4000K, 6000K 3CCT

### Product code 17523

Supply voltage 230V  
 Power factor 0.70  
 Output 24W  
 Maximum output 24W/1m  
 Luminous flux 2520lumens  
 Luminaire's efficiency lm79 105W  
 Correlated colour temperature 3CCT  
 3000K, 4000K, 6000K  
 Lens angle 120  
 Cri 80  
 Protection class IP65  
 Lifespan 30000h  
 Height 55.0mm  
 Diameter 300.0mm  
 Weight 650 g  
 In box 5pcs  
 Casing colour white  
 Casing material metal + plastic  
 Shape round  
 No. of switches 20000pcs  
 Impact resistance IK08  
 Work environment indoor / outdoor  
 use  
 Operation temperature -20 ~ +40°C  
 Certificates CE  
 Warranty 3 years



A modern luminaire suitable for both indoor and outdoor use. This round [ceiling light fixture](#) features a motion sensor, the option to choose between 3000K, 4000K, and 6500K light temperatures, and can be mounted on both walls and ceilings. With an IP65 protection rating, this luminaire is protected against fine dust and low-pressure jets of water. This allows the luminaire to be used in stairwells, on terraces, in corridors, as well as in office spaces. Nairos LX models are available with the following options:  
 Power: 12W, 18W, 24W, 36W  
 (dimensions may vary according to power) Color: black, white Color temperatures: 3000/4000/6500K. If you haven't found the perfect light fixture from our product range yet, then browse through the [PROLUMEN catalogue](#) as well!

## **Dome light Optonica Microwave sensoriga white 13W 1040lm 120° IP65 2700K warm white**

**Product code 22018**

---

Brand [Optonica](#)  
Output 13W  
Luminous flux 1040lumens  
Luminaire's efficiency lm79 80W  
Correlated colour temperature warm  
white 2700K  
Lens angle 120  
Protection class IP65  
Lifespan 25000h  
Height 113.0mm  
Diameter 320.0mm  
Casing colour white  
Casing material plastic  
Work environment indoor use



## **Dome light Optonica Microwave sensoriga white 18W 1800lm 120° IP54 3000K-6500K**

**Product code 22017**

---

Brand [Optonica](#)  
Output 18W  
Luminous flux 1800lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature  
3000K-6500K  
Lens angle 120  
Protection class IP54  
Lifespan 25000h  
Height 51.0mm  
Diameter 220.0mm  
Casing colour white  
Casing material plastic  
Work environment indoor use



## **Dome light Prolumen AL08 D250 white 230V 12W 1068lm 120° IP54 830**

**Product code 15089**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 12W  
 Maximum output 12W/1m  
 Luminous flux 1068lumens  
 Luminaire's efficiency lm79 89W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Sdcm - macadam ellipses 6  
 Protection class IP54  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 48.0mm  
 Diameter 250.0mm  
 Weight 800 g  
 Package weight 930 g  
 In box 20pcs  
 Casing colour white  
 Casing material plastic  
 Impact resistance IK08  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years



Premium-class LED ceiling light. With a classic round design. This surface-mounted luminaire can be installed on both ceilings and walls. Ideal luminaire for illuminating shops, staircases, parking lots, restrooms, warehouses. The IP54 protection class means that this luminaire is protected against ordinary dust and splashing from any direction. AL08 models can be ordered with the following features: Power: 12W, 15W, 25W  
 Color: black, white Light temperatures: 3000/4000/5000/5700K or with adjustable light 3000-4000-5700K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (40,000 hours). Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL08 D250 with motion sensor white 230V 12W 968lm 120° IP54 930

### Product code 17104

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 12W  
 Maximum output 12W/1m  
 Luminous flux 968lumens  
 Luminaire's efficiency lm79 81W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 90  
 Sdcm - macadam ellipses 6  
 Protection class IP54  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 48.0mm  
 Diameter 250.0mm  
 Weight 800 g  
 Package weight 930 g  
 In box 20pcs  
 Casing colour white  
 Casing material plastic  
 Impact resistance IK08  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years



Premium-class LED ceiling light. With a classic round design. This surface-mounted luminaire can be installed on both ceilings and walls. Ideal luminaire for illuminating shops, staircases, parking lots, restrooms, warehouses. The IP54 protection class means that this luminaire is protected against ordinary dust and splashing from any direction. AL08 models can be ordered with the following features: Power: 12W, 15W, 25W  
 Color: black, white Light temperatures: 3000/4000/5000/5700K or with adjustable light 3000-4000-5700K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (40,000 hours). Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL08 D300 white 230V 18W 1710lm 120° IP54 830

### Product code 16581

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1710lumens  
 Luminaire's efficiency lm79 95W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Sdcm - macadam ellipses 6  
 Protection class IP54  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 40.0mm  
 Diameter 300.0mm  
 Weight 800 g  
 Package weight 930 g  
 In package 1pc  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 Impact resistance IK08  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years



Premium-class LED ceiling light. With a classic round design. This surface-mounted luminaire can be installed on both ceilings and walls. Ideal luminaire for illuminating shops, staircases, parking lots, restrooms, warehouses. The IP54 protection class means that this luminaire is protected against ordinary dust and splashing from any direction. AL08 models can be ordered with the following features: Power: 12W, 15W, 25W  
 Color: black, white Light temperatures: 3000/4000/5000/5700K or with adjustable light 3000-4000-5700K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (40,000 hours). Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

# Dome light Prolumen AL08 D300 white 230V 18W 1800lm 120° IP54 840

**Product code 13448**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1800lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature pure white 4000K  
 Lens angle 120  
 Cri 80  
 Sdcm - macadam ellipses 6  
 Protection class IP54  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 48.0mm  
 Diameter 300.0mm  
 Weight 980 g  
 Package weight 1.11 kg  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 Impact resistance IK08  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years



Premium-class LED ceiling light. With a classic round design. This surface-mounted luminaire can be installed on both ceilings and walls. Ideal luminaire for illuminating shops, staircases, parking lots, restrooms, warehouses. The IP54 protection class means that this luminaire is protected against ordinary dust and splashing from any direction. AL08 models can be ordered with the following features: Power: 12W, 15W, 25W  
 Color: black, white Light temperatures: 3000/4000/5000/5700K or with adjustable light 3000-4000-5700K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (40,000 hours). Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL08 D300 with motion sensor white 230V 25W 2550lm 120° IP54 940

### Product code 15302

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 25W  
 Maximum output 25W/1m  
 Luminous flux 2550lumens  
 Luminaire's efficiency lm79 102W  
 Correlated colour temperature pure white 4000K  
 Lens angle 120  
 Cri 90  
 Sdcm - macadam ellipses 6  
 Protection class IP54  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 40.0mm  
 Diameter 300.0mm  
 Weight 800 g  
 Package weight 930 g  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 Impact resistance IK08  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years




Premium-class LED ceiling light. With a classic round design. This surface-mounted luminaire can be installed on both ceilings and walls. Ideal luminaire for illuminating shops, staircases, parking lots, restrooms, warehouses. The IP54 protection class means that this luminaire is protected against ordinary dust and splashing from any direction. AL08 models can be ordered with the following features: Power: 12W, 15W, 25W  
 Color: black, white Light temperatures: 3000/4000/5000/5700K or with adjustable light 3000-4000-5700K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (40,000 hours). Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

# Dome light Prolumen AL08 D400 white 230V 30W 3000lm 120° IP54 830

**Product code 14989**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 30W  
 Maximum output 30W/1m  
 Luminous flux 3000lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 80  
 Sdcm - macadam ellipses 6  
 Protection class IP54  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 52.0mm  
 Diameter 400.0mm  
 Weight 1.4 kg  
 Package weight 1.7 kg  
 In package 1pc  
 In box 10pcs  
 Casing colour white  
 Casing material plastic  
 Impact resistance IK08  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years



Premium-class LED ceiling light. With a classic round design. This surface-mounted luminaire can be installed on both ceilings and walls. Ideal luminaire for illuminating shops, staircases, parking lots, restrooms, warehouses. The IP54 protection class means that this luminaire is protected against ordinary dust and splashing from any direction. AL08 models can be ordered with the following features: Power: 12W, 15W, 25W  
 Color: black, white Light temperatures: 3000/4000/5000/5700K or with adjustable light 3000-4000-5700K. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (40,000 hours). Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL127 D250 black 230V 12W 1260lm 120° IP54 DALI 940

**Product code 17805 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 12W  
Maximum output 12W/1m  
Luminous flux 1260lumens  
Luminaire's efficiency lm79 105W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP54  
Lifespan 40000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 58.0mm  
Diameter 250.0mm  
Weight 1.92 kg  
In package 1pc  
In box 20pcs  
Casing colour black  
Casing material plastic  
Operation temperature -20° - +45°C  
Certificates CE, RoHS  
Warranty 5 years



Ceiling-mounted LED light fitting, which is well-suited for general lighting in various rooms such as corridors, staircases, offices, technical rooms, and living spaces. Its timeless design makes it ideal for use in both new and renovated interiors, providing reliable and even lighting for everyday use.

## Dome light Prolumen AL127 D400 white 230V 25W 2400lm 120° IP54 DALI 940

**Product code 16975 DALI dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 25W

Maximum output 25W/1m

Luminous flux 2400lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 40000h

Height 58.0mm

Diameter 400.0mm

Weight 1.92 kg

In package 1pc

In box 10pcs

Casing colour white

Casing material plastic

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



Ceiling-mounted LED light fitting, which is well-suited for general lighting in various rooms such as corridors, staircases, offices, technical rooms, and living spaces. Its timeless design makes it ideal for use in both new and renovated interiors, providing reliable and even lighting for everyday use.

## Dome light Prolumen AL181 D250 white round 230V 12W 1260lm 110° IP44 930

**Product code 18301**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 12W  
Maximum output 12W/1m  
Luminous flux 1260lumens  
Luminaire's efficiency lm79 105W  
Correlated colour temperature warm  
white 3000K  
Lens angle 110  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP44  
Lifespan 50000h  
Height 69.0mm  
Diameter 250.0mm  
Weight 750 g  
In package 1pc  
In box 12pcs  
Casing colour white  
Casing material plastic  
Shape round  
Work environment indoor use  
Operation temperature -20° - +45°C  
Certificates CE, RoHS  
Warranty 5 years



LED light fitting, which is well-suited for general lighting in various rooms such as corridors, staircases, offices, technical rooms, and living spaces. Its timeless design makes it ideal for use in both new and renovated interiors, providing reliable and even lighting for everyday use.

## Dome light Prolumen AL181 D300 white round 230V 15W 1550lm 110° IP44 TRIAC 930

**Product code 22834 TRIAC dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 15W  
Maximum output 15W/1m  
Luminous flux 1550lumens  
Luminaire's efficiency lm79 103W  
Correlated colour temperature warm white 3000K  
Lens angle 110  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP44  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 71.0mm  
Diameter 300.0mm  
Weight 750 g  
In package 1pc  
In box 6pcs  
Casing colour white  
Casing material plastic  
Shape round  
Work environment indoor use  
Operation temperature -20° - +45°C  
Certificates CE, RoHS  
Warranty 5 years



LED light fitting, which is well-suited for general lighting in various rooms such as corridors, staircases, offices, technical rooms, and living spaces. Its timeless design makes it ideal for use in both new and renovated interiors, providing reliable and even lighting for everyday use.

## Dome light Prolumen AL181 D300 white round 230V 15W 1620lm 110° IP44 930

**Product code 18302**

Brand [Prolumen](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 15W  
 Maximum output 15W/1m  
 Luminous flux 1620lumens  
 Luminaire's efficiency lm79 108W  
 Correlated colour temperature warm white 3000K  
 Lens angle 110  
 Cri 90  
 Sdcm - macadam ellipses 6  
 Protection class IP44  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 71.0mm  
 Diameter 300.0mm  
 Weight 750 g  
 In package 1pc  
 In box 6pcs  
 Casing colour white  
 Casing material plastic  
 Shape round  
 Work environment indoor use  
 Operation temperature -20° - +45°C  
 Certificates CE, RoHS  
 Warranty 5 years



LED light fitting, which is well-suited for general lighting in various rooms such as corridors, staircases, offices, technical rooms, and living spaces. Its timeless design makes it ideal for use in both new and renovated interiors, providing reliable and even lighting for everyday use.

## **Dome light Prolumen AL199-16 black 230V 19W 1860lm 120° IP40 830**

**Product code 21899**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 19W

Maximum output 19W/1m

Luminous flux 1860lumens

Luminaire's efficiency lm79 98W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP40

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 86.0mm

Diameter 300.0mm

Installation opening diameter 225mm

In package 1pc

In box 4pcs

Casing colour black

Casing material plastic

Impact resistance IK03

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



## **Dome light Prolumen AL199-16 black 230V 40W 4450lm 120° IP40 830**

### **Product code 21897**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 40W

Maximum output 40W/1m

Luminous flux 4450lumens

Luminaire's efficiency lm79 111W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP40

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 86.0mm

Diameter 400.0mm

Installation opening diameter 285mm

In package 1pc

In box 4pcs

Casing colour black

Casing material plastic

Impact resistance IK03

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



## Dome light Prolumen AL37 white 230V 25W 2800lm 100° 930

**Product code 14710**

Brand [Prolumen](#)

Supply voltage 230V

Output 25W

Maximum output 25W/1m

Luminous flux 2800lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature warm  
white 3000K

Lens angle 100

Cri 90

Lifespan 50000h

Height 33.0mm

Diameter 400.0mm


Weight 1.44 kg

Casing colour white

Certificates CE, RoHS

Warranty 5 years

Compact LED ceiling light for living rooms, bedrooms, and other indoor spaces. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The light temperature of 3000K adds warm white light to the room. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!



## Dome light Prolumen AL45 D270 white round 230V 12W 1200lm 120° IP65 840

## Product code 15787

Brand [Prolumen](#)

Supply voltage 230V

Output 12W

Maximum output 12W/1m

Luminous flux 1200lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 70.0mm

Diameter 270.0mm

Package weight 755 g

In box 10pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Classic LED ceiling light with a round design. Thanks to the IP65 protection class, this luminaire can be used both indoors and outdoors. The luminaire is protected against ordinary dust and splashes from any direction. Options with different light intensities available! 1200lm for example for bedrooms, hallways, smaller office spaces 2500lm for example for living rooms, kitchens, office spaces 3500lm for example for retail spaces, workshops, larger office spaces 4000lm for example for open-plan living areas, retail spaces, indoor parking lots. Possibility to order in light temperatures: 3000K (warm white) and 4000K (daylight white). Possible wattages: 12W, 18W, 25W, 30W, 35W, 40W.

## Dome light Prolumen AL45 D320 white round 230V 25W 2500lm 120° IP65 840

**Product code 15545**

Brand [Prolumen](#)

Supply voltage 230V

Output 25W

Maximum output 25W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 70.0mm

Diameter 320.0mm

In box 6pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Classic LED ceiling light with a round design. Thanks to the IP65 protection class, this luminaire can be used both indoors and outdoors. The luminaire is protected against ordinary dust and splashes from any direction. Options with different light intensities available! 1200lm for example for bedrooms, hallways, smaller office spaces 2500lm for example for living rooms, kitchens, office spaces 3500lm for example for retail spaces, workshops, larger office spaces 4000lm for example for open-plan living areas, retail spaces, indoor parking lots. Possibility to order in light temperatures: 3000K (warm white) and 4000K (daylight white). Possible wattages: 12W, 18W, 25W, 30W, 35W, 40W.

## Dome light Prolumen AL45 D520 round 230V 35W 3500lm 120° IP65 940

**Product code 15786**

Brand [Prolumen](#)

Supply voltage 230V

Output 35W

Maximum output 35W/1m

Luminous flux 3500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 90

Protection class IP65

Lifespan 50000h

Height 85.0mm

Diameter 520.0mm

In box 6pcs

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Classic LED ceiling light with a round design. Thanks to the IP65 protection class, this luminaire can be used both indoors and outdoors. The luminaire is protected against ordinary dust and splashes from any direction. Options with different light intensities available! 1200lm for example for bedrooms, hallways, smaller office spaces 2500lm for example for living rooms, kitchens, office spaces 3500lm for example for retail spaces, workshops, larger office spaces 4000lm for example for open-plan living areas, retail spaces, indoor parking lots. Possibility to order in light temperatures: 3000K (warm white) and 4000K (daylight white). Possible wattages: 12W, 18W, 25W, 30W, 35W, 40W.

## Dome light Prolumen AL45 D520 white round 230V 40W 4000lm CRI80 120° IP65 3000K, 4000K, 5700K 3CCT

**Product code 15857**

Brand [Prolumen](#)

Supply voltage 230V

Output 40W

Maximum output 40W/1m

Luminous flux 4000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature 3CCT  
3000K, 4000K, 5700K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 85.0mm

Diameter 520.0mm

Weight 2.4 kg

In box 6pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Classic LED ceiling light with a round design. Thanks to the IP65 protection class, this luminaire can be used both indoors and outdoors. The luminaire is protected against ordinary dust and splashes from any direction. Options with different light intensities available! 1200lm for example for bedrooms, hallways, smaller office spaces 2500lm for example for living rooms, kitchens, office spaces 3500lm for example for retail spaces, workshops, larger office spaces 4000lm for example for open-plan living areas, retail spaces, indoor parking lots. Possibility to order in light temperatures: 3000K (warm white) and 4000K (daylight white). Possible wattages: 12W, 18W, 25W, 30W, 35W, 40W.

## **Dome light Prolumen AL47 D300 white round 230V 18W 1800lm CRI80 120° IP54 TRIAC 3000K, 3500K, 4000K 3CCT**

**Product code 17980 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 18W

Maximum output 18W/1m

Luminous flux 1800lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 58.0mm

Diameter 300.0mm

In box 6pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



## **Dome light Prolumen AL47 D300 white round 230V 25W 2500lm CRI80 120° IP54 TRIAC 3000K, 3500K, 4000K 3CCT**

**Product code 17979 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Maximum output 25W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 58.0mm

Diameter 300.0mm

In box 6pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



## **Dome light Prolumen AL47 D400 white round 230V 30W 3400lm CRI80 120° IP54 TRIAC 3000K, 3500K, 4000K 3CCT**

**Product code 17978 TRIAC dimmable**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 30W

Maximum output 30W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature 3CCT

3000K, 3500K, 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 66.0mm

Diameter 400.0mm

In box 6pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



## **Dome light Prolumen AL66 D250 black 230V 12W 1000lm CRI80 110° IP65 3000K, 4000K, 5700K 3CCT**

## Product code 18040

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 12W

Maximum output 12W/1m

Luminous flux 1000lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature 3CCT  
3000K, 4000K, 5700K

Lens angle 110

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 74.0mm

Diameter 250.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminium + plastic

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



Contemporary designed LED ceiling light. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and shade cover of the luminaire are separable, maintenance is made particularly easy! The IP65 protection class means that the luminaire is water and dust resistant, making it suitable for both indoor and outdoor use. Additionally, our recommendation is to install it in offices, shops, schools, hotels, stairwells, living rooms and corridors. The luminaire adds warm white light (3000K) to the room, and thanks to CRI90, the colours of illuminated areas remain very true and natural. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## **Dome light Prolumen AL87-11(G2.0) with motion sensor white 230V 25W 2900lm 120° IP54 930**

**Product code 22199**

---

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 25W  
Maximum output 1225W/1m  
Luminous flux 2900lumens  
Luminaire's efficiency lm79 116W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP54  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 65.0mm  
Diameter 275.0mm  
In box 12pcs  
Casing colour white  
Casing material plastic  
Impact resistance IK08  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



## **Dome light Prolumen AL96 D200 black 230V 12W 1000lm 120° IP65 830**

## Product code 16034

---

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 12W  
Maximum output 12W/1m  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 83W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 60.0mm  
Diameter 200.0mm  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material plastic  
Impact resistance IK10  
Work environment indoor / outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Contemporary designed LED ceiling light. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and shade cover of the luminaire are separable, maintenance is made particularly easy! The IP65 protection class means that the luminaire is water and dust resistant, making it suitable for both indoor and outdoor use. Additionally, our recommendation is to install it in offices, shops, schools, hotels, stairwells, living rooms and corridors. The luminaire adds warm white light (3000K) to the room, and thanks to CRI90, the colours of illuminated areas remain very true and natural. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL96 D275 black 230V 18W 1650lm 110° IP65 830

### Product code 16005

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 18W  
Maximum output 18W/1m  
Luminous flux 1650lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature warm white 3000K  
Lens angle 110  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 60.0mm  
Diameter 275.0mm  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material plastic  
Impact resistance IK10  
Work environment indoor / outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Contemporary designed LED ceiling light. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and shade cover of the luminaire are separable, maintenance is made particularly easy! The IP65 protection class means that the luminaire is water and dust resistant, making it suitable for both indoor and outdoor use. Additionally, our recommendation is to install it in offices, shops, schools, hotels, stairwells, living rooms and corridors. The luminaire adds warm white light (3000K) to the room, and thanks to CRI90, the colours of illuminated areas remain very true and natural. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL96 D275 white 230V 18W 1650lm 110° IP65 830

### Product code 22292

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 18W  
Maximum output 18W/1m  
Luminous flux 1650lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature warm white 3000K  
Lens angle 110  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 60.0mm  
Diameter 275.0mm  
In package 1pc  
In box 12pcs  
Casing colour white  
Casing material plastic  
Impact resistance IK10  
Work environment indoor / outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Contemporary designed LED ceiling light. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and shade cover of the luminaire are separable, maintenance is made particularly easy! The IP65 protection class means that the luminaire is water and dust resistant, making it suitable for both indoor and outdoor use. Additionally, our recommendation is to install it in offices, shops, schools, hotels, stairwells, living rooms and corridors. The luminaire adds warm white light (3000K) to the room, and thanks to CRI90, the colours of illuminated areas remain very true and natural. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL96 D350 black 230V 30W 2560lm 120° IP65 930

### Product code 17233

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 30W  
Maximum output 30W/1m  
Luminous flux 2560lumens  
Luminaire's efficiency lm79 85W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 60.0mm  
Diameter 350.0mm  
In package 1pc  
In box 6pcs  
Casing colour black  
Casing material plastic  
Impact resistance IK10  
Work environment indoor / outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Contemporary designed LED ceiling light. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and shade cover of the luminaire are separable, maintenance is made particularly easy! The IP65 protection class means that the luminaire is water and dust resistant, making it suitable for both indoor and outdoor use. Additionally, our recommendation is to install it in offices, shops, schools, hotels, stairwells, living rooms and corridors. The luminaire adds warm white light (3000K) to the room, and thanks to CRI90, the colours of illuminated areas remain very true and natural. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL96 D350 black 230V 30W 2560lm 120° IP65 DALI 930

**Product code 17015 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 30W  
Maximum output 30W/1m  
Luminous flux 2560lumens  
Luminaire's efficiency lm79 85W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 60.0mm  
Diameter 350.0mm  
In package 1pc  
In box 6pcs  
Casing colour black  
Casing material plastic  
Impact resistance IK10  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Contemporary designed LED ceiling light. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and shade cover of the luminaire are separable, maintenance is made particularly easy! The IP65 protection class means that the luminaire is water and dust resistant, making it suitable for both indoor and outdoor use. Additionally, our recommendation is to install it in offices, shops, schools, hotels, stairwells, living rooms and corridors. The luminaire adds warm white light (3000K) to the room, and thanks to CRI90, the colours of illuminated areas remain very true and natural. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Prolumen AL96 D350 black 230V 30W 2918lm 120° IP65 940

### Product code 18273

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 30W  
Maximum output 30W/1m  
Luminous flux 2918lumens  
Luminaire's efficiency lm79 97W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 60.0mm  
Diameter 350.0mm  
In package 1pc  
In box 6pcs  
Casing colour black  
Casing material plastic  
Impact resistance IK10  
Work environment indoor / outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Contemporary designed LED ceiling light. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and shade cover of the luminaire are separable, maintenance is made particularly easy! The IP65 protection class means that the luminaire is water and dust resistant, making it suitable for both indoor and outdoor use. Additionally, our recommendation is to install it in offices, shops, schools, hotels, stairwells, living rooms and corridors. The luminaire adds warm white light (3000K) to the room, and thanks to CRI90, the colours of illuminated areas remain very true and natural. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

# Dome light Prolumen DL52 white 230V 18W 1584lm 100° IP54 930

## Product code 15610

Brand [Prolumen](#)  
 Supply voltage 230V  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1584lumens  
 Luminaire's efficiency lm79 88W  
 Correlated colour temperature warm white 3000K  
 Lens angle 100  
 Cri 90  
 Protection class IP54  
 Lifespan 50000h  
 Height 68.0mm  
 Diameter 170.0mm  
 Weight 474 g  
 Package weight 537 g  
 In package 1pc  
 In box 24pcs  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The light temperature of the luminaire is 3000K, providing warm white light to the room. For homes, we recommend warm white ceiling lights for bedrooms, living rooms, and dining areas. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

## Dome light Prolumen Marui D450 white 230V 30W 3600lm 120° IP20 DALI 830

**Product code 18177 DALI dimmable**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 30W  
Maximum output 30W/1m  
Luminous flux 3600lumens  
Luminaire's efficiency lm79 120W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Height 85.0mm  
Diameter 450.0mm  
Casing colour white  
Casing material aluminium + plastic  
Power supply [BOKE](#)  
Impact resistance IK02  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



## Dome light Prolumen Marui D450 white 230V 30W 3600lm 120° IP20 DALI 840

**Product code 18127 DALI dimmable**

---

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 30W  
Maximum output 30W/1m  
Luminous flux 3600lumens  
Luminaire's efficiency lm79 120W  
Correlated colour temperature pure  
white 4000K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Height 85.0mm  
Diameter 450.0mm  
Casing colour white  
Casing material aluminium + plastic  
Power supply [BOKE](#)  
Impact resistance IK02  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



## Dome light Prolumen Marui D600 white 230V 40W 4800lm 120° IP20 DALI 830

**Product code 19507 DALI dimmable**

---

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 40W  
Maximum output 40W/1m  
Luminous flux 4800lumens  
Luminaire's efficiency lm79 120W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Height 85.0mm  
Diameter 600.0mm  
Casing colour white  
Casing material aluminium + plastic  
Power supply [BOKE](#)  
Impact resistance IK02  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



## **Dome light Prolumen Marui D900 white 230V 60W 7200lm 120° IP20 DALI 840**

**Product code 18126 DALI dimmable**

---


Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable DALI  
Output 60W  
Maximum output 60W/1m  
Luminous flux 7200lumens  
Luminaire's efficiency lm79 120W  
Correlated colour temperature pure  
white 4000K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 5  
Protection class IP20  
Lifespan 50000h  
Height 85.0mm  
Diameter 900.0mm  
Casing colour white  
Casing material aluminium + plastic  
Power supply [BOKE](#)  
Impact resistance IK02  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



## **Dome light SIGARO SQUARE white square 230V 18W 1800lm 120° IP40 840**

### **Product code 15913**

Supply voltage 230V  
 Output 18W  
 Maximum output 18W/1m  
 Luminous flux 1800lumens  
 Luminaire's efficiency lm79 100W  
 Correlated colour temperature pure white 4000K  
 Lens angle 120  
 Cri 80  
 Protection class IP40  
 Lifespan 25000h  
 Height 30.0mm  
 Width 225.0mm  
 Length 225.0mm  
 Weight 300 g  
 In box 20pcs  
 Casing colour white  
 Casing material plastic  
 Polishing matt  
 Shape square  
 No. of switches 15000pcs  
 Impact resistance IK03  
 Work environment indoor use  
 Operation temperature -20 ~ 40°C  
 Certificates CE  
 Warranty 3 years



## Dome light SIGARO SQUARE white square 230V 24W 2400lm 120° IP40 840

### Product code 15914

Supply voltage 230V  
Output 24W  
Maximum output 24W/1m  
Luminous flux 2400lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Cri 80  
Protection class IP40  
Lifespan 25000h  
Height 30.0mm  
Width 225.0mm  
Length 225.0mm  
Weight 320 g  
In box 20pcs  
Casing colour white  
Casing material plastic  
Polishing matt  
Shape square  
No. of switches 15000pcs  
Impact resistance IK03  
Work environment indoor use  
Operation temperature -20 ~ 40°C  
Certificates CE  
Warranty 3 years



## Dome light TK Lighting Rondo 6 x E27 white round E27

### Product code 20126

Brand TK Lighting  
Socket E27  
Height 150.0mm  
Diameter 780.0mm  
Casing colour white  
Casing material metal + textile  
Shape round  
Work environment indoor use



## Dome light Trio Lighting Arco RGBW black round 22W 2500lm IP20 DIMMABLE 2700K-6000K warm + cold white

**Product code 19931 DIMMABLE dimmable**

Brand [Trio Lighting](#)  
 Dimmable DIMMABLE  
 Output 22W  
 Luminous flux 2500lumens  
 Luminaire's efficiency lm79 114W  
 Correlated colour temperature warm + cold white 2700K-6000K  
 Protection class IP20  
 Height 8.0mm  
 Diameter 49.0mm  
 Weight 1.2 kg  
 Package weight 1.6 kg  
 Casing colour black  
 Shape round  
 Warranty 3 years



ARCO inspires with its integrated Rainbow effect that reflects the rainbow in all its colours. In addition to the RGB colour changer, the light colour and brightness can be easily adjusted via remote control. In the simple and modern look, the ceiling light easily finds a place in any living room. In addition, the luminaire features modern LED technology, which is characterised by high light quality and energy efficiency. Compared to conventional halogen lamps, up to 80% of energy costs can be saved. In addition, LED light sources have a long service life, produce less heat and protect the environment.

## Dome light Trio Lighting Blanca white 28W 3200lm IP20 switch dimmer 830

**Product code 22572 switch dimmer  
dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 28W

Maximum output 28W/1m

Luminous flux 3200lumens

Luminaire's efficiency lm79 114W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP20

Lifespan 30000h

Height 60.0mm

Width 600.0mm

Length 170.0mm

Weight 600 g

Package weight 900 g

Casing colour white

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The elongated ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Blanca white 28W 3400lm IP20 switch dimmer 840

**Product code 22576 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 28W

Maximum output 28W/1m

Luminous flux 3400lumens

Luminaire's efficiency lm79 121W

Correlated colour temperature pure white 4000K

Cri 80

Protection class IP20

Lifespan 30000h

Height 60.0mm

Width 600.0mm

Length 170.0mm

Weight 600 g

Package weight 900 g

Casing colour white

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The elongated ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Blanca white 46W 5400lm IP20 switch dimmer 3000K warm white

**Product code 22571 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 46W  
 Maximum output 46W/1m  
 Luminous flux 5400lumens  
 Luminaire's efficiency lm79 117W  
 Correlated colour temperature warm white 3000K  
 Protection class IP20  
 Lifespan 30000h  
 Height 50.0mm  
 Width 530.0mm  
 Length 530.0mm  
 Weight 1.4 kg  
 Package weight 2 kg  
 Casing colour white  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use



Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The angular ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Blanca white 46W 5400lm IP20 switch dimmer 830

**Product code 22570 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 46W  
 Maximum output 46W/1m  
 Luminous flux 5400lumens  
 Luminaire's efficiency lm79 117W  
 Correlated colour temperature warm white 3000K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 50.0mm  
 Diameter 530.0mm  
 Weight 1.1 kg  
 Package weight 1.7 kg  
 Casing colour white  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The round ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Blanca white 46W 5400lm IP20 switch dimmer 830

**Product code 22705 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 46W  
 Maximum output 46W/1m  
 Luminous flux 5400lumens  
 Luminaire's efficiency lm79 117W  
 Correlated colour temperature warm white 3000K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Width 1200.0mm  
 Length 170.0mm  
 Weight 1.2 kg  
 Package weight 1.8 kg  
 Casing colour white  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The elongated ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Blanca white 46W 5600lm IP20 switch dimmer 840

**Product code 22574 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 46W  
 Maximum output 46W/1m  
 Luminous flux 5600lumens  
 Luminaire's efficiency lm79 122W  
 Correlated colour temperature pure white 4000K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 50.0mm  
 Diameter 530.0mm  
 Casing colour white  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The elongated ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Blanca white 46W 5600lm IP20 switch dimmer 840

**Product code 22575 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 46W

Maximum output 46W/1m

Luminous flux 5600lumens

Luminaire's efficiency lm79 122W

Correlated colour temperature pure white 4000K

Cri 80

Protection class IP20

Lifespan 30000h

Height 50.0mm

Width 530.0mm

Length 530.0mm

Weight 1.4 kg

Package weight 2 kg

Casing colour white

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The elongated ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Blanca white 46W 5600lm IP20 switch dimmer 840

**Product code 22577 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 46W  
 Maximum output 46W/1m  
 Luminous flux 5600lumens  
 Luminaire's efficiency lm79 122W  
 Correlated colour temperature pure white 4000K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Width 1200.0mm  
 Length 170.0mm  
 Weight 1.2 kg  
 Package weight 1.8 kg  
 Casing colour white  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use



Less is often more! The BLANCA ceiling light impresses with its simple elegance and can be integrated into any ambience thanks to its neutral appearance. The elongated ceiling light provides optimum illumination in stairwells, corridors or offices. An integrated SWITCH dimmer allows the brightness to be adjusted in three stages (100%, 50%, 25%) using a conventional light switch, enabling different lighting moods to be created. In the simple colour white, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Camillus black 230V 13W 1500lm IP44 switch dimmer 830

**Product code 22353 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Supply voltage 230V  
 Dimmable switch dimmer  
 Output 13W  
 Maximum output 13W/1m  
 Luminous flux 1500lumens  
 Luminaire's efficiency lm79 115W  
 Correlated colour temperature warm white 3000K  
 Cri 80  
 Protection class IP44  
 Lifespan 30000h  
 Height 30.0mm  
 Diameter 260.0mm  
 Weight 700 g  
 Package weight 900 g  
 Casing colour black  
 Casing material plastic  
 Work environment indoor use  
 Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The light has a diameter of 26 cm and a height of just 3 cm. Thanks to the classic colour design in matt black and the white acrylic, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Camillus black 230V 22W 2700lm IP44 switch dimmer 830

**Product code 22354 switch dimmer dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 22W

Maximum output 22W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 400.0mm

Weight 1.4 kg

Package weight 1.4 kg


Casing colour black

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



CAMILLUS laevalgusti loob teie elutuppa ideaalse stseeni, kuna valgusti avaldab muljet modernsuse ja sirgjoonelisuse seguga. Ajatu välimus ja lame disain avavad arvukalt kasutus- ja disainivõimalusi. Lisaks esikusse või elutuppa paigutamisele sobib CAMILLUS tänu IP44 kaitseklassile ideaalselt ka vannituppa paigaldamiseks. Integreeritud SWITCH dimmerit saab tavalise valguslüliti abil kasutada ka kolme erineva heledustaseme valimiseks.

Valgustugevuse astmelise reguleerimisega 100% kuni 50% ja 25% saab valgustit kohandada erinevatele vajadustele. Valgusti läbimõõt on 44 cm ja kõrgus vaid 3 cm. Tänu klassikalisele mattmusta ja valge akrüülvärvi disainile saab valgustit kombineerida paljude sisustusstiilidega. Lisaks on valgustites kaasaegne LED-tehnoloogia, mis tagab kõrge valguse kvaliteedi. LED-valgusallikaid iseloomustab pikk kasutusiga ja madal soojuseraldus.

## Dome light Trio Lighting Camillus black 230V 9W 1000lm IP44 switch dimmer 830

**Product code 22350 switch dimmer dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 9W

Maximum output 9W/1m

Luminous flux 1000lumens

Luminaire's efficiency lm79 111W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 170.0mm

Weight 400 g

Package weight 500 g

Casing colour black

Casing material plastic

Work environment indoor use

Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the light can be adapted to different requirements. The small light has a diameter of 17 cm and a height of just 3 cm. Thanks to the classic colour design in matt black and the white acrylic, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Camillus white 230V 13W 1500lm IP44 switch dimmer 830

**Product code 22351 switch dimmer dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 13W

Maximum output 13W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 260.0mm

Weight 700 g

Package weight 900 g

Casing colour white

Casing material plastic

Work environment indoor use

Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The light has a diameter of 26 cm and a height of just 3 cm. The wall and ceiling light is designed in a simple white and can be stylishly integrated into existing living and colour concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Camillus white 230V 22W 2700lm IP44 switch dimmer 830

**Product code 22352 switch dimmer dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 22W

Maximum output 22W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 400.0mm

Weight 1.4 kg

Package weight 1.4 kg

Casing colour white

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The light has a diameter of 40cm and a height of just 3cm. The ceiling light is designed in a simple white and can be stylishly integrated into existing living and colour concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Camillus white 230V 9W 1000lm IP44 switch dimmer 830

**Product code 22349 switch dimmer dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 9W

Maximum output 9W/1m

Luminous flux 1000lumens

Luminaire's efficiency lm79 111W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 170.0mm

Weight 400 g

Package weight 500 g

Casing colour white

Casing material plastic

Work environment indoor use

Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The small light has a diameter of 17cm and a height of just 3cm. The wall and ceiling light is designed in a simple white and can be stylishly integrated into existing living and colour concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Cardona black 29W 3300lm IP20 switch dimmer 2300K, 3000K, 4000K 3CCT

**Product code 22565 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 29W  
 Maximum output 29W/1m  
 Luminous flux 3300lumens  
 Luminaire's efficiency lm79 114W  
 Correlated colour temperature 3CCT 2300K, 3000K, 4000K  
 Protection class IP20  
 Lifespan 30000h  
 Height 100.0mm  
 Diameter 460.0mm  
 Casing colour black  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



Clarity and functionality combined - the CARDONA ceiling light impresses with its striking design, which is characterised by a ring. This elegant ring seems to literally float below the ceiling and attracts everyone's attention. Ideal for modern living rooms, offices or dining rooms, the luminaire provides uniform, glare-free lighting thanks to the subtle light source inside the ring, creating a pleasant atmosphere. The brightness can be regulated in three levels using a conventional light switch and the light colour can be adjusted directly using a switch on the luminaire. The black matt surface gives every room a timeless elegance and a modern touch. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## **Dome light Trio Lighting Cardona black 38W 4400lm IP20 switch dimmer 2300K, 3000K, 4000K 3CCT**

**Product code 22567 switch dimmer  
dimnable**

Brand [Trio Lighting](#)  
Dimmable switch dimmer  
Output 38W  
Maximum output 38W/1m  
Luminous flux 4400lumens  
Luminaire's efficiency lm79 116W  
Correlated colour temperature 3CCT  
2300K, 3000K, 4000K  
Protection class IP20  
Lifespan 30000h  
Height 100.0mm  
Diameter 620.0mm  
Weight 4.3 kg  
Package weight 5.3 kg  
Casing colour black  
Casing material metal  
No. of switches 15000pcs



Clarity and functionality combined - the CARDONA ceiling light impresses with its striking design, which is characterised by a ring. This elegant ring seems to literally float below the ceiling and attracts everyone's attention. Ideal for modern living rooms, offices or dining rooms, the luminaire provides uniform, glare-free lighting thanks to the subtle light source inside the ring, creating a pleasant atmosphere. The brightness can be regulated in three levels using a conventional light switch and the light colour can be adjusted directly using a switch on the luminaire. The black matt surface gives every room a timeless elegance and a modern touch. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Cardona black 59W 6900lm CRI80 IP20 switch dimmer 2300K, 3000K, 4000K 3CCT

**Product code 22569 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 59W  
 Maximum output 59W/1m  
 Luminous flux 6900lumens  
 Luminaire's efficiency lm79 117W  
 Correlated colour temperature 3CCT  
 2300K, 3000K, 4000K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 90.0mm  
 Diameter 750.0mm  
 Weight 5.9 kg  
 Package weight 7.3 kg  
 Casing colour black  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



Clarity and functionality combined - the CARDONA ceiling light impresses with its striking design, which is characterised by a ring. This elegant ring seems to literally float below the ceiling and attracts everyone's attention. Ideal for modern living rooms, offices or dining rooms, the luminaire provides uniform, glare-free lighting thanks to the subtle light source inside the ring, creating a pleasant atmosphere. The brightness can be regulated in three levels using a conventional light switch and the light colour can be adjusted directly using a switch on the luminaire. The black matt surface gives every room a timeless elegance and a modern touch. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Cardona white 4400lm IP20 switch dimmer 2300K, 3000K, 4000K 3CCT

**Product code 22566 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Maximum output 38W/1m  
 Luminous flux 4400lumens  
 Correlated colour temperature 3CCT  
 2300K, 3000K, 4000K  
 Protection class IP20  
 Lifespan 30000h  
 Height 100.0mm  
 Diameter 620.0mm  
 Weight 4.3 kg  
 Package weight 5.3 kg  
 Casing colour white  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



Clarity and functionality combined - the CARDONA ceiling light impresses with its striking design, which is characterised by a ring. This elegant ring seems to literally float below the ceiling and attracts everyone's attention. Ideal for modern living rooms, offices or dining rooms, the luminaire provides uniform, glare-free lighting thanks to the subtle light source inside the ring, creating a pleasant atmosphere. The brightness can be regulated in three levels using a conventional light switch and the light colour can be adjusted directly using a switch on the luminaire. The white matt surface gives every room a timeless elegance and a modern touch. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Cardona white 6900lm IP20 switch dimmer 2300K, 3000K, 4000K 3CCT

**Product code 22568 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Maximum output 59W/1m  
 Luminous flux 6900lumens  
 Correlated colour temperature 3CCT  
 2300K, 3000K, 4000K  
 Protection class IP20  
 Lifespan 30000h  
 Height 90.0mm  
 Diameter 750.0mm  
 Casing colour white  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years

Clarity and functionality combined - the CARDONA ceiling light impresses with its striking design, which is characterised by a ring. This elegant ring seems to literally float below the ceiling and attracts everyone's attention. Ideal for modern living rooms, offices or dining rooms, the luminaire provides uniform, glare-free lighting thanks to the subtle light source inside the ring, creating a pleasant atmosphere. The brightness can be regulated in three levels using a conventional light switch and the light colour can be adjusted directly using a switch on the luminaire. The white matt surface gives every room a timeless elegance and a modern touch. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Clarimo H2O black 18W 1850lm IP44 3000K warm white

**Product code 20843**

Brand [Trio Lighting](#)

Output 18W

Luminous flux 1850lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Protection class IP44

Lifespan 30000h

Height 90.0mm

Diameter 330.0mm

Weight 600 g

Package weight 900 g

Casing colour black

Casing material plastic

No. of switches 15000pcs

As timeless as the design of the light is, it is flexible enough to follow all trends. The highlight of the CLARIMO ceiling light is its simple yet appealing look, which can be easily combined with various furnishing styles. Thanks to the IP44 classification, the light is very suitable for all damp rooms, such as the bathroom or washroom. The black matt finish with the white acrylic cover makes this ceiling light a timeless classic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Clarimo H2O chrome 18W 1850lm IP44 3000K warm white

**Product code 20844**

Brand [Trio Lighting](#)

Output 18W

Luminous flux 1850lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Protection class IP44

Lifespan 30000h

Height 90.0mm

Diameter 330.0mm

Weight 600 g

Package weight 900 g

Casing colour chrome

Casing material plastic

No. of switches 15000pcs



As timeless as the design of the light is, it is flexible enough to follow all trends. The highlight of the CLARIMO ceiling light is its simple yet appealing look, which can be easily combined with various furnishing styles. Thanks to the IP44 classification, the light is very suitable for all damp rooms, such as the bathroom or washroom. The chrome-coloured design with the white acrylic cover makes this ceiling light a timeless classic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## **Dome light Trio Lighting Clarimo H2O white 18W 1850lm IP44 3000K warm white**

**Product code 20842**

Brand [Trio Lighting](#)

Output 18W

Luminous flux 1850lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm  
white 3000K

Protection class IP44

Lifespan 30000h

Height 90.0mm

Diameter 330.0mm

Weight 600 g

Package weight 900 g

Casing colour white

Casing material plastic

No. of switches 15000pcs



As timeless as the design of the light is, it is flexible enough to follow all trends. The highlight of the CLARIMO ceiling light is its simple yet attractive appearance, which is suitable for all damp rooms such as bathrooms, washrooms, etc. thanks to its IP44 rating. The light has a diameter of 33 cm. The white plastic design with a white acrylic cover makes this ceiling light a timeless classic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Condus black E27 IP44

**Product code 22960**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 80.0mm

Diameter 315.0mm

Weight 1.3 kg

Package weight 1.6 kg

Casing colour black

Casing material metal + glass

Work environment indoor use

The simple CONDUS ceiling light impresses with its timeless, classic design, making it easy to integrate into existing interiors. Thanks to its IP44 protection rating, the CONDUS can be used in damp rooms such as the bathroom or laundry room without any problems. The combination of metal in matt black and matt white glass fits into any living area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Dome light Trio Lighting Dizzy white 2600lm CRI80 IP20 DIMMABLE 2700K-6500K warm + cold white

**Product code 22599 DIMMABLE  
dimmable**

Brand [Trio Lighting](#)  
 Dimmable DIMMABLE  
 Maximum output 22W/1m  
 Luminous flux 2600lumens  
 Correlated colour temperature warm  
 + cold white 2700K-6500K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 20.0mm  
 Diameter 380.0mm  
 Weight 800 g  
 Package weight 1 kg  
 Casing colour white  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use



The DIZZY ceiling light impresses with a fascinating 3D effect created by the different steps and levels of the body. This unusual design makes DIZZY a real highlight in any room. The remote control supplied can be used to control numerous functions, including adjusting the brightness and light colour as well as a practical night light function. The body of the luminaire has an elegant starlight effect, which creates a cosy yet stylish atmosphere in the living room or bedroom. The colour scheme of high-quality plastic in white and chrome gives DIZZY a modern and elegant look that blends harmoniously into any interior. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## **Dome light Trio Lighting DOHA black 230V 29W 3260lm CRI80 IP20 2200K, 3000K, 4000K 3CCT**

**Product code 19384**

Brand [Trio Lighting](#)

Supply voltage 230V

Power factor 0.90

Output 29W

Maximum output 29W/1m

Luminous flux 3260lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature 3CCT  
2200K, 3000K, 4000K

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 30000h

Height 55.0mm

Diameter 450.0mm

Weight 2.5 kg

Casing colour black

Casing material metal

Operation temperature -20 ~ 45°C

Warranty 5 years



## **Dome light Trio Lighting Felis black 24W 2500lm IP20 switch dimmer 2700K-6500K warm + cold white**

**Product code 22589 switch dimmer  
dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 24W

Maximum output 24W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm

+ cold white 2700K-6500K

Protection class IP20

Lifespan 25000h

Height 75.0mm

Diameter 400.0mm

Weight 1.3 kg

Package weight 1.6 kg

Casing colour black

Casing material plastic


No. of switches 25000pcs

Work environment indoor use



The FELIS ceiling light flexibly follows all trends with its timeless design. The simple yet appealing look is one of the highlights that FELIS has to offer.

Thanks to the remote control included in the scope of delivery, the light colour and brightness can be adjusted remotely. Perfect for creating a cosy lighting atmosphere in your living room! In the simple colour black and gold, the light fits into almost any interior style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Felis white 24W 2500lm IP20 switch dimmer 2700K-6500K warm + cold white

**Product code 22588 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 24W

Maximum output 24W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm + cold white 2700K-6500K

Protection class IP20

Lifespan 25000h

Height 70.0mm

Diameter 400.0mm

Weight 1.3 kg

Package weight 1.6 kg

Casing colour white


Casing material plastic

No. of switches 15000pcs

Work environment indoor use



The FELIS ceiling light flexibly follows all trends with its timeless design. The simple yet appealing look is one of the highlights that FELIS has to offer. Thanks to the remote control included in the scope of delivery, the light colour and brightness can be adjusted remotely. Perfect for creating a cosy lighting atmosphere in your living room! In the simple matt white colour, the light fits into almost any furnishing style. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Glace black / white round 21.5W 2600lm CRI80 IP20 switch dimmer 2700K-6500K

**Product code 19974 switch dimmer  
dimnable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 21.5W

Maximum output 21.5W/1m

Luminous flux 2600lumens

Luminaire's efficiency lm79 121W

Correlated colour temperature  
2700K-6500K

Cri 80

Protection class IP20

Lifespan 20000h

Height 45.0mm

Diameter 380.0mm

Weight 1.3 kg

Casing colour black / white

Shape round

No. of switches 15000pcs

Warranty 5 years

Integrated dimmer Light color  
infinitely variable Memory function  
Night light Not suitable for external  
dimmer Remote control Dimmable via  
switch Timer Wall- and ceiling  
mounting



## Dome light Trio Lighting Goya white 35W 4050lm IP20 switch dimmer 2700K-6500K

**Product code 19710 switch dimmer  
dimnable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 35W

Luminous flux 4050lumens

Luminaire's efficiency lm79 116W

Correlated colour temperature  
2700K-6500K

Protection class IP20

Height 60.0mm

Diameter 300.0mm


Casing colour white




## Ceiling lamp Trio Lighting Jano matte black 2400lm IP20 switch dimmer 3000K warm white

**Product code 22533 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Maximum output 2W/1m  
 Luminous flux 2400lumens  
 Correlated colour temperature warm white 3000K  
 Protection class IP20  
 Lifespan 30000h  
 Height 30.0mm  
 Diameter 310.0mm  
 Weight 600 g  
 Package weight 800 g  
 Casing colour matte black  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



The JANO ceiling light with its special wooden design enhances the feel-good atmosphere in your home and at the same time becomes an eye-catcher on the ceiling of your hallway, living room or bedroom. The cover made of high-quality plastic emits a pleasantly glare-free light and sets your living area stylishly in scene as a soft light source. In addition, the integrated SWITCH dimmer enables different brightness levels and provides suitable lighting moods. The colour design in matt black in combination with the light wood provides modern, homely accents. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Jano white 20W 2400lm IP20 switch dimmer 3000K warm white

**Product code 22532 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 20W  
 Maximum output 20W/1m  
 Luminous flux 2400lumens  
 Luminaire's efficiency lm79 120W  
 Correlated colour temperature warm white 3000K  
 Protection class IP20  
 Lifespan 30000h  
 Height 30.0mm  
 Diameter 310.0mm  
 Casing colour white  
 Casing material plastic  
 No. of switches 15000pcs  
 Work environment indoor use



The JANO ceiling light with its special wooden design enhances the feel-good atmosphere in your home and at the same time becomes an eye-catcher on the ceiling of your hallway, living room or bedroom. The cover made of high-quality plastic emits a pleasantly glare-free light and sets your living area stylishly in scene as a soft light source. In addition, the integrated SWITCH dimmer enables different brightness levels and provides suitable lighting moods. The colour design in matt white in combination with the light wood provides modern, homely accents. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Jora white 46W 5400lm IP20 switch dimmer 2700K-6000K warm + cold white

**Product code 19597 switch dimmer dimmable**

Brand [Trio Lighting](#)  
Dimmable switch dimmer  
Output 46W  
Maximum output 5400W/1m  
Luminous flux 5400lumens  
Luminaire's efficiency lm79 117W  
Correlated colour temperature warm + cold white 2700K-6000K  
Protection class IP20  
Height 65.0mm  
Width 395.0mm  
Length 395.0mm  
Casing colour white  
Casing material aluminium  
Work environment indoor use



A timeless design with clear lines and elegant shapes defines the JORA ceiling light. The integrated features allow the brightness and light colour to be conveniently adjusted from warm white to cool white by remote control. Alternatively, the brightness can be set in 3 levels (25%, 50% and 100%) using a conventional light switch. The additional sleep timer function switches the light off automatically after a preset time, making the JORA a perfect ceiling light for the bedroom. The integrated night light and memory function round off the light perfectly. Create a lighting ambience with the JORA that can be modern, functional and cosy! Thanks to the modern design and the colour combination of matt white and matt black, the ceiling light brings a unique play of light into your feel-good zone. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.


## Dome light Trio Lighting Jora white 5400lm IP20 switch dimmer 2700K-6000K warm + cold white

**Product code 22578 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Maximum output 46W/1m  
 Luminous flux 5400lumens  
 Correlated colour temperature warm + cold white 2700K-6000K  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Diameter 410.0mm  
 Weight 2.3 kg  
 Package weight 2.7 kg  
 Casing colour white  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



A timeless design with clear lines and elegant shapes defines the JORA ceiling light. The integrated features allow the brightness and light colour to be conveniently adjusted from warm white to cool white by remote control. Alternatively, the brightness can be set in 3 levels (25%, 50% and 100%) using a conventional light switch. The additional sleep timer function switches the light off automatically after a preset time, making the JORA a perfect ceiling light for the bedroom. The integrated night light and memory function round off the light perfectly. Create a lighting ambience with the JORA that can be modern, functional and cosy! Thanks to the modern design and the colour combination of matt white and matt black, the ceiling light brings a unique play of light into your feel-good zone. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.




## Dome light Trio Lighting Jora white 55W 6400lm IP20 switch dimmer 2700K-6000K warm + cold white

**Product code 19598 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 55W  
 Maximum output 6400W/1m  
 Luminous flux 6400lumens  
 Luminaire's efficiency lm79 116W  
 Correlated colour temperature warm + cold white 2700K-6000K  
 Protection class IP20  
 Height 60.0mm  
 Width 600.0mm  
 Length 600.0mm  
 Casing colour white  
 Casing material aluminium  
 Work environment indoor use

A timeless design with clear lines and elegant shapes defines the JORA ceiling light. The integrated features allow the brightness and light colour to be conveniently adjusted from warm white to cool white by remote control. Alternatively, the brightness can be set in 3 levels (25%, 50% and 100%) using a conventional light switch. The additional sleep timer function switches the light off automatically after a preset time, making the JORA a perfect ceiling light for the bedroom. The integrated night light and memory function round off the light perfectly. Create a lighting ambience with the JORA that can be modern, functional and cosy! Thanks to the modern design and the colour combination of matt white and matt black, the ceiling light brings a unique play of light into your feel-good zone. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Jora white 6400lm CRI80 IP20 switch dimmer 2700K-6000K warm + cold white

**Product code 22579 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Maximum output 55W/1m  
 Luminous flux 6400lumens  
 Correlated colour temperature warm + cold white 2700K-6000K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 60.0mm  
 Diameter 600.0mm  
 Casing colour white  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



A timeless design with clear lines and elegant shapes defines the JORA ceiling light. The integrated features allow the brightness and light colour to be conveniently adjusted from warm white to cool white by remote control. Alternatively, the brightness can be set in 3 levels (25%, 50% and 100%) using a conventional light switch. The additional sleep timer function switches the light off automatically after a preset time, making the JORA a perfect ceiling light for the bedroom. The integrated night light and memory function round off the light perfectly. Create a lighting ambience with the JORA that can be modern, functional and cosy! Thanks to the modern design and the colour combination of matt white and matt black, the ceiling light brings a unique play of light into your feel-good zone. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Kalea wood 41W 4800lm IP20 switch dimmer 830

**Product code 20129 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 41W

Maximum output 41W/1m

Luminous flux 4800lumens

Luminaire's efficiency lm79 117W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP20

Lifespan 15000h


Height 72.0mm

Width 450.0mm

Weight 2.2 kg

Casing colour wood

No. of switches 25000pcs



## Dome light Trio Lighting Lunar Dim 230V 22W 2460lm IP20 DIMMABLE 830

**Product code 20871 DIMMABLE  
dimmable**

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable DIMMABLE

Output 22W

Luminous flux 2460lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP20

Lifespan 50000h

Height 100.0mm

Diameter 400.0mm

Weight 900 g

Package weight 1.6 kg

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



Bring the moon into your home! The TRIO LUNAR ceiling light impresses with its unique technology and conjures up impressive lighting moods. The enclosed remote control can be used to display individual moon phases and thus provide the right lighting as required. In addition to an integrated dimmer for adjusting the brightness, a night light can also be activated. The light has a diameter of 40 cm and can be used in the bedroom, living room or hallway. The cover of the ceiling light has a slightly grey-brownish shimmering texture that is reminiscent of the surface of the moon. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## **Dome light Trio Lighting Lunar gray 230V 40W 4620lm IP20 DIMMABLE 830**

**Product code 22700 DIMMABLE  
dimnable**

Brand [Trio Lighting](#)  
Supply voltage 230V  
Dimmable DIMMABLE  
Output 40W  
Maximum output 40W/1m  
Luminous flux 4620lumens  
Luminaire's efficiency lm79 116W  
Correlated colour temperature warm  
white 3000K  
Cri 80  
Protection class IP20  
Lifespan 30000h  
Height 100.0mm  
Diameter 600.0mm  
Weight 2 kg  
Package weight 2.8 kg  
Casing colour gray  
Casing material plastic  
No. of switches 15000pcs  
Work environment indoor use  
Warranty 5 years



Bring the moon into your home! The TRIO LUNAR ceiling light impresses with its unique technology and conjures up impressive lighting moods. The enclosed remote control can be used to display individual moon phases and thus provide the right lighting as required. In addition to an integrated dimmer for adjusting the brightness, a night light can also be activated. The light has a diameter of 60cm and can be used in the bedroom, living room or hallway. The cover of the ceiling light has a slightly grey-brownish shimmering texture that is reminiscent of the surface of the moon. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Moonika 230V 15W 1500lm IP44 830

**Product code 20868**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 50000h

Height 85.0mm

Diameter 370.0mm

Weight 400 g

Package weight 900 g

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



The moon is within reach! The MOONIKA ceiling light fascinates with its unique moon cover and conjures up impressive lighting moods in your bedroom or children's room. An additional highlight of this special light is its IP44 classification, which means that the light is protected against splashing water and can therefore also be used in damp rooms. The cover of the ceiling light is made of white plastic, which looks like the surface of the moon. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.


## Dome light Trio Lighting Morgan black / golden 42W 5600lm IP20 DIMMABLE 2700K-6500K warm + cold white

**Product code 22560 DIMMABLE  
dimmable**

Brand [Trio Lighting](#)  
Dimmable DIMMABLE  
Output 42W  
Maximum output 42W/1m  
Luminous flux 5600lumens  
Luminaire's efficiency lm79 133W  
Correlated colour temperature warm  
+ cold white 2700K-6500K  
Protection class IP20  
Lifespan 20000h  
Height 40.0mm  
Diameter 450.0mm  
Weight 2.6 kg  
Package weight 3 kg  
Casing colour black / golden  
Casing material metal  
Work environment indoor use




Nothing beats lights that can be controlled by remote control. Because once you've made yourself cosy on the sofa with a blanket, you'll be happy when you don't have to get up again. The MORGAN round ceiling light, which comes with a remote control, allows you to effortlessly adjust the brightness and light colour to suit your needs and optimise your oasis of well-being from the comfort of your sofa. The night light function can also be switched on and off at any time using the remote control. You too can benefit from the convenient advantages of MORGAN! The purist, round design of the light in matt black and gold colour blends seamlessly into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.




## **Dome light Trio Lighting Morgan black / golden 6000lm IP20 DIMMABLE 2700K-6500K warm + cold white**

**Product code 22558 DIMMABLE  
dimnable**

Brand [Trio Lighting](#)  
Dimmable DIMMABLE  
Maximum output 46W/1m  
Luminous flux 6000lumens  
Correlated colour temperature warm  
+ cold white 2700K-6500K  
Protection class IP20  
Lifespan 20000h  
Height 450.0mm  
Width 450.0mm  
Length 40.0mm  
Weight 3.1 kg  
Package weight 3.5 kg  
Casing colour black / golden  
Casing material metal  
No. of switches 15000pcs  
Work environment indoor use  
Warranty 5 years



There's nothing like lights that can be controlled by remote control. Because once you've made yourself cosy on the sofa with a blanket, you'll be happy when you don't have to get up again. The angular MORGAN ceiling light, which comes with a remote control, allows you to effortlessly adjust the brightness and light colour to suit your needs and optimise your oasis of well-being from the comfort of your sofa. The night light function can also be switched on and off at any time using the remote control. You too can benefit from the convenient advantages of MORGAN! The purist, square design of the luminaire in matt black and gold colour blends seamlessly into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Morgan nickel 5600lm IP20 DIMMABLE 2700K-6500K warm + cold white

**Product code 22559 DIMMABLE dimmable**

Brand [Trio Lighting](#)  
 Dimmable DIMMABLE  
 Maximum output 42W/1m  
 Luminous flux 5600lumens  
 Correlated colour temperature warm + cold white 2700K-6500K  
 Protection class IP20  
 Lifespan 20000h  
 Height 40.0mm  
 Diameter 450.0mm  
 Weight 2.5 kg  
 Package weight 3 kg  
 Casing colour nickel  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years




Nothing beats lights that can be controlled by remote control. Because once you've made yourself cosy on the sofa with a blanket, you'll be happy when you don't have to get up again. The MORGAN round ceiling light, which comes with a remote control, allows you to effortlessly adjust the brightness and light colour to suit your needs and optimise your oasis of well-being from the comfort of your sofa. The night light function can also be switched on and off at any time using the remote control. You too can benefit from the convenient advantages of MORGAN! The purist, round design of the luminaire in matt white and matt nickel blends seamlessly into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Morgan nickel 6000lm CRI80 IP20 DIMMABLE 2700K-6500K warm + cold white

**Product code 22557 DIMMABLE  
dimnable**

Brand [Trio Lighting](#)  
Dimmable DIMMABLE  
Maximum output 46W/1m  
Luminous flux 6000lumens  
Correlated colour temperature warm  
+ cold white 2700K-6500K  
Cri 80  
Protection class IP20  
Lifespan 20000h  
Height 40.0mm  
Width 450.0mm  
Weight 3.1 kg  
Package weight 3.5 kg  
Casing colour nickel  
Casing material metal  
No. of switches 15000pcs  
Work environment indoor use  
Warranty 5 years



There's nothing like lights that can be controlled by remote control. Because once you've made yourself cosy on the sofa with a blanket, you'll be happy when you don't have to get up again. The angular MORGAN ceiling light, which comes with a remote control, allows you to effortlessly adjust the brightness and light colour to suit your needs and optimise your oasis of well-being from the comfort of your sofa. The night light function can also be switched on and off at any time using the remote control. You too can benefit from the convenient advantages of MORGAN! The purist, square design of the luminaire in matt white and matt nickel blends seamlessly into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Nando nickel 13,5W 1290lm IP44 3000K warm white

**Product code 19988**

Brand [Trio Lighting](#)

Output 13,5W

Maximum output 13.5W/1m

Luminous flux 1290lumens

Correlated colour temperature warm  
white 3000K

Protection class IP44

Height 110.0mm

Diameter 250.0mm

Casing colour nickel

Warranty 5 years



## Dome light Trio Lighting Nando white 42W 5200lm CRI80 IP20 Dip Switch 2700K-6000K warm + cold white

**Product code 21920 Dip Switch  
dimnable**

Brand [Trio Lighting](#)

Dimmable Dip Switch

Output 42W

Luminous flux 5200lumens

Luminaire's efficiency lm79 124W

Correlated colour temperature warm  
+ cold white 2700K-6000K

Cri 80

Protection class IP20

Lifespan 10000h

Height 9.0mm

Diameter 70.0mm

Weight 2.2 kg

Package weight 2.9 kg

Casing colour white

Casing material plastic

No. of switches 25000pcs

Warranty 5 years



## **Dome light Trio Lighting Paolo H2O white 230V 15W 1500lm IP44 830**

**Product code 20825**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 85.0mm

Diameter 37.0mm

Weight 500 g

Package weight 900 g

Casing colour white

Casing material plastic

Work environment indoor use

Warranty 5 years

The round PAOLO ceiling light impresses with its simple design, which adapts wonderfully to different living areas. The modern luminaire provides customised lighting effects and pleasant illumination for your living space. The luminaire also impresses with its IP44 classification and is therefore protected against splashing water. For this reason, the PAOLO is ideal for lighting your bathroom. Alternatively, it can also be used in your living room or bedroom. The white acrylic cover blends easily into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Paolo H2O white 230V 15W 1500lm IP44 840

**Product code 20831**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 85.0mm

Diameter 37.0mm

Weight 500 g

Package weight 900 g

Casing colour white

Casing material plastic

Work environment indoor use

Warranty 5 years



The round PAOLO ceiling light impresses with its simple design, which adapts wonderfully to different living areas. The modern luminaire provides customised lighting effects and pleasant illumination for your living space. The luminaire also impresses with its IP44 classification and is therefore protected against splashing water. For this reason, the PAOLO is ideal for lighting your bathroom. Alternatively, it can also be used in your living room or bedroom. The white acrylic cover with the starlight effect blends easily into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Rotunda white 24W 2500lm IP20

## switch dimmer 2700K-6000K warm + cold white

**Product code 22153 switch dimmer dimmable**

Brand [Trio Lighting](#)

Dimmable switch dimmer

Output 24W

Luminous flux 2500lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm + cold white 2700K-6000K

Protection class IP20

Lifespan 30000h

Height 105.0mm

Diameter 380.0mm

Weight 600 g

Package weight 1.1 kg


Casing colour white

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



The ROTUNDA ceiling light impresses with its minimalist, discreet design and modern lighting technology that can be fully customised to your needs. Both the brightness and the light colour can be conveniently adjusted using the remote control - from atmospheric, feel-good light to functional illumination. Alternatively, the brightness can also be easily adjusted in three stages using the existing light switch. The integrated memory function saves the last selected setting, ensuring the perfect light at all times. Whether in the bedroom, hallway or other living areas - ROTUNDA creates a pleasant and calm atmosphere. The combination of white metal and plastic emphasises the discreet, modern character of the light. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Slope black 34W 3900lm CRI80 IP20 switch dimmer 2700K-6500K warm + cold white

**Product code 21010 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 34W  
 Luminous flux 3900lumens  
 Luminaire's efficiency lm79 115W  
 Correlated colour temperature warm + cold white 2700K-6500K  
 Cri 80  
 Protection class IP20  
 Lifespan 20000h  
 Height 75.0mm  
 Diameter 490.0mm  
 Weight 1.3 kg  
 Package weight 1.6 kg  
 Casing colour black  
 Casing material plastic  
 No. of switches 10000pcs  
 Work environment indoor use  
 Warranty 5 years



The SLOPE represents a refined blend of utility and adaptability. Featuring a powerful 34 W SMD LED, it emits roughly 3900 lm, sufficient to illuminate larger rooms with ease. Its standout feature is the seamless tuning of colour temperature between warming 2,700 K and bright 6,500 K daylight—perfect for tailoring mood or glittering clarity. While specifics like IP rating and dimensions ensure its durability and brightness make it an excellent candidate for modern kitchens, bathrooms, covered terraces, or living spaces seeking adaptable light. - Dimmable via switch - CCT - Adjustable Colour  
 Temperatures: Choose between different colour temperatures (2700K - 6500K) - Integrated dimmer - Night light function - Remote Control included - Timer - Memory function - This light fitting is not suitable for external dimmers. It can only be controlled with an integrated dimmer.




# Dome light Trio Lighting Slope white 34W 3900lm CRI80 IP20 switch dimmer 2700K-6500K warm + cold white

**Product code 21011 switch dimmer dimmable**

Brand [Trio Lighting](#)  
 Dimmable switch dimmer  
 Output 34W  
 Luminous flux 3900lumens  
 Luminaire's efficiency lm79 115W  
 Correlated colour temperature warm + cold white 2700K-6500K  
 Cri 80  
 Protection class IP20  
 Lifespan 20000h  
 Height 75.0mm  
 Diameter 490.0mm  
 Weight 1.3 kg  
 Package weight 1.6 kg  
 Casing colour white  
 Casing material plastic  
 No. of switches 10000pcs  
 Work environment indoor use  
 Warranty 5 years



The SLOPE represents a refined blend of utility and adaptability. Featuring a powerful 34 W SMD LED, it emits roughly 3900 lm, sufficient to illuminate larger rooms with ease. Its standout feature is the seamless tuning of colour temperature between warming 2,700 K and bright 6,500 K daylight—perfect for tailoring mood or glittering clarity. While specifics like IP rating and dimensions ensure its durability and brightness make it an excellent candidate for modern kitchens, bathrooms, covered terraces, or living spaces seeking adaptable light. - Dimmable via switch - CCT - Adjustable Colour Temperatures: Choose between different colour temperatures (2700K - 6500K) - Integrated dimmer - Night light function - Remote Control included - Timer - Memory function - This light fitting is not suitable for external dimmers. It can only be controlled with an integrated dimmer.



## Dome light Trio Lighting Solea 36W 4700lm IP20 830

**Product code 22228**

Brand [Trio Lighting](#)

Output 36W

Maximum output 36W/1m

Luminous flux 4700lumens

Luminaire's efficiency lm79 131W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP20

Lifespan 15000h

Height 75.0mm

Diameter 400.0mm

Casing material plastic

No. of switches 25000pcs

Work environment indoor use

Warranty 5 years

With the SOLEA ceiling light, you can bring a design object into your home that blends perfectly into various living areas thanks to its clear and modern look. Whether in the living room, hallway or bedroom - SOLEA impresses with its simple design language and high-quality workmanship. A special highlight is the separate switchability of the individual light sources. This allows you to decide which areas should be softly lit or specifically illuminated. Perfect for flexibly staging rooms according to mood or use. SOLEA impresses with its combination of metal in coffee and warm grey and white acrylic plastic. The interplay of materials creates a modern, timeless design and provides pleasant, uniform light without glare. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Subara white 20W 2100lm IP20 switch dimmer 3000K, 4000K 2CCT

**Product code 21918 switch dimmer dimmable**

Brand [Trio Lighting](#)  
Dimmable switch dimmer  
Output 20W  
Luminous flux 2100lumens  
Luminaire's efficiency lm79 105W  
Correlated colour temperature 2CCT  
3000K, 4000K  
Protection class IP20  
Height 56.0mm  
Width 400.0mm  
Length 26.0mm  
Casing colour white  
Casing material plastic  
Work environment indoor use



## Dome light Trio Lighting Suzuka white 40W 4650lm IP20 DIMMABLE

**Product code 21967 DIMMABLE  
dimmable**

Brand [Trio Lighting](#)  
Dimmable DIMMABLE  
Output 40W  
Luminous flux 4650lumens  
Luminaire's efficiency lm79 116W  
Protection class IP20  
Lifespan 30000h  
Height 65.0mm  
Width 550.0mm  
Length 550.0mm  
Casing colour white  
Casing material plastic  
No. of switches 20000pcs  
Work environment indoor use  
Warranty 5 years

Stylish and extraordinary - a statement for any room. The SUZUKA luminaire impresses with its innovative design and full functionality. It not only fulfils its purpose of illuminating the room, the unusual design also makes the SUZUKA a modern work of art. Properly staged, the luminaire becomes an eye-catching centrepiece that stylishly enhances any living area. The Suzuka combines a variety of special features to create the right ambience in your living space. The light can be dimmed and its light colour can be individually adjusted from warm white (3000 Kelvin) to cool white (5500 Kelvin) using the included remote control. The individual light sources can be switched differently. In this way, different light variants can be created to provide pleasant room lighting: warm white inside and cool white outside, cool white inside and warm white outside. Let yourself be inspired and make your living space shine. The SUZUKA is suitable for both wall and ceiling mounting.



## Dome light Trio Lighting Terra H2O 230V 15W 1500lm IP44 840

### Product code 20866

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 85.0mm

Diameter 37.0mm

Weight 600 g

Package weight 900 g

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



## Dome light Trio Lighting Umberto black 12W 1160lm IP44 830

**Product code 22415**

Brand [Trio Lighting](#)

Output 12W

Maximum output 12W/1m

Luminous flux 1160lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 80.0mm

Diameter 290.0mm

Weight 400 g

Package weight 600 g

In package 1pc

Casing colour black


Casing material plastic

No. of switches 20000pcs

Work environment indoor use

Certificates CE

Warranty 5 years



A characteristic ceiling light such as the UMBERTO adds dimension to small rooms and also attracts attention. Thanks to its high and central positioning, it also provides uniform ambient lighting. An additional highlight of the luminaire is its IP44 classification, which means that the luminaire is protected against splashing water. It is therefore particularly suitable for bathing the bathroom in the right light. The discreet matt black colouring makes it easy to integrate the light into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Umberto chrome 12W 1160lm IP44 830

**Product code 22418**

Brand [Trio Lighting](#)

Output 12W

Maximum output 12W/1m

Luminous flux 1160lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 80.0mm

Diameter 290.0mm

Weight 400 g

Package weight 600 g

In package 1pc

Casing colour chrome

Casing material plastic


No. of switches 20000pcs

Work environment indoor use

Certificates CE

Warranty 5 years

A characteristic ceiling light such as the UMBERTO adds dimension to small rooms and also attracts attention. Thanks to its high and central positioning, it also provides uniform ambient lighting. An additional highlight of the luminaire is its IP44 classification, which means that the luminaire is protected against splashing water. It is therefore particularly suitable for bathing the bathroom in the right light. The discreet chrome colouring makes it easy to integrate the light into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light Trio Lighting Waco white round 51W 12400lm CRI80 IP20 DIMMABLE 2300K, 3000K, 4000K 3CCT

**Product code 20165 DIMMABLE dimmable**

Brand [Trio Lighting](#)  
 Dimmable DIMMABLE  
 Output 51W  
 Luminous flux 12400lumens  
 Luminaire's efficiency lm79 243W  
 Correlated colour temperature 3CCT  
 2300K, 3000K, 4000K  
 Cri 80  
 Protection class IP20  
 Lifespan 30000h  
 Height 6.0mm  
 Diameter 750.0mm  
 Weight 5.26 kg  
 Package weight 6.91 kg  
 Casing colour white  
 Casing material plastic  
 Shape round  
 Work environment indoor use  
 Warranty 5 years

The WACO ceiling light rounds off your living concept in the truest sense of the word. The minimalist design is timeless and adds a touch of elegance and modernity to your kitchen or bedroom, for example. Using a DIP switch, the light colour can be adjusted from warm to neutral white via a switch directly on the luminaire. The light is also infinitely dimmable using an external trailing edge phase dimmer, which you can purchase separately from a specialist retailer. In the simple colour of white matte, as well as the combination of metal and acrylic, the lamp fits into almost any interior style. In addition, the luminaire features modern LED technology, which is characterised by high light quality and energy efficiency. Compared to conventional halogen lamps, up to 80% of energy costs can be saved. In addition, LED light sources have a long service life, produce less heat and protect the environment.



# Dome light Trio Lighting Yuma RGBW Titan 23W 2250lm IP20 DIMMABLE 3000K-6500K 2CCT

**Product code 22561 DIMMABLE dimmable**

Brand [Trio Lighting](#)  
 Dimmable DIMMABLE  
 Output 23W  
 Maximum output 23W/1m  
 Luminous flux 2250lumens  
 Luminaire's efficiency lm79 98W  
 Correlated colour temperature 2CCT 3000K-6500K  
 Protection class IP20  
 Lifespan 25000h  
 Height 50.0mm  
 Diameter 400.0mm  
 Weight 1.3 kg  
 Package weight 1.8 kg  
 Casing colour Titan  
 Casing material metal  
 No. of switches 15000pcs  
 Work environment indoor use  
 Warranty 5 years



Good Mood Light - the YUMA ceiling light provides cosy light and pure harmony in your living space! YUMA is characterised by its indirect light distribution and allows individual adjustment of soft, tasteful colours. This creates a cosy lighting atmosphere that has a grounding effect and positively influences our everyday lives. Using the remote control supplied, you can adjust not only the light colour but also the brightness to suit your needs without having to leave your favourite spot in the living room or bedroom. The night light and memory function round off the overall experience of the light. This creates a relaxed and cosy living atmosphere that gives you strength and peace! The titanium-coloured metal and geometric shape emphasise the understated yet effective lighting flair of the YUMA. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Dome light Trio Lighting Yuma Titan 4200lm 80° IP20 DIMMABLE 3000K-6500K 2CCT

**Product code 22563 DIMMABLE  
dimnable**

Brand [Trio Lighting](#)  
Dimmable DIMMABLE  
Maximum output 35W/1m  
Luminous flux 4200lumens  
Correlated colour temperature 2CCT  
3000K-6500K  
Lens angle 80  
Protection class IP20  
Lifespan 25000h  
Height 50.0mm  
Diameter 600.0mm  
Casing colour Titan  
Casing material metal + plastic  
No. of switches 15000pcs  
Work environment indoor use  
Warranty 5 years

Good Mood Light - the YUMA ceiling light provides cosy light and pure harmony in your living space! YUMA is characterised by its indirect light distribution and allows individual adjustment of soft, tasteful colours. This creates a cosy lighting atmosphere that has a grounding effect and positively influences our everyday lives. Using the remote control supplied, you can adjust not only the light colour but also the brightness to suit your needs without having to leave your favourite spot in the living room or bedroom. The night light and memory function round off the overall experience of the light. This creates a relaxed and cosy living atmosphere that gives you strength and peace! The titanium-coloured metal and geometric shape emphasise the understated yet effective lighting flair of the YUMA. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



# Dome light Trio Lighting Yuma Titan 53W 6700lm IP20 DIMMABLE 3000K-6500K 2CCT

**Product code 22562 DIMMABLE  
dimnable**

Brand [Trio Lighting](#)  
Dimmable DIMMABLE  
Output 53W  
Maximum output 53W/1m  
Luminous flux 6700lumens  
Luminaire's efficiency lm79 126W  
Correlated colour temperature 2CCT  
3000K-6500K  
Protection class IP20  
Lifespan 25000h  
Height 50.0mm  
Diameter 1000.0mm  
Casing colour Titan  
Casing material metal + plastic  
No. of switches 15000pcs  
Work environment indoor use  
Warranty 5 years



Good Mood Light - the YUMA ceiling light provides feel-good light and pure harmony in your living spaces! YUMA is characterised by the individual adjustment of soft, tasteful light colours that create a homely atmosphere and have a positive influence on our everyday lives. With the remote control supplied, you can adjust not only the light colour but also the brightness to suit your needs without having to leave your favourite spot in the living room or bedroom. The night light and sleep timer function round off the overall experience of the light. This creates a relaxed and cosy living atmosphere that gives you strength and peace! The titanium-coloured metal and geometric shape emphasise the understated yet effective lighting flair of the YUMA. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Dome light WEGA white E27 IP44

### Product code 18041

Maximum output 75W/1m  
Socket E27  
Protection class IP44  
Casing colour white



## Dome light Zoe black round 230V 24W 1540lm 115° IP44 840

### Product code 16080

Supply voltage 230V  
Output 24W  
Maximum output 24W/1m  
Luminous flux 1540lumens  
Luminaire's efficiency lm79 64W  
Correlated colour temperature pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 540 g  
In box 5pcs  
Casing colour black  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



LED ceiling light with modern design. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and cover of the luminaire are separable, maintenance and installation are made exceptionally easy! The luminaire adds daylight (4000K) to the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Zoe LX with motion sensor white round 230V 24W 1712lm 115° IP44 840

### Product code 16732

Supply voltage 230V  
Output 24W  
Maximum output 24W/1m  
Luminous flux 1712lumens  
Luminaire's efficiency lm79 71W  
Correlated colour temperature pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 650 g  
In box 5pcs  
Casing colour white  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



Modern designed LED ceiling light for both indoor and outdoor use. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and cover of the luminaire are separable, maintenance and installation are made exceptionally easy! The luminaire adds daylight (4000K) to the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Zoe white round 230V 12W 856lm 115° IP44 840

### Product code 16075

---

Supply voltage 230V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 856lumens  
Luminaire's efficiency lm79 71W  
Correlated colour temperature pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 440 g  
In box 5pcs  
Casing colour white  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



Modern designed LED ceiling light for both indoor and outdoor use. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and cover of the luminaire are separable, maintenance and installation are made exceptionally easy! The luminaire adds daylight (4000K) to the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Dome light Zoe white round 230V 24W 1712lm 115° IP44 840

### Product code 16077

---

Supply voltage 230V  
Output 24W  
Maximum output 24W/1m  
Luminous flux 1712lumens  
Luminaire's efficiency lm79 71W  
Correlated colour temperature pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 540 g  
In box 5pcs  
Casing colour white  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



Modern designed LED ceiling light for both indoor and outdoor use. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and cover of the luminaire are separable, maintenance and installation are made exceptionally easy! The luminaire adds daylight (4000K) to the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## **Dome light Zoe with motion sensor white round 230V 19W 1284lm 115° IP44 840**

### **Product code 18271**

Supply voltage 230V  
Output 19W  
Maximum output 19W/1m  
Luminous flux 1284lumens  
Luminaire's efficiency lm79 68W  
Correlated colour temperature pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 540 g  
In box 5pcs  
Casing colour white  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Impact resistance IK06  
Work environment indoor / outdoor use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



Modern designed LED ceiling light for both indoor and outdoor use. The luminaire is surface-mountable, suitable for both walls and ceilings. As the base and cover of the luminaire are separable, maintenance and installation are made exceptionally easy! The luminaire adds daylight (4000K) to the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)