

## Dome light Chiara white round 230V 10W 610lm CRI80 180° IP20 4000K pure white

**Product code 15038**

Price 8,34+VAT

---

Supply voltage 230V  
Output 10W  
Luminous flux 610lumens  
Luminaire's efficiency 61W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 88.0mm  
Diameter 258.0mm  
In package 1pc  
In box 10pcs  
Casing colour white  
Shape round  
No. of switches 12500pcs  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 2 years



Suitable for mounting in horizontal  
and vertical position.

## Dome light Chiara white round 230V 15W 920lm CRI80 180° IP20 4000K pure white

**Product code 15039**

Price 16,22+VAT

---

Supply voltage 230V  
Output 15W  
Luminous flux 920lumens  
Luminaire's efficiency 61W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 99.0mm  
Diameter 327.0mm  
In package 1pc  
In box 10pcs  
Casing colour white  
Shape round  
No. of switches 12500pcs  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 2 years



Suitable for mounting in horizontal  
and vertical position.

## Dome light Chiara white round 230V 24W 2000lm CRI80 180° IP20 4000K pure white

**Product code 14497**

Price 19,26+VAT

Supply voltage 230V  
Output 24W  
Luminous flux 2000lumens  
Luminaire's efficiency 83W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 180  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 110.0mm  
Diameter 380.0mm  
In package 1pc  
In box 10pcs  
Casing colour white  
Shape round  
No. of switches 12500pcs  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 2 years




Suitable for mounting in horizontal  
and vertical position.

## LED dome light module LMM1842 230V 18W 1700lm CRI80 180° IP20 4200K pure white

**Product code 16303**

Price 7,50+VAT

Supply voltage 230V  
Output 18W  
Luminous flux 1700lumens  
Luminaire's efficiency 94W  
Correlated colour temperature (cct)  
pure white 4200K  
Lens angle 180  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 25.0mm  
Diameter 215.0mm  
No. of switches 15000pcs  
Work environment indoor use  
Operation temperature -25 ~ +50°C  
Warranty 2 years



## Dome light PROLUMEN AL08 D250 white 230V 12W 1068lm CRI80 120° IP54 3000K warm white

**Product code 15089**

Price 28,70+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 12W

Luminous flux 1068lumens

Luminaire's efficiency 89W

Correlated colour temperature (cct)  
warm white 3000K

Lens angle 120

Cri 80

Protection class IP54

Lifespan 40000h

Height 48.0mm

Diameter 250.0mm

In box 20pcs


Casing colour white

Casing material plastic

Impact resistance IK08

Certificates CE, RoHS

Warranty 3 years



## Dome light PROLUMEN AL08 D300 white 230V 18W 1710lm CRI80 120° IP54 3000K warm white

**Product code 16581**

Price 32,58+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 1710lumens

Luminaire's efficiency 95W

Correlated colour temperature (cct)  
warm white 3000K

Lens angle 120

Cri 80

Protection class IP54

Lifespan 40000h

Height 40.0mm

Diameter 300.0mm

Package weight 1300g

In box 10pcs



Casing colour white

Casing material plastic

Impact resistance IK08

Certificates CE, RoHS

Warranty 3 years



## Dome light PROLUMEN AL08 D300 white 230V 18W 1800lm CRI80 120° IP54 4000K pure white

**Product code 13448**

Price 32,58+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 1800lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP54

Lifespan 40000h

In box 10pcs


Casing colour white

Casing material plastic

Impact resistance IK08

Certificates CE, RoHS

Warranty 3 years



## Dome light PROLUMEN AL08 D300 with motion sensor white 230V 25W 2550lm CRI80 120° IP54 4000K pure white

**Product code 15302**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 25W

Luminous flux 2550lumens

Luminaire's efficiency 102W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP54

Lifespan 40000h

In box 10pcs


Casing colour white

Casing material plastic

Impact resistance IK08

Certificates CE, RoHS

Warranty 3 years



## Dome light PROLUMEN AL08 D400 white 230V 30W 3000lm CRI80 120° IP54 3000K warm white

**Product code 14989**

Price 57,01+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 30W

Luminous flux 3000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Cri 80

Protection class IP54

Lifespan 40000h

In box 10pcs


Casing colour white

Casing material plastic

Impact resistance IK08

Certificates CE, RoHS

Warranty 3 years



## Dome light PROLUMEN AL45 D270 white round 230V 12W 1200lm CRI80 120° IP65 4000K pure white

**Product code 15787**

Price 38,02+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 12W

Luminous flux 1200lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 70.0mm

Diameter 270.0mm

Package weight 755g

In box 10pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



## Dome light PROLUMEN AL45 D320 white round 230V 25W 2500lm CRI80 120° IP65 4000K pure white

**Product code 15545**

Price 40,04+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 25W

Luminous flux 2500lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 70.0mm

Diameter 320.0mm

In box 6pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



## Dome light PROLUMEN AL45 D520 round 230V 35W 3500lm CRI80 120° IP65 4000K pure white

**Product code 15786**

Price 95,70+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 35W

Luminous flux 3500lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 85.0mm

Diameter 520.0mm

In box 6pcs

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years





## Dome light PROLUMEN AL45 D520 white round 230V 40W 4000lm CRI80 120° IP65 3000K, 4000K, 5700K WW/DW/CW

**Product code 15857**

Price 99,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 40W

Luminous flux 4000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

WW/DW/CW 3000K, 4000K, 5700K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 85.0mm

Diameter 520.0mm

Weight 2400g

In box 6pcs

Casing colour white

Casing material plastic

Polishing matt

Shape round

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



## Dome light PROLUMEN AL96 D200 black 230V 12W 1000lm CRI80 120° IP65 3000K warm white

**Product code 16034**

Price 20,61+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 12W

Luminous flux 1000lumens

Luminaire's efficiency 83W

Correlated colour temperature (cct)  
warm white 3000K

Lens angle 120

Cri 80

Protection class IP65

Lifespan 50000h

Height 60.0mm

Diameter 200.0mm

In box 12pcs

Casing colour black

Casing material plastic

Impact resistance IK10

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



## Dome light PROLUMEN AL96 D275 black 230V 18W 1650lm CRI80 110° IP65 3000K warm white

**Product code 16005**

Price 36,92+VAT

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 18W  
Luminous flux 1650lumens  
Luminaire's efficiency 92W  
Correlated colour temperature (cct)  
warm white 3000K  
Lens angle 110  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 60.0mm  
Diameter 275.0mm  
In box 12pcs  
Casing colour black  
Casing material plastic  
Impact resistance IK10  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



## Dome light TAURUS with motion sensor white round 230V 21W 1800lm CRI80 120° IP44 4000K pure white

**Product code 16334**

Price 41,49+VAT

Supply voltage 230V  
Output 21W  
Luminous flux 1800lumens  
Luminaire's efficiency 86W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 120  
Cri 80  
Protection class IP44  
Lifespan 15000h  
Height 130.0mm  
Diameter 300.0mm  
Weight 850g  
In box 5pcs  
Casing colour white  
Shape round  
No. of switches 10000pcs  
Operation temperature -20 ~ +40°C  
Warranty 3 years



## Dome light TAURUS with motion sensor white round 230V 27W 2300lm CRI80 120° IP44 4000K pure white

**Product code 15601**

Price 41,59+VAT

Supply voltage 230V  
Output 27W  
Luminous flux 2300lumens  
Luminaire's efficiency 85W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 120  
Cri 80  
Protection class IP44  
Lifespan 15000h  
Height 130.0mm  
Diameter 350.0mm  
In box 5pcs  
Casing colour white  
Shape round  
No. of switches 10000pcs  
Operation temperature -20 ~ +40°C  
Warranty 3 years



## Dome light Zoe black round 230V 12W 720lm CRI80 115° IP44 4000K pure white

**Product code 16078**

Price 21,57+VAT

Supply voltage 230V  
Output 12W  
Luminous flux 720lumens  
Luminaire's efficiency 60W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 440g  
In box 5pcs  
Casing colour black  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



## Dome light Zoe black round 230V 18W 1080lm CRI80 115° IP44 4000K pure white

**Product code 16079**

Price 18,67+VAT

---

Supply voltage 230V  
Output 18W  
Luminous flux 1080lumens  
Luminaire's efficiency 60W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 450g  
In box 5pcs  
Casing colour black  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



## Dome light Zoe black round 230V 24W 1440lm CRI80 115° IP44 4000K pure white

**Product code 16080**

Price 28,32+VAT

Supply voltage 230V  
Output 24W  
Luminous flux 1440lumens  
Luminaire's efficiency 60W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 540g  
In box 5pcs  
Casing colour black  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



## Dome light Zoe white round 230V 12W 800lm CRI80 115° IP44 4000K pure white

**Product code 16075**

Price 17,46+VAT

---

Supply voltage 230V  
Output 12W  
Luminous flux 800lumens  
Luminaire's efficiency 67W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 440g  
In box 5pcs  
Casing colour white  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years



## Dome light Zoe white round 230V 18W 1200lm CRI80 115° IP44 4000K pure white

**Product code 16076**

Price 17,99+VAT

---

Supply voltage 230V  
Output 18W  
Luminous flux 1200lumens  
Luminaire's efficiency 67W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 450g  
In box 5pcs  
Casing colour white  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years





## Dome light Zoe white round 230V 24W 1600lm CRI80 115° IP44 4000K pure white

**Product code 16077**

Price 21,69+VAT

---

Supply voltage 230V  
Output 24W  
Luminous flux 1600lumens  
Luminaire's efficiency 67W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 115  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 80.0mm  
Diameter 300.0mm  
Weight 540g  
In box 5pcs  
Casing colour white  
Casing material metal + plastic  
Shape round  
No. of switches 15000pcs  
Work environment indoor / outdoor  
use  
Operation temperature -20 ~ +40°C  
Certificates CE  
Warranty 3 years

