



Spotlight 3224 black square GU10 IP20

Product code 14895

Socket GU10
Protection class IP20
Height 110.0mm
Width 85.0mm
Length 85.0mm
Casing colour black
Polishing matt
Shape square
Work environment indoor use

Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!



Ceiling lamp Art of Light NAOS white 230V 35W GU10

Product code 14744

Brand Art of Light
Supply voltage 230V
Output 35W
Maximum output 35W/1m
Socket GU10
Height 135.0mm
Width 90.0mm
Length 90.0mm
Casing colour white
Casing material gypsum
Polishing matt
Work environment indoor use
Certificates CE

Gypsum frame.







Spotlight Conik white GU10 IP20

Product code 20019

Brand Maytoni
Socket GU10
Protection class IP20
Height 135.0mm
Diameter 110.0mm
Casing colour white
Casing material metal




Spotlight Cube 40x40 white 230V 5W 450lm CRI92 36° IP20

Product code 18079

Supply voltage 230V
Output 5W
Maximum output 5W/1m
Luminous flux 450lumens
Luminaire's efficiency Im79 90W
Lens angle 36
Cri 92
Protection class IP20
Lifespan 40000h
Height 70.0mm
Width 40.0mm
Length 40.0mm
Casing colour white
Casing material aluminium
Warranty 3 years









Ceiling lamp Deko-Light Ascella dark gray 30W 2300lm IP54 830

Product code 20216

Brand Deko-Light Output 30W Luminous flux 2300lumens Luminaire's efficiency Im79 77W Correlated colour temperature warm white 3000K Cri 80 Protection class IP54 Lifespan 30000h Height 50.0mm Width 340.0mm Length 340.0mm Weight 2370g Package weight 2550g Casing colour dark gray Casing material aluminium No. of switches 100000pcs

Operation temperature -5 ~ 40°C



Table lamp Deko-Light Caja I white GU10 IP20

Product code 20202

Brand Deko-Light
Output voltage 220-240V
Socket GU10
Protection class IP20
Height 160.0mm
Width 132.0mm
Length 132.0mm
In package 1pc
Casing colour white
Casing material gypsum
Polishing matt
Work environment indoor use
Operation temperature -20 kuni 40
°C°C
Warranty 3 years







Dome light Deko-Light Menkar DIM brown 41W 3460lm 110° IP20 830

Product code 20187

Brand Deko-Light Output voltage 220-240V Output 41W Luminous flux 3460lumens Luminaire's efficiency Im79 84W Correlated colour temperature warm white 3000K Lens angle 110 Cri 80 Protection class IP20 Lifespan 25000h Height 90.0mm Diameter 400.0mm Weight 2300g Package weight 2600g Casing colour brown Casing material aluminium Work environment indoor use Operation temperature -10 to 45 °C°C

MENKAR series ceiling lights impress with clever lighting functions and high-quality aluminium accents. The rear light, which can be switched on separately (approx. 15-20 % of indirect lighting component), allows continuous indirect lighting whilst the main light can be switched on at any time. Indirect and direct lighting Light colour adjustable in 2 stages Indirect lighting can be switched on separately Dimmable High luminous intensity









8.12.2025



Dome light Deko-Light Menkar DIM silver 41W 3460lm 110° IP20 830

Product code 20188

Brand Deko-Light Output voltage 220-240V Output 41W Luminous flux 3460lumens Luminaire's efficiency Im79 84W Correlated colour temperature warm white 3000K Lens angle 110 Cri 80 Protection class IP20 Lifespan 25000h Height 90.0mm Diameter 400.0mm Weight 2300g Package weight 2600g Casing colour silver Casing material aluminium Work environment indoor use Operation temperature -10 to 45 °C°C

MENKAR series ceiling lights impress with clever lighting functions and high-quality aluminium accents. The rear light, which can be switched on separately (approx. 15-20 % of indirect lighting component), allows continuous indirect lighting whilst the main light can be switched on at any time. Indirect and direct lighting Light colour adjustable in 2 stages Indirect lighting can be switched on separately Dimmable High luminous intensity







Honeycomb filter Deko-Light Modular Sytem COB

Product code 20399

Brand <u>Deko-Light</u> Diameter 75.0mm Casing material aluminium







Dome light Deko-Light Motion liikumis- ja hämaranduriga white 20W 1500lm 110° IP65 3000K warm white

Product code 20173

Brand **Deko-Light** Output voltage 220-240V Output 20W Luminous flux 1500lumens Luminaire's efficiency Im79 75W Correlated colour temperature warm white 3000K Lens angle 110 Protection class IP65 Lifespan 25000h Height 54.0mm Diameter 200.0mm Casing colour white Casing material aluminium Work environment outdoor use Operation temperature -25 kuni 45 $^{\circ}\text{C}^{\circ}\text{C}$





Dome light E6 172x172 white square 230V 16W 1130lm 160° IP20 830





Product code 14145

Supply voltage 230V Output 16W Maximum output 16W/1m Rated current 125mA Luminous flux 1130lumens Luminaire's efficiency Im79 71W Correlated colour temperature warm white 3000K Lens angle 160 Cri 80 Protection class IP20 Lifespan 20000h Height 34.5mm Width 172.0mm Length 172.0mm In package 1pc In box 20pcs Casing colour white Casing material aluminium + plastic Polishing matt Shape square No. of switches 12500pcs Work environment indoor use Operation temperature -20~+40°C Certificates CE, RoHS

Surface-mounted square ceiling light. The LED light fixture fits into any interior with its minimalist design and can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!





8/128 8.12.2025



Dome light E6 D176 white round 230V 12W 1190lm 160° 830

Product code 13524

Supply voltage 230V Output 12W Maximum output 12W/1m Rated current 100mA Luminous flux 1190lumens Luminaire's efficiency Im79 99W Correlated colour temperature warm white 3000K Lens angle 160 Cri 80 Lifespan 20000h Height 34.5mm Diameter 176.5mm Weight 476g In package 1pc In box 20pcs Casing colour white Casing material aluminium + plastic Shape round No. of switches 12500pcs Operation temperature -20°C~40°C

Surface-mounted ceiling light. The LED light fixture fits into any interior with its minimalist design and can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!



Dome light EMOS NEXXO 120x120 white square 230V 7.6W 680lm 120° IP40/20 840



9/128 8.12.2025


Product code 17949

Brand EMOS Supply voltage 230V Power factor 0.90 Output 7.6W Maximum output 7.6W/1m Rated current 500mA Luminous flux 680lumens Luminaire's efficiency Im79 89W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 40.0mm Width 120.0mm Length 120.0mm Weight 427g In package 1pc In box 8pcs Casing colour white Casing material metal + plastic Polishing matt Shape square Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years

Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other EMOS NEXXO ceiling lights!









Dome light EMOS NEXXO 170x170 white square 230V 12.5W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

Product code 16633

Brand EMOS Supply voltage 230V Power factor 0.50 Output 12.5W Maximum output 12.5W/1m Rated current 300mA Luminous flux 1100lumens Luminaire's efficiency Im79 88W Correlated colour temperature 3CCT 3000K, 3500K, 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 42.0mm Width 170.0mm Length 170.0mm In package 1pc In box 8pcs Casing colour white Casing material metal + plastic Polishing matt Shape square Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years

Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other EMOS NEXXO ceiling lights!









Dome light EMOS NEXXO 225x225 white square 230V 21W 1900lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

Product code 16888

Brand EMOS Supply voltage 230V Power factor 0.90 Output 21W Maximum output 21W/1m Rated current 500mA Luminous flux 1900lumens Luminaire's efficiency Im79 90W Correlated colour temperature 3CCT 3000K, 3500K, 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 42.0mm Width 225.0mm Length 225.0mm In package 1pc In box 8pcs Casing colour white Casing material metal + plastic Polishing matt Shape square Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS

Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other EMOS NEXXO ceiling lights!

Warranty 3 years









Dome light EMOS NEXXO D120 white round 230V 7.6W 680lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

Product code 17047

Brand EMOS Supply voltage 230V Power factor 0.50 Output 7.6W Maximum output 7.6W/1m Rated current 300mA Luminous flux 680lumens Luminaire's efficiency Im79 89W Correlated colour temperature 3CCT 3000K, 3500K, 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 40.0mm Diameter 120.0mm In package 1pc In box 8pcs Casing colour white Casing material metal + plastic Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years









Dome light EMOS NEXXO D170 black round 230V 12.50W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

Product code 18280

Brand EMOS Supply voltage 230V Power factor 0.50 Output 12.50W Maximum output 12.50W/1m Rated current 300mA Luminous flux 1100lumens Luminaire's efficiency Im79 88W Correlated colour temperature 3CCT 3000K, 3500K, 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 42.0mm Diameter 170.0mm In package 1pc In box 8pcs Casing colour black Casing material metal + plastic Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years







Dome light EMOS NEXXO D170 white round 230V 12.5W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

Product code 16890

Brand EMOS Supply voltage 230V Power factor 0.50 Output 12.5W Maximum output 12.5W/1m Rated current 300mA Luminous flux 1100lumens Luminaire's efficiency Im79 88W Correlated colour temperature 3CCT 3000K, 3500K, 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 42.0mm Diameter 170.0mm In package 1pc In box 8pcs Casing colour white Casing material metal + plastic Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years









Dome light EMOS NEXXO D225 white round 230V 21W 1900lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

Product code 16889

Brand EMOS Supply voltage 230V Power factor 0.90 Output 21W Maximum output 21W/1m Rated current 500mA Luminous flux 1900lumens Luminaire's efficiency Im79 90W Correlated colour temperature 3CCT 3000K, 3500K, 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 42.0mm Diameter 225.0mm In package 1pc In box 8pcs Casing colour white Casing material metal + plastic Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years









Dome light EMOS NEXXO D300 white round 230V 28.5W 2700lm CRI80 120° IP40/20 3000K, 3500K, 4000K 3CCT

Product code 17048

Brand EMOS Supply voltage 230V Power factor 0.90 Output 28.5W Maximum output 28.5W/1m Rated current 700mA Luminous flux 2700lumens Luminaire's efficiency Im79 95W Correlated colour temperature 3CCT 3000K, 3500K, 4000K Lens angle 120 Cri 80 Protection class IP40/20 Lifespan 30000h Height 42.0mm Diameter 300.0mm In package 1pc In box 8pcs Casing colour white Casing material metal + plastic Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years









Spotlight Eye M white round GU10

Product code 19982

Socket GU10
Height 250.0mm
Diameter 55.0mm
Casing colour white
Casing material metal
Shape round
Work environment indoor use





Spotlight Eye S black round GU10

Product code 19981

Socket GU10
Height 100.0mm
Diameter 55.0mm
Casing colour black
Casing material metal
Shape round
Work environment indoor use



Spotlight Focus gold GU10

Product code 20149

Socket GU10
Height 192.0mm
Diameter 60.0mm
Weight 300g
Package weight 350g
Casing colour gold
Casing material aluminium
Warranty 2 years





18/128 8.12.2025

Chandelier Garda 4 x 14E white / golden E14 IP20

Product code 20020

Brand Maytoni
Socket E14
Protection class IP20
Height 130.0mm
Diameter 450.0mm
Casing colour white / golden
Casing material metal + glass



Ceiling lamp GLOBE ELEGANCE SMOKE S6 E27 IP20

Product code 18064

Socket E27 Protection class IP20 Work environment indoor use



Spotlight LAHTI MINI 2X9W black 230V 18W 1050lm 35° IP20 TRIAC 930




19/128 8.12.2025

Product code 16426 TRIAC dimmable

Supply voltage 230V Dimmable TRIAC Output 18W Maximum output 18W/1m Luminous flux 1050lumens Luminaire's efficiency Im79 58W Correlated colour temperature warm white 3000K Lens angle 35 Source of light PHILIPS LED Cri 90 Protection class IP20 Lifespan 30000h Height 82.0mm Width 78.0mm Length 161.0mm Weight 820g In box 12pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 2 years

LAHTI MINI surface-mounted LED luminaire. Modern and elegant, offering minimalist design that fits various interiors. This luminaire, with IP20 protection rating, is an ideal choice for home or office environments, providing warm white light at 3000K. With this LED lamp, you can keep colors true to life in living spaces, making it suitable as the main light source in a room! The lamp body is made of aluminum, in a matte black finish. The 18W LAHTI MINI is also dimmable (TRIAC). With proper use, the luminaire is energyefficient, environmentally friendly, and has a very long lifespan (50,000 hours). Elevate the quality of your everyday lighting and choose a topnotch lighting solution from the LED house product range!










Spotlight LAHTI MINI 2X9W white 230V 18W 1050lm 35° IP20 TRIAC 930

Product code 16427 TRIAC dimmable

Supply voltage 230V Dimmable TRIAC Output 18W Maximum output 18W/1m Luminous flux 1050lumens Luminaire's efficiency Im79 58W Correlated colour temperature warm white 3000K Lens angle 35 Source of light PHILIPS LED Cri 90 Protection class IP20 Lifespan 30000h Height 82.0mm Width 78.0mm Length 161.0mm Weight 820g In box 12pcs Casing colour white Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 2 years

LAHTI MINI surface-mounted LED luminaire. Modern and elegant, offering minimalist design that fits various interiors. This luminaire, with IP20 protection rating, is an ideal choice for home or office environments, providing warm white light at 3000K. With this LED lamp, you can keep colors true to life in living spaces, making it suitable as the main light source in a room! The lamp body is made of aluminum, in a matte black finish. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Elevate the quality of your everyday lighting and choose a top-notch lighting solution from the LED house product range!







21/128 8.12.2025

Spotlight LAHTI MINI black 230V 13.5W 850lm 35° IP20 TRIAC 930

Product code 16605 TRIAC dimmable

Supply voltage 230V Dimmable TRIAC Output 13.5W Maximum output 13.5W/1m Luminous flux 850lumens Luminaire's efficiency Im79 63W Correlated colour temperature warm white 3000K Lens angle 35 Source of light PHILIPS LED Cri 90 Protection class IP20 Lifespan 30000h Height 99.0mm Diameter 100.0mm Weight 580g In package 1pc In box 24pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE, RoHS

Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Warranty 2 years













Spotlight LAHTI MINI black 230V 9W 550lm 35° IP20 TRIAC 930

Product code 16599 TRIAC dimmable

Supply voltage 230V Dimmable TRIAC Output 9W Maximum output 9W/1m Luminous flux 550lumens Luminaire's efficiency Im79 61W Correlated colour temperature warm white 3000K Lens angle 35 Cri 90 Protection class IP20 Lifespan 30000h Height 80.0mm Diameter 78.0mm Weight 450g Package weight 500g In package 1pc In box 24pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE. RoHS

Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

Warranty 2 years







8.12.2025







Spotlight LAHTI MINI white 230V 10.5W 680lm 35° IP20 TRIAC 930

Product code 17046 TRIAC dimmable

Supply voltage 230V Dimmable TRIAC Output 10.5W Maximum output 10.5W/1m Luminous flux 680lumens Luminaire's efficiency Im79 65W Correlated colour temperature warm white 3000K Lens angle 35 Source of light PHILIPS LED Cri 90 Protection class IP20 Lifespan 30000h Height 99.0mm Diameter 100.0mm Weight 780g In box 24pcs Casing colour white Casing material aluminium No. of switches 20000pcs Work environment indoor use Certificates CE, RoHS Warranty 2 years

Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!







Ceiling lamp LENO black GU10 IP20

Product code 17151

Socket GU10
Protection class IP20
Height 123.0mm
Length 175.0mm
In box 10pcs
Casing colour black
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!





Ceiling lamp LENO white GU10 IP20

Product code 17150

Socket GU10
Protection class IP20
Height 123.0mm
Length 175.0mm
In box 10pcs
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Striking surface-mounted ceiling light. Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - check out our project portfolio here!









Ceiling lamp Maytoni Ares graphite 10W 700lm 36° IP54 830

Product code 19918


Brand Maytoni Output 10W Luminous flux 700lumens Luminaire's efficiency Im79 70W Correlated colour temperature warm white 3000K Lens angle 36 Cri 80 Protection class IP54 Height 80.0mm Width 150.0mm Length 50.0mm Casing colour graphite Casing material metal + glass Operation temperature -40...+50°C°C Warranty 3 years



Spotlight Maytoni Ares graphite 8W 500lm 40° IP54 830

Product code 19919

Brand Maytoni Output 8W Luminous flux 500lumens Luminaire's efficiency Im79 63W Correlated colour temperature warm white 3000K Lens angle 40 Cri 80 Protection class IP54 Lifespan 50000h Height 80.0mm Width 76.0mm Length 76.0mm Weight 500g Package weight 550g Casing colour graphite Casing material metal + glass Warranty 3 years





26/128 8.12.2025

Spotlight Maytoni Artisan black round GU10

Product code 20211

Brand Maytoni
Socket GU10
Height 130.0mm
Diameter 60.0mm
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use
Warranty 2 years





Spotlight Maytoni Artisan white round GU10

Product code 20212

Brand Maytoni
Socket GU10
Height 108.0mm
Diameter 54.0mm
Casing colour white
Casing material aluminium
Shape round
Work environment indoor use





Spotlight Maytoni Atom black round GU10

Product code 20214

Brand Maytoni
Socket GU10
Height 115.0mm
Diameter 85.0mm
Weight 320g
Package weight 370g
Casing colour black
Casing material aluminium
Shape round
Work environment indoor use
Warranty 2 years









Spotlight Maytoni Bar graphite 12W 1300lm 81° IP65 830

Product code 19738

Brand Maytoni
Output 12W
Luminous flux 1300lumens
Luminaire's efficiency Im79 108W
Correlated colour temperature warm
white 3000K
Lens angle 81
Cri 80
Protection class IP65
Height 155.0mm
Casing colour graphite
Casing material metal



Spotlight Maytoni Bar graphite round 7W 800lm 81° IP65 830

Product code 19739

Brand Maytoni Output 7W Luminous flux 800lumens Luminaire's efficiency lm79 114W Correlated colour temperature warm white 3000K Lens angle 81 Cri 80 Protection class IP65 Lifespan 50000h Height 115.0mm Diameter 90.0mm Weight 510g Package weight 540g Casing colour graphite Casing material metal Shape round Work environment indoor / outdoor Operation temperature -40...+50°C°C Warranty 3 years







Chandelier Maytoni Basfor 16 x E14 gold round E14 IP20

Product code 20125

Brand Maytoni
Socket E14
Protection class IP20
Height 325.0mm
Diameter 605.0mm
Weight 7790g
Package weight 10650g
Casing colour gold
Casing material glass
Polishing shiny
Shape round
Work environment indoor use
Warranty 2 years

The Basfor collection by Maytoni embodies sophistication and refinement with a contemporary twist. At the heart of the design are exquisite diamond-cut crystals that create a captivating play of light, lending the luminaires a luxurious appearance. The elegant frame is made from premium-grade metal with a high-quality galvanic finish. An additional year of warranty is provided, ensuring peace of mind with every purchase.





Spotlight Maytoni black GU10 IP20

Product code 19637

Brand Maytoni Socket GU10 Protection class IP20 Height 100.0mm Diameter 52.0mm Casing colour black







Spotlight Maytoni Calipso white GU10 IP20

Product code 19709

Brand Maytoni Socket GU10 Protection class IP20 Height 136.0mm Diameter 56.0mm Casing colour white



Ceiling lamp Maytoni Dallas 20 chrome G9

Product code 20448

Brand Maytoni
Socket G9
Height 250.0mm
Diameter 750.0mm
Weight 3740g
Package weight 4680g
Casing colour chrome
Casing material metal + glass
Work environment indoor use
Warranty 2 years

The series showcases large-scale sculptural compositions formed by numerous blown glass spheres. The tinted or clear shades, mounted on polished metal branches, gently diffuse and soften the light, creating a sophisticated visual effect. The luminaires are available in gold, chrome, and brass colors. Suspension height is easily adjustable via the cable length. The series includes ceiling-mounted fixtures, pendants, and wall lamps, offering flexibility for a wide range of interior layouts.









Spotlight Maytoni Elti white GU10 IP20

Product code 20421

Brand Maytoni
Socket GU10
Protection class IP20
Height 280.0mm
Width 200.0mm
Length 70.0mm
Diameter 53.0mm
Weight 390g
Package weight 470g
Casing colour white
Casing material aluminium
Work environment indoor use
Warranty 2 years



Spotlight Maytoni Focus black GU10 IP20

Product code 20215

Brand Maytoni Socket GU10 Protection class IP20 Height 130.0mm Diameter 60.0mm Weight 240g Package weight 250g Casing colour black Warranty 2 years



Spotlight Maytoni Focus white GU10 IP20

Product code 20434

Brand Maytoni Socket GU10 Protection class IP20 Height 130.0mm Diameter 60.0mm Weight 240g Package weight 250g Casing colour white Warranty 2 years







Dome light Maytoni Frigate 3 X E14 white E14 IP20

Product code 20021

Brand Maytoni
Socket E14
Protection class IP20
Height 17.3mm
Diameter 52.6mm
Casing colour white
Casing material wood



Spotlight Maytoni Hoop black G53 IP20

Product code 20403

Brand Maytoni
Socket G53
Protection class IP20
Height 50.0mm
Diameter 85.0mm
Weight 140g
Package weight 150g
Casing colour black
Casing material aluminium
Warranty 2 years



Spotlight Maytoni Lipari white GU10

Product code 20414

Brand Maytoni
Socket GU10
Height 150.0mm
Diameter 60.0mm
Weight 210g
Package weight 250g
In package 1pc
Casing colour white
Casing material aluminium







Spotlight Maytoni Magnum 2 black 14W 1000lm 24° IP20 3000K warm white

Product code 20420

Brand Maytoni Output 14W Luminous flux 1000lumens Luminaire's efficiency Im79 71W Correlated colour temperature warm white 3000K Lens angle 24 Protection class IP20 Lifespan 50000h Height 88.0mm Width 112.0mm Length 112.0mm Weight 550g Package weight 585g Casing colour black Casing material aluminium Work environment indoor use Warranty 5 years



Spotlight Maytoni Onda white round 12W CRI90 120° IP20 TRIAC 2200K, 3000K, 4000K 3CCT



33/128 8.12.2025

Product code 20185 TRIAC dimmable

Brand Maytoni Dimmable TRIAC Output 12W Correlated colour temperature 3CCT 2200K, 3000K, 4000K Lens angle 120 Cri 90 Protection class IP20 Lifespan 30000h Height 66.0mm Diameter 85.0mm Weight 290g Package weight 320g Casing colour white Casing material metal Shape round

Warranty 5 years

The Onda luminaire embodies adaptability and versatility. Its sleek metal housing is available in white, classic black, or a sophisticated black and matte gold combination. Thanks to its adjustable swivel mechanism, the light can be directed precisely where it's needed. Onda offers a choice of wattages and color temperatures, including biodynamic models. With a wide 120° beam angle and a high color rendering index (CRI >90), it delivers comfortable, natural illumination that enhances any environment. Compatible with both DALI and Triac dimming systems, Onda is ready to integrate seamlessly into the smart homes of tomorrow where comfort, control, and performance go hand in hand.







Chandelier Maytoni Palace gold E27

Product code 20449

Brand Maytoni
Socket E27
Height 380.0mm
Diameter 500.0mm
Weight 6270g
Package weight 6570g
Casing colour gold
Casing material metal + glass
Warranty 2 years

Crystals define the luxurious appearance of the Palace collection. Each model is further adorned with intricate floral inlays of exceptional craftsmanship. This extensive series includes a wide variety of ceiling and pendant chandeliers, as well as wall lamps with both concealed light.



Ceiling lamp Maytoni Plons brass 34W 2040lm 180° IP20 830

Product code 19940

Brand Maytoni
Output 34W
Luminous flux 2040lumens
Luminaire's efficiency Im79 60W
Correlated colour temperature warm
white 3000K
Lens angle 180
Cri 80
Protection class IP20
Height 240.0mm
Width 580.0mm
Length 600.0mm
Casing colour brass







Spotlight Maytoni Roll black 50W GU10 IP54

Product code 19841

Brand Maytoni
Output 50W
Socket GU10
Protection class IP54
Height 100.0mm
Casing colour black
Casing material aluminium



Spotlight Maytoni Spin graphite 12W 1050lm 55° IP54 830

Product code 19923

Brand Maytoni Output 12W Luminous flux 1050lumens Luminaire's efficiency Im79 88W Correlated colour temperature warm white 3000K Lens angle 55 Cri 80 Protection class IP54 Lifespan 50000h Height 108.0mm Diameter 108.0mm Casing colour graphite Casing material metal + glass Operation temperature -40...+50°C°C Warranty 3 years







Spotlight Maytoni Spin graphite 5W 480lm 35° IP54 830

Product code 19924

Brand Maytoni Output 5W Luminous flux 480lumens Luminaire's efficiency Im79 96W Correlated colour temperature warm white 3000K Lens angle 35 Cri 80 Protection class IP54 Height 90.0mm Diameter 90.0mm Weight 510g Package weight 560g Casing colour graphite Casing material metal + glass Warranty 3 years



Spotlight Maytoni Spin white 12W 1050lm 55° IP54 930

Product code 19421

Brand Maytoni Output 12W Maximum output 12W/1m Luminous flux 1050lumens Luminaire's efficiency Im79 88W Correlated colour temperature warm white 3000K Lens angle 55 Source of light PHILIPS LED Cri 90 Protection class IP54 Lifespan 30000h Height 108.0mm Diameter 108.0mm Weight 580g In box 24pcs Casing colour white Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 2 years







Spotlight Maytoni Spin white 5W 480lm 35° IP54 830

Product code 19925

Brand Maytoni
Output 5W
Luminous flux 480lumens
Luminaire's efficiency Im79 96W
Correlated colour temperature warm
white 3000K
Lens angle 35
Cri 80
Protection class IP54
Height 90.0mm
Diameter 90.0mm
Casing colour white
Casing material metal + glass
Operation temperature -40...+50°C°C
Warranty 5 years



Spotlight Maytoni white GU10 IP20

Product code 19638

Brand Maytoni Socket GU10 Protection class IP20 Height 100.0mm Diameter 52.0mm Casing colour white







Spotlight Maytoni Yin white 15W 1020lm 24° IP20 TRIAC 3000K warm white

Product code 20109 TRIAC dimmable


Brand Maytoni Dimmable TRIAC Output 15W Luminous flux 1020lumens Luminaire's efficiency Im79 68W Correlated colour temperature warm white 3000K Lens angle 24 Protection class IP20 Lifespan 20000h Height 105.0mm Diameter 100.0mm Weight 510g Package weight 560g Casing colour white Casing material aluminium Warranty 5 years



Spotlight NUUK black 230V GU10 IP20

Product code 18034

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP20
In box 20pcs
Casing colour black
Casing material aluminium
Work environment indoor use







Spotlight PET black 230V GU10 IP20

Product code 19936

Supply voltage 230V
Socket GU10
Protection class IP20
Height 120.0mm
Diameter 55.0mm
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 2 years



Spotlight PET next MAXI white / golden 230V 13,5W 1680lm IP20 930

Product code 19939

Supply voltage 230V Output 13,5W Maximum output 13.5W/1m Luminous flux 1680lumens Correlated colour temperature warm white 3000K Cri 90 Protection class IP20 Height 200.0mm Diameter 80.0mm Casing colour white / golden Casing material aluminium Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE Warranty 2 years







Spotlight PROLUMEN DL115A black 18W 1890lm 90° IP54 940

Product code 15519

Brand PROLUMEN Output 18W Maximum output 18W/1m Luminous flux 1890lumens Luminaire's efficiency Im79 105W Correlated colour temperature pure white 4000K Lens angle 90 Cri 90 Protection class IP54 Lifespan 50000h Height 124.0mm Diameter 170.0mm In box 12pcs Casing colour black Casing material aluminium Polishing matt Impact resistance IK05 Work environment indoor use Certificates CE Warranty 5 years

Round-shaped surface-mounted LED ceiling light. Suitable for various spaces due to its simple design. This light fixture is intended for indoor use only, with an IP54 protection rating. It has an ideal color rendering index (CRI90) for workspaces and offices. LED lights with a color temperature of 4000K create neutral light, which is ideal for workspaces and kitchens, among other places. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!







Spotlight PROLUMEN DL115A white round 230V 25W 2330lm 60° IP54 930

Product code 15892

Brand PROLUMEN Supply voltage 230V Output 25W Maximum output 25W/1m Luminous flux 2330lumens Luminaire's efficiency Im79 93W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Protection class IP54 Lifespan 50000h Height 129.0mm Diameter 213.0mm Weight 800g Package weight 12500g In box 12pcs Casing colour white Casing material aluminium Shape round Work environment indoor use Certificates CE, RoHS Warranty 5 years

Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The warm light of the luminaire is perfect for bedrooms, living rooms, and other spaces with a softer atmosphere. The same model of recessed luminaire can also be found in the LED house product range with a black-colored housing!



Spotlight PROLUMEN DL115B white round 230V 25W 2330lm 90° IP54 TRIAC 930





Product code 15873 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2330lumens Luminaire's efficiency Im79 93W Correlated colour temperature warm white 3000K Lens angle 90 Cri 90 Protection class IP54 Lifespan 50000h Height 129.0mm Diameter 213.0mm Weight 800g Package weight 12500g In box 12pcs Casing colour white Casing material aluminium Shape round Work environment indoor use Certificates CE, RoHS Warranty 5 years

Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!







Spotlight PROLUMEN DL115B white round 230V 25W 2400lm 90° IP54 940

Product code 15872

Brand PROLUMEN Supply voltage 230V Output 25W Maximum output 25W/1m Luminous flux 2400lumens Luminaire's efficiency Im79 96W Correlated colour temperature pure white 4000K Lens angle 90 Cri 90 Protection class IP54 Lifespan 50000h Height 129.0mm Diameter 213.0mm Weight 800g Package weight 12500g In box 12pcs Casing colour white Casing material aluminium Shape round Work environment indoor use Certificates CE, RoHS Warranty 5 years

Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!







Spotlight PROLUMEN DL126 black 25W 36° IP20 DALI 930

Product code 19085 DALI dimmable

Brand PROLUMEN
Dimmable DALI
Output 25W
Maximum output 25W/1m
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Protection class IP20
Casing colour black
Casing material aluminium
Work environment indoor use

Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wallmounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.



Spotlight PROLUMEN DL126 white 230V 10W 850lm CRI80 36° IP20 TRIAC 3000K, 4000K, 5000K 3CCT





Product code 18042 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 10W Maximum output 10W/1m Luminous flux 850lumens Luminaire's efficiency Im79 85W Correlated colour temperature 3CCT 3000K, 4000K, 5000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 5 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 248.0mm Diameter 65.0mm Casing colour white Casing material aluminium Impact resistance IK03 Work environment indoor use Operation temperature -20° - + 40°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL129 black 230V 10W 1030lm 24° IP20 TRIAC 930

Product code 15890 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 10W Maximum output 10W/1m Luminous flux 1030lumens Luminaire's efficiency Im79 103W Correlated colour temperature warm white 3000K Lens angle 24 Source of light CITIZEN LED Cri 90 Protection class IP20 Lifespan 50000h Height 110.0mm Width 90.0mm Length 90.0mm In box 24pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE, Rohs Warranty 5 years

An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!







Spotlight PROLUMEN DL129 black 230V 10W 1030lm 36° IP20 TRIAC 940

Product code 15888 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 10W Maximum output 10W/1m Luminous flux 1030lumens Luminaire's efficiency lm79 103W Correlated colour temperature pure white 4000K Lens angle 36 Source of light CITIZEN LED Cri 90 Protection class IP20 Lifespan 50000h Height 110.0mm Width 90.0mm Length 90.0mm In box 24pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE, Rohs Warranty 5 years

An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!







Spotlight PROLUMEN DL129 black 230V 10W 1030lm 60° IP20 TRIAC 930

Product code 15102 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 10W Maximum output 10W/1m Luminous flux 1030lumens Luminaire's efficiency Im79 103W Correlated colour temperature warm white 3000K Lens angle 60 Source of light CITIZEN LED Cri 90 Protection class IP20 Lifespan 50000h Height 110.0mm Width 90.0mm Length 90.0mm In box 24pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE, Rohs Warranty 5 years

An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!







Spotlight PROLUMEN DL129 white 230V 20W 2000lm 36° IP20 TRIAC 840

Product code 15891 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 20W Maximum output 20W/1m Luminous flux 2000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 36 Source of light CITIZEN LED Cri 80 Protection class IP20 Height 122.0mm Width 115.0mm Length 115.0mm In box 18pcs Casing colour white Certificates CE, Rohs Warranty 5 years

An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Enhance the quality of light in your everyday life and choose a topnotch lighting solution from the LED house product range!







Sports hall light PROLUMEN DL176 white 15W 1500lm 36° IP54 DALI 930

Product code 16994 DALI dimmable

Brand PROLUMEN Dimmable DALI Output 15W Maximum output 15W/1m Luminous flux 1500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Protection class IP54 Lifespan 50000h Height 133.8mm Diameter 100.4mm In package 1pc Casing colour white Casing material aluminium Polishing matt Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE Warranty 5 years

Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range









Spotlight PROLUMEN DL176 white 25W 2300lm 36° IP54 DALI 930

Product code 16233 DALI dimmable

Brand PROLUMEN Dimmable DALI Output 25W Maximum output 25W/1m Luminous flux 2300lumens Luminaire's efficiency Im79 92W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Protection class IP54 Lifespan 50000h Height 144.0mm Diameter 120.0mm Weight 960g Package weight 1110g In package 1pc In box 12pcs Casing colour white Casing material aluminium Polishing matt Work environment indoor use Certificates CE Warranty 5 years

Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range









Spotlight PROLUMEN DL176 white 35W 3000lm 60° IP54 DALI 930

Product code 19084 DALI dimmable

Brand PROLUMEN Power factor 0.95 Dimmable DALI Output 35W Maximum output 35W/1m Luminous flux 3000lumens Luminaire's efficiency Im79 86W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Ugr 19 Protection class IP54 Lifespan 50000h Casing colour white Operation temperature -20 - +40°C Warranty 5 years

Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range





Spotlight PROLUMEN DL207 black 230V 15W 1300lm 36° IP20 DALI 840



53/128 8.12.2025

Product code 19394 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature pure white 4000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 5 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 186.0mm Diameter 85.0mm Casing colour black Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 5 years

Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wallmounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.



Spotlight PROLUMEN DL207 black 230V 15W 1300lm 36° IP20





TRIAC 830

Product code 16507 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature warm white 3000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 5 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 186.0mm Diameter 85.0mm Casing colour black Casing material aluminium Work environment indoor use Certificates CE. RoHS Warranty 5 years







Spotlight PROLUMEN DL207 black 230V 15W 1300lm 36° IP20 TRIAC 840

Product code 19388 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature pure white 4000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 5 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 186.0mm Diameter 85.0mm In box 12pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 5 years








Spotlight PROLUMEN DL207 black 230V 15W 1300lm 60° IP20 TRIAC 930

Product code 19389 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Sdcm - macadam ellipses 5 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 186.0mm Diameter 85.0mm Casing colour black Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL207 black 230V 15W 1400lm 36° IP20 940

Product code 16867

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 15W Maximum output 15W/1m Luminous flux 1400lumens Luminaire's efficiency Im79 93W Correlated colour temperature pure white 4000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 5 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 186.0mm Diameter 85.0mm Weight 750g Package weight 850g In package 1pc In box 12pcs Casing colour black Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL207 black 230V 25W 2300lm 36° IP20 TRIAC 830

Product code 18029 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2300lumens Luminaire's efficiency Im79 92W Correlated colour temperature warm white 3000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 5 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 211.0mm Diameter 85.0mm Casing colour black Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL259 black 230V 16W 1550lm 36° IP20 TRIAC 930

Product code 15784 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 16W Maximum output 16W/1m Luminous flux 1550lumens Luminaire's efficiency Im79 97W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 60.0mm Width 135.0mm Length 224.0mm Weight 910g Package weight 1010g In package 1pc In box 12pcs Casing colour black Casing material metal + plastic Polishing matt Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE, RoHS, SAA Warranty 5 years

A rectangular designed ceiling light with two directional light beams. This luminaire is suitable for indoor use only, with an IP20 protection class. Thanks to CRI90, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. We recommend this warm white (3000K) light for both living spaces and work environments. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!







Spotlight PROLUMEN DL259 black 230V 8W 700lm 36° IP20 TRIAC 930

Product code 15783 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 8W Maximum output 8W/1m Luminous flux 700lumens Luminaire's efficiency Im79 88W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 60.0mm Width 135.0mm Length 135.0mm Weight 580g Package weight 630g In package 1pc In box 24pcs Casing colour black Casing material metal + plastic Polishing matt Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE, RoHS, SAA Warranty 5 years

Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!







Spotlight PROLUMEN DL259 black 230V 8W 700lm 36° IP20 TRIAC 940

Product code 16181 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 8W Maximum output 8W/1m Luminous flux 700lumens Luminaire's efficiency Im79 88W Correlated colour temperature pure white 4000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 60.0mm Width 135.0mm Length 135.0mm Weight 580g Package weight 630g In package 1pc In box 24pcs Casing colour black Casing material metal + plastic Polishing matt Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE, RoHS, SAA Warranty 5 years

Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!







Spotlight PROLUMEN DL269A-3 white round 230V 10W 940lm 60° IP65 TRIAC 940

Product code 18114 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 10W Maximum output 10W/1m Luminous flux 940lumens Luminaire's efficiency Im79 94W Correlated colour temperature pure white 4000K Lens angle 60 Cri 90 Ugr 19 Sdcm - macadam ellipses 3 Protection class IP65 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 107.0mm Diameter 90.0mm In package 1pc In box 18pcs Casing colour white Casing material aluminium Shape round Impact resistance IK06 Work environment indoor / outdoor use Certificates CE, RoHS

Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Warranty 5 years







Spotlight PROLUMEN DL269B 3 black round 230V 15W 1300lm 70° IP65 830

Product code 16432

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature warm white 3000K Lens angle 70 Cri 80 Ugr 22 Sdcm - macadam ellipses 6 Protection class IP65 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 107.0mm Diameter 90.0mm Weight 600g Package weight 646g In package 1pc In box 12pcs Casing colour black Casing material aluminium Shape round Impact resistance IK08 Work environment indoor / outdoor use Certificates CE, RoHS

Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

Warranty 5 years







Spotlight PROLUMEN DL269B 3 black round 230V 35W 2700lm 70° IP65 940

Product code 17171

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 35W Maximum output 35W/1m Luminous flux 2700lumens Luminaire's efficiency Im79 77W Correlated colour temperature pure white 4000K Lens angle 70 Cri 90 Ugr 22 Sdcm - macadam ellipses 6 Protection class IP65 Lifespan 50000h Height 119.0mm Diameter 214.0mm Weight 600g Package weight 646g In package 1pc In box 6pcs Casing colour black Casing material aluminium Shape round Impact resistance IK08 Work environment indoor / outdoor use Certificates CE, RoHS Warranty 5 years

Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!



Spotlight PROLUMEN DL269B 3 UGR19 white round 230V 10W 850lm 75° IP65 930





Product code 16157

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 10W Maximum output 10W/1m Luminous flux 850lumens Luminaire's efficiency Im79 85W Correlated colour temperature warm white 3000K Lens angle 75 Cri 90 Ugr 19 Sdcm - macadam ellipses 6 Protection class IP65 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 107.0mm Diameter 90.0mm Weight 600g Package weight 646g In package 1pc In box 18pcs Casing colour white Casing material aluminium Shape round Impact resistance IK08 Work environment indoor / outdoor Certificates CE, RoHS

Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other ceiling lights that complement this luminaire to create unique lighting effects in your space!

Warranty 5 years







Spotlight PROLUMEN DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 930

Product code 16156

Brand PROLUMEN Supply voltage 230V Output 18W Maximum output 18W/1m Luminous flux 1600lumens Luminaire's efficiency Im79 89W Correlated colour temperature warm white 3000K Lens angle 75 Cri 90 Ugr 19 Protection class IP65 Lifespan 50000h Height 115.0mm Diameter 130.0mm Weight 920g Package weight 1010g In package 1pc In box 12pcs Casing colour white Casing material aluminium Shape round Impact resistance IK08 Work environment indoor / outdoor Certificates CE, RoHS Warranty 5 years








Spotlight PROLUMEN DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 DALI 930

Product code 16155 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 18W Maximum output 18W/1m Luminous flux 1600lumens Luminaire's efficiency Im79 89W Correlated colour temperature warm white 3000K Lens angle 75 Cri 90 Ugr 19 Protection class IP65 Lifespan 50000h Height 115.0mm Diameter 130.0mm Weight 920g Package weight 1010g In package 1pc In box 12pcs Casing colour white Casing material aluminium Shape round Impact resistance IK08 Work environment indoor / outdoor LISE Certificates CE. RoHS Warranty 5 years







Spotlight PROLUMEN DL269B 8 UGR19 white round 230V 25W 2400lm 75° IP65 DALI 930

Product code 15925 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 25W Maximum output 25W/1m Luminous flux 2400lumens Luminaire's efficiency Im79 96W Correlated colour temperature warm white 3000K Lens angle 75 Cri 90 Ugr 19 Protection class IP65 Lifespan 50000h Height 119.0mm Diameter 214.0mm Weight 2200g Package weight 2480g In package 1pc In box 6pcs Casing colour white Casing material aluminium Shape round Impact resistance IK08 Work environment indoor / outdoor LISE Certificates CE. RoHS Warranty 5 years







Spotlight PROLUMEN DL269B 8 UGR19 white round 230V 35W 3000lm 60° IP65 DALI 930

Product code 19083 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 35W Maximum output 35W/1m Luminous flux 3000lumens Luminaire's efficiency Im79 86W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Ugr 19 Protection class IP65 Lifespan 50000h Height 119.0mm Diameter 214.0mm Weight 2200g Package weight 2480g In package 1pc In box 6pcs Casing colour white Casing material aluminium Shape round Impact resistance IK08 Work environment indoor / outdoor LISE Certificates CE. RoHS Warranty 5 years







Spotlight PROLUMEN DL322A black round 230V 14W 1300lm 36° IP20 830

Product code 16313

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 14W Maximum output 14W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 93W Correlated colour temperature warm white 3000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 96.0mm Diameter 120.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years

Stylish round LED ceiling light, matte black. The direction of the light fixture can be adjusted by rotating the light beam around its axis within a range of 340 degrees. We recommend this warm white (3000K) light fixture for both living spaces and work environments. This LED ceiling lamp is designed as ambient lighting - suitable for use in hotels, homes, offices, shops, and many other spaces. Enhance the quality of light in your everyday life and choose a topnotch lighting solution from the LED house product range!





8.12.2025



Spotlight PROLUMEN DL340A white 230V 15W 1469lm 36° IP40 930

Product code 17244

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output voltage 40V Output 15W Maximum output 15W/1m Rated current 250mA Luminous flux 1469lumens Luminaire's efficiency Im79 98W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Uar 19 Sdcm - macadam ellipses 3 Protection class IP40 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 108.0mm Diameter 100.0mm Weight 540g Package weight 600g In package 1pc In box 24pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE Warranty 5 years

Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a topnotch lighting solution from the LED house product range!







Spotlight PROLUMEN DL340A white 230V 15W 1563Im 36° IP40 940

Product code 18151

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output voltage 40V Output 15W Maximum output 15W/1m Rated current 250mA Luminous flux 1563lumens Luminaire's efficiency Im79 104W Correlated colour temperature pure white 4000K Lens angle 36 Cri 90 Uar 19 Sdcm - macadam ellipses 3 Protection class IP40 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 108.0mm Diameter 100.0mm Weight 540g Package weight 600g In package 1pc In box 24pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE Warranty 5 years

Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a topnotch lighting solution from the LED house product range!







Spotlight PROLUMEN DL38 black round 230V 15W 1300lm 60° IP54 TRIAC 830

Product code 15109 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature warm white 3000K Lens angle 60 Cri 80 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 100.0mm Diameter 90.0mm Weight 520g Package weight 630g In package 1pc In box 40pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS

LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).







Spotlight PROLUMEN DL38 black round 230V 15W 1300lm 60° IP54 TRIAC 840

Product code 15309 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature pure white 4000K Lens angle 60 Cri 80 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 100.0mm Diameter 90.0mm Weight 520g Package weight 630g In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS

LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).







Spotlight PROLUMEN DL38 black round 230V 25W 2700lm 45° IP54 TRIAC 830

Product code 15543 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2700lumens Luminaire's efficiency Im79 108W Correlated colour temperature warm white 3000K Lens angle 45 Cri 80 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 110.0mm Diameter 120.0mm Weight 750g Package weight 860g In box 18pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE. RoHS

LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).







Spotlight PROLUMEN DL38 black round 230V 35W 3400lm 36° IP54 TRIAC 940

Product code 14586 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 35W Maximum output 35W/1m Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature pure white 4000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 160.0mm Weight 1300g Package weight 1458g In box 12pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE. RoHS

LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).







Spotlight PROLUMEN DL38 black round 230V 35W 3400lm 60° IP54 TRIAC 930

Product code 15442 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 35W Maximum output 35W/1m Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 160.0mm Weight 1300g Package weight 1458g In box 12pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE. RoHS

LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).







Spotlight PROLUMEN DL38 white 230V 10W 1500lm 60° IP54 DALI 930

Product code 17370 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 10W Maximum output 10W/1m Luminous flux 1500lumens Luminaire's efficiency Im79 150W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 110.0mm In package 1pc In box 18pcs Casing colour white Casing material aluminium Work environment indoor / outdoor Operation temperature -20 ~ 45°C Certificates CE, RoHS

LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).







Spotlight PROLUMEN DL38 white 230V 10W 800lm 60° IP54 TRIAC 930

Product code 15281 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 10W Maximum output 10W/1m Luminous flux 800lumens Luminaire's efficiency Im79 80W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 100.0mm Diameter 90.0mm Weight 474g Package weight 537g In package 1pc In box 24pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 15W 1300lm 60° IP54 TRIAC 840

Product code 14874 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature pure white 4000K Lens angle 60 Cri 80 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 100.0mm Diameter 90.0mm Weight 474g Package weight 537g In package 1pc In box 24pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 15W 1300lm 60° IP54 TRIAC 930

Product code 15267 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1300lumens Luminaire's efficiency Im79 87W Correlated colour temperature warm white 3000K Lens angle 60 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 110.0mm Diameter 120.0mm Weight 520g Package weight 630g In package 1pc In box 24pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 25W 2300lm 45° IP54 DALI 940

Product code 15328 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 25W Maximum output 25W/1m Luminous flux 2300lumens Luminaire's efficiency Im79 92W Correlated colour temperature pure white 4000K Lens angle 45 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 110.0mm Diameter 120.0mm Weight 750g Package weight 860g In box 18pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 25W 2300lm 45° IP54 TRIAC 940

Product code 15327 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2300lumens Luminaire's efficiency Im79 92W Correlated colour temperature pure white 4000K Lens angle 45 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 110.0mm Diameter 120.0mm Weight 750g Package weight 860g In box 18pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 25W 2700lm 45° IP54 TRIAC 930

Product code 14935 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2700lumens Luminaire's efficiency Im79 108W Correlated colour temperature warm white 3000K Lens angle 45 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 110.0mm Diameter 120.0mm Weight 750g Package weight 860g In box 18pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years








Spotlight PROLUMEN DL38 white 230V 35W 3400lm 36° IP54 930

Product code 15564

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 35W Maximum output 35W/1m Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 160.0mm Weight 1300g Package weight 1458g In box 12pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 35W 3400lm 36° IP54 940

Product code 15563

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 35W Maximum output 35W/1m Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature pure white 4000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 160.0mm Weight 1300g Package weight 1458g In box 12pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 35W 3400lm 36° IP54 DALI 930

Product code 15567 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 35W Maximum output 35W/1m Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 160.0mm Weight 1300g Package weight 1458g In box 12pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







Spotlight PROLUMEN DL38 white 230V 35W 3400lm 36° IP54 DALI 940

Product code 14929 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 35W Maximum output 35W/1m Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature pure white 4000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 160.0mm Weight 1300g Package weight 1458g In box 12pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years





89/128 8.12.2025



Spotlight PROLUMEN DL38 white 230V 35W 3400lm 36° IP54 TRIAC 940

Product code 14508 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 35W Maximum output 35W/1m Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature pure white 4000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP54 Lifespan 50000h Height 120.0mm Diameter 160.0mm Weight 1300g Package weight 1458g In box 12pcs Casing colour white Casing material aluminium Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years

LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).



Dome light PROLUMEN DL52 white 230V 18W 1584lm 100° IP54





930

Product code 15610

Brand PROLUMEN Supply voltage 230V Output 18W Maximum output 18W/1m Luminous flux 1584lumens Luminaire's efficiency Im79 88W Correlated colour temperature warm white 3000K Lens angle 100 Cri 90 Protection class IP54 Lifespan 50000h Height 68.0mm Diameter 170.0mm Weight 474g Package weight 537g In package 1pc In box 24pcs Casing colour white Casing material aluminium Work environment indoor use Certificates CE, RoHS Warranty 5 years

Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The light temperature of the luminaire is 3000K, providing warm white light to the room. For homes, we recommend warm white ceiling lights for bedrooms, living rooms, and dining areas. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other <u>ceiling lights</u> that complement this luminaire to create unique lighting effects in your space!









Spotlight PROLUMEN Lunel black 230V GU10 IP20

Product code 16403

Brand PROLUMEN
Supply voltage 230V
Maximum output 5W/1m
Socket GU10
Protection class IP20
Height 95.0mm
Diameter 54.0mm
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a ceiling light, surface-mounted black or white light, and also as a recessed <u>light</u>. As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Come and take a look around our showroom in Tallinn!







Spotlight PROLUMEN Lunel black 230V GU10 IP20

Product code 16404

Brand PROLUMEN Supply voltage 230V Maximum output 5W/1m Socket GU10 Protection class IP20 Height 95.0mm Diameter 54.0mm Installation opening diameter 65-70mm In package 1pc In box 30pcs Casing colour black Casing material aluminium Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE Warranty 5 years

With its elegant design, the compact and recessed GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a ceiling light, surface-mounted black or white light, and also as a recessed light. As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!





93/128 8.12.2025

Spotlight PROLUMEN Lunel white 230V GU10 IP20

Product code 16830

Brand PROLUMEN
Supply voltage 230V
Maximum output 5W/1m
Socket GU10
Protection class IP20
Height 95.0mm
Diameter 54.0mm
In package 1pc
In box 30pcs
Casing colour white
Casing material aluminium
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years

With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a ceiling light, surface-mounted black or white light, and also as a recessed <u>light</u>. As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!



Spotlight PROLUMEN Newcastle with nickel ring surface mounted black 230V 15W 1500lm 40° IP20 940





Product code 16207

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 15W Maximum output 15W/1m Luminous flux 1500lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 75.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years

The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!







Spotlight PROLUMEN Newcastle with silver ring surface mounted black round 230V 20W 2000lm 40° IP20 DALI 940

Product code 16288 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 2000lumens Luminaire's efficiency lm79 100W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 115.0mm In box 18pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE Warranty 5 years

The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!







Ceiling lamp PROLUMEN TL13 white 230V 20W 1600lm CRI80 IP20 TRIAC

Product code 14618 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 20W Maximum output 20W/1m Luminous flux 1600lumens Luminaire's efficiency Im79 80W Cri 80 Protection class IP20 Lifespan 40000h Height 148.0mm Width 449.0mm Length 117.5mm Diameter 65.0mm In box 6pcs Casing colour white Casing material aluminium + plastic Polishing matt Work environment indoor use Certificates CE, RoHS, SAA Warranty 5 years



Dome light Rondo 6 x E27 white round E27

Product code 20126

Socket E27
Height 150.0mm
Diameter 780.0mm
Casing colour white
Casing material metal + textile
Shape round
Work environment indoor use







Dome light SIGARO SQUARE white square 230V 18W 1800lm 120° IP40 840

Product code 15913

Supply voltage 230V Output 18W Maximum output 18W/1m Luminous flux 1800lumens Luminaire's efficiency lm79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP40 Lifespan 25000h Height 30.0mm Width 225.0mm Length 225.0mm Weight 300g In box 20pcs Casing colour white Casing material plastic Polishing matt Shape square No. of switches 15000pcs Impact resistance IK03 Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE Warranty 3 years





98/128 8.12.2025

Dome light SIGARO SQUARE white square 230V 24W 2400lm 120° IP40 840

Product code 15914

Supply voltage 230V Output 24W Maximum output 24W/1m Luminous flux 2400lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP40 Lifespan 25000h Height 30.0mm Width 225.0mm Length 225.0mm Weight 320g In box 20pcs Casing colour white Casing material plastic Polishing matt Shape square No. of switches 15000pcs Impact resistance IK03 Work environment indoor use Operation temperature -20 ~ 40°C Certificates CE Warranty 3 years




Ceiling lamp SISYR black round GU10 IP20

Product code 16309

Maximum output 35W/1m Socket GU10 Protection class IP20 Height 140.0mm Diameter 90.0mm In box 20pcs Casing colour black Casing material aluminium Polishing matt Shape round Work environment indoor use

Cylindrical housing for GU10 light bulb.









Dome light Spacy black 33W 3800lm IP20 2700K-6500K WARM TO COLD

Product code 20114

Brand Trio Lighting
Output 33W
Luminous flux 3800lumens
Luminaire's efficiency Im79 115W
Correlated colour temperature WARM
TO COLD 2700K-6500K
Protection class IP20
Lifespan 30000h
Height 95.0mm
Diameter 475.0mm
Weight 1600g
Package weight 2200g
Casing colour black
Casing material plastic
Warranty 5 years

The SPACY ceiling light combines classic, round shapes with a minimalist design. The narrow light source on the body is a particular eyecatcher, emitting soft light onto the ceiling and creating a cosy atmosphere. With the remote control supplied, you can easily adjust the brightness and light colour to your liking to create the perfect lighting mood at any moment. Thanks to its timeless design, SPACY blends harmoniously into any living area and can be used in a variety of ways. The light is made of high-quality plastic in matt black, which gives it an elegant and simple touch. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.






100/128 8.12.2025

Ceiling lamp Trio Lighting Coffe Trail 31W 3550lm IP20 830

Product code 19599

Brand Trio Lighting
Output 31W
Maximum output 31W/1m
Luminous flux 3550lumens
Luminaire's efficiency Im79 115W
Correlated colour temperature warm
white 3000K
Cri 80
Protection class IP20
Lifespan 20000h
Height 70.0mm
Width 745.0mm
Length 352.0mm
Casing material metal

The TRAIL luminaire is a guaranteed eye-catcher on any ceiling or wall! The geometric design of the luminaire can be swivelled individually and transforms the individual elements into versatile light sources. The tasteful light art is an elegant accessory in the interior of your living or sleeping area and skilfully enhances any room to create a feelgood space. The combination of timeless design in coffee and highquality metal makes the TRAIL a special decorative element in your home. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.





Ceiling lamp Trio Lighting Darwin black 34W 4500lm CRI80 IP20 2300K, 3000K, 4000K 3CCT



101/128 8.12.2025

Product code 19443

Brand Trio Lighting
Output 34W
Luminous flux 4500lumens
Luminaire's efficiency Im79 132W
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Cri 80
Protection class IP20
Height 160.0mm
Width 640.0mm
Length 490.0mm
Weight 1900g
Package weight 2800g
Casing colour black

The DARVIN ceiling light is a real eyecatcher for any office, living room or dining room. Its unique design creates an artfully curved strand and sets new standards. The high-quality LED strip not only enhances the aesthetic effect, but also provides efficient and pleasant lighting. The light colour and brightness can be conveniently and infinitely adjusted using a conventional light switch to create the optimum room lighting according to requirements or the time of day. This successful combination of creative design and modern lighting technology makes DARVIN a versatile element that both sets visual accents and fulfils the highest functional requirements. With its elegant matt black colour, the luminaire blends timelessly and modernly into any environment and also contributes to energy efficiency. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.











Ceiling lamp Trio Lighting Dullent 4 nickel 17.5W 1600lm IP20 3000K warm white

Product code 20011


Brand Trio Lighting
Output 17.5W
Luminous flux 1600lumens
Luminaire's efficiency Im79 91W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 150.0mm
Width 850.0mm
Casing colour nickel



Ceiling lamp Trio Lighting FLY white 22W 2600lm IP20 TRIAC 4000K pure white

Product code 19972 TRIAC dimmable

Brand Trio Lighting Dimmable TRIAC Output 22W Maximum output 22W/1m Luminous flux 2600lumens Luminaire's efficiency Im79 118W Correlated colour temperature pure white 4000K Protection class IP20 Lifespan 25000h Height 750.0mm Width 400.0mm Weight 800g Casing colour white Polishing matt No. of switches 15000pcs Work environment indoor use





103/128 8.12.2025

Ceiling lamp Trio Lighting Gotham silver E27 IP20

Product code 20001

Brand Trio Lighting Socket E27 Protection class IP20 Height 1500.0mm Diameter 146.0mm Casing colour silver



Dome light Trio Lighting Goya white 35W 4050lm IP20 2700K-6500K WARM TO COLD

Product code 19710

Brand Trio Lighting
Output 35W
Luminous flux 4050lumens
Luminaire's efficiency Im79 116W
Correlated colour temperature WARM
TO COLD 2700K-6500K
Protection class IP20
Height 60.0mm
Diameter 300.0mm
Casing colour white



Ceiling lamp Trio Lighting Groovy black 30W 3600lm IP20 switch dimmeriga. 3000K warm white



104/128 8.12.2025

Product code 20482 switch dimmeriga. dimmable

Brand Trio Lighting Dimmable switch dimmeriga. Output 30W Luminous flux 3600lumens Luminaire's efficiency Im79 120W Correlated colour temperature warm white 3000K Protection class IP20 Lifespan 30000h Height 60.0mm Diameter 620.0mm Weight 1500g Package weight 2400g Casing colour black Casing material aluminium No. of switches 15000pcs Warranty 5 years

The three light circles of the GROOVY ceiling light conjure up that certain something in your living area. The fine glass elements within the circles provide an elegant touch and become a true decorative element on your ceiling. An integrated SWITCH dimmer allows the brightness of the built-in LEDs to be regulated in three stages via a light switch. The perfectly shaped look in matt black blends into many interior styles thanks to its simplicity. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.











Ceiling lamp Trio Lighting Groovy black 37W 4600lm IP20 830

Product code 19446

Brand Trio Lighting
Output 37W
Luminous flux 4600lumens
Luminaire's efficiency lm79 124W
Correlated colour temperature warm
white 3000K
Cri 80
Protection class IP20
Width 1500.0mm
Casing colour black
Casing material aluminium + glass
Work environment indoor use

The three light circles of the GROOVY ceiling light conjure up that certain something in your living area. The fine glass elements within the circles provide an elegant touch and become a true decorative element on your ceiling. An integrated SWITCH dimmer allows the brightness of the built-in LEDs to be regulated in three stages via a light switch. The perfectly shaped look in matt black blends into many interior styles thanks to its simplicity. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.










Ceiling lamp Trio Lighting INDIRA black 25W 3000lm IP20 830

Product code 19673

Brand Trio Lighting
Output 25W
Maximum output 25W/1m
Luminous flux 3000lumens
Luminaire's efficiency Im79 120W
Correlated colour temperature warm
white 3000K
Cri 80
Protection class IP20
Lifespan 20000h
Height 70.0mm
Width 745.0mm
Length 352.0mm
Casing colour black
Casing material metal

The INDIRA luminaire combines direct and indirect lighting – three light elements direct the light downwards and two upwards. The adjustable elements allow you to change the light direction, and the SWITCH dimming function enables three brightness levels with a standard switch. The luminaire can be mounted on the ceiling or wall, making it ideal for hallways and kitchen areas. The matte black metal and high-quality acrylic ensure a modern look, while LED technology provides a long lifespan and low heat emission.





107/128 8.12.2025




Ceiling lamp Trio Lighting INDIRA white 28W 3500lm IP20 830


Product code 19674

Brand Trio Lighting Output 28W Maximum output 28W/1m Luminous flux 3500lumens Luminaire's efficiency Im79 125W Correlated colour temperature warm white 3000K Cri 80 Protection class IP20 Lifespan 20000h Casing colour white Casing material metal

The INDIRA luminaire combines direct and indirect lighting - three light elements direct the light downwards and two upwards. The adjustable elements allow you to change the light direction, and the SWITCH dimming function enables three brightness levels with a standard switch. The luminaire can be mounted on the ceiling or wall, making it ideal for hallways and kitchen areas. The matte black metal and high-quality acrylic ensure a modern look, while LED technology provides a long lifespan and low heat emission.



Ceiling lamp Trio Lighting Jora white 46W 5400lm IP20 2700K-6000K warm + cold white






Product code 19597

Brand Trio Lighting
Output 46W
Maximum output 5400W/1m
Luminous flux 5400lumens
Luminaire's efficiency Im79 117W
Correlated colour temperature warm
+ cold white 2700K-6000K
Protection class IP20
Height 65.0mm
Width 395.0mm
Length 395.0mm
Casing colour white
Casing material aluminium
Work environment indoor use

A timeless design with clear lines and elegant shapes defines the JORA ceiling light. The integrated features allow the brightness and light colour to be conveniently adjusted from warm white to cool white by remote control. Alternatively, the brightness can be set in 3 levels (25%, 50% and 100%) using a conventional light switch. The additional sleep timer function switches the light off automatically after a preset time, making the JORA a perfect ceiling light for the bedroom. The integrated night light and memory function round off the light perfectly. Create a lighting ambience with the JORA that can be modern, functional and cosy! Thanks to the modern design and the colour combination of matt white and matt black, the ceiling light brings a unique play of light into your feel-good zone. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







Ceiling lamp Trio Lighting Jora white 55W 6400lm IP20 2700K-6000K warm + cold white

Product code 19598

Brand Trio Lighting
Output 55W
Maximum output 6400W/1m
Luminous flux 6400lumens
Luminaire's efficiency Im79 116W
Correlated colour temperature warm
+ cold white 2700K-6000K
Protection class IP20
Height 60.0mm
Width 600.0mm
Length 600.0mm
Casing colour white
Casing material aluminium
Work environment indoor use

A timeless design with clear lines and elegant shapes defines the JORA ceiling light. The integrated features allow the brightness and light colour to be conveniently adjusted from warm white to cool white by remote control. Alternatively, the brightness can be set in 3 levels (25%, 50% and 100%) using a conventional light switch. The additional sleep timer function switches the light off automatically after a preset time, making the JORA a perfect ceiling light for the bedroom. The integrated night light and memory function round off the light perfectly. Create a lighting ambience with the JORA that can be modern, functional and cosy! Thanks to the modern design and the colour combination of matt white and matt black, the ceiling light brings a unique play of light into your feel-good zone. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







Ceiling lamp Trio Lighting Kalea wood 41W 4800lm IP20 830

Product code 20129

Brand Trio Lighting
Output 41W
Maximum output 41W/1m
Luminous flux 4800lumens
Luminaire's efficiency Im79 117W
Correlated colour temperature warm
white 3000K
Cri 80
Protection class IP20
Lifespan 15000h
Height 72.0mm
Width 450.0mm
Weight 2200g
Casing colour wood



Ceiling lamp Trio Lighting Leavy 3xE14 black / golden E14 IP20

Product code 19716

No. of switches 25000pcs

Brand Trio Lighting
Maximum output 28W/1m
Socket E14
Protection class IP20
Lifespan 30000h
Height 730.0mm
Diameter 700.0mm
Casing colour black / golden
Polishing matt
Work environment indoor use







Ceiling lamp Trio Lighting Leavy black E27 IP20

Product code 19447

Brand Trio Lighting
Socket E27
Protection class IP20
Height 580.0mm
Diameter 380.0mm
Weight 600g
Package weight 900g
Casing colour black

The unusual LEAVY ceiling light impresses with its multitude of plastic leaves. This will make the lamp a highlight on your ceiling. An enchanting lighting object for living areas whose style can be assigned to Young Living. The black and gold plastic leaves and the black matt canopy can be combined with other different colour concepts, making it wonderfully easy to integrate into your home. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







Ceiling lamp Trio Lighting Leavy green E14 IP20

Product code 19448

Brand <u>Trio Lighting</u>
Socket E14
Protection class IP20
Height 730.0mm
Diameter 700.0mm
Casing colour green

Welcome to the jungle! The unusual LEAVY ceiling light impresses with its multitude of plastic leaves. This makes the light a highlight on your ceiling. An enchanting lighting object for living areas whose style can be categorised as young living. The green plastic leaves and the black matt canopy can be harmoniously combined with different colour schemes to create an eye-catching feature in your home. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







Ceiling lamp Trio Lighting Marrakesch nickel E14 IP20

Product code 19995

Brand <u>Trio Lighting</u>
Socket E14
Protection class IP20
Height 1500.0mm
Diameter 250.0mm
Casing colour nickel

The unusual MARRAKESCH pendant light lends every room an individual flair and fits perfectly into modern surroundings. The shade design creates a fascinating interplay of light and shadow, creating a cosy atmosphere. The pendant light has a suspension of 150 cm and a diameter of 25 cm. The composition of the individual chrome beads in combination with the white organza shade creates a decorative light shade that is sure to impress. For energy-saving lighting, it is recommended to use an LED illuminant. These are an optimal alternative to conventional halogen lamps and stand for a high quality of light and energy savings of up to 80%. In addition, LED lamps help you benefit from a long service life, low heat generation and at the same time protect the environment.





Ceiling lamp Trio Lighting Mobile white 27W 3200lm IP20

Product code 19449

Brand Trio Lighting
Output 27W
Luminous flux 3200lumens
Luminaire's efficiency Im79 119W
Protection class IP20
Height 100.0mm
Width 390.0mm
Length 420.0mm
Casing colour white

Light objects in geometric shapes - a statement on the wall or ceiling! The swivelling modules of the MOBILE leave no design wish unfulfilled and offer creative arrangement options. Not only can the brightness be adjusted as desired via a remote control, but the colour temperature can also be controlled from cool white to warm white. Alternatively, the brightness can also be adjusted in three steps (100%, 50%, and 25%) via the integrated SWITCH dimmer using a conventional light switch. The night light function rounds off the luminaire wonderfully. The perfectly designed appearance in matt black and wood look blends in with many furnishing styles thanks to its simplicity. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.









Dome light Trio Lighting Nando nickel 4,5W 1290lm IP44 3000K warm white

Product code 19988

Brand Trio Lighting
Output 4,5W
Maximum output 4.5W/1m
Luminous flux 1290lumens
Correlated colour temperature warm
white 3000K
Protection class IP44
Height 110.0mm
Diameter 250.0mm
Casing colour nickel




Ceiling lamp Trio Lighting Padella black 25W 3000lm IP20 3000K warm white

Product code 19450

Brand Trio Lighting
Output 25W
Luminous flux 3000lumens
Luminaire's efficiency Im79 120W
Correlated colour temperature warm
white 3000K
Protection class IP20
Lifespan 30000h
Height 75.0mm
Width 635.0mm
Length 370.0mm
Casing colour black
Casing material aluminium
Warranty 5 years

Due to the modern light elements, the ceiling light PADELLA offers a decorative and atmospheric lighting. The movable elements allow a flexible and original positioning. Thanks to the integrated SWITCH dimmer, the brightness can also be controlled via a conventional light switch. The design in matt black perfectly enhances interiors and offers numerous combination options In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







Ceiling lamp Trio Lighting Portofino Switch Dim chrome 29W IP20 3000K warm white

Product code 20014

Brand Trio Lighting
Output 29W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 230.0mm
Diameter 850.0mm
Casing colour chrome
Casing material aluminium

he filigree, spiral-like design of the lighting elements adds to the extravagant charm of the PORTOFINO LED ceiling light. This excitingly designed LED ceiling light has a long, narrow shape. Another highlight is the luminaire's features. It has an integrated LED SWITCH dimmer that allows you to switch the light to 3 brightness levels using a conventional light switch. This PORTOFINO ceiling light is made of chrome-coloured metal. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.




Ceiling lamp Trio Lighting Rise black 21W 2400lm IP20 2700K-6500K WARM TO COLD

Product code 19467

Brand Trio Lighting
Output 21W
Luminous flux 2400lumens
Luminaire's efficiency Im79 114W
Correlated colour temperature WARM
TO COLD 2700K-6500K
Protection class IP20
Lifespan 30000h
Height 115.0mm
Width 435.0mm
Length 360.0mm
Casing colour black
Warranty 5 years









Ceiling lamp Trio Lighting Rondo black 37W 4800lm IP20 3000K warm white

Product code 19715

Brand Trio Lighting Output 37W Maximum output 37W/1m Luminous flux 4800lumens Luminaire's efficiency Im79 130W Correlated colour temperature warm white 3000K Protection class IP20 Lifespan 30000h Height 55.0mm Width 970.0mm Weight 1100g Casing colour black Polishing matt No. of switches 15000pcs Work environment indoor use

With its four rings of different diameters hanging from each other, the RONDO ceiling light is a real eyecatcher. The ceiling light has an integrated dimmer that is controlled via the light switch. This allows flexible control of the brightness of the LEDs installed on the inside of each circle. The 97 cm wide ceiling light is a real decorative element and stylishly enhances any living space. Thanks to the matt black colour scheme, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







Ceiling lamp Trio Lighting Rondo white 37W 4800lm IP20 3000K warm white

Product code 20419

Brand Trio Lighting Output 37W Maximum output 37W/1m Luminous flux 4800lumens Luminaire's efficiency lm79 130W Correlated colour temperature warm white 3000K Protection class IP20 Lifespan 30000h Height 55.0mm Width 970.0mm Weight 1100g Casing colour white Polishing matt No. of switches 15000pcs Work environment indoor use



Ceiling lamp Trio Lighting Sheldon black E14 IP20

Product code 19600

Brand Trio Lighting Socket E14 Protection class IP20 Height 200.0mm Diameter 330.0mm Casing colour black

The stylish SHELDON ceiling light impresses with its organic shapes and colourful glass with a mirror effect. The three shimmering glass shades create a magical ambience with an exciting play of light and become a decorative element with a wow effect. Enhance your bedroom or living room elegantly and skilfully with the SHELDON! The combination of black matt metal and reddish, bluish and greenish glass shades takes the style factor of the luminaire to a whole new level. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







Spotlight Trio Lighting Taurus black 230V 5W 450lm IP20 830

Product code 19382

Brand Trio Lighting Supply voltage 230V Output 5W Maximum output 5W/1m Luminous flux 450lumens Luminaire's efficiency Im79 90W Correlated colour temperature warm white 3000K Cri 80 Protection class IP20 Lifespan 20000h Height 100.0mm Diameter 80.0mm Weight 400g Casing colour black Casing material aluminium Work environment indoor use Certificates CE. RoHS Warranty 5 years



Spotlight Trio Lighting Taurus white 230V 5W 450lm IP20 830

Product code 19383

Brand Trio Lighting Supply voltage 230V Output 5W Maximum output 5W/1m Luminous flux 450lumens Luminaire's efficiency Im79 90W Correlated colour temperature warm white 3000K Cri 80 Protection class IP20 Lifespan 20000h Height 100.0mm Diameter 80.0mm Weight 400g Casing colour white Casing material aluminium Work environment indoor use Certificates CE, RoHS







Spotlight Trio Lighting Taurus x 2 white 230V 10W 900lm IP20 830

Product code 19386

Brand Trio Lighting Supply voltage 230V Output 10W Maximum output 10W/1m Luminous flux 900lumens Luminaire's efficiency Im79 90W Correlated colour temperature warm white 3000K Cri 80 Protection class IP20 Lifespan 20000h Height 100.0mm Width 80.0mm Length 180.0mm Weight 90g Casing colour white Casing material metal Work environment indoor use



Spotlight Trio Lighting Taurus x 3 white 230V 15W 1350lm IP20 830

Product code 19385

Certificates CE, RoHS

Certificates CE, RoHS

Brand Trio Lighting Supply voltage 230V Output 15W Maximum output 15W/1m Luminous flux 1350lumens Luminaire's efficiency Im79 90W Correlated colour temperature warm white 3000K Cri 80 Protection class IP20 Lifespan 10000h Height 100.0mm Width 80.0mm Length 270.0mm Weight 1300g Casing colour white Casing material metal Work environment indoor use






Ceiling lamp Trio Lighting Thiago black 36W 3000lm IP20

Product code 19451

Brand Trio Lighting
Output 36W
Luminous flux 3000lumens
Luminaire's efficiency Im79 83W
Protection class IP20
Height 85.0mm
Width 1040.0mm
Length 420.0mm
Casing colour black

Get your light connected! The THIAGO ceiling light provides an innovative, flexible and smart lighting design. The WiZ luminaire offers an incredible colour spectrum of 16 million colours and 64,000 white tones. Wake up with gentle sunlight, starting your day full of energy, relax with soothing light or turn night into day - simply via the app. Compared to other smart home providers, WiZ luminaires do not require an additional gateway, so that all luminaires can be operated completely flexibly from a mobile device. Furthermore, the lights can be combined with Amazon Alexa or Google Home, so that operation by voice control is possible. Various lighting programs and settings can also be selected with the remote control supplied, or using the light switch. Another advantage is the flexibility of use: This means that the WiZ lights can be controlled by several users, assigned to different rooms or locations and controlled from anywhere. The composition of three filigree rectangles creates a modern luminaire for the living room or entrance area. The ceiling light is designed in anthracite and can be easily integrated into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







Dome light Trio Lighting Waco white round 51W 12400lm CRI80 IP20 DIMMABLE 2300K, 3000K, 4000K 3CCT

Product code 20165 DIMMABLE dimmable

Brand Trio Lighting Dimmable DIMMABLE Output 51W Luminous flux 12400lumens Luminaire's efficiency Im79 243W Correlated colour temperature 3CCT 2300K, 3000K, 4000K Cri 80 Protection class IP20 Lifespan 30000h Height 6.0mm Diameter 750.0mm Weight 5259g Package weight 6910g Casing colour white Casing material plastic Shape round Work environment indoor use Warranty 5 years

The WACO ceiling light rounds off your living concept in the truest sense of the word. The minimalist design is timeless and adds a touch of elegance and modernity to your kitchen or bedroom, for example. Using a DIP switch, the light colour can be adjusted from warm to neutral white via a switch directly on the luminaire. The light is also infinitely dimmable using an external trailing edge phase dimmer, which you can purchase separately from a specialist retailer. In the simple colour of white matte, as well as the combination of metal and acrylic, the lamp fits into almost any interior style. In addition, the luminaire features modern LED technology, which is characterised by high light quality and energy efficiency. Compared to conventional halogen lamps, up to 80% of energy costs can be saved. In addition, LED light sources have a long service life, produce less heat and protect the environment.






Ceiling lamp Trio Lighting Wheeler white 16W 2000lm IP20 830

Product code 19442

Brand Trio Lighting
Output 16W
Luminous flux 2000lumens
Luminaire's efficiency Im79 125W
Correlated colour temperature warm
white 3000K
Cri 80
Protection class IP20
Lifespan 30000h
Height 50.0mm
Width 350.0mm
Length 330.0mm
Casing colour white
Warranty 5 years







Ceiling lamp Trio Lighting Zeno black 17.5W 2150lm IP20 2700K-6500K WARM TO COLD



Product code 19453

Brand Trio Lighting
Output 17.5W
Luminous flux 2150lumens
Luminaire's efficiency Im79 123W
Correlated colour temperature WARM
TO COLD 2700K-6500K
Protection class IP20
Height 230.0mm
Width 1330.0mm
Length 85.0mm
Casing colour black

Versatile lighting in a stylish design -The ZENO ceiling light impresses with three parallel, elongated elements that can be easily pulled apart to customise the light to your needs and the room. In addition, four movable spotlights offer further options for targeted lighting design in your living space. The remote control supplied allows you to conveniently control the light colour and brightness from a distance. The black matt metal gives the light an elegant and modern look. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Ceiling lamp Trio Lighting Zibal black 22W 2200lm IP20 switch dimmeriga. 830



Product code 19454 switch dimmeriga. dimmable

Brand Trio Lighting Dimmable switch dimmeriga. Output 22W Luminous flux 2200lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Cri 80 Protection class IP20 Lifespan 30000h Height 70.0mm Diameter 390.0mm Casing colour black Casing material aluminium Work environment indoor use Warranty 5 years

The ZIBAL ceiling light creates atmospheric and soft lighting effects and is particularly impressive with its elegant design, which perfectly rounds off any modern furnishing style. The luminaire also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. Thanks to the matt black colour scheme, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.









Ceiling lamp Trio Lighting Zibal rustic 22W 2200lm IP20 switch dimmeriga. 3000K warm white

Product code 19456 switch dimmeriga. dimmable

Brand Trio Lighting Dimmable switch dimmeriga. Output 22W Luminous flux 2200lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Protection class IP20 Lifespan 30000h Height 70.0mm Diameter 390.0mm Weight 800g Package weight 1200g Casing colour rustic No. of switches 15000pcs Warranty 5 years

The ZIBAL ceiling light creates atmospheric and soft lighting effects and is particularly impressive with its elegant design, which perfectly rounds off any modern furnishing style. The luminaire also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. Thanks to the rustcoloured design, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.









Ceiling lamp Trio Lighting Zibal white 22W 2200lm IP20 switch dimmeriga. 3000K warm white

Product code 19455 switch dimmeriga. dimmable

Brand Trio Lighting Dimmable switch dimmeriga. Output 22W Luminous flux 2200lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Protection class IP20 Lifespan 30000h Height 70.0mm Diameter 390.0mm Weight 800g Package weight 1200g Casing colour white Casing material aluminium No. of switches 15000pcs Warranty 5 years

The ZIBAL ceiling light creates atmospheric and soft lighting effects and is particularly impressive with its elegant design, which perfectly rounds off any modern furnishing style. The luminaire also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. Thanks to the rustcoloured design, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







Spotlight Tube white GU10

Product code 15358

Socket GU10
Height 125.0mm
Diameter 96.0mm
Casing colour white
Casing material aluminium
Polishing matt
Work environment indoor use

Round surface-mounted housing for GU10 bulb.





Spotlight Tube white round GU10 IP20

Product code 17149

Socket GU10
Protection class IP20
Height 122.0mm
Diameter 94.0mm
In box 20pcs
Casing colour white
Casing material aluminium
Polishing matt
Shape round
Work environment indoor use

Round surface-mounted housing for GU10 bulb.



