

LED ceiling light 3224 black square GU10 IP20

Product code 14895

Socket GU10
Protection class IP20
Height 110.0mm
Width 85.0mm
Length 85.0mm
Casing colour black
Polishing matt
Shape square
Work environment indoor use



Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED ceiling light Art of Light NAOS white 230V 35W GU10

Product code 14744

Brand Art of Light
Supply voltage 230V
Output 35W
Socket GU10
Height 135.0mm
Width 90.0mm
Length 90.0mm
Casing colour white
Casing material gypsum
Polishing matt
Work environment indoor use
Certificates CE



Gypsum frame.



LED ceiling light E6 172x172 white square 230V 16W 1130lm 160° IP20 830

Product code 14145

Supply voltage 230V
Output 16W
Rated current 125mA
Luminous flux 1130lumens
Luminaire's efficiency lm79 71W
Correlated colour temperature warm
white 3000K
Lens angle 160
Cri 80
Protection class IP20
Lifespan 20000h
Height 34.5mm
Width 172.0mm
Length 172.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Polishing matt
Shape square
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20~+40°C
Certificates CE, RoHS



Surface-mounted square [ceiling light](#).
The LED light fixture fits into any
interior with its minimalist design and
can be installed on both walls and
ceilings. Illuminate your world with
LED House professionals - [check out
our project portfolio here!](#)

LED ceiling light E6 D176 white round 230V 12W 1190lm 160° 830

Product code 13524

Supply voltage 230V
Output 12W
Rated current 100mA
Luminous flux 1190lumens
Luminaire's efficiency lm79 99W
Correlated colour temperature warm
white 3000K
Lens angle 160
Cri 80
Lifespan 20000h
Height 34.5mm
Diameter 176.5mm
Weight 476g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Shape round
No. of switches 12500pcs
Operation temperature -20°C~40°C



Surface-mounted [ceiling light](#). The LED light fixture fits into any interior with its minimalist design and can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED ceiling light EMOS NEXXO 120x120 white square 230V 7.6W 680lm 120° IP40/20 840

Product code 17949

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 7.6W

Rated current 500mA

Luminous flux 680lumens

Luminaire's efficiency lm79 89W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 40.0mm

Width 120.0mm

Length 120.0mm

Weight 427g

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape square

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other [EMOS NEXXO ceiling lights!](#)

LED ceiling light EMOS NEXXO 170x170 white square 230V 12.5W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K WW/WW/NW

Product code 16633

Brand [EMOS](#)
 Supply voltage 230V
 Power factor 0.50
 Output 12.5W
 Rated current 300mA
 Luminous flux 1100lumens
 Luminaire's efficiency lm79 88W
 Correlated colour temperature
 WW/WW/NW 3000K, 3500K, 4000K
 Lens angle 120
 Cri 80
 Protection class IP40/20
 Lifespan 30000h
 Height 42.0mm
 Width 170.0mm
 Length 170.0mm
 In package 1pc
 In box 8pcs
 Casing colour white
 Casing material metal + plastic
 Polishing matt
 Shape square
 Power supply [LIFUD](#)
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 3 years



Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling. Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other [EMOS NEXXO ceiling lights!](#)

LED ceiling light EMOS NEXXO 225x225 white square 230V 21W 1900lm CRI80 120° IP40/20 3000K, 3500K, 4000K WW/WW/NW

Product code 16888

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 21W

Rated current 500mA

Luminous flux 1900lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature

WW/WW/NW 3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Width 225.0mm

Length 225.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape square

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted square LED ceiling light. Suitable for illuminating various indoor spaces. The LED lamp features a matte white housing. Can be mounted on the wall or ceiling.

Possible light temperatures are warm white 3000K/3500K and daylight 4000K. From LED House selection, you can also find other [EMOS NEXXO ceiling lights!](#)

LED ceiling light EMOS NEXXO D120 white round 230V 7.6W 680lm CRI80 120° IP40/20 3000K, 3500K, 4000K WW/WW/NW

Product code 17047

Brand [EMOS](#)
 Supply voltage 230V
 Power factor 0.50
 Output 7.6W
 Rated current 300mA
 Luminous flux 680lumens
 Luminaire's efficiency lm79 89W
 Correlated colour temperature
 WW/WW/NW 3000K, 3500K, 4000K
 Lens angle 120
 Cri 80
 Protection class IP40/20
 Lifespan 30000h
 Height 40.0mm
 Diameter 120.0mm
 In package 1pc
 In box 8pcs
 Casing colour white
 Casing material metal + plastic
 Polishing matt
 Shape round
 Power supply [LIFUD](#)
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED ceiling light EMOS NEXXO D170 white round 230V 12.5W 1100lm CRI80 120° IP40/20 3000K, 3500K, 4000K WW/WW/NW

Product code 16890

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.50

Output 12.5W

Rated current 300mA

Luminous flux 1100lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature
WW/WW/NW 3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Diameter 170.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED ceiling light EMOS NEXXO D225 white round 230V 21W 1900lm CRI80 120° IP40/20 3000K, 3500K, 4000K WW/WW/NW

Product code 16889

Brand [EMOS](#)
Supply voltage 230V
Power factor 0.90
Output 21W
Rated current 500mA
Luminous flux 1900lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature
WW/WW/NW 3000K, 3500K, 4000K
Lens angle 120
Cri 80
Protection class IP40/20
Lifespan 30000h
Height 42.0mm
Diameter 225.0mm
In package 1pc
In box 8pcs
Casing colour white
Casing material metal + plastic
Polishing matt
Shape round
Power supply [LIFUD](#)
Work environment indoor use
Certificates CE, RoHS
Warranty 3 years



Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED ceiling light EMOS NEXXO D300 white round 230V 25W 2100lm 110° IP40/20 840

Product code 17963

Brand [EMOS](#)

Supply voltage 230V

Output 25W

Rated current 300mA

Luminous flux 2100lumens

Luminaire's efficiency lm79 84W

Correlated colour temperature pure white 4000K

Lens angle 110

Cri 82

Protection class IP40/20

Lifespan 30000h

Height 21.0mm

Diameter 300.0mm

Installation opening diameter 280mm

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



The EMOS NEXXO LED circular panel is a stylish and functional lighting solution that fits perfectly into various indoor spaces, including homes, offices, and public areas. The panel's light temperature is adjustable, ranging from warm light to daylight. Improve the quality of light in your everyday life and choose a top-quality lighting solution from the [LED house product range!](#)

LED ceiling light EMOS NEXXO D300 white round 230V 28.5W 2700lm CRI80 120° IP40/20 3000K, 3500K, 4000K WW/WW/NW

Product code 17048

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 28.5W

Rated current 700mA

Luminous flux 2700lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature
WW/WW/NW 3000K, 3500K, 4000K

Lens angle 120

Cri 80

Protection class IP40/20

Lifespan 30000h

Height 42.0mm

Diameter 300.0mm

In package 1pc

In box 8pcs

Casing colour white

Casing material metal + plastic

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years




Surface-mounted circular ceiling light. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. The light fixture is suitable for indoor use only! You can choose between different light temperatures: Warm white 3000K/3500K Daylight white 4000K Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight LAHTI MINI 2X9W TRIAC black 230V 18W 1050lm 35° IP20 930

Product code 16426 TRIAC dimmable

Supply voltage 230V
 Dimmable TRIAC
 Output 18W
 Luminous flux 1050lumens
 Luminaire's efficiency lm79 58W
 Correlated colour temperature warm white 3000K
 Lens angle 35
 Source of light [PHILIPS LED](#)
 Cri 90
 Protection class IP20
 Lifespan 30000h
 Height 82.0mm
 Width 78.0mm
 Length 161.0mm
 Weight 820g
 In box 12pcs
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 2 years




LAHTI MINI surface-mounted LED luminaire. Modern and elegant, offering minimalist design that fits various interiors. This luminaire, with IP20 protection rating, is an ideal choice for home or office environments, providing warm white light at 3000K. With this LED lamp, you can keep colors true to life in living spaces, making it suitable as the main light source in a room! The lamp body is made of aluminum, in a matte black finish. The 18W LAHTI MINI is also dimmable (TRIAC). With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Elevate the quality of your everyday lighting and choose a top-notch lighting solution from the LED house product range!

LED downlight LAHTI MINI 2X9W TRIAC white 230V 18W 1050lm 35° IP20 930

Product code 16427 TRIAC dimmable

Supply voltage 230V
 Dimmable TRIAC
 Output 18W
 Luminous flux 1050lumens
 Luminaire's efficiency lm79 58W
 Correlated colour temperature warm white 3000K
 Lens angle 35
 Source of light [PHILIPS LED](#)
 Cri 90
 Protection class IP20
 Lifespan 30000h
 Height 82.0mm
 Width 78.0mm
 Length 161.0mm
 Weight 820g
 In box 12pcs
 Casing colour white
 Casing material aluminum
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 2 years



LAHTI MINI surface-mounted LED luminaire. Modern and elegant, offering minimalist design that fits various interiors. This luminaire, with IP20 protection rating, is an ideal choice for home or office environments, providing warm white light at 3000K. With this LED lamp, you can keep colors true to life in living spaces, making it suitable as the main light source in a room! The lamp body is made of aluminum, in a matte black finish. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Elevate the quality of your everyday lighting and choose a top-notch lighting solution from the LED house product range!

LED downlight LAHTI MINI TRIAC black 230V 13.5W 850lm 35° IP20 930

Product code 16605 TRIAC dimmable

Supply voltage 230V
Dimmable TRIAC
Output 13.5W
Luminous flux 850lumens
Luminaire's efficiency lm79 63W
Correlated colour temperature warm
white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 99.0mm
Diameter 100.0mm
Weight 580g
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight LAHTI MINI TRIAC black 230V 9W 550lm 35° IP20 930

Product code 16599 TRIAC dimmable

Supply voltage 230V
Dimmable TRIAC
Output 9W
Luminous flux 550lumens
Luminaire's efficiency lm79 61W
Correlated colour temperature warm white 3000K
Lens angle 35
Cri 90
Protection class IP20
Lifespan 30000h
Height 80.0mm
Diameter 78.0mm
Weight 450g
Package weight 500g
In package 1pc
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight LAHTI MINI TRIAC white 230V 10.5W 680lm 35° IP20 930

Product code 17046 TRIAC dimmable

Supply voltage 230V
Dimmable TRIAC
Output 10.5W
Luminous flux 680lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature warm
white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 99.0mm
Diameter 100.0mm
Weight 780g
In box 24pcs
Casing colour white
Casing material aluminum
No. of switches 20000pcs
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight LAHTI MINI TRIAC white 230V 13.5W 850lm 35° IP20 930

Product code 16606 TRIAC dimmable

Supply voltage 230V
Dimmable TRIAC
Output 13.5W
Luminous flux 850lumens
Luminaire's efficiency lm79 63W
Correlated colour temperature warm
white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 99.0mm
Diameter 100.0mm
Weight 580g
In box 24pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight LAHTI MINI TRIAC white 230V 9W 550lm 35° IP20 930

Product code 16411 TRIAC dimmable

Supply voltage 230V
Dimmable TRIAC
Output 9W
Luminous flux 550lumens
Luminaire's efficiency lm79 61W
Correlated colour temperature warm
white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 80.0mm
Diameter 78.0mm
Weight 410g
In box 24pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



Modern black LED ceiling light. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This ceiling light with IP20 protection class is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light is capable of rendering colors naturally, contributing to the overall atmosphere and feeling of the room. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED ceiling light LENO black GU10 IP20

Product code 17151

Socket GU10
 Protection class IP20
 Height 123.0mm
 Length 175.0mm
 In box 10pcs
 Casing colour black
 Casing material aluminum
 Polishing matt
 Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED ceiling light LENO white GU10 IP20

Product code 17150

Socket GU10
 Protection class IP20
 Height 123.0mm
 Length 175.0mm
 In box 10pcs
 Casing colour white
 Casing material aluminum
 Polishing matt
 Work environment indoor use

Striking surface-mounted [ceiling light](#). Suitable for illuminating various indoor spaces. LED bulb is not included in the package! Can be installed on both walls and ceilings. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



LED downlight PROLUMEN DL115A black 18W 1890lm 90° IP54 940

Product code 15519

Brand [PROLUMEN](#)

Output 18W

Luminous flux 1890lumens

Luminaire's efficiency lm79 105W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 124.0mm

Diameter 170.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE

Warranty 5 years



Round-shaped surface-mounted LED ceiling light. Suitable for various spaces due to its simple design. This light fixture is intended for indoor use only, with an IP54 protection rating. It has an ideal color rendering index (CRI90) for workspaces and offices. LED lights with a color temperature of 4000K create neutral light, which is ideal for workspaces and kitchens, among other places. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight PROLUMEN DL115A white round 230V 25W 2330lm 60° IP54 930

Product code 15892

Brand [PROLUMEN](#)
Supply voltage 230V
Output 25W
Luminous flux 2330lumens
Luminaire's efficiency lm79 93W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Protection class IP54
Lifespan 50000h
Height 129.0mm
Diameter 213.0mm
Weight 800g
Package weight 12500g
In box 12pcs
Casing colour white
Casing material aluminum
Shape round
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The warm light of the luminaire is perfect for bedrooms, living rooms, and other spaces with a softer atmosphere. The same model of recessed luminaire can also be found in the LED house product range with a [black-colored housing!](#)

LED luminaire PROLUMEN DL115B white round 230V 25W 2330lm 90° IP54 930

Product code 15873 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2330lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature warm white 3000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800g

Package weight 12500g

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED luminaire PROLUMEN DL115B white round 230V 25W 2400lm 90° IP54 940

Product code 15872

Brand [PROLUMEN](#)

Supply voltage 230V

Output 25W

Luminous flux 2400lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature pure white 4000K

Lens angle 90

Cri 90

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800g

Package weight 12500g

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. This luminaire is available in both warm white (3000K) and daylight (4000K) options. For homes, we recommend warm white lights for bedrooms, living rooms, and dining areas. Daylight white may be best suited for kitchens and offices! With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED ceiling light PROLUMEN DL129 TRIAC black 230V 10W 1030lm 24° IP20 930

Product code 15890 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 10W

Luminous flux 1030lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm
white 3000K

Lens angle 24

Source of light CITIZEN LED

Cri 90

Protection class IP20

Lifespan 50000h

Height 110.0mm

Width 90.0mm

Length 90.0mm

In box 24pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE, Rohs

Warranty 5 years

An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!



LED ceiling light PROLUMEN DL129 TRIAC black 230V 10W 1030lm 36° IP20 940

Product code 15888 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 10W

Luminous flux 1030lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 90

Protection class IP20

Lifespan 50000h

Height 110.0mm

Width 90.0mm

Length 90.0mm

In box 24pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE, Rohs

Warranty 5 years

An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!



LED ceiling light PROLUMEN DL129 TRIAC black 230V 10W 1030lm 60° IP20 930

Product code 15102 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 10W

Luminous flux 1030lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Lens angle 60

Source of light CITIZEN LED

Cri 90

Protection class IP20

Lifespan 50000h

Height 110.0mm

Width 90.0mm

Length 90.0mm

In box 24pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE, Rohs

Warranty 5 years

An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Thanks to CRI90, the LED light fixture is capable of rendering colors naturally, contributing to the overall atmosphere and feel of the space. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!



LED ceiling light PROLUMEN DL129 TRIAC white 230V 20W 2000lm 36° IP20 840

Product code 15891 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure
white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 80

Protection class IP20

Height 122.0mm

Width 115.0mm

Length 115.0mm

In box 18pcs

Casing colour white

Certificates CE, Rohs

Warranty 5 years



An elegant square-shaped indoor ceiling light with dimmable functionality. Suitable for hotels, residential spaces, offices, conference rooms, etc. This light fixture is often installed in stairwells, hallways, and reception areas. The direction of light is adjustable: 350 degrees horizontally, 25 degrees vertically. Can be mounted on various surfaces (ceiling, wall). With TRIAC technology, the LED light fixture can be easily adjusted for different lighting scenes, creating cozy light for intimate dinners or brighter light for working purposes. This light fixture is suitable for indoor use only, IP20 protection rating. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight PROLUMEN DL176 DALI white 15W 1500lm 36° IP54 930

Product code 16994 DALI dimmable

Brand [PROLUMEN](#)

Dimmable DALI

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Lens angle 36

Cri 90

Protection class IP54

Lifespan 50000h

Height 133.8mm

Diameter 100.4mm

In package 1pc

Casing colour white

Casing material aluminum

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

LED downlight PROLUMEN DL176 DALI white 25W 2300lm 36° IP54 930

Product code 16233 DALI dimmable

Brand [PROLUMEN](#)

Dimmable DALI

Output 25W

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature warm
white 3000K

Lens angle 36

Cri 90

Protection class IP54

Lifespan 50000h

Height 144.0mm

Diameter 120.0mm

Weight 960g

Package weight 1110g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Polishing matt

Work environment indoor use

Certificates CE

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. Suitable for various spaces due to its simple design. An environmentally friendly and stylish ceiling light that creates a cozy atmosphere with warm light in the room. The light fixture is designed for indoor use only, with a dust and water resistance rating of IP54. This light fixture has an ideal color rendering index (CRI90) for workspaces and offices. Integrated DALI Dim technology allows for adjusting the brightness of the light fixture according to needs. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range

LED ceiling light PROLUMEN DL207 black 230V 15W 1300lm 36° IP20 830

Product code 16017

Brand [PROLUMEN](#)

Supply voltage 230V

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 186.0mm

Diameter 85.0mm

Weight 750g

Package weight 850g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

LED ceiling light PROLUMEN DL207 black 230V 15W 1400lm 36° IP20 940

Product code 16867

Brand [PROLUMEN](#)

Supply voltage 230V

Output 15W

Luminous flux 1400lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 186.0mm

Diameter 85.0mm

Weight 750g

Package weight 850g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Looking to highlight the impressive features of your space even more? Choose a spot light for this purpose and illuminate every dark corner! This LED spotlight with adjustable light beam is a great tool to showcase wall-mounted artworks, vases on shelves, and even the nightstand next to the bed. LED lights have been widely used as focus lighting in shopping centers, display windows, museums, and homes! The direction of the light beam can be adjusted vertically up to 90 degrees and horizontally up to 330 degrees. The simple and unique design of the light fixture doesn't distract attention from the focal point, making it suitable for various interiors. This light fixture is intended for indoor use only.

LED ceiling light PROLUMEN DL259 black 230V 16W 1550lm 36° IP20 930

Product code 15784 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Dimmable TRIAC
Output 16W
Luminous flux 1550lumens
Luminaire's efficiency lm79 97W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 60.0mm
Width 135.0mm
Length 224.0mm
Weight 910g
Package weight 1010g
In package 1pc
In box 12pcs
Casing colour black
Casing material metal + plastic
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE, RoHS, SAA
Warranty 5 years



A rectangular designed ceiling light with two directional light beams. This luminaire is suitable for indoor use only, with an IP20 protection class. Thanks to CRI90, the LED luminaire is capable of presenting colors naturally, contributing to the overall atmosphere and feel of the room. We recommend this warm white (3000K) light for both living spaces and work environments. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED ceiling light PROLUMEN DL259 black 230V 8W 700lm 36° IP20 930

Product code 15783 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature warm
white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal + plastic


Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

LED ceiling light PROLUMEN DL259 black 230V 8W 700lm 36° IP20 940

Product code 16181 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Luminous flux 700lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal + plastic


Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 5 years



Modern and minimalist lighting for every room! A square ceiling light with dimmable light beam (TRIAC). The direction of the light can be adjusted up to 23 degrees in any direction. Easy installation! Fits well with various design styles due to its minimalist design. LED light is ideal for kitchens, offices, bedrooms, shops, and many other spaces with different purposes. PROLUMEN LED lamps are durable, long-lasting, and environmentally friendly choice!

LED luminaire PROLUMEN DL269B 3 black round 230V 15W 1300lm 70° IP65 830

Product code 16432

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm
white 3000K

Lens angle 70

Cri 80

Ugr 22

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 107.0mm

Diameter 90.0mm

Weight 600g

Package weight 646g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

LED luminaire PROLUMEN DL269B 3 black round 230V 35W 2700lm 70° IP65 940

Product code 17171

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 35W

Luminous flux 2700lumens

Luminaire's efficiency lm79 77W

Correlated colour temperature pure white 4000K

Lens angle 70

Cri 90

Ugr 22

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 119.0mm

Diameter 214.0mm

Weight 600g

Package weight 646g

In package 1pc

In box 6pcs

Casing colour black

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor use

Certificates CE, RoHS

Warranty 5 years



Cylindrical PROLUMEN LED light for every interior! IP65 protection class means that the luminaire is water and dust resistant, making it suitable for outdoor use. The DL296B model is available in both warm white (3000K) and daylight (4000K) versions in the LED house range. Come and take a look around our showroom in Tallinn!

LED luminaire PROLUMEN DL269B 3 UGR19 white round 230V 10W 850lm 75° IP65 930

Product code 16157

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 10W
Luminous flux 850lumens
Luminaire's efficiency lm79 85W
Correlated colour temperature warm
white 3000K
Lens angle 75
Cri 90
Ugr 19
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Height 107.0mm
Diameter 90.0mm
Weight 600g
Package weight 646g
In package 1pc
In box 12pcs
Casing colour white
Casing material aluminum
Shape round
Impact resistance IK08
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED luminaire PROLUMEN DL269B 5 UGR19 DALI white round 230V 18W 1600lm 75° IP65 930

Product code 16155 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 18W

Luminous flux 1600lumens

Luminaire's efficiency lm79 89W

Correlated colour temperature warm
white 3000K

Lens angle 75

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920g

Package weight 1010g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED luminaire PROLUMEN DL269B 5 UGR19 white round 230V 18W 1600lm 75° IP65 930

Product code 16156

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 1600lumens

Luminaire's efficiency lm79 89W

Correlated colour temperature warm
white 3000K

Lens angle 75

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920g

Package weight 1010g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED luminaire PROLUMEN DL269B 8 UGR19 DALI white round 230V 25W 2400lm 75° IP65 930

Product code 15925 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 25W

Luminous flux 2400lumens

Luminaire's efficiency lm79 96W

Correlated colour temperature warm
white 3000K

Lens angle 75

Cri 90

Ugr 19

Protection class IP65

Lifespan 50000h

Height 119.0mm

Diameter 214.0mm

Weight 2200g

Package weight 2480g

In package 1pc

In box 6pcs

Casing colour white

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP65 protection class means that this luminaire is protected against fine dust and pressure splashes. This indicates that the luminaire is water and dust resistant, making it suitable for outdoor use as well. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED downlight PROLUMEN DL322A black round 230V 14W 1300lm 36° IP20 830

Product code 16313

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 14W

Luminous flux 1300lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 96.0mm

Diameter 120.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



Stylish round LED ceiling light, matte black. The direction of the light fixture can be adjusted by rotating the light beam around its axis within a range of 340 degrees. We recommend this warm white (3000K) light fixture for both living spaces and work environments. This LED ceiling lamp is designed as ambient lighting - suitable for use in hotels, homes, offices, shops, and many other spaces. Enhance the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED downlight PROLUMEN DL340A white 230V 15W 1369lm 36° IP40 930

Product code 17244

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output voltage 40V
Output 15W
Rated current 250mA
Luminous flux 1369lumens
Luminaire's efficiency lm79 91W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 90
Ugr 19
Sdcm - macadam ellipses 6
Protection class IP40
Lifespan 50000h
Height 108.0mm
Diameter 100.0mm
Weight 540g
Package weight 600g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



Modern matte white surface-mounted light. The aluminum matte white body allows for easy adjustment of the light direction. The light fixture rotates within a 360-degree radius, and horizontally, the direction can be adjusted up to 90 degrees. Its minimalist design blends perfectly with various interiors, whether at home, in the office, or in a business environment. With an IP40 protection rating, this surface-mounted light is an ideal choice for home or office environments, providing warm white light at a temperature of 3000K. Thanks to CRI90, the LED light fixture is capable of presenting colors in a natural way, contributing to the overall atmosphere and feeling of the room. Upgrade the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED luminaire PROLUMEN DL38 (DALI) white 230V 10W 1500lm 60° IP54 930

Product code 17370 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 10W
Luminous flux 1500lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 120.0mm
Diameter 110.0mm
In package 1pc
In box 18pcs
Casing colour white
Casing material aluminum
Work environment indoor / outdoor
use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 DALI white 230V 25W 2300lm 45° IP54 940

Product code 15328 DALI dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 25W
Luminous flux 2300lumens
Luminaire's efficiency lm79 92W
Correlated colour temperature pure white 4000K
Lens angle 45
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 110.0mm
Diameter 120.0mm
Weight 750g
Package weight 860g
In box 18pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 DALI white 230V 35W 3400lm 36° IP54 930

Product code 15567 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm
white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 DALI white 230V 35W 3400lm 36° IP54 940

Product code 14929 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED ceiling light PROLUMEN DL38 TRIAC black round 230V 15W 1300lm 60° IP54 830

Product code 15109 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm
white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520g

Package weight 630g

In package 1pc

In box 40pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED ceiling light PROLUMEN DL38 TRIAC black round 230V 15W 1300lm 60° IP54 840

Product code 15309 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 TRIAC black round 230V 25W 2700lm 45° IP54 830

Product code 15543 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Luminous flux 2700lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm
white 3000K

Lens angle 45

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750g

Package weight 860g

In box 18pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 TRIAC black round 230V 35W 3400lm 36° IP54 940

Product code 14586 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 TRIAC black round 230V 35W 3400lm 60° IP54 930

Product code 15442 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm
white 3000K

Lens angle 60

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED ceiling light PROLUMEN DL38 TRIAC white 230V 10W 800lm 60° IP54 930

Product code 15281 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 10W
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 100.0mm
Diameter 90.0mm
Weight 474g
Package weight 537g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED ceiling light PROLUMEN DL38 TRIAC white 230V 15W 1300lm 60° IP54 840

Product code 14874 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 474g

Package weight 537g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED ceiling light PROLUMEN DL38 TRIAC white 230V 15W 1300lm 60° IP54 930

Product code 15267 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 15W
Luminous flux 1300lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm
white 3000K
Lens angle 60
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 110.0mm
Diameter 120.0mm
Weight 520g
Package weight 630g
In package 1pc
In box 24pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 TRIAC white 230V 25W 2300lm 45° IP54 940

Product code 15327 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature pure white 4000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750g

Package weight 860g

In box 18pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 TRIAC white 230V 25W 2700lm 45° IP54 930

Product code 14935 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 25W

Luminous flux 2700lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm
white 3000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750g

Package weight 860g

In box 18pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 TRIAC white 230V 35W 3400lm 36° IP54 940

Product code 14508 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 white 230V 35W 3400lm 36° IP54 930

Product code 15564

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 35W
Luminous flux 3400lumens
Luminaire's efficiency lm79 97W
Correlated colour temperature warm
white 3000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 120.0mm
Diameter 160.0mm
Weight 1300g
Package weight 1458g
In box 12pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED luminaire PROLUMEN DL38 white 230V 35W 3400lm 36° IP54 940

Product code 15563

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 35W
Luminous flux 3400lumens
Luminaire's efficiency lm79 97W
Correlated colour temperature pure white 4000K
Lens angle 36
Cri 90
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 120.0mm
Diameter 160.0mm
Weight 1300g
Package weight 1458g
In box 12pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 5 years



LED light fixture with a round shape for indoor use. The LED light fixture is easily installable on ceilings and walls. Suitable for homes, offices, and conference rooms. Environmentally friendly and stylish light fixture that renders colors accurately in rooms and has a very long lifespan (50,000 hours). DL38 luminaires are easy to install, maintain, and use! LED house offers both daylight (4000K) and warm light (3000K) variants. The light beam is dimmable (TRIAC/DALI).

LED ceiling light PROLUMEN DL52 white 230V 18W 1584lm 100° IP54 930

Product code 15610

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 1584lumens

Luminaire's efficiency lm79 88W

Correlated colour temperature warm
white 3000K

Lens angle 100

Cri 90

Protection class IP54

Lifespan 50000h

Height 68.0mm

Diameter 170.0mm

Weight 474g

Package weight 537g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Surface-mounted LED ceiling light with a round shape. The IP54 protection class means that this luminaire is protected against ordinary dust and splashes from any direction. This luminaire has an ideal color rendering index (CRI90) for workspaces and offices. The light temperature of the luminaire is 3000K, providing warm white light to the room. For homes, we recommend warm white ceiling lights for bedrooms, living rooms, and dining areas. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). From the LED house product range, you can find several other [ceiling lights](#) that complement this luminaire to create unique lighting effects in your space!

LED ceiling light PROLUMEN Lunel black 230V GU10 IP20

Product code 16403

Brand [PROLUMEN](#)
 Supply voltage 230V
 Maximum output 5W/1m
 Socket GU10
 Protection class IP20
 Height 95.0mm
 Diameter 54.0mm
 In package 1pc
 In box 30pcs
 Casing colour black
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years

With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a [ceiling light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. With proper use, the light fixture is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Come and take a look around our showroom in Tallinn!



LED ceiling light PROLUMEN Lunel black 230V GU10 IP20

Product code 16404

Brand [PROLUMEN](#)
Supply voltage 230V
Maximum output 5W/1m
Socket GU10
Protection class IP20
Height 95.0mm
Diameter 54.0mm
Installation opening diameter
65-70mm
In package 1pc
In box 30pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 5 years



With its elegant design, the compact and recessed GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a [ceiling light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!

LED ceiling light PROLUMEN Lunel white 230V GU10 IP20

Product code 16830

Brand [PROLUMEN](#)
 Supply voltage 230V
 Maximum output 5W/1m
 Socket GU10
 Protection class IP20
 Height 95.0mm
 Diameter 54.0mm
 In package 1pc
 In box 30pcs
 Casing colour white
 Casing material aluminum
 Work environment indoor use
 Operation temperature -20 ~ 40°C
 Certificates CE
 Warranty 5 years



With its elegant design, the compact GU10 ceiling light is perfect for home use. The maximum height of the bulb is 75mm. Featuring an elegant design, the compact GU10 light fixture is ideal for home use. Its minimalist design blends perfectly into various interiors, whether at home, in the office, or in a business environment. This IP20-rated ceiling light is an ideal choice for home or office environments. You can choose this Lunel series light as a [ceiling light](#), surface-mounted [black](#) or [white](#) light, and also as a [recessed light](#). As a ceiling light, it attaches to the 3F rail. The maximum height of the bulb is 75mm. Come and take a look around our showroom in Tallinn!

LED ceiling light PROLUMEN Newcastle (with nickel ring) surface mounted black 230V 15W 1500lm 40° IP20 940

Product code 16207

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Luminous flux 1500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature pure white 4000K
Lens angle 40
Source of light CITIZEN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 152.0mm
Diameter 75.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminum
Polishing matt
Power supply [LIFUD](#)
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

LED downlight PROLUMEN Newcastle (with silver ring) surface mounted DALI black round 230V 20W 2000lm 40° IP20 940

Product code 16288 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable DALI

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 115.0mm

In box 18pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



The LED pendant light Newcastle is a stylish and functional pendant light that fits into modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The light fixture is available in both surface-mounted and pendant versions. External housings are available in black and white, with internal rims in black, silver, and nickel - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

LED ceiling light PROLUMEN RD01 white 230V 45W 3550lm 120° IP20 840

Product code 15344

Brand [PROLUMEN](#)

Supply voltage 230V

Output 45W

Luminous flux 3550lumens

Luminaire's efficiency lm79 79W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Protection class IP20

Lifespan 40000h

Height 114.4mm

Width 145.0mm

Length 235.0mm

Weight 1899g

Package weight 2100g

In package 1pc

Casing colour white

Polishing matt

Work environment indoor use

Warranty 5 years



Recessed LED ceiling light, designed to fit shopping centers, hotels, schools, staircases, and many other diverse indoor spaces. Suitable for installation in dry indoor areas. Illuminate your world with the help of LED House professionals - see our project portfolio here!

LED ceiling light PROLUMEN RD01-C white 230V 40W 3800lm CRI90 90° IP20 3000K, 4000K, 6000K WW/DW/CW

Product code 15017

Brand [PROLUMEN](#)

Supply voltage 230V

Output 40W

Luminous flux 3800lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature

WW/DW/CW 3000K, 4000K, 6000K

Lens angle 90

Cri 90

Protection class IP20

Lifespan 40000h

Casing colour white

Polishing matt

Work environment indoor use

Warranty 5 years

CCT selectable ceiling light with a button. Project sales, minimum order quantity required. When used properly, the light is energy-efficient, environmentally friendly, and has a very long lifespan (50,000h). Come and visit our showroom in Tallinn!



LED ceiling light PROLUMEN TL13 white 230V 20W 1600lm CRI80 IP20

Product code 14618 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 20W

Luminous flux 1600lumens

Luminaire's efficiency lm79 80W

Cri 80

Protection class IP20

Lifespan 40000h

Height 148.0mm

Width 449.0mm

Length 117.5mm

Diameter 65.0mm

In box 6pcs

Casing colour white

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Certificates CE, RoHS, SAA


Warranty 5 years



LED ceiling light SISYR black round GU10 IP20

Product code 16309

Maximum output 35W/1m
 Socket GU10
 Protection class IP20
 Height 140.0mm
 Diameter 90.0mm
 In box 20pcs
 Casing colour black
 Casing material aluminum
 Polishing matt
 Shape round
 Work environment indoor use



Cylindrical housing for GU10 light bulb.

LED ceiling light Tube white GU10

Product code 15358

Socket GU10
 Height 125.0mm
 Diameter 96.0mm
 Casing colour white
 Casing material aluminum
 Polishing matt
 Work environment indoor use



Round surface-mounted housing for GU10 bulb.

LED ceiling light Tube white round GU10 IP20

Product code 17149

Socket GU10
Protection class IP20
Height 122.0mm
Diameter 94.0mm
In box 20pcs
Casing colour white
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use

Round surface-mounted housing for
GU10 bulb.

